AIR QUALITY PERMIT

Issued To: Black Diamond Quarry, Inc. Permit #3249-01

P.O. Box 297

Administrative Amendment (AA) Emigrant, MT 59027 Request Received: 4/07/04

Department Decision on AA: 5/06/04

Permit Final: 5/22/04 AFS #777-3249

An air quality permit, with conditions, is hereby granted to Black Diamond Quarry, Inc. (Black Diamond), pursuant to Sections 75-2-204 and 211, Montana Code Annotated (MCA), as amended, and the Administrative Rules of Montana (ARM) 17.8.740, et seq., as amended, for the following:

Section I: Permitted Facilities

A. Permitted Equipment:

Black Diamond operates a portable crushing/screening operation. Permit #3249-01 will apply to the source while operating at any location in Montana, except within those areas having a Department of Environmental Quality (Department) approved permitting program, those areas considered tribal lands, or those areas in or within 10 kilometers (km) of certain particulate matter with an aerodynamic diameter of 10 microns or less (PM₁₀) nonattainment areas. A Missoula County air quality permit will be required for locations within Missoula County, Montana. An addendum to this air quality permit will be required if Black Diamond intends to locate in or within 10 km of certain PM₁₀ nonattainment areas. A complete list of the permitted equipment is contained in Section I.A of the permit analysis.

B. **Current Permit Action**

A transfer of ownership request was submitted by Robins Contracting, Inc. (RCI) on April 6, 2004 and Black Diamond on April 7, 2004. Subsequently, the Department sent a letter of approval on April 27, 2004. The current permit action will complete the transfer of Permit #3249 from RCI to Black Diamond. In addition, the current permit language and rule references were updated.

Section II: **Limitations and Conditions**

A. **Operational Limitations and Conditions**

- 1. Black Diamond shall not cause or authorize to be discharged into the atmosphere from any Standards of Performance for New Stationary Sources (NSPS) affected crusher, any visible emissions that exhibit an opacity of 15% or greater averaged over 6 consecutive minutes (ARM 17.8.340, ARM 17.8.752, and 40 CFR Part 60, Subpart OOO).
- 2. Black Diamond shall not cause or authorize to be discharged into the atmosphere from any other NSPS-affected equipment, such as screens or conveyor transfers, any visible emissions that exhibit an opacity of 10% or greater averaged over 6 consecutive minutes (ARM 17.8.340, ARM 17.8.752, and 40 CFR 60, Subpart OOO).
- 3. Black Diamond shall not cause or authorize to be discharged into the atmosphere, from any non-NSPS affected equipment, any visible emissions that exhibit an opacity of 20% or greater averaged over 6 consecutive minutes (ARM 17.8.304 and ARM 17.8.752).

- 4. Water and spray bars shall be available on site and used, as necessary, to maintain compliance with the opacity limitations in Sections II.A.1, II.A.2, and II.A.3 (ARM 17.8.752).
- 5. Black Diamond shall not cause or authorize the use of any street, road, or parking lot without taking reasonable precautions to control emissions of airborne particulate matter (ARM 17.8.308).
- 6. Black Diamond shall treat all unpaved portions of the haul roads, access roads, parking lots, or the general plant area with water and/or chemical dust suppressant as necessary to maintain compliance with the reasonable precautions limitation in Section II.A.5 (ARM 17.8.752).
- 7. Total crushing production from the three crushers shall be limited to 5,256,000 tons during any rolling 12-month time period (ARM 17.8.749).
- 8. Black Diamond shall not operate more than three crushers at any given time and the combined maximum rated design capacity of the crushers shall not exceed 600 TPH (ARM 17.8.749).
- 9. Total screening production from the three screens shall be limited to 5,256,000 tons during any rolling 12-month time period (ARM 17.8.749).
- 10. Black Diamond shall not operate more than three screens at any given time and the combined maximum rated design capacity of the screens shall not exceed 600 TPH (ARM 17.8.749).
- 11. Black Diamond shall not operate more than two diesel generators at any given time and the combined maximum rated design capacity of the diesel generators shall not exceed 545 kW (ARM 17.8.749).
- 12. If the permitted equipment is used in conjunction with any other equipment owned or operated by Black Diamond, at the same site, production shall be limited to correspond with an emission level that does not exceed 250 tons during any rolling 12-month time period. Any calculations used to establish production levels shall be approved by the Department (ARM 17.8.749).
- 13. Black Diamond shall comply with all applicable standards and limitations, and the reporting, recordkeeping, testing, and notification requirements contained in 40 CFR 60, Subpart OOO, as appropriate (ARM 17.8.340 and 40 CFR 60, Subpart OOO).

B. Testing Requirements

- 1. Within 60 days after achieving the maximum production rate, but no later than 180 days after initial startup, an Environmental Protection Agency (EPA) Method 9 opacity test and/or other methods and procedures, as specified in 40 CFR Part 60.675, must be performed on any NSPS affected equipment to demonstrate compliance with the emissions limitations contained in Sections II.A.1 and II.A.2 (ARM 17.8.340, 40 CFR Part 60, General Provisions and Subpart OOO).
- 2. All compliance source tests shall conform to the requirements of the Montana Source Test Protocol and Procedures Manual (ARM 17.8.106).

- 3. The Department may require further testing (ARM 17.8.105).
- C. Operational Reporting Requirements
 - 1. If this crushing/screening plant is moved to another location, an Intent to Transfer Form must be sent to the Department. In addition, a Public Notice Form for Change of Location must be published in a newspaper of general circulation in the area to which the transfer is to be made, at least 15 days prior to the move. The Intent to Transfer Form and the proof of publication (affidavit) of the Public Notice Form for Change of Location must be submitted to the Department prior to the move. These forms are available from the Department (ARM 17.8.765).
 - 2. Black Diamond shall maintain on-site records showing daily hours of operation and daily production rates for the last 12 months. All records compiled in accordance with this permit shall be maintained by Black Diamond as a permanent business record for at least 5 years following the date of the measurement, shall be submitted to the Department upon request, and shall be available at the plant site for inspection by the Department (ARM 17.8.749).
 - 3. Black Diamond shall supply the Department with annual production information for all emission points, as required by the Department in the annual emission inventory request. The request will include, but is not limited to, all sources of emissions identified in the most recent emission inventory report and sources identified in Section I.A of the permit analysis.
 - Production information shall be gathered on a calendar-year basis and submitted to the Department by the date required in the emission inventory request. Information shall be in units, as required by the Department. This information may be used for calculating operating fees, based on actual emissions from the facility, and/or to verify compliance with permit limitations (ARM 17.8.505).
 - 4. Black Diamond shall notify the Department of any construction or improvement project conducted, pursuant to ARM 17.8.745(1), that would include a change in control equipment, stack height, stack diameter, stack flow, stack gas temperature, source location, or fuel specifications, or would result in an increase in source capacity above its permitted operation or the addition of a new emission unit. The notice must be submitted to the Department, in writing, 10 days prior to start-up or use of the proposed de minimis change, or as soon as reasonably practicable in the event of an unanticipated circumstance causing the de minimis change, and must include the information requested in ARM 17.8.745(1)(d)(ARM 17.8.745).
 - 5. Black Diamond shall document, by month, the total crusher production for the facility. By the 25th day of each month, Black Diamond shall total the crusher production during the previous 12 months to verify compliance with the limitation in Section II.A.7. A written report of the compliance verification shall be submitted along with the annual emission inventory (ARM 17.8.749).
 - 6. Black Diamond shall document, by month, the total screen production for the facility. By the 25th day of each month, Black Diamond shall total the screen production during the previous 12 months to verify compliance with the limitation in Section II.A.9. A written report of the compliance verification shall be submitted along with the annual emission inventory (ARM 17.8.749).

Section III: General Conditions

- A. Inspection Black Diamond shall allow the Department's representatives access to the source at all reasonable times for the purpose of making inspections or surveys, collecting samples, obtaining data, auditing any monitoring equipment (CEMS, CERMS) or observing any monitoring or testing, and otherwise conducting all necessary functions related to this permit.
- B. Waiver The permit and all the terms, conditions, and matters stated herein shall be deemed accepted if Black Diamond fails to appeal as indicated below.
- C. Compliance with Statutes and Regulations Nothing in this permit shall be construed as relieving Black Diamond of the responsibility for complying with any applicable federal or Montana statute, rule, or standard, except as specifically provided in ARM 17.8.740, *et seq.* (ARM 17.8.756).
- D. Enforcement Violations of limitations, conditions, and requirements contained herein may constitute grounds for permit revocation, penalties, or other enforcement as specified in Section 75-2-401, *et seq.*, MCA.
- E. Appeals Any person or persons jointly or severally adversely affected by the Department's decision may request, within 15 days after the Department renders its decision, upon affidavit setting forth the grounds therefore, a hearing before the Board of Environmental Review (Board). A hearing shall be held under the provisions of the Montana Administrative Procedures Act. The filing of a request for a hearing postpones the effective date of the Department decision until the conclusion of the hearing and issuance of a final decision by the Board. The Department's decision on the application is not final unless 15 days have elapsed and there is no request for a hearing under this section.
- F. Permit Inspection As required by ARM 17.8.755, Inspection of Permit, a copy of the air quality permit shall be made available for inspection by Department personnel at the location of the permitted source.
- G. Permit Fees Pursuant to Section 75-2-220, MCA, as amended by the 1991 Legislature, failure to pay by Black Diamond of an annual operation fee may be grounds for revocation of this permit, as required by that section and rules adopted thereunder by the Board.
- H. Construction Commencement Construction must begin within 3 years of permit issuance and proceed with due diligence until the project is complete or the permit shall be revoked.
- I. The Department may modify the conditions of this permit based on local conditions of any future site. These factors may include, but are not limited to, local terrain, meteorological conditions, proximity to residences, etc.
- J. Black Diamond shall comply with the conditions contained in this permit while operating at any location in Montana, except within those areas having a Department approved permitting program.

PERMIT ANALYSIS Black Diamond Quarry, Inc. Permit Number 3249-01

I. Introduction/Process Description

A. Permitted Equipment

Black Diamond Quarry, Inc. (Black Diamond) operates a portable crushing/screening facility consisting of a portable 1956 Cedarapids closed circuit rolls crusher (maximum capacity of up to 200 tons per hour (TPH)), two crushers (maximum capacity of up to 200 TPH), a portable 1956 Cedarapids closed circuit 2-deck screen (maximum capacity of up to 200 TPH), a 1960 Pioneer (6'x12') 3-deck screen (maximum capacity of up to 200 TPH), a screen (maximum capacity of up to 200 TPH), a diesel generator (maximum capacity of up to 350 kilowatts (kW)), a diesel generator (maximum capacity of up to 195 kW), and associated equipment.

B. Process Description

Black Diamond proposes to use this crushing/screening plant to crush and sort sand and gravel materials for use in various construction operations. For a typical operational setup, unprocessed materials are loaded into the screening plant by a feed conveyor, screened, and transferred by conveyor to a crusher. Materials are crushed and transferred by conveyor to a closed circuit crushing/screening plant. Materials are crushed and screened, and then materials are separated, with the properly sorted materials conveyed to a belt scale conveyor and on to stockpile. The other remaining materials are conveyed onto another crusher and screened for further crushing and screening, and then on to stockpile.

C. Permit History

On March 10, 2003, Robin's Contracting, Inc. (RCI), submitted a complete permit application to operate a portable crushing/screening facility consisting of a portable 1956 Cedarapids closed circuit rolls crusher (maximum capacity of up to 200 tons per hour (TPH)), two crushers (maximum capacity of up to 200 TPH), a portable 1956 Cedarapids closed circuit 2-deck screen (maximum capacity of up to 200 TPH), a 1960 Pioneer (6'x12') 3-deck screen (maximum capacity of up to 200 TPH), a screen (maximum capacity of up to 200 TPH), a diesel generator (maximum capacity of up to 350 kW), a diesel generator (maximum capacity of up to 195 kW), and associated equipment. The original location for the facility was identified as the SE½ of the SW½ of Section 15, Township 20 North, Range 26 West, in Sanders County, Montana.

D. Current Permit Action

A transfer of ownership request was submitted by RCI on April 6, 2004 and Black Diamond on April 7, 2004. Subsequently, the Department of Environmental Quality (Department) sent a letter of approval on April 27, 2004. The current permit action will complete the transfer of Permit #3249 from RCI to Black Diamond. In addition, the current permit language and rule references were updated. **Permit #3249-01** will replace Permit #3249-00.

E. Additional Information

Additional information, such as applicable rules and regulations, Best Available Control Technology (BACT) determinations, air quality impacts, and environmental assessments, is included in the permit analysis associated with each change to the permit.

II. Applicable Rules and Regulations

The following are partial explanations of some applicable rules and regulations that apply to the facility. The complete rules are stated in the Administrative Rules of Montana (ARM) and are available, upon request, from the Department. Upon request, the Department will provide references for locations of complete copies of all applicable rules and regulations or copies where appropriate.

- A. ARM 17.8, Subchapter 1 General Provisions, including, but not limited to:
 - 1. <u>ARM 17.8.101 Definitions</u>. This rule is a list of applicable definitions used in this chapter, unless indicated otherwise in a specific subchapter.
 - 2. <u>ARM 17.8.105 Testing Requirements</u>. Any person or persons responsible for the emission of any air contaminant into the outdoor atmosphere shall, upon written request of the Department, provide the facilities and necessary equipment (including instruments and sensing devices) and shall conduct tests, emission or ambient, for such periods of time as may be necessary, using methods approved by the Department.
 - 3. <u>ARM 17.8.106 Source Testing Protocol</u>. The requirements of this rule apply to any emission source testing conducted by the Department, any source, or other entity as required by any rule in this chapter, or any permit or order issued pursuant to this chapter, or the provisions of the Clean Air Act of Montana, 75-2-101, *et seq.*, Montana Code Annotated (MCA).
 - Black Diamond shall comply with all requirements contained in the Montana Source Test Protocol and Procedures Manual, including, but not limited to, using the proper test methods and supplying the required reports. A copy of the Montana Source Test Protocol and Procedures Manual is available from the Department upon request.
 - 4. <u>ARM 17.8.110 Malfunctions</u>. (2) The Department must be notified promptly by telephone whenever a malfunction occurs that can be expected to create emissions in excess of any applicable emission limitation or to continue for a period greater than 4 hours.
 - 5. <u>ARM 17.8.111 Circumvention</u>. (1) No person shall cause or permit the installation or use of any device or any means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes an emission of air contaminant that would otherwise violate an air pollution control regulation. (2) No equipment that may produce emissions shall be operated or maintained in such a manner that a public nuisance is created.
- B. ARM 17.8, Subchapter 2 Ambient Air Quality, including, but not limited to:
 - 1. ARM 17.8.210 Ambient Air Quality Standards for Sulfur Dioxide
 - 2. ARM 17.8.211 Ambient Air Quality Standards for Nitrogen Dioxide
 - 3. ARM 17.8.212 Ambient Air Quality Standards for Carbon Monoxide
 - 4. ARM 17.8.220 Ambient Air Quality Standard for Settled Particulate Matter
 - 5. ARM 17.8.223 Ambient Air Quality Standard for PM₁₀

Black Diamond must comply with the applicable ambient air quality standards.

- C. ARM 17.8, Subchapter 3 Emission Standards, including, but not limited to:
 - 1. <u>ARM 17.8.304 Visible Air Contaminants</u>. This rule requires that no person may cause or authorize emissions to be discharged into the outdoor atmosphere from any source installed after November 23, 1968, that exhibit an opacity of 20% or greater averaged over 6 consecutive minutes.
 - 2. <u>ARM 17.8.308 Particulate Matter, Airborne</u>. (1) This rule requires an opacity limitation of less than 20% for all fugitive emission sources and that reasonable precautions be taken to control emissions of airborne particulate matter. (2) Under this rule, Black Diamond shall not cause or authorize the use of any street, road, or parking lot without taking reasonable precautions to control emissions of airborne particulate matter.
 - 3. ARM 17.8.309 Particulate Matter, Fuel Burning Equipment. This rule requires that no person shall cause or authorize to be discharged into the atmosphere particulate matter caused by the combustion of fuel in excess of the amount determined by this rule.
 - 4. <u>ARM 17.8.310 Particulate Matter, Industrial Processes.</u> This rule requires that no person shall cause or allow to be discharged into the atmosphere particulate matter in excess of the amount set forth in this rule.
 - 5. <u>ARM 17.8.322 Sulfur Oxide Emissions--Sulfur in Fuel</u>. This rule requires that no person shall burn liquid, solid, or gaseous fuel in excess of the amount set forth in this rule.
 - 6. ARM 17.8.324 Hydrocarbon Emissions--Petroleum Products. (3) No person shall load or permit the loading of gasoline into any stationary tank with a capacity of 250 gallons or more from any tank truck or trailer, except through a permanent submerged fill pipe, unless such tank truck or trailer is equipped with a vapor loss control device as described in (1) of this rule.
 - 7. ARM 17.8.340 Standards of Performance for New Stationary Sources. This rule incorporates, by reference, 40 CFR 60, Standards of Performance for New Stationary Sources (NSPS). The owner or operator of any stationary source or modification, as defined and applied in 40 CFR Part 60, NSPS, shall comply with the standards and provisions of 40 CFR Part 60.

In order for a crushing/screening plant to be subject to NSPS requirements, two specific criteria must be met. First, the crushing/screening plant must meet the definition of an affected facility and, second, the equipment in question must have been constructed, reconstructed, or modified after August 31, 1983. Based on the information submitted at the time of issuance of Permit #3249-01, the crushing/screening equipment to be used under Permit #3249-01 is not subject to New Source Performance Standards (NSPS) requirements (40 CFR Part 60, Subpart A General Provisions, and Subpart OOO, Non-Metallic Mineral Processing Plants). However, NSPS requirements may become applicable because Permit #3249-01 allows Black Diamond the ability to replace certain crushing/screening equipment in accordance with ARM 17.8.745 without having to update the permit.

Fees, including, but not limited to:

- 1. <u>ARM 17.8.504 Air Quality Permit Application Fees</u>. This rule requires that Black Diamond submit an air quality permit application fee concurrent with the submittal of an air quality permit application. A permit application is incomplete until the proper application fee is paid to the Department. Black Diamond was not required to submit a permit application fee for the current permit action, an administrative amendment for the transfer of ownership.
- 2. <u>ARM 17.8.505 Air Quality Operation Fees</u>. An annual air quality operation fee must, as a condition of continued operation, be submitted to the Department by each source of air contaminants holding an air quality permit, excluding an open burning permit, issued by the Department. This operation fee is based on the actual or estimated actual amount of air pollutants emitted during the previous calendar year.

An air quality operation fee is separate and distinct from an air quality permit application fee. The annual assessment and collection of the air quality operation fee, described above, shall take place on a calendar-year basis. The Department may insert into any final permit issued after the effective date of these rules, such conditions as may be necessary to require the payment of an air quality operation fee on a calendar-year basis, including provisions that pro-rate the required fee amount.

- E. ARM 17.8, Subchapter 7 Permit, Construction and Operation of Air Contaminant Sources, including, but not limited to:
 - 1. <u>ARM 17.8.740 Definitions</u>. This rule is a list of applicable definitions used in this chapter, unless indicated otherwise in a specific subchapter.
 - 2. ARM 17.8.743 Montana Air Quality Permits--When Required. This rule requires a facility to obtain an air quality permit or permit alteration if they construct, alter, or use any asphalt plant, crusher, or screen that has the Potential to Emit (PTE) greater than 15 tons per year of any pollutant. Black Diamond has a PTE greater than 15 tons per year of total particulate matter (PM), particulate matter with an aerodynamic diameter of 10 microns or less (PM₁₀), oxides of nitrogen (NO_x), and carbon monoxide (CO); therefore, an air quality permit is required.
 - 3. <u>ARM 17.8.744 Montana Air Quality Permits--General Exclusions</u>. This rule identifies the activities that are not subject to the Montana Air Quality Permit program.
 - 4. ARM 17.8.745 Montana Air Quality Permits—Exclusion for De Minimis Changes. This rule identifies the de minimis changes at permitted facilities that do not require a permit under the Montana Air Quality Permit Program.
 - 5. ARM 17.8.748 New or Modified Emitting Units--Permit Application Requirements. This rule requires that a permit application be submitted prior to installation, alteration or use of a source. Black Diamond was not required to submit a permit application for the current permit action, because it is an administrative action. (7) This rule requires that the applicant notify the public by means of legal publication in a newspaper of general circulation in the area affected by the application for a permit. Black Diamond was not required to submit a permit application or public notice for the current permit action because the current permit action is an administrative amendment, with no increase in potential emissions.
 - 6. <u>ARM 17.8.749 Conditions for Issuance or Denial of Permit</u>. This rule requires that the permits issued by the Department must authorize the construction and operation

- of the facility or emitting unit subject to the conditions in the permit and the requirements of this subchapter. This rule also requires that the permit must contain any conditions necessary to assure compliance with the Federal Clean Air Act (FCAA), the Clean Air Act of Montana, and rules adopted under those acts.
- 7. ARM 17.8.752 Emission Control Requirements. This rule requires a source to install the maximum air pollution control capability that is technically practicable and economically feasible, except that BACT shall be utilized. The required BACT analysis is included in Section IV of this permit analysis.
- 8. <u>ARM 17.8.755 Inspection of Permit</u>. This rule requires that air quality permits shall be made available for inspection by the Department at the location of the source.
- 9. ARM 17.8.756 Compliance with Other Requirements. This rule states that nothing in the permit shall be construed as relieving Black Diamond of the responsibility for complying with any applicable federal or Montana statute, rule, or standard, except as specifically provided in ARM 17.8.740, *et seq*.
- 10. <u>ARM 17.8.759 Review of Permit Applications</u>. This rule describes the Department's responsibilities for processing permit applications and making permit decisions on those permit applications that do not require the preparation of an environmental impact statement.
- 11. ARM 17.8.762 Duration of Permit. An air quality permit shall be valid until revoked or modified, as provided in this subchapter, except that a permit issued prior to construction of a new or altered source may contain a condition providing that the permit will expire unless construction is commenced within the time specified in the permit, which in no event may be less than 1 year after the permit is issued.
- 12. ARM 17.8.763 Revocation of Permit. An air quality permit may be revoked upon written request of the permittee, or for violations of any requirement of the Clean Air Act of Montana, rules adopted under the Clean Air Act of Montana, the FCAA, rules adopted under the FCAA, or any applicable requirement contained in the Montana State Implementation Plan (SIP).
- 13. ARM 17.8.764 Administrative Amendment to Permit. An air quality permit may be amended for changes in any applicable rules and standards adopted by the Board of Environmental Review (Board) or changed conditions of operation at a source or stack that do not result in an increase of emissions as a result of those changed conditions. A source may not increase its emissions beyond those found in its permit unless the source applies for and receives another permit.
- 14. ARM 17.8.765 Transfer of Permit. (1) This rule states that an air quality permit may be transferred from one location to another if the Department receives a complete notice of Intent to Transfer location, the facility will operate in the new location for less than 1 year, the facility will comply with the FCAA and the Clean Air Act of Montana, and the facility complies with other applicable rules. (2) This rule states that an air quality permit may be transferred from one person to another if written notice of Intent to Transfer, including the names of the transferor and the transferee, is sent to the Department.
- F. ARM 17.8, Subchapter 8 Prevention of Significant Deterioration of Air Quality, including, but not limited to:

- 1. <u>ARM 17.8.801 Definitions</u>. This rule is a list of applicable definitions used in this subchapter.
- 2. ARM 17.8.818 Review of Major Stationary Sources and Major Modifications—Source Applicability and Exemptions. The requirements contained in ARM 17.8.819 through ARM 17.8.827 shall apply to any major stationary source and any major modification with respect to each pollutant subject to regulation under the FCAA that it would emit, except as this subchapter would otherwise allow.

This facility is not a major stationary source since it is not a listed source and the facility's PTE is less than 250 tons per year (excluding fugitive emissions) of any air pollutant.

- G. ARM 17.8, Subchapter 12 Operating Permit Program Applicability, including, but not limited to:
 - 1. <u>ARM 17.8.1201 Definitions</u>. (23) Major Source under Section 7412 of the FCAA is defined as any stationary source having:
 - a. PTE > 100 tons/year of any pollutant;
 - b. PTE > 10 tons/year of any one Hazardous Air Pollutant (HAP), PTE > 25 tons/year of a combination of all HAPs, or a lesser quantity as the Department may establish by rule; or
 - c. PTE > 70 tons/year of PM_{10} in a serious PM_{10} nonattainment area.
 - 2. ARM 17.8.1204 Air Quality Operating Permit Program Applicability. (1) Title V of the FCAA Amendments of 1990 requires that all sources, as defined in ARM 17.8.1204(1), obtain a Title V Operating Permit. In reviewing and issuing Air Quality Permit #3249-01 for the Black Diamond facility, the following conclusions were made:
 - a. The facility's PTE is less than 100 tons/year for any pollutant.
 - b. The facility's PTE is less than 10 tons/year of any one HAP and less than 25 tons/year of all HAPs.
 - c. This source is not located in a serious PM₁₀ nonattainment area.
 - d. This facility is not subject to any current NESHAP standards.
 - e. This facility is currently not subject to current NSPS standards (40 CFR 60, Subpart A and Subpart OOO).
 - f. This source is not a Title IV affected source nor a solid waste combustion unit.
 - g. This source is not an EPA designated Title V source.

Based on these facts, the Department determined that Black Diamond will be a minor source of emissions as defined under Title V. However, if minor sources subject to NSPS are required to obtain a Title V Operating Permit, Black Diamond will be required to obtain a Title V Operating Permit.

III. Emission Inventory

			Tons/Year			
Source	PM	PM_{10}	NO_x	VOC	CO	SO_x
1956 Cedarapids rolls crusher (up to 200 TPH)	2.19	1.05				
crusher (up to 200 TPH)	2.19	1.05				
crusher (up to 200 TPH)	2.19	1.05				
1956 Cedarapids 2-deck screen (up to 200 TPH)	13.80	6.57				
1960 Pioneer Incline 3-deck screen (up to 200 TPH)	13.80	6.57				
screen (up to 200 TPH)	13.80	6.57				
Material Transfer	19.05	9.20				
Pile Forming	14.72	7.01				
Bulk Loading	3.68	1.75				
Diesel Generator (up to 350 kW)	4.52	4.52	63.73	5.08	13.73	4.21
Diesel Generator (up to 195 kW)	2.52	2.52	35.51	2.83	7.65	2.35
Haul Roads	2.74	1.23				
Total	95.20	49.09	99.24	7.91	21.38	6.56

• A complete emission inventory for Permit #3249-01 is on file with the Department.

IV. BACT Determination

A BACT determination is required for any new or modified source. Black Diamond shall install on the new or modified source the maximum air pollution control capability that is technologically practicable and economically feasible, except that BACT shall be used. However, a BACT determination was not required for the permit action because no new or altered sources are being added as part of this permit action.

V. Existing Air Quality

Permit #3249-01 is issued for the operation of a portable crushing/screening plant to be located at various locations throughout Montana. This proposed site is designated as either attainment or unclassified for all National Ambient Air Quality Standards (NAAQS).

VI. Ambient Air Quality Impact Analysis

Permit #3249-01 will cover the operation while operating at any location within Montana, excluding those counties that have a Department approved permitting program, those areas considered tribal lands, or those locations in or within 10 km of certain PM₁₀ nonattainment areas. In the view of the Department, the amount of controlled emissions generated by this facility will not exceed any set ambient standard. In addition, this source is portable and any air quality impacts will be minimal.

VII. Taking or Damaging Implication Analysis

As required by 2-10-101 through 105, Montana Code Annotated (MCA), the Department conducted a private property taking and damaging assessment and determined there are no taking or damaging implications.

VIII. Environmental Assessment

An environmental assessment was not required for this permit action because the permit action is an administrative amendment.

Addendum Analysis Prepared By: Ron Lowney

Date Prepared: April 21, 2004