



Montana Department of
ENVIRONMENTAL QUALITY

Steve Bullock, Governor
Tracy Stone-Manning, Director

P. O. Box 200901

Helena, MT 59620-0901

(406) 444-2544

Website: www.deq.mt.gov

January 9, 2014

Richard Slotness
Malteurop North America, Inc.
2800 Great Bear Ave.
Great Falls, MT 59404

RE: Final Title V Operating Permit #OP3238-02

Dear Mr. Slotness:

The Department of Environmental Quality has prepared the enclosed Final Operating Permit #OP3238-02, for Malteurop North America, Inc.'s Great Falls Malting Facility, located in NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 30, Township 21 North, Range 4 East, in Cascade County, Montana. Please review the cover page of the attached permit for information pertaining to the action taking place on Permit #OP3238-02.

If you have any questions, please contact Shawn Juers, the permit writer, at (406) 444-2049 or by email at sjuers@mt.gov.

Sincerely,

Julie Merkel
Air Permitting Supervisor
Air Resources Management Bureau
(406) 444-3626

Shawn Juers
Environmental Engineer
Air Resources Management Bureau
(406) 444-2049

JM: SJ

Enclosure

cc: Parrish Andrews, Malteurop North America, Inc.
Robert Duraski, US EPA Region VIII 8P-AR
Carson Coate, USA EPA Region 8 – Montana Operations

STATE OF MONTANA
Department of Environmental Quality
Helena, Montana 59620



AIR QUALITY OPERATING PERMIT OP3238-02

Issued to: Malteurop North America, Inc.
2800 Great Bear Ave.
Great Falls, MT 59404
NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 30, Township 21 North,
Range 4 East, in Cascade County, Montana

Final Date: **January 9, 2014**
Expiration Date: **May 31, 2018**
Renewal Application Due: **November 30, 2017**

Effective Date: January 9, 2014
Date of Decision: December 9, 2013

Modification Application Received: 7/17/2013
Application Deemed Administratively Complete: 7/17/2013
Application Deemed Technically Complete: 7/17/2013
AFS Number: 030-013-0035A

Draft Issue Date: 9/20/2013
Proposed Issue Date: 10/22/2013
End of EPA 45-day Review: 12/6/2013
Date of Decision: 12/9/2013

Permit Issuance and Appeal Processes: In accordance with Montana Code Annotated (MCA) Sections 75-2-217 and 218 and the Administrative Rules of Montana (ARM), ARM Title 17, Chapter 8, Subchapter 12, Operating Permit Program, this operating permit is hereby issued by the Department of Environmental Quality (Department) as effective and final on December 26, 2013. This permit must be kept on-site at the above named facility.

Montana Air Quality Operating Permit
Department of Environmental Quality

SECTION I.	GENERAL INFORMATION.....	1
SECTION II.	SUMMARY OF EMISSION UNITS	2
SECTION III.	PERMIT CONDITIONS	3
A.	FACILITY-WIDE.....	3
B.	FACILITY WIDE PRODUCTION LIMITS	6
C.	EU01 THRU EU03 – RAW MATERIAL AND PRODUCT HANDLING	7
D.	EU11 AND EU12 – KILN OPERATIONS (KILN #1 AND KILN #2).....	10
E.	EU04 THRU EU10 – PROCESS HEATERS.....	13
SECTION IV.	NON-APPLICABLE REQUIREMENTS	17
A.	FACILITY-WIDE.....	17
B.	EMISSION UNITS.....	18
SECTION V.	GENERAL PERMIT CONDITIONS	19
A.	COMPLIANCE REQUIREMENTS.....	19
B.	CERTIFICATION REQUIREMENTS	19
C.	PERMIT SHIELD	20
D.	MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS	21
E.	PROMPT DEVIATION REPORTING.....	22
F.	EMERGENCY PROVISIONS.....	23
G.	INSPECTION AND ENTRY	23
H.	FEE PAYMENT	24
I.	MINOR PERMIT MODIFICATIONS	24
J.	CHANGES NOT REQUIRING PERMIT REVISION	24
K.	SIGNIFICANT PERMIT MODIFICATIONS.....	25
L.	REOPENING FOR CAUSE.....	26
M.	PERMIT EXPIRATION AND RENEWAL.....	26
N.	SEVERABILITY CLAUSE	27
O.	TRANSFER OR ASSIGNMENT OF OWNERSHIP	27
P.	EMISSIONS TRADING, MARKETABLE PERMITS, ECONOMIC INCENTIVES	27
Q.	NO PROPERTY RIGHTS CONVEYED	27
R.	TESTING REQUIREMENTS	27
S.	SOURCE TESTING PROTOCOL	28
T.	MALFUNCTIONS	28
U.	CIRCUMVENTION	28
V.	MOTOR VEHICLES	28
W.	ANNUAL EMISSIONS INVENTORY	28
X.	OPEN BURNING	28
Y.	MONTANA AIR QUALITY PERMITS.....	28
Z.	NATIONAL EMISSION STANDARD FOR ASBESTOS	29
AA.	ASBESTOS.....	29
BB.	STRATOSPHERIC OZONE PROTECTION – SERVICING OF MOTOR VEHICLE AIR CONDITIONERS	29
CC.	STRATOSPHERIC OZONE PROTECTION – RECYCLING AND EMISSION REDUCTIONS	29
DD.	EMERGENCY EPISODE PLAN.....	30
EE.	DEFINITIONS.....	30
APPENDIX A	INSIGNIFICANT EMISSION UNITS.....	A-1
APPENDIX B	DEFINITIONS AND ABBREVIATIONS.....	B-1
APPENDIX C	NOTIFICATION ADDRESSES	C-1
APPENDIX D	AIR QUALITY INSPECTOR INFORMATION	D-1

Terms not otherwise defined in this permit or in the Definitions and Abbreviations Appendix of this permit have the meaning assigned to them in the referenced regulations.

SECTION I. GENERAL INFORMATION

The following general information is provided pursuant to ARM 17.8.1210(1).

Company Name: Malteurop North America, Inc.

Mailing Address: 415 US Highway 87

City: Great Falls

State: MT

Zip: 59404

Plant Location: NE¼ of the SE¼ of Section 30, Township 21 North, Range 4 East, Cascade County, MT.

Responsible Official: Richard Slotness

Phone: (406) 791-2800

Facility Contact Person: Parrish Andrews

Phone: (406) 791-2828

Primary SIC Code: 2083

Nature of Business: Malting

Description of Process: Malteurop North America, Inc. (Malteurop) owns and operates a barley malt manufacturing plant with a malt and salable malt by-product production capacity of 16 million bushels per year. The Malteurop plant incorporates the following equipment:

- Up to four (4) steeping vessels, each 20-meters in diameter
- Up to eight (8) germinating vessels, each 31-meters in diameter
- Seven (7) natural gas-fired process heaters which indirectly heat the two (2) kilns via water/air heat exchangers
- A barley washer
- Eighty (80) silos for storing barley and malt products
- Three process fabric filter baghouses including a main process fabric filter baghouse (EU01-BF01) with an air-flow capacity of 66,800 dry standard cubic feet per minute (dscfm), a grain (barley) receiving fabric filter baghouse (EU02-BF02) with an air-flow capacity of 7,250 dscfm, and a product load-out and grain processing fabric filter baghouse (EU03-BF04) with an air-flow capacity of 16,000 dscfm
- Associated equipment

Malt is the processed form of barley grain and the basic ingredient in the production of beer. Malting is the process by which barley is transformed into malt. The process begins with “steeping” or soaking of clean barley kernels in large tanks of water called “steeping vessels.” After steeping, the barley is then removed from the steeping vessels and placed in a germinating vessel. After a period of germination, the barley is dried and roasted in a kiln to stop the germination process and reduce the moisture content of the product, now considered malt. At this stage of the process the malt product can be easily stored and/or shipped to various locations for further processing.

SECTION II. SUMMARY OF EMISSION UNITS

The emission units regulated by this permit are the following (ARM 17.8.1211):

Emissions Unit ID	Description	Pollution Control Device/Practice
EU01	Main Process Baghouse (BF01)	
EU02	Grain Receiving Baghouse (BF02)	
EU03	Product Loadout and Grain Processing Baghouse (BF04)	
EU04	MOCO Heater #1	
EU05	Johnston Heater #1	
EU06	Johnston Heater #2	
EU07	HEATEC Heater #1	LNB with FGR
EU08	HEATEC Heater #2	LNB with FGR
EU09	HEATEC Heater #3	LNB with FGR
EU10	HEATEC Heater #4	LNB with FGR
EU11	Kiln #1	
EU12	Kiln #2	
EU13	Barley Receiving Bins	Enclosure
EU14	Malt Loadout Spout	Enclosure
EU15	Road Emissions	

SECTION III. PERMIT CONDITIONS

The following requirements and conditions are applicable to the facility or to specific emission units located at the facility (ARM 17.8.1211, 1212, and 1213).

A. Facility-Wide

Conditions	Rule Citation	Rule Description	Pollutant/Parameter	Limit
A.1	ARM 17.8.105	Testing Requirements	Testing Requirements	-----
A.2	ARM 17.8.304(1)	Visible Air Contaminants	Opacity	40%
A.3	ARM 17.8.304(2)	Visible Air Contaminants	Opacity	20%
A.4	ARM 17.8.308(1)	Particulate Matter, Airborne	Fugitive Opacity	20%
A.5	ARM 17.8.308(2)	Particulate Matter, Airborne	Reasonable Precautions	-----
A.6	ARM 17.8.308	Particulate Matter, Airborne	Reasonable Precaution, Construction	20%
A.7	ARM 17.8.309	Particulate Matter, Fuel Burning Equipment	Particulate Matter	$E = 0.882 * H^{-0.1664}$ Or $E = 1.026 * H^{-0.233}$
A.8	ARM 17.8.310	Particulate Matter, Industrial Processes	Particulate Matter	$E = 4.10 * P^{0.67}$ or $E = 55 * P^{0.11} - 40$
A.9	ARM 17.8.322(4)	Sulfur Oxide Emissions, Sulfur in Fuel	Sulfur in Fuel (liquid or solid fuels)	1 lb/MMBtu fired
A.10	ARM 17.8.322(5)	Sulfur Oxide Emissions, Sulfur in Fuel	Sulfur in Fuel (gaseous)	50 gr/100 CF
A.11	ARM 17.8.324(3)	Hydrocarbon Emissions, Petroleum Products	Gasoline Storage Tanks	-----
A.12	ARM 17.8.324	Hydrocarbon Emissions, Petroleum Products	65,000 Gallon Capacity	-----
A.13	ARM 17.8.324	Hydrocarbon Emissions, Petroleum Products	Oil-effluent Water Separator	-----
A.14	ARM 17.8.342	NESHAPs General Provisions	SSM Plans	Submittal
A.15	ARM 17.8.1211(1)(c) and 40 CFR Part 98	Greenhouse Gas Reporting	Reporting	-----
A.16	ARM 17.8.1212	Reporting Requirements	Prompt Deviation Reporting	-----
A.17	ARM 17.8.1212	Reporting Requirements	Compliance Monitoring	-----
A.18	ARM 17.8.1207	Reporting Requirements	Annual Certification	-----

Conditions

A.1. Pursuant to ARM 17.8.105, any person or persons responsible for the emission of any air contaminant into the outdoor atmosphere shall, upon written request of the Department, provide the facilities and necessary equipment (including instruments and sensing devices) and shall conduct test, emission or ambient, for such periods of time as may be necessary using methods approved by the Department.

Compliance demonstration frequencies that list “as required by the Department” refer to ARM 17.8.105. In addition, for such sources, compliance with limits and conditions listing “as required by the Department” as the frequency, is verified annually using emission factors and engineering calculations by the Department’s compliance inspectors during the annual emission inventory review; in the case of Method 9 tests, compliance is monitored during the regular inspection by the compliance inspector.

A.2. Pursuant to ARM 17.8.304(1), Malteurop shall not cause or authorize emissions to be discharged into the outdoor atmosphere from any source installed on or before November 23, 1968, that exhibit an opacity of 40% or greater averaged over 6 consecutive minutes, unless otherwise specified by rule or in this permit.

- A.3. Pursuant to ARM 17.8.304(2), Malteurop shall not cause or authorize emissions to be discharged into the outdoor atmosphere from any source installed after November 23, 1968, that exhibit an opacity of 20% or greater averaged over 6 consecutive minutes, unless otherwise specified by rule or in this permit.
- A.4. Pursuant to ARM 17.8.308(1), Malteurop shall not cause or authorize the production, handling, transportation, or storage of any material unless reasonable precautions to control emissions of particulate matter are taken. Such emissions of airborne particulate matter from any stationary source shall not exhibit an opacity of 20% or greater averaged over 6 consecutive minutes, unless otherwise specified by rule or in this permit.
- A.5. Pursuant to ARM 17.8.308(2), Malteurop shall not cause or authorize the use of any street, road or parking lot without taking reasonable precautions to control emissions of airborne particulate matter, unless otherwise specified by rule or in this permit.
- A.6. Pursuant to ARM 17.8.308, Malteurop shall not operate a construction site or demolition project unless reasonable precautions are taken to control emissions of airborne particulate matter. Such emissions of airborne particulate matter from any stationary source shall not exhibit an opacity of 20% or greater averaged over 6 consecutive minutes, unless otherwise specified by rule or in this permit.
- A.7. Pursuant to ARM 17.8.309, unless otherwise specified by rule or in this permit, Malteurop shall not cause or authorize particulate matter caused by the combustion of fuel to be discharged from any stack or chimney into the outdoor atmosphere in excess of the maximum allowable emissions of particulate matter for existing fuel burning equipment and new fuel burning equipment calculated using the following equations:

For existing fuel burning equipment (installed before November 23, 1968):

$$E = 0.882 * H^{-0.1664}$$

For new fuel burning equipment (installed on or after November 23, 1968):

$$E = 1.026 * H^{-0.233}$$

Where H is the heat input capacity in million British thermal units (MMBtu) per hour and E is the maximum allowable particulate emissions rate in pounds per MMBtu.

- A.8. Pursuant to ARM 17.8.310, unless otherwise specified by rule or in this permit, Malteurop shall not cause or authorize particulate matter to be discharged from any operation, process, or activity into the outdoor atmosphere in excess of the maximum hourly allowable emissions of particulate matter calculated using the following equations:

$$\begin{array}{ll} \text{For process weight rates up to 30 tons per hour:} & E = 4.10 * P^{0.67} \\ \text{For process weight rates in excess of 30 tons per hour:} & E = 55.0 * P^{0.11} - 40 \end{array}$$

Where E = rate of emissions in pounds per hour and P = process weight rate in tons per hour.

- A.9. Pursuant to ARM 17.8.322(4), Malteurop shall not burn liquid or solid fuels containing sulfur in excess of 1 pound per million Btu fired, unless otherwise specified by rule or in this permit.
- A.10. Pursuant to ARM 17.8.322(5), Malteurop shall not burn any gaseous fuel containing sulfur compounds in excess of 50 grains per 100 cubic feet of gaseous fuel, calculated as hydrogen sulfide at standard conditions, unless otherwise specified by rule or in this permit.

- A.11. Pursuant to ARM 17.8.324(3), Malteurop shall not load or permit the loading of gasoline into any stationary tank with a capacity of 250 gallons or more from any tank truck or trailer, except through a permanent submerged fill pipe, unless such tank is equipped with a vapor loss control device or is a pressure tank as described in ARM 17.8.324(1), unless otherwise specified by rule or in this permit.
- A.12. Pursuant to ARM 17.8.324, unless otherwise specified by rule or in this permit, Malteurop shall not place, store or hold in any stationary tank, reservoir or other container of more than 65,000 gallon capacity any crude oil, gasoline or petroleum distillate having a vapor pressure of 2.5 pounds per square inch absolute or greater under actual storage conditions, unless such tank, reservoir or other container is a pressure tank maintaining working pressure sufficient at all times to prevent hydrocarbon vapor or gas loss to the atmosphere, or is designed and equipped with a vapor loss control device, properly installed, in good working order and in operation.
- A.13. Pursuant to ARM 17.8.324, unless otherwise specified by rule or in this permit, Malteurop shall not use any compartment of any single or multiple-compartment oil-effluent water separator, which compartment receives effluent water containing 200 gallons a day or more of any petroleum product from any equipment processing, refining, treating, storing or handling kerosene or other petroleum product of equal or greater volatility than kerosene, unless such compartment is equipped with a vapor loss control device, constructed so as to prevent emission of hydrocarbon vapors to the atmosphere, properly installed, in good working order and in operation.
- A.14. Pursuant to ARM 17.8.342 and 40 CFR 63.6, Malteurop shall submit to the Department a copy of any startup, shutdown, and malfunction (SSM) plan required under 40 CFR 63.6(e)(3) within 30 days of the effective date of this operating permit (if not previously submitted), within 30 days of the compliance date of any new National Emission Standard for Hazardous Air Pollutants (NESHAPs) or Maximum Achievable Control Technology (MACT) standard, and within 30 days of the revision of any such SSM plan, when applicable. The Department requests submittal of such plans in electronic form, when possible.
- A.15. Pursuant to ARM 17.8.1211(1)(c) and 40 CFR Part 98, Malteurop shall comply with requirements of 40 CFR Part 98 – Mandatory Greenhouse Gas Reporting, as applicable (ARM 17.8.1211(1)(c), NOT an applicable requirement under Title V).
- A.16. Malteurop shall promptly report deviations from permit requirements including those attributable to upset conditions, as upset is defined in the permit. To be considered prompt, deviations shall be reported to the Department using the schedule and content as described in Section V.E (unless otherwise specified in an applicable requirement) (ARM 17.8.1212).
- A.17. On or before February 15 and August 15 of each year, Malteurop shall submit to the Department the compliance monitoring reports required by Section V.D. These reports must contain all information required by Section V.D, as well as the information required by each individual emissions unit. For the reports due by February 15 of each year, Malteurop may submit a single report, provided that it contains all the information required by Section V.B & V.D. Per ARM 17.8.1207,

any application form, report, or compliance certification submitted pursuant to ARM Title 17, Chapter 8, Subchapter 12 (including semiannual monitoring reports), shall contain certification by a responsible official of truth, accuracy and completeness. This certification and any other certification required under ARM Title 17, Chapter 8, Subchapter 12, shall state that, “based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.”

A.18. By February 15 of each year, Malteurop shall submit to the Department the compliance certification required by Section V.B. The annual certification required by Section V.B must include a statement of compliance based on the information available which identifies any observed, documented or otherwise known instance of noncompliance for each applicable requirement. Per ARM 17.8.1207,

any application form, report, or compliance certification submitted pursuant to ARM Title 17, Chapter 8, Subchapter 12 (including annual certifications), shall contain certification by a responsible official of truth, accuracy and completeness. This certification and any other certification required under ARM Title 17, Chapter 8, Subchapter 12, shall state that, “based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.”

B. Facility Wide Production Limits

Condition(s)	Pollutant/Parameter	Permit Limit	Compliance Demonstration		Reporting Requirements
			Method	Frequency	
B.1, B.3, B.5, B.7, B.8	Production Limit: Malt and Salable Malt By-Product Produced	16,000,000 Bushels/year	Recordkeeping	Monthly/Ongoing	Semiannual
B.2, B.4, B.6, B.7, B.8	Process Limit: Barley Received	456,000 tons/year	Recordkeeping	Monthly/Ongoing	Semiannual

Conditions

- B.1. Malt and salable malt by-product production shall be limited to 16,000,000 bushels during any rolling 12-month time period (ARM 17.8.749).
- B.2. Malteurop shall not receive more than 456,000 tons of barley during any rolling 12-month time period (ARM 17.8.749).

Compliance Demonstration

- B.3. Malteurop shall document, by month, the amount (bushels) of malt and salable malt by-product produced at the facility. By the 25th day of each month Malteurop shall calculate the total amount of malt and salable malt by-product produced during the previous month. The monthly information will be used to verify compliance with the rolling 12-month limitation in Section III.B.1. The information for each of the previous months shall be submitted along with the annual emission inventory (ARM 17.8.749).
- B.4. Malteurop shall document, by month, the amount (tons) of barley received by the facility. By the 25th day of each month Malteurop shall calculate the total amount of barley received during the previous month. The monthly information will be used to verify compliance with the rolling 12-month limitation in Section III.B.2. The information for each of the previous months shall be submitted along with the annual emission inventory (ARM 17.8.749).

Recordkeeping

- B.5. Malteurop shall maintain, on site, a log monitoring compliance with Section III.B.1. The log shall include, at a minimum, the rolling monthly total production levels, the date, time, and the initials of the documenting personnel (ARM 17.8.1212).
- B.6. Malteurop shall maintain, on site, a log monitoring compliance with Section III.B.2. The log shall include, at a minimum, the rolling monthly total tons of barley received, the date, time, and the initials of the documenting personnel (ARM 17.8.1212).

Reporting

- B.7. The annual compliance certification report required by Section V.B must contain a certification statement for the above applicable requirements.
- B.8. The semiannual reporting shall provide:
- The monthly total amount (bushels) of malt and salable malt by-product produced during the previous 12 months; and
 - The monthly total amount (tons) of barley received during the previous 12 months.

C. EU01 thru EU03 – Raw Material and Product Handling

Condition(s)	Pollutant/Parameter	Permit Limit	Compliance Demonstration		Reporting Requirements
			Method	Frequency	
C.1, C.8, C.12, C.14, C.15	Opacity	20%	Method 9 or	Annual	Semiannual
	BF01 Opacity	20%	Method 9 or	Annual	Semiannual
	BF02 Opacity	20%	Method 9 or	Every 2 Years	Semiannual
	BF04 Opacity	20%	Method 9 or	Every 2 Years	Semiannual
				Visual Surveys	Weekly
C.2, C.9, C.12, C.14, C.15	PM ₁₀ (BF01, BF02 and BF04)	0.010 gr/dscf	Method 5	As shown below	Semiannual
	PM ₁₀ BF01	5.73 lbs/hr	Method 5	Annual	Semiannual
	PM ₁₀ BF02	0.62 lbs/hr	Method 5	Every 2 Years	Semiannual
	PM ₁₀ BF04	1.37 lbs/hr	Method 5	Every 2 Years	Semiannual
C.3, C.10, C.12, C.14, C.15	Opacity – Fugitive	20%	Method 9 or	Semiannual	Semiannual
			Visual Surveys	Weekly	
C.4, C.11, C.13, C.14, C.15	Opacity – Fugitive Barley Workhouse Storage, Baghouse Control	20% Install, Operate and Maintain	Recordkeeping / Certification	Ongoing	Semiannual
C.5, C.11, C.13, C.14, C.15	Barley Unloading to Underground Hoppers, Baghouse Control	Install, Operate and Maintain	Recordkeeping / Certification	Ongoing	Annual
C.6, C.11, C.13, C.14, C.15	Covered Material Conveyors, Baghouse Control	Install, Operate and Maintain	Recordkeeping / Certification	Ongoing	Annual
C.7, C.11, C.13, C.14, C.15	Material Transfer 3-Sided Enclosure	Install, Operate and Maintain	Recordkeeping / Certification	Ongoing	Annual

Conditions

- C.1. Malteurop shall not cause or authorize emissions to be discharged into the outdoor atmosphere from the Main Process Baghouse, Grain Receiving Baghouse, and Product Load-Out Baghouse (EU01-BF01, EU02-BF02, and EU03-BF04, respectively) an opacity of 20% or greater averaged over 6 consecutive minutes (ARM 17.8.304(2)).

- C.2. Particulate matter with an aerodynamic diameter of 10 microns (μm) or less (PM_{10}) emissions from EU01, EU02, and EU03 shall be limited to 0.010 grains per dry standard cubic foot (gr/dscf) of air-flow. Mass emission rates for PM_{10} from EU01, EU02, and EU03 are limited to 5.73 pounds per hour (lbs/hr), 0.62 lbs/hr, and 1.37 lbs/hr, respectively (ARM 17.8.749, ARM 17.8.752 for EU03).
- C.3. Malteurop shall not cause or authorize any fugitive raw material/product handling emissions to be discharged into the outdoor atmosphere that exhibit an opacity of 20% or greater averaged over 6-consecutive minutes (ARM 17.8.308).
- C.4. Malteurop shall house all barley preparation processes within the workhouse and shall utilize fabric filter baghouse control for emissions from the barley preparation processes (ARM 17.8.752).
- C.5. Malteurop shall unload all barley shipments to underground hoppers. Malteurop shall utilize fabric filter baghouse emission control on the hoppers (ARM 17.8.752).
- C.6. Malteurop shall load all malt and salable malt by-product for shipment via covered conveyors. Malteurop shall utilize fabric filter baghouse emission control on the conveyors (ARM 17.8.752).
- C.7. Each material transfer point for grain receiving and off-loading shall incorporate an enclosure (at least 3-sided) for fugitive emission control (ARM 17.8.752).

Compliance Demonstration

- C.8. Method 9 source testing to demonstrate compliance with the opacity limitations in Section III.C.1 shall be conducted on the following basis:
- BF01: Annual Basis
 - BF02 and BF04: Every 2-Years

or according to another source testing/monitoring schedule as may be approved by the Department such as by using weekly visual survey methods as an alternative to Method 9 (ARM 17.8.105 and ARM 17.8.749).

Malteurop shall conduct either a Method 9 source test at the frequencies listed above or a weekly visual survey of visible emissions on BF01, BF02, and BF04. Under the visual survey option, once per calendar week, during daylight hours, Malteurop shall visually survey BF01, BF02, and BF04 for any visible emissions. If visible emissions are observed during the visual survey, Malteurop must conduct a Method 9 source test. The Method 9 source test must begin within one hour of any observation of visible emissions. If visible emissions meet or exceed 15% opacity based on the Method 9 source test, Malteurop shall immediately take corrective action to contain or minimize the source of emissions. If corrective actions are taken, then Malteurop shall immediately conduct a subsequent visual survey (and subsequent Method 9 source test if visible emissions remain) to monitor compliance. The person conducting the visual survey shall record the results of the survey (including the results of any Method 9 source test performed) in a log, including any corrective action taken. Conducting a visual survey does not relieve Malteurop of the liability for a violation determined using Method 9 (ARM 17.8.101(27)).

If the visual surveys are not performed once per calendar week as specified above during the reporting period, then Malteurop shall perform the Method 9 source tests on BF01, BF02, and BF04 for that reporting period as required.

Method 9 source tests must be performed in accordance with the Montana Source Test Protocol and Procedures Manual, except that prior notification of the test is not required. Each observation period must be a minimum of 6 minutes unless any one reading is 20% or greater, then the observation period must be a minimum of 20 minutes or until a violation of the standard has been documented, whichever is a shorter period of time (ARM 17.8.1213).

- C.9. Method 5 source testing, or another method as may be approved in writing by the Department, to demonstrate compliance with the PM₁₀ limitations of BF01, BF02, and BF04 shall be conducted on the following basis:

BF01: Annual Basis
BF02 and BF04: Every 2-Years

Or according to another source testing/monitoring schedule as may be approved by the Department (ARM 17.8.1213).

- C.10. Malteurop shall conduct either a semiannual Method 9 source test or a weekly visual survey of visible emissions on material handling (raw material and/or salable product) operations. Under the visual survey option, once per calendar week, during daylight hours, Malteurop shall visually survey material handling (raw material and/or salable product) operations for any visible emissions. If visible emissions are observed during the visual survey, Malteurop must conduct a Method 9 source test. The Method 9 source test must begin within one hour of any observation of visible emissions. If visible emissions meet or exceed 15% opacity based on the Method 9 source test, Malteurop shall immediately take corrective action to contain or minimize the source of emissions. If corrective actions are taken, then Malteurop shall immediately conduct a subsequent visual survey (and subsequent Method 9 source test if visible emissions remain) to monitor compliance. The person conducting the visual survey shall record the results of the survey (including the results of any Method 9 source test performed) in a log, including any corrective action taken. Conducting a visual survey does not relieve Malteurop of the liability for a violation determined using Method 9 (ARM 17.8.101(27)).

If the visual surveys are not performed once per calendar week as specified above during the reporting period, then Malteurop shall perform the Method 9 source tests on material handling (raw material and/or salable product) operations for that reporting period on the semiannual basis.

Method 9 source tests must be performed in accordance with the Montana Source Test Protocol and Procedures Manual, except that prior notification of the test is not required. Each observation period must be a minimum of 6 minutes unless any one reading is 20% or greater, then the observation period must be a minimum of 20 minutes or until a violation of the standard has been documented, whichever is a shorter period of time (ARM 17.8.1213).

- C.11. Malteurop shall monitor compliance with the control requirements in Section III.C.4 through Section III.C.7 via recordkeeping and certification (ARM 17.8.1213).

Recordkeeping

- C.12. All compliance source test recordkeeping shall be performed in accordance with the test method used and the Montana Source Test Protocol and Procedures Manual, and shall be maintained on site. Method 9 source test reports for opacity need not be submitted unless requested by the Department.

If visual surveys are performed, Malteurop shall maintain a log to verify that the visual surveys were performed as specified in Section III.C.8 and III.C.10. Each log entry must include the date, time, results of survey (and results of subsequent Method 9, if applicable), and observer's initials. If any corrective action is required, the time, date, observer's initials, and any preventive or corrective action taken must be recorded in the log (ARM 17.8.106 and 17.8.1212).

C.13. Malteurop shall maintain records verifying the control requirements contained in Section III.C.4 through Section III.C.7 (ARM 17.8.1212).

Reporting

C.14. The annual compliance certification report required by Section V.B must contain a certification statement for the above applicable requirements.

C.15. The semiannual reporting shall provide:

- a. A summary of results of the last source testing that was performed. Any compliance source test reports must be submitted in accordance with the Montana Source Test Protocol and Procedures Manual;
- b. A copy of the visual survey logs for visual surveys conducted during the reporting period; and
- c. A copy of any corrective actions log entries made during the reporting period.

D. EU11 and EU12 – Kiln Operations (Kiln #1 and Kiln #2)

Condition(s)	Pollutant/Parameter	Permit Limit	Compliance Demonstration		Reporting Requirements
			Method	Frequency	
D.1, D.8, D.15, D.21, D.22	Opacity	20%	Method 9 Or	Semiannual	Semiannual
			Visual Surveys	Weekly	
D.2, D.9, D.15, D.21, D.22	SO ₂ Emissions	33.33 lb/hr	Method 6	As Required by the Department and Section III.A.1	Semiannual
D.3, D.10, D.16, D.21, D.22	Individual Kiln Elemental Sulfur Burning Limit	200 lb/kiln batch	Recordkeeping	Ongoing, Every Kiln Batch	Semiannual
D.4, D.11, D.17, D.21, D.22	Cumulative Elemental Sulfur Burning Limit	146,000 lb/year	Recordkeeping	Ongoing	Semiannual
D.5, D.12, D.18, D.21, D.22	Cumulative Hourly Elemental Sulfur Burning Limit	2,190 hrs/year	Recordkeeping	Ongoing	Semiannual
D.6, D.13, D.19, D.21, D.22	Fuel Specification	Pipeline Quality Natural Gas Only	Recordkeeping	Ongoing	Annual
D.7, D.14, D.20, D.21, D.22	Material Transfer	Screw Augers	Recordkeeping	Ongoing	Annual

Conditions

- D.1. Malteurop shall not cause or authorize any emissions to be discharged into the outdoor atmosphere from each Kiln stack (Kiln #1 and Kiln #2) that exhibit an opacity of 20% or greater averaged over 6 consecutive minutes (ARM 17.8.304(2)).
- D.2. SO₂ emissions from each kiln shall be limited to 33.33 lb/hr during elemental sulfur burning (ARM 17.8.749).
- D.3. Elemental sulfur burning for kiln operations shall be limited to 200 pounds of sulfur per kiln batch (ARM 17.8.749).
- D.4. Total elemental sulfur burning for kiln operations (cumulative for both kilns) shall be limited to 146,000 pounds during any rolling 12-month time period (ARM 17.8.749).
- D.5. Total elemental sulfur burning for kiln operations (cumulative for both kilns) shall not exceed 2,190 hours during any rolling 12-month time period (ARM 17.8.749).
- D.6. Malteurop shall burn only pipeline quality natural gas for the kiln operations process (ARM 17.8.752).
- D.7. Each kiln shall include a screw auger for movement of malt product/by-product out of the kiln and the kiln heat exchanger shall be located at the top of each kiln (ARM 17.8.749).

Compliance Demonstration

- D.8. Malteurop shall conduct either a semiannual Method 9 source test or a weekly visual survey of visible emissions on Kiln Stack #1 and #2. Under the visual survey option, once per calendar week, during daylight hours, Malteurop shall visually survey Kiln Stack #1 and #2 for any visible emissions. If visible emissions are observed during the visual survey, Malteurop must conduct a Method 9 source test. The Method 9 source test must begin within one hour of any observation of visible emissions. If visible emissions meet or exceed 15% opacity based on the Method 9 source test, Malteurop shall immediately take corrective action to contain or minimize the source of emissions. If corrective actions are taken, then Malteurop shall immediately conduct a subsequent visual survey (and subsequent Method 9 source test if visible emissions remain) to monitor compliance. The person conducting the visual survey shall record the results of the survey (including the results of any Method 9 source test performed) in a log, including any corrective action taken. Conducting a visual survey does not relieve Malteurop of the liability for a violation determined using Method 9 (ARM 17.8.101(27)).

If the visual surveys are not performed once per calendar week as specified above during the reporting period, then Malteurop shall perform the Method 9 source tests on Kiln Stack #1 and #2 and for that reporting period on the semiannual basis.

Method 9 source tests must be performed in accordance with the Montana Source Test Protocol and Procedures Manual, except that prior notification of the test is not required. Each observation period must be a minimum of 6 minutes unless any one reading is 20% or greater, then the observation period must be a minimum of 20 minutes or until a violation of the standard has been documented, whichever is a shorter period of time (ARM 17.8.1213).

- D.9. Performance source testing for SO₂ emissions shall be conducted as required by the Department and Section III.A.1. The source test shall be conducted while sulfur is being burned in the batch process (ARM 17.8.105 and ARM 17.8.749).
- D.10. Malteurop shall document, per kiln batch, the total amount (pounds) of elemental sulfur burned. Malteurop shall maintain on-site records of the amount of sulfur burned per kiln batch to verify compliance with the limitation in Section III.D.3. A written report of the compliance verification shall be submitted with the annual emission inventory (ARM 17.8.749).
- D.11. Malteurop shall document, by month, the total amount (pounds) of elemental sulfur burned for kiln operations. By the 25th day of each month, Malteurop shall calculate the total amount (pounds) of elemental sulfur burned during the previous month. The monthly information will be used to verify compliance with the rolling 12-month limitation in Section III.D.4. The information for each of the previous months shall be submitted along with the annual emission inventory (ARM 17.8.749).
- D.12. Malteurop shall document, by month, the total hours of elemental sulfur burning for kiln operations. By the 25th day of each month, Malteurop shall calculate the total hours of elemental sulfur burning during the previous month. The monthly information will be used to verify compliance with the rolling 12-month limitation in Section III.D.5. The information for each of the previous months shall be submitted along with the annual emission inventory (ARM 17.8.749).
- D.13. Malteurop shall monitor compliance with the pipeline quality natural gas fuel use requirement in Section III.D.6 via recordkeeping and certification (ARM 17.8.1213).
- D.14. Malteurop shall operate and maintain the equipment associated with the kiln augers and heat exchangers (ARM 17.8.1213).

Recordkeeping

- D.15. All compliance source test recordkeeping shall be performed in accordance with the test method used and the Montana Source Test Protocol and Procedures Manual, and shall be maintained on site. Method 9 source test reports for opacity need not be submitted unless requested by the Department.

If visual surveys are performed, Malteurop shall maintain a log to verify that the visual surveys were performed as specified in Section III.D.8. Each log entry must include the date, time, results of survey (and results of subsequent Method 9, if applicable), and observer's initials. If any corrective action is required, the time, date, observer's initials, and any preventive or corrective action taken must be recorded in the log (ARM 17.8.106 and 17.8.1212).

- D.16. Malteurop shall maintain, on site, a log monitoring compliance with Section III.D.3. The log shall include, at a minimum, the amount of elemental sulfur burned per kiln batch, the date, time, and the initials of the documenting personnel (ARM 17.8.1212).
- D.17. Malteurop shall maintain, on site, a log monitoring compliance with Section III.D.4. The log shall include, at a minimum, the rolling monthly total amount of elemental sulfur burned for kiln operations, the date, time, and the initials of the documenting personnel (ARM 17.8.1212).
- D.18. Malteurop shall maintain, on site, a log monitoring compliance with Section III.D.5. The log shall include, at a minimum, the rolling monthly total hours of elemental sulfur burning for kiln operations, the date, time, and the initials of the documenting personnel (ARM 17.8.1212).

- D.19. Malteurop shall maintain records verifying that only pipeline quality natural gas is used for kiln operations (ARM 17.8.1212).
- D.20. Malteurop shall maintain maintenance records verifying the kiln screw augers and heat exchangers were properly maintained according to Malteurop's maintenance procedures and schedules (ARM 17.8.1212).

Reporting

- D.21. The annual compliance certification report required by Section V.B must contain a certification statement for the above applicable requirements.
- D.22. The semiannual reporting shall provide:
- a. A summary of results of the last source testing that was performed. Any compliance source test reports must be submitted in accordance with the Montana Source Test Protocol and Procedures Manual;
 - b. A summary of the log monitoring compliance with Section III.D.3;
 - c. A summary of the log monitoring compliance with Section III.D.4;
 - d. A summary of the log monitoring compliance with Section III.D.5;
 - e. A copy of the visual survey logs for visual surveys conducted during the reporting period, as specified by Section III.D.7; and
 - f. A copy of the corrective actions log, as specified by Section III.D.13, including all corrective actions taken during the reporting period

E. EU04 thru EU10 – Process Heaters

Condition(s)	Pollutant/Parameter	Permit Limit	Compliance Demonstration		Reporting Requirements
			Method	Frequency	
E.1, E.4, E.7, E.13, E.17, E.18	Opacity	20%	Method 9 or	Annual	Semiannual
			Visual Survey	Weekly	
E.2, E.5, E.8, E.13, E.17, E.18	NO _x / CO Emissions EU04	5.24 lb/hr NO _x 4.40 lb/hr CO	Method 7 through 7E / Method 10 or 10B	As Required by the Department and Section III.A.1	Semiannual
	NO _x / CO Emissions EU05	2.39 lb/hr NO _x 2.01 lb/hr CO			
	NO _x / CO Emissions EU06	2.39 lb/hr NO _x 2.01 lb/hr CO			
	NO _x / CO Emissions EU07	1.32 lb/hr NO _x 2.22 lb/hr CO			
	NO _x / CO Emissions EU08	1.69 lb/hr NO _x 2.83 lb/hr CO			
	NO _x / CO Emissions EU09	2.83 lb/hr NO _x 4.75 lb/hr CO			
	NO _x / CO Emissions EU10	2.11 lb/hr NO _x 2.83 lb/hr CO			
E.3, E.9, E.14, E.17, E.18	Fuel Specification	Pipeline Quality Natural Gas Only	Recordkeeping	Ongoing	Annual
E.4, E.10, E.15, E.17, E.18	NO _x Control EU07, EU08, EU09	Low NO _x Burners	Recordkeeping / Certification	Ongoing	Annual
E.5, E.11, E.15, E.17, E.18	NO _x Control EU10	Low NO _x Burners with FGR	Recordkeeping / Certification	Ongoing	Annual
E.6, E.12, E.16, E.17, E.18	Heater Input Rating EU10	57.7 MMBtu/hr	Recordkeeping / Certification	Ongoing	Annual

Conditions

- E.1. Malteurop shall not cause or authorize any emissions to be discharged into the outdoor atmosphere from the process/booster heaters that exhibit an opacity of 20% or greater averaged over 6 consecutive minutes (ARM 17.8.304(2)).
- E.2. Emissions from each of the process heaters shall not exceed their respective permit limits (ARM 17.8.749):
- EU04 MOCO Process Heater #1 (53.4 MMBtu/hr)
- | | |
|-----------------|----------------------------------------------------|
| NO _x | 5.24 lb/hr calculated on a 1-hour averaging period |
| CO | 4.40 lb/hr calculated on a 1-hour averaging period |
- EU05 Johnston Process Heater #1 (24.4 MMBtu/hr)
- | | |
|-----------------|----------------------------------------------------|
| NO _x | 2.39 lb/hr calculated on a 1-hour averaging period |
| CO | 2.01 lb/hr calculated on a 1-hour averaging period |
- EU06 Johnston Process Heater #2 (24.4 MMBtu/hr)
- | | |
|-----------------|----------------------------------------------------|
| NO _x | 2.39 lb/hr calculated on a 1-hour averaging period |
| CO | 2.01 lb/hr calculated on a 1-hour averaging period |
- EU07 HEATEC Heater #1(27.0 MMBtu/hr)
- | | |
|-----------------|----------------------------------------------------|
| NO _x | 1.32 lb/hr calculated on a 1-hour averaging period |
| CO | 2.22 lb/hr calculated on a 1-hour averaging period |
- EU08 HEATEC Heater #2 (34.4 MMBtu/hr)
- | | |
|-----------------|----------------------------------------------------|
| NO _x | 1.69 lb/hr calculated on a 1-hour averaging period |
| CO | 2.83 lb/hr calculated on a 1-hour averaging period |
- EU09 HEATEC Heater #3 (57.7 MMBtu/hr)
- | | |
|-----------------|----------------------------------------------------|
| NO _x | 2.83 lb/hr calculated on a 1-hour averaging period |
| CO | 4.75 lb/hr calculated on a 1-hour averaging period |
- EU10 HEATEC Heater #4 (57.7 MMBtu/hr)
- | | |
|-----------------|----------------------------------------------------|
| NO _x | 2.11 lb/hr calculated on a 1-hour averaging period |
| CO | 2.83 lb/hr calculated on a 1-hour averaging period |
- E.3. Malteurop shall burn only pipeline quality natural gas in the process/booster heaters (ARM 17.8.752).
- E.4. Malteurop shall utilize dry low oxides of nitrogen combustion technology to control emissions from the HEATEC Heater #1, HEATEC Heater #2, and HEATEC Heater #3 (ARM 17.8.752).
- E.5. Malteurop shall utilize low oxides of nitrogen burners and flue gas recirculation to control emissions from HEATEC Heater #4 (ARM 17.8.752).
- E.6. Malteurop shall not exceed a 57.7 MMBtu/hr input on HEATEC Heater #4 (ARM 17.8.749).

Compliance Demonstration

- E.7. Malteurop shall conduct either an annual Method 9 source test or weekly visual surveys of EU04 thru EU10 (ARM 17.8.101(27)).

Method 9 source tests must be performed in accordance with the Montana Source Test Protocol and Procedures Manual, except that prior notification of the test is not required. Each observation period must be a minimum of 6 minutes unless any one reading is 20% or greater, then the observation period must be a minimum of 20 minutes or until a violation of the standard has been documented, whichever is a shorter period of time (ARM 17.8.1213).

- E.8. Malteurop shall conduct performance source testing for NO_x and CO, concurrently for each process heater EU04 thru EU10, as required by the Department and Section III.A.1 (ARM 17.8.105 and ARM 17.8.749).
- E.9. Malteurop shall monitor compliance with the pipeline quality natural gas fuel use requirement in Section III.E.3 via recordkeeping and certification (ARM 17.8.1213).
- E.10. Malteurop shall operate and maintain the equipment associated with the dry low oxides of nitrogen combustion technology to insure proper operation on HEATEC Heater #1, HEATEC Heater #2, and HEATEC Heater #3 (ARM 17.8.1213).
- E.11. Malteurop shall operate and maintain the equipment associated with the dry low oxides of nitrogen combustion technology and flue gas recirculation to insure proper operation on HEATEC Heater #4 (ARM 17.8.1213).
- E.12. Malteurop shall operate and maintain the HEATEC Heater #4 to not exceed a heat input of 57.7 MMBtu/hr (ARM 17.8.1213).

Recordkeeping

- E.13. All compliance source test recordkeeping shall be performed in accordance with the test method used and the Montana Source Test Protocol and Procedures Manual, and shall be maintained on site. Method 9 source test reports for opacity need not be submitted unless requested by the Department.
- E.14. Malteurop shall maintain records verifying that only pipeline quality natural gas is used for kiln operations (ARM 17.8.1212).
- E.15. Malteurop shall maintain maintenance records verifying HEATEC Heater #1, HEATEC Heater #2, HEATEC Heater #3 and HEATEC Heater #4 were properly maintained according to Malteurop's maintenance procedures and schedules (ARM 17.8.1212).
- E.16. Malteurop shall maintain operational records verifying HEATEC Heater #4 does not operate above a 57.7 MMBtu/hr heat input rating (ARM 17.8.1212).

Reporting

- E.17. The annual compliance certification report required by Section V.B must contain a certification statement for the above applicable requirements.
- E.18. The semiannual reporting shall provide:
 - a. A summary of results of the last source testing that was performed. Any compliance source test reports must be submitted in accordance with the Montana Source Test Protocol and Procedures Manual.

- b. A summary of heater maintenance records
- c. A summary of gas records

SECTION IV. NON-APPLICABLE REQUIREMENTS

Air Quality Administrative Rules of Montana (ARM) and Federal Regulations identified as not applicable to the facility or to a specific emissions unit at the time of the permit issuance are listed below (ARM 17.8.1214). The following list does not preclude the need to comply with any new requirements that may become applicable during the permit term.

A. Facility-Wide

The following table contains non-applicable requirements, which are administrated by the Air Resources Management Bureau of the Department of Environmental Quality (Department).

Rule Citation	Reason
40 CFR 60, Subpart B, 40 CFR 60, Subpart C, Ca, and Cb, 40 CFR 60, Subpart E 40 CFR 60, Subpart F through Subpart M, 40 CFR 60, Subpart N and Na, 40 CFR 60, Subpart O through Subpart Z, 40 CFR 60, Subpart AA and AAa, 40 CFR 60, Subpart BB through Subpart EE, 40 CFR 60, Subpart GG through Subpart HH, 40 CFR 60, Subpart KK through Subpart NN, 40 CFR 60, Subpart PP through Subpart XX, 40 CFR 60, Subpart AAA and Subpart BBB, 40 CFR 60, Subpart DDD, 40 CFR 60, Subpart FFF through Subpart LLL, 40 CFR 60, Subpart NNN through Subpart WWW, 40 CFR 60, Subpart AAAA through Subpart DDDD 40 CFR 61, Subpart B through Subpart F, 40 CFR 61, Subpart H through Subpart L, 40 CFR 61, Subpart N through Subpart R 40 CFR 61, Subpart T, 40 CFR 61, Subpart V and Subpart W, 40 CFR 61, Subpart Y, 40 CFR 61, Subpart BB, 40 CFR 61, Subpart FF. 40 CFR 63, Subpart F through Subpart I, 40 CFR 63, Subpart L and Subpart M, 40 CFR 63, Subpart Q through Subpart U 40 CFR 63, Subpart W through Subpart Y, 40 CFR 63, Subpart AA through Subpart EE, 40 CFR 63, Subpart GG through Subpart LL, 40 CFR 63, Subpart OO through Subpart WW, 40 CFR 63, Subpart YY 40 CFR 63, Subpart CCC through Subpart EEE, 40 CFR 63, Subpart GGG through Subpart JJJ, 40 CFR 63, Subpart LLL through Subpart PPP, 40 CFR 63, Subpart RRR, 40 CFR 63, Subpart TTT through VVV, 40 CFR 63, Subpart XXX, 40 CFR 63, Subpart AAAA, 40 CFR 63, Subpart CCCC 40 CFR 63, Subpart GGGG through Subpart HHHH,	These rules are not applicable for a variety of reasons.

Rule Citation	Reason
40 CFR 63, Subpart JJJJ, 40 CFR 63, Subpart NNNN, 40 CFR 63, Subpart SSSS through Subpart VVVV, 40 CFR 63, Subpart XXXX, 40 CFR 63, Subpart QQQQ. 40 CFR 72 – 40 CFR 78 40 CFR 82 (except Subparts B, E and F) 40 CFR 85 thru 40 CFR 97	

B. Emission Units

The permit application identified applicable requirements: non-applicable requirements for individual or specific emission units were not listed. The Department has listed all non-applicable requirements in Section IV.A, these requirements relate to each specific unit, as well as facility wide.

SECTION V. GENERAL PERMIT CONDITIONS

A. Compliance Requirements

ARM 17.8, Subchapter 12, Operating Permit Program §1210(2)(a)-(c)&(e), §1206(6)(c)&(b)

1. The permittee must comply with all conditions of the permit. Any noncompliance with the terms or conditions of the permit constitutes a violation of the Montana Clean Air Act, and may result in enforcement action, permit modification, revocation and reissuance, or termination, or denial of a permit renewal application under ARM Title 17, Chapter 8, Subchapter 12.
2. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.
3. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. If appropriate, this factor may be considered as a mitigating factor in assessing a penalty for noncompliance with an applicable requirement if the source demonstrates that both the health, safety or environmental impacts of halting or reducing operations would be more serious than the impacts of continuing operations, and that such health, safety or environmental impacts were unforeseeable and could not have otherwise been avoided.
4. The permittee shall furnish to the Department, within a reasonable time set by the Department (not to be less than 15 days), any information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of those records that are required to be kept pursuant to the terms of the permit. This subsection does not impair or otherwise limit the right of the permittee to assert the confidentiality of the information requested by the Department, as provided in 75-2-105, MCA.
5. Any schedule of compliance for applicable requirements with which the source is not in compliance with at the time of permit issuance shall be supplemental to, and shall not sanction noncompliance with, the applicable requirements on which it was based.
6. For applicable requirements that will become effective during the permit term, the source shall meet such requirements on a timely basis unless a more detailed plan or schedule is required by the applicable requirement or the Department.

B. Certification Requirements

ARM 17.8, Subchapter 12, Operating Permit Program §1207 and §1213(7)(a)&(c)-(d)

1. Any application form, report, or compliance certification submitted pursuant to ARM Title 17, Chapter 8, Subchapter 12, shall contain certification by a responsible official of truth, accuracy and completeness. This certification and any other certification required under ARM Title 17, Chapter 8, Subchapter 12, shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.

2. Compliance certifications shall be submitted by February 15 of each year, or more frequently if otherwise specified in an applicable requirement or elsewhere in the permit. Each certification must include the required information for the previous calendar year (i.e., January 1 – December 31).
3. Compliance certifications shall include the following:
 - a. The identification of each term or condition of the permit that is the basis of the certification;
 - b. The identification of the method(s) or other means used by the owner or operator for determining the status of compliance with each term and condition during the certification period, consistent with ARM 17.8.1212;
 - c. The status of compliance with each term and condition for the period covered by the certification, *including whether compliance during the period was continuous or intermittent* (based on the method or means identified in ARM 17.8.1213(7)(c)(ii), as described above); and
 - d. Such other facts as the Department may require to determine the compliance status of the source.
4. All compliance certifications must be submitted to the Environmental Protection Agency, as well as to the Department, at the addresses listed in the Notification Addresses Appendix of this permit.

C. Permit Shield

ARM 17.8, Subchapter 12, Operating Permit Program §1214(1)-(4)

1. The applicable requirements and non-federally enforceable requirements are included and specifically identified in this permit and the permit includes a precise summary of the requirements not applicable to the source. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements and any non-federally enforceable requirements as of the date of permit issuance.
2. The permit shield described in 1 above shall remain in effect during the appeal of any permit action (renewal, revision, reopening, or revocation and reissuance) to the Board of Environmental Review (Board), until such time as the Board renders its final decision.
3. Nothing in this permit alters or affects the following:
 - a. The provisions of Sec. 7603 of the FCAA, including the authority of the administrator under that section;
 - b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
 - c. The applicable requirements of the Acid Rain Program, consistent with Sec. 7651g(a) of the FCAA;

- d. The ability of the administrator to obtain information from a source pursuant to Sec. 7414 of the FCAA;
 - e. The ability of the Department to obtain information from a source pursuant to the Montana Clean Air Act, Title 75, Chapter 2, MCA;
 - f. The emergency powers of the Department under the Montana Clean Air Act, Title 75, Chapter 2, MCA; and
 - g. The ability of the Department to establish or revise requirements for the use of Reasonably Available Control Technology (RACT) as defined in ARM Title 17, Chapter 8. However, if the inclusion of a RACT into the permit pursuant to ARM Title 17, Chapter 8, Subchapter 12, is appealed to the Board, the permit shield, as it applies to the source's existing permit, shall remain in effect until such time as the Board has rendered its final decision.
4. Nothing in this permit alters or affects the ability of the Department to take enforcement action for a violation of an applicable requirement or permit term demonstrated pursuant to ARM 17.8.106, Source Testing Protocol.
 5. Pursuant to ARM 17.8.132, for the purpose of submitting a compliance certification, nothing in these rules shall preclude the use, including the exclusive use, of any credible evidence or information relevant to whether a source would have been in compliance. However, when compliance or noncompliance is demonstrated by a test or procedure provided by permit or other applicable requirements, the source shall then be presumed to be in compliance or noncompliance unless that presumption is overcome by other relevant credible evidence.
 6. The permit shield will not extend to minor permit modifications or changes not requiring a permit revision (see Sections I & J).
 7. The permit shield will extend to significant permit modifications and transfer or assignment of ownership (see Sections K & O).

D. Monitoring, Recordkeeping, and Reporting Requirements

ARM 17.8, Subchapter 12, Operating Permit Program §1212(2)&(3)

1. Unless otherwise provided in this permit, the permittee shall maintain compliance monitoring records that include the following information:
 - a. The date, place as defined in the permit, and time of sampling or measurement;
 - b. The date(s) analyses were performed;
 - c. The company or entity that performed the analyses;
 - d. The analytical techniques or methods used;
 - e. The results of such analyses; and
 - f. The operating conditions at the time of sampling or measurement.

2. The permittee shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. All monitoring data, support information, and required reports and summaries may be maintained in computerized form at the plant site if the information is made available to Department personnel upon request, which may be for either hard copies or computerized format. Strip-charts must be maintained in their original form at the plant site and shall be made available to Department personnel upon request.
3. The permittee shall submit to the Department, at the addresses located in the Notification Addresses Appendix of this permit, reports of any required monitoring by February 15 and August 15 of each year, or more frequently if otherwise specified in an applicable requirement or elsewhere in the permit. The monitoring report submitted on February 15 of each year must include the required monitoring information for the period of July 1 through December 31 of the previous year. The monitoring report submitted on August 15 of each year must include the required monitoring information for the period of January 1 through June 30 of the current year. All instances of deviations from the permit requirements must be clearly identified in such reports. All required reports must be certified by a responsible official, consistent with ARM 17.8.1207.

E. Prompt Deviation Reporting

ARM 17.8, Subchapter 12, Operating Permit Program §1212(3)(b)

The permittee shall promptly report deviations from permit requirements, including those attributable to upset conditions as defined in the permit, the probable cause of such deviations, and any corrective actions or preventive measures taken. To be considered prompt, deviations shall be reported to the Department within the following timeframes (unless otherwise specified in an applicable requirement):

1. For deviations which may result in emissions potentially in violation of permit limitations:
 - a. An initial phone notification (or faxed or electronic notification) describing the incident within 24 hours (or the next business day) of discovery; and,
 - b. A follow-up written, faxed, or electronic report within 30 days of discovery of the deviation that describes the probable cause of the reported deviation and any corrective actions or preventative measures taken.
2. For deviations attributable to malfunctions, deviations shall be reported to the Department in accordance with the malfunction reporting requirements under ARM 17.8.110; and
3. For all other deviations, deviations shall be reported to the Department via a written, faxed, or electronic report within 90 days of discovery (as determined through routine internal review by the permittee).

Prompt deviation reports do not need to be resubmitted with regular semiannual (or other routine) reports, but may be referenced by the date of submittal.

F. Emergency Provisions

ARM 17.8, Subchapter 12, Operating Permit Program §1201(13) and §1214(5), (6)&(8)

1. An “emergency” means any situation arising from sudden and reasonably unforeseeable events beyond the control of the source, including acts of God, which situation requires immediate corrective action to restore normal operation and causes the source to exceed a technology-based emission limitation under this permit due to the unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of reasonable preventive maintenance, careless or improper operation, or operator error.
2. An emergency constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limitation if the permittee demonstrates through properly signed, contemporaneous logs, or other relevant evidence, that:
 - a. An emergency occurred and the permittee can identify the cause(s) of the emergency;
 - b. The permitted facility was at the time being properly operated;
 - c. During the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in the permit; and
 - d. The permittee submitted notice of the emergency to the Department within 2 working days of the time when emission limitations were exceeded due to the emergency. This notice fulfills the requirements of ARM 17.8.1212(3)(b). This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
3. These emergency provisions are in addition to any emergency, malfunction or upset provision contained in any applicable requirement.

G. Inspection and Entry

ARM 17.8, Subchapter 12, Operating Permit Program §1213(3)&(4)

1. Upon presentation of credentials and other requirements as may be required by law, the permittee shall allow the Department, the administrator, or an authorized representative (including an authorized contractor acting as a representative of the Department or the administrator) to perform the following:
 - a. Enter the premises where a source required to obtain a permit is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;
 - b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
 - c. Inspect at reasonable times any facilities, emission units, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and

- d. As authorized by the Montana Clean Air Act and rules promulgated thereunder, sample or monitor, at reasonable times, any substances or parameters at any location for the purpose of assuring compliance with the permit or applicable requirements.
2. The permittee shall inform the inspector of all workplace safety rules or requirements at the time of inspection. This section shall not limit in any manner the Department's statutory right of entry and inspection as provided for in 75-2-403, MCA.

H. Fee Payment

ARM 17.8, Subchapter 12, Operating Permit Program §1210(2)(f) and ARM 17.8, Subchapter 5, Air Quality Permit Application, Operation, and Open Burning Fees §505(3)-(5) (STATE ONLY)

1. The permittee must pay application and operating fees, pursuant to ARM Title 17, Chapter 8, Subchapter 5.
2. Annually, the Department shall provide the permittee with written notice of the amount of the fee and the basis for the fee assessment. The air quality operation fee is due 30 days after receipt of the notice, unless the fee assessment is appealed pursuant to ARM 17.8.511. If any portion of the fee is not appealed, that portion of the fee that is not appealed is due 30 days after receipt of the notice. Any remaining fee, which may be due after the completion of an appeal, is due immediately upon issuance of the Board's decision or upon completion of any judicial review of the Board's decision.
3. If the permittee fails to pay the required fee (or any required portion of an appealed fee) within 90 days of the due date of the fee, the Department may impose an additional assessment of 15% of the fee (or any required portion of an appealed fee) or \$100, whichever is greater, plus interest on the fee (or any required portion of an appealed fee), computed at the interest rate established under 15-31-510(3), MCA.

I. Minor Permit Modifications

ARM 17.8, Subchapter 12, Operating Permit Program §1226(3)&(11)

1. An application for a minor permit modification need only address in detail those portions of the permit application that require revision, updating, supplementation, or deletion, and may reference any required information that has been previously submitted.
2. The permit shield under ARM 17.8.1214 will not extend to any minor modifications processed pursuant to ARM 17.8.1226.

J. Changes Not Requiring Permit Revision

ARM 17.8, Subchapter 12, Operating Permit Program §1224(1)-(3), (5)&(6)

1. The permittee is authorized to make changes within the facility as described below, provided the following conditions are met:
 - a. The proposed changes do not require the permittee to obtain a Montana Air Quality Permit under ARM Title 17, Chapter 8, Subchapter 7;
 - b. The proposed changes are not modifications under Title I of the FCAA, or as defined in ARM Title 17, Chapter 8, Subchapters 8, 9, or 10;
 - c. The emissions resulting from the proposed changes do not exceed the emissions allowable under this permit, whether expressed as a rate of emissions or in total emissions;

- d. The proposed changes do not alter permit terms that are necessary to enforce applicable emission limitations on emission units covered by the permit; and
 - e. The facility provides the administrator and the Department with written notification at least 7 days prior to making the proposed changes.
 2. The permittee and the Department shall attach each notice provided pursuant to 1.e above to their respective copies of this permit.
 3. Pursuant to the conditions above, the permittee is authorized to make Section 502(b)(10) changes, as defined in ARM 17.8.1201(30), without a permit revision. For each such change, the written notification required under 1.e above shall include a description of the change within the source, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the change.
 4. The permittee may make a change not specifically addressed or prohibited by the permit terms and conditions without requiring a permit revision, provided the following conditions are met:
 - a. Each proposed change does not weaken the enforceability of any existing permit conditions;
 - b. The Department has not objected to such change;
 - c. Each proposed change meets all applicable requirements and does not violate any existing permit term or condition; and
 - d. The permittee provides contemporaneous written notice to the Department and the administrator of each change that is above the level for insignificant emission units as defined in ARM 17.8.1201(22) and 17.8.1206(3), and the written notice describes each such change, including the date of the change, any change in emissions, pollutants emitted, and any applicable requirement that would apply as a result of the change.
 5. The permit shield authorized by ARM 17.8.1214 shall not apply to changes made pursuant to ARM 17.8.1224(3) and (5), but is applicable to terms and conditions that allow for increases and decreases in emissions pursuant to ARM 17.8.1224(4).

K. Significant Permit Modifications

ARM 17.8, Subchapter 12, Operating Permit Program §1227(1), (3)&(4)

1. The modification procedures set forth in 2 below must be used for any application requesting a significant modification of this permit. Significant modifications include the following:
 - a. Any permit modification that does not qualify as either a minor modification or as an administrative permit amendment;
 - b. Every significant change in existing permit monitoring terms or conditions;

- c. Every relaxation of permit reporting or recordkeeping terms or conditions that limit the Department's ability to determine compliance with any applicable rule, consistent with the requirements of the rule; or
 - d. Any other change determined by the Department to be significant.
2. Significant modifications shall meet all requirements of ARM Title 17, Chapter 8, including those for applications, public participation, and review by affected states and the administrator, as they apply to permit issuance and renewal, except that an application for a significant permit modification need only address in detail those portions of the permit application that require revision, updating, supplementation or deletion.
 3. The permit shield provided for in ARM 17.8.1214 shall extend to significant modifications.

L. Reopening for Cause

ARM 17.8, Subchapter 12, Operating Permit Program §1228(1)&(2)

This permit may be reopened and revised under the following circumstances:

1. Additional applicable requirements under the FCAA become applicable to the facility when the permit has a remaining term of 3 or more years. Reopening and revision of the permit shall be completed not later than 18 months after promulgation of the applicable requirement. No reopening is required under ARM 17.8.1228(1)(a) if the effective date of the applicable requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms or conditions have been extended pursuant to ARM 17.8.1220(12) or 17.8.1221(2);
2. Additional requirements (including excess emission requirements) become applicable to an affected source under the Acid Rain Program. Upon approval by the administrator, excess emission offset plans shall be deemed incorporated into the permit;
3. The Department or the administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emission standards or other terms or conditions of the permit; or
4. The administrator or the Department determines that the permit must be revised or revoked and reissued to ensure compliance with the applicable requirements.

M. Permit Expiration and Renewal

ARM 17.8, Subchapter 12, Operating Permit Program §1210(2)(g), §1220(11)&(12), and §1205(2)(d)

1. This permit is issued for a fixed term of 5 years.
2. Renewal of this permit is subject to the same procedural requirements that apply to permit issuance, including those for application, content, public participation, and affected state and administrator review.
3. Expiration of this permit terminates the permittee's right to operate unless a timely and administratively complete renewal application has been submitted consistent with ARM 17.8.1221 and 17.8.1205(2)(d). If a timely and administratively complete application has been submitted, all terms and conditions of the permit, including the application shield, remain in effect after the permit expires until the permit renewal has been issued or denied.

4. For renewal, the permittee shall submit a complete air quality operating permit application to the Department not later than 6 months prior to the expiration of this permit, unless otherwise specified. If necessary to ensure that the terms of the existing permit will not lapse before renewal, the Department may specify, in writing to the permittee, a longer time period for submission of the renewal application. Such written notification must be provided at least 1 year before the renewal application due date established in the existing permit.

N. Severability Clause

ARM 17.8, Subchapter 12, Operating Permit Program §1210(2)(i)&(l)

1. The administrative appeal or subsequent judicial review of the issuance by the Department of an initial permit under this subchapter shall not impair in any manner the underlying applicability of all applicable requirements, and such requirements continue to apply as if a final permit decision had not been reached by the Department.
2. If any provision of a permit is found to be invalid, all valid parts that are severable from the invalid part remain in effect. If a provision of a permit is invalid in one or more of its applications, the provision remains in effect in all valid applications that are severable from the invalid applications.

O. Transfer or Assignment of Ownership

ARM 17.8, Subchapter 12, Operating Permit Program §1225(2)&(4)

1. If an administrative permit amendment involves a change in ownership or operational control, the applicant must include in its request to the Department a written agreement containing a specific date for the transfer of permit responsibility, coverage and liability between the current and new permittee.
2. The permit shield provided for in ARM17.8.1214 shall not extend to administrative permit amendments.

P. Emissions Trading, Marketable Permits, Economic Incentives

ARM 17.8, Subchapter 12, Operating Permit Program §1226(2)

Notwithstanding ARM 17.8.1226(1) and (7), minor air quality operating permit modification procedures may be used for permit modifications involving the use of economic incentives, marketable permits, emissions trading, and other similar approaches, to the extent that such minor permit modification procedures are explicitly provided for in the Montana State Implementation Plan or in applicable requirements promulgated by the administrator.

Q. No Property Rights Conveyed

ARM 17.8, Subchapter 12, Operating Permit Program §1210(2)(d)

This permit does not convey any property rights of any sort, or any exclusive privilege.

R. Testing Requirements

ARM 17.8, Subchapter 1, General Provisions §105

The permittee shall comply with ARM 17.8.105.

S. Source Testing Protocol
ARM 17.8, Subchapter 1, General Provisions §106

The permittee shall comply with ARM 17.8.106.

T. Malfunctions
ARM 17.8, Subchapter 1, General Provisions §110

The permittee shall comply with ARM 17.8.110.

U. Circumvention
ARM 17.8, Subchapter 1, General Provisions §111

The permittee shall comply with ARM 17.8.111.

V. Motor Vehicles
ARM 17.8, Subchapter 3, Emission Standards §325

The permittee shall comply with ARM 17.8.325.

W. Annual Emissions Inventory
ARM 17.8, Subchapter 5, Air Quality Permit Application, Operation and Open Burning Fees §505 (STATE ONLY)

The permittee shall supply the Department with annual production and other information for all emission units necessary to calculate actual or estimated actual amount of air pollutants emitted during each calendar year. Information shall be gathered on a calendar-year basis and submitted to the Department by the date required in the emission inventory request, unless otherwise specified in this permit. Information shall be in the units required by the Department.

X. Open Burning
ARM 17.8, Subchapter 6, Open Burning §604, 605 and 606

The permittee shall comply with ARM 17.8.604, 605 and 606.

Y. Montana Air Quality Permits
ARM 17.8, Subchapter 7, Permit, Construction and Operation of Air Contaminant Sources §745 and 764

1. Except as specified, no person shall construct, install, modify or use any air contaminant source or stack associated with any source without first obtaining a permit from the Department or Board. A permit is not required for those sources or stacks as specified by ARM 17.8.744(1)(a)-(k).
2. The permittee shall comply with ARM 17.8.743, 744, 745, 748, and 764.
3. ARM 17.8.745(1) specifies de minimis changes as construction or changed conditions of operation at a facility holding a Montana Air Quality Permit (MAQP) issued under Chapter 8 that does not increase the facility's potential to emit by more than 5 tons per year of any pollutant, except:

- a. Any construction or changed condition that would violate any condition in the facility's existing MAQP or any applicable rule contained in Chapter 8 is prohibited, except as provided in ARM 17.8.745(2);
 - b. Any construction or changed conditions of operation that would qualify as a major modification under Subchapters 8, 9 or 10 of Chapter 8;
 - c. Any construction or changed condition of operation that would affect the plume rise or dispersion characteristic of emissions that would cause or contribute to a violation of an ambient air quality standard or ambient air increment as defined in ARM 17.8.804;
 - d. Any construction or improvement project with a potential to emit more than 5 tons per year may not be artificially split into smaller projects to avoid Montana Air Quality Permitting; or
 - e. Emission reductions obtained through offsetting within a facility are not included when determining the potential emission increase from construction or changed conditions of operation, unless such reductions are made federally enforceable.
4. Any facility making a de minimis change pursuant to ARM 17.8.745(1) shall notify the Department if the change would include a change in control equipment, stack height, stack diameter, stack gas temperature, source location or fuel specifications, or would result in an increase in source capacity above its permitted operation or the addition of a new emission unit. The notice must be submitted, in writing, 10 days prior to start up or use of the proposed de minimis change, or as soon as reasonably practicable in the event of an unanticipated circumstance causing the de minimis change, and must include the information requested in ARM 17.8.745(1).

Z. National Emission Standard for Asbestos
40 CFR, Part 61, Subpart M

The permittee shall not conduct any asbestos abatement activities except in accordance with 40 CFR 61, Subpart M (National Emission Standard for Hazardous Air Pollutants for Asbestos).

AA. Asbestos
ARM 17.74, Subchapter 3, General Provisions and Subchapter 4, Fees

The permittee shall comply with ARM 17.74.301, *et seq.*, and ARM 17.74.401, *et seq.* (State only).

BB. Stratospheric Ozone Protection – Servicing of Motor Vehicle Air Conditioners
40 CFR, Part 82, Subpart B

If the permittee performs a service on motor vehicles and this service involves ozone-depleting substance/refrigerant in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements as specified in 40 CFR 82, Subpart B.

CC. Stratospheric Ozone Protection – Recycling and Emission Reductions
40 CFR, Part 82, Subpart F

The permittee shall comply with the standards for recycling and emission reductions in 40 CFR 82, Subpart F, except as provided for MVACs in Subpart B:

1. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to §82.156;
2. Equipment used during the maintenance, service, repair or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to §82.158;
3. Persons performing maintenance, service, repair or disposal of appliances must be certified by an approved technical certification program pursuant to §82.161;
4. Persons disposing of small appliances, MVACs and MVAC-like (as defined at §82.152) appliances must comply with recordkeeping requirements pursuant to §82.166;
5. Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to §82.156; and
6. Owners/operators of appliances normally containing 50 or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to §82.166.

DD. Emergency Episode Plan

The permittee shall comply with the requirements contained in Chapter 9.7 of the State of Montana Air Quality Control Implementation Plan.

Each major source emitting 100 tons per year located in a Priority I Air Quality Control Region, shall submit to the Department a legally enforceable Emergency Episode Action Plan (EEAP) that details how the source will curtail emissions during an air pollutant emergency episode. The industrial EEAP shall be in accordance with the Department's EEAP and shall be submitted according to a timetable developed by the Department, following Priority I reclassification.

EE. Definitions

Terms not otherwise defined in this permit or in the Definitions and Abbreviations Appendix of this permit, shall have the meaning assigned to them in the referenced regulations.

APPENDICES

Appendix A INSIGNIFICANT EMISSION UNITS

Disclaimer: The information in this appendix is not State or Federally enforceable, but is presented to assist Malteurop, the permitting authority, inspectors, and the public.

Pursuant to ARM 17.8.1201(22)(a), an insignificant emissions unit means any activity or emissions unit located within a source that: (i) has a potential to emit less than five tons per year of any regulated pollutant; (ii) has a potential to emit less than 500 pounds per year of lead; (iii) has a potential to emit less than 500 pounds per year of hazardous air pollutants listed pursuant to Sec. 7412 (b) of the FCAA; and (iv) is not regulated by an applicable requirement, other than a generally applicable requirement that applies to all emission units subject to Subchapter 12.

List of Insignificant Activities:

A list of insignificant activities was not submitted in the application. Because there are no requirements to update such a list, the emission units and/or activities may change over time.

APPENDIX B DEFINITIONS and ABBREVIATIONS

"Act" means the Clean Air Act, as amended, 42 U.S. 7401, *et seq.*

"Administrative permit amendment" means an air quality operating permit revision that:

- (a) Corrects typographical errors;
- (b) Identifies a change in the name, address or phone number of any person identified in the air quality operating permit, or identifies a similar minor administrative change at the source;
- (c) Requires more frequent monitoring or reporting by Malteurop;
- (d) Requires changes in monitoring or reporting requirements that the Department deems to be no less stringent than current monitoring or reporting requirements;
- (e) Allows for a change in ownership or operational control of a source if the Department has determined that no other change in the air quality operating permit is necessary, consistent with ARM 17.8.1225;
- (f) Incorporates any other type of change, which the Department has determined to be similar to those revisions set forth in (a)-(e), above.

"Applicable requirement" means all of the following as they apply to emission units in a source requiring an air quality operating permit (including requirements that have been promulgated or approved by the Department or the administrator through rule making at the time of issuance of the air quality operating permit, but have future-effective compliance dates; provided that such requirements apply to sources covered under the operating permit):

- (a) Any standard, rule, or other requirement, including any requirement contained in a consent decree or judicial or administrative order entered into or issued by the Department, that is contained in the Montana State Implementation Plan approved or promulgated by the administrator through rule making under Title I of the FCAA;
- (b) Any federally enforceable term, condition or other requirement of any Montana Air Quality Permit issued by the Department under Subchapters 7, 8, 9 and 10 of this chapter, or pursuant to regulations approved or promulgated through rule making under Title I of the FCAA, including parts C and D;
- (c) Any standard or other requirement under Sec. 7411 of the FCAA, including Sec. 7411(d);
- (d) Any standard or other requirement under Sec. 7412 of the FCAA, including any requirement concerning accident prevention under Sec. 7412(r)(7), but excluding the contents of any risk management plan required under Sec. 7412(r);
- (e) Any standard or other requirement of the acid rain program under Title IV of the FCAA or regulations promulgated thereunder;
- (f) Any requirements established pursuant to Sec. 7661c(b) or Sec. 7414(a)(3) of the FCAA;
- (g) Any standard or other requirement governing solid waste incineration, under Sec. 7429 of the FCAA;

- (h) Any standard or other requirement for consumer and commercial products, under Sec. 7511b(e) of the FCAA;
- (i) Any standard or other requirement for tank vessels, under Sec. 7511b(f) of the FCAA;
- (j) Any standard or other requirement of the regulations promulgated to protect stratospheric ozone under Title VI of the FCAA, unless the administrator determines that such requirements need not be contained in an air quality operating permit;
- (k) Any national ambient air quality standard or increment or visibility requirement under part C of Title I of the FCAA, but only as it would apply to temporary sources permitted pursuant to Sec. 7661c(e) of the FCAA; or
- (l) Any federally enforceable term or condition of any air quality open burning permit issued by the Department under Subchapter 6.

"Department" means the Montana Department of Environmental Quality.

"Emissions unit" means any part or activity of a stationary source that emits or has the potential to emit any regulated air pollutant or any pollutant listed under Sec. 7412(b) of the FCAA. This term is not meant to alter or affect the definition of the term "unit" for purposes of Title IV of the FCAA.

"FCAA" means the Federal Clean Air Act, as amended.

"Federally enforceable" means all limitations and conditions which are enforceable by the administrator, including those requirements developed pursuant to 40 CFR Parts 60 and 61, requirements within the Montana State Implementation Plan, and any permit requirement established pursuant to 40 CFR 52.21, or under regulations approved pursuant to 40 CFR Part 51, Subpart I, including operating permits issued under an EPA approved program that is incorporated into the Montana State Implementation Plan and expressly requires adherence to any permit issued under such program.

"Fugitive emissions" means those emissions, which could not reasonably pass through a stack, chimney, vent, or other functionally equivalent opening.

"General air quality operating permit" or **"general permit"** means an air quality operating permit that meets the requirements of ARM 17.8.1222, covers multiple sources in a source category, and is issued in lieu of individual permits being issued to each source.

"Hazardous air pollutant" means any air pollutant listed as a hazardous air pollutant pursuant to Sec. 112(b) of the FCAA.

"Non-federally enforceable requirement" means the following as they apply to emission units in a source requiring an air quality operating permit:

- (a) Any standard, rule, or other requirement, including any requirement contained in a consent decree, or judicial or administrative order entered into or issued by the Department, that is not contained in the Montana State Implementation Plan approved or promulgated by the administrator through rule making under Title I of the FCAA
- (b) Any term, condition or other requirement contained in any Montana Air Quality Permit issued by the Department under Subchapters 7, 8, 9 and 10 of this chapter that is not federally enforceable

- (c) Does not include any Montana ambient air quality standard contained in Subchapter 2 of this chapter

“On-Site,” as it relates to the physical location of the Title V Operating Permit, means any location within base property.

"Permittee" means the owner or operator of any source subject to the permitting requirements of this subchapter, as provided in ARM 17.8.1204, that holds a valid air quality operating permit or has submitted a timely and complete permit application for issuance, renewal, amendment, or modification pursuant to this subchapter.

"Regulated air pollutant" means the following:

- (a) Nitrogen oxides or any volatile organic compounds;
- (b) Any pollutant for which a national ambient air quality standard has been promulgated;
- (c) Any pollutant that is subject to any standard promulgated under Sec. 7411 of the FCAA;
- (d) Any Class I or II substance subject to a standard promulgated under or established by Title VI of the FCAA;
- (e) Any pollutant subject to a standard or other requirement established or promulgated under Sec. 7412 of the FCAA, including, but not limited to, the following:
 - (i) Any pollutant subject to requirements under Sec. 7412(j) of the FCAA. If the administrator fails to promulgate a standard by the date established in Sec. 7412(e) of the FCAA, any pollutant for which a subject source would be major shall be considered to be regulated on the date 18 months after the applicable date established in Sec. 7412(e) of the FCAA
 - (ii) Any pollutant for which the requirements of Sec. 7412(g)(2) of the FCAA have been met, but only with respect to the individual source subject to Sec. 7412(g)(2) requirement.

"Responsible official" means one of the following:

- (a) For a corporation: a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit and either:
 - (i) The facilities employ more than 250 persons or have gross annual sales or expenditures exceeding \$25 million (in second quarter 1980 dollars); or
 - (ii) The delegation of authority to such representative is approved in advance by the Department.
- (b) For a partnership or sole proprietorship: a general partner or the proprietor, respectively.

- (c) For a municipality, state, federal, or other public agency: either a principal executive officer or ranking elected official. For the purposes of this part, a principal executive officer of a federal agency includes the chief executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., a regional administrator of the Environmental Protection Agency).

- (d) For affected sources: the designated representative in so far as actions, standards, requirements, or prohibitions under Title IV of the FCAA or the regulations promulgated thereunder are concerned, and the designated representative for any other purposes under this subchapter.

Abbreviations:

ARM	Administrative Rules of Montana
ASTM	American Society of Testing Materials
BACT	Best Available Control Technology
BDT	bone dry tons
Btu	British thermal unit
CFR	Code of Federal Regulations
CO	carbon monoxide
DEQ	Department of Environmental Quality
dscf	dry standard cubic foot
dscfm	dry standard cubic foot per minute
EEAP	Emergency Episode Action Plan
EPA	U.S. Environmental Protection Agency
EPA Method	Test methods contained in 40 CFR 60, Appendix A
EU	emissions unit
FCAA	Federal Clean Air Act
gr	grains
HAP	hazardous air pollutant
IEU	insignificant emissions unit
Mbdft	thousand board feet
Method 5	40 CFR 60, Appendix A, Method 5
Method 9	40 CFR 60, Appendix A, Method 9
MMbdft	million board feet
MMBtu	million British thermal units
NO _x	oxides of nitrogen
NO ₂	nitrogen dioxide
O ₂	oxygen
Pb	lead
PM	particulate matter
PM ₁₀	particulate matter less than 10 microns in size
psi	pounds per square inch
scf	standard cubic feet
SIC	Source Industrial Classification
SO ₂	sulfur dioxide
SO _x	oxides of sulfur
tpy	tons per year
U.S.C.	United States Code
VE	visible emissions
VOC	volatile organic compound

APPENDIX C NOTIFICATION ADDRESSES

Compliance Notifications:

Montana Department of Environmental Quality
Permitting and Compliance Division
Air Resources Management Bureau
P.O. Box 200901
Helena, MT 59620-0901

United States EPA
Air Program Coordinator
Region VIII, Montana Office
Federal Building, 10 West 15th Street, Suite 3200
Helena, MT 59626

Permit Modifications:

Montana Department of Environmental Quality
Permitting and Compliance Division
Air Resources Management Bureau
P.O. Box 200901
Helena, MT 59620-0901

Office of Partnerships and Regulatory Assistance
Air and Radiation Program
US EPA Region VIII 8P-AR
1595 Wynkoop Street
Denver, CO 80202-1129

APPENDIX D AIR QUALITY INSPECTOR INFORMATION

Disclaimer: The information in this appendix is not State or Federally enforceable, but is presented to assist Malteurop, permitting authority, inspectors, and the public.

1. **Direction to Plant:** The Malteurop facility is located approximately 2 miles north of the City of Great Falls, Montana, and approximately ½ mile west of Black Eagle Road. The legal description of the facility site is the NE¼ of the SE¼ of Section 30, Township 21 North, Range 4 East, in Cascade County, Montana.
2. **Safety Equipment Required:**
Hard hat, safety shoes, safety glasses and hearing protection as required.
3. **Facility Plot Plan:** A facility plot plan was not included with the application for the Title V operating permit and is on file with the Department.