

RECEIVED

JUN 05 2017

MT DEQ PUBLIC WATER & SUBDIVISION BUREAU

Montana Department of Environmental Quality

Consumer Confidence Report Certification Form

You need to complete the following:

- 1. Mail or otherwise directly deliver a copy of Consumer Confidence Report (CCR) to water system customers by June 30. Keep a copy for your records.
- 2. Mail or email a copy of CCR to DEQ by June 30.
- 3. Complete and submit this Certification Form to DEQ by September 30. It is recommended that you send the CCR and Certification Form to DEQ at the same time to ensure that all actions are completed on time.

| | | Colstrip | | | |
|------------|--|--------------------------|---------------------------|----------------------|------------|
| | Water System ID Number: _ | MT0000180 | CCR Year: | 2016 | |
| | CCR was distributed (Chec | k all that apply): | | | |
| | ☐ Mail Delivery | | | | |
| | ☐ Hand Delivery | | | | |
| | X Electronic Delivery | Website URL | | | |
| | X Available Upon Rec | quest | | | |
| ttp://www. | cityofcolstrip.com/index.php? | option=com_jdownload | s&task=download.send | %id=465&catid=4&m=08 | kltemid=49 |
| | Tier 3 Public Notice | e Included | | | |
| | THE | | | | |
| | The community water system Report has been distributed to given). Further, the system co | customers (and appro | priate notices of availab | ility have been | |
| | consistent with the compliance | ce monitoring data prev | riously submitted to the | state agency. | |
| | Certified by (Name): | Bryan Swan | Date: | 6-5-2017 | |
| | Title: Public Works Dire | | Phone #: 406-748-2300 | ext 2303 | |
| | | | | | |
| | Submittals should be sent to: | C# D-#- | | | |
| | | Scott Patte | | | |
| | | CCR Rule M | | | |
| | | DEQ PWS E P.O. Box 20 | | | |
| | | Helena, MT 59 | | | |
| | | neicha, MI 390 | J2U-UJUI | | |

2016

A STRUCKISTON BITEEN

RECEIVED

JUN 05 2017 MT DEQ PUBLIC WATER & SUBDIVISION BUREAU

Drinking Water Quality Report

Colstrip Montana

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality of water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. I'm pleased to report that our drinking water is safe and meets federal and state requirements.



RECEIVED

JUN 05 2017

MT DEQ PUBLIC WATER & SUBDIVISION BUREAU

Water Source and Treatment

Talen Energy pumps water from the Yellowstone River six miles west of Forsyth to Castle Rock Lake. Our



system draws water from Castle Rock Lake and is treated at The Colstrip Water Treatment Plant.

The water plant is a variable declining rate direct filtration facility. It is designed for raw water to gravity flow from Castle Rock Lake through an in-line mechanical mixer. It mixes aluminum chlorhydrate (coagulant), potassium permanganate (helps removes taste and odor), and fluoride with the raw water flow stream, then through a static mixer where a nonionic polymer is applied as a filter aid, and into an open distribution channel at the head of four filter bays. In these filters is a dual media of anthracite coal and sand. Filtered water leaving the filter bays enters a weir trough where chlorine is added for disinfection. Water cresting the clearwell weir trough falls into the clearwell and is available for pumping into the Colstrip distribution system through the high service pumps. Colstrip has over 26 miles of distribution system. The high service pumping system is designed to serve three separate pressure zones in the Town of Colstrip. Zone 1 has the lowest elevation in town. It is served by two 500,000 gallon reservoirs. Many of the old mains in this part of town have been replaced in the last few years. Zone 2 is the second highest portion of the distribution system and it is served by a 2,000,000 gallon reservoir in the northern portion of Colstrip. Because of a declining population in this area, this reservoir is maintained at 1,800,000 to achieve better turnover. Zone 2 was recently expanded west of the highway to homes and businesses at the Colstrip Commerce Circle. Zone 3 is served by a 650,000 gallon reservoir in the southwestern part of the town west of the highway. Six high service pumps serve these three pressure zones.

Water from the clearwell is also used for backwashing the filters. The backwash is controlled by a SCADA system located at the Water Treatment Plant. The SCADA (supervisory control and data acquisition) system also monitors and records the function of all treatment processes, reservoir levels, the wastewater treatment plant and sewage lift stations.

There are turbidity meters on all filters and the clearwell that are continuously recording the clarity of the water. We have online chlorine and fluoride analyzers which monitor and record residuals leaving our treatment plant on a daily basis. We test chlorine residuals daily in our distribution system. We also test for total coliform bacteria (i.e. e-coli) monthly from 3 different sites in our distribution. We are sampling quarterly from the distribution to comply with the Disinfection By-Products Rule. We also sample yearly to comply with Phase II and Phase IV of the Surface Water Drinking Act. All of our outside testing is done by Energy Laboratories of Billings and Aqua Tech Laboratories of Lewistown. Both labs are certified.

Hypochlorite is produced by an Onsite Hypochlorite Generating System. It uses common rock salt to produce a mild bleach solution used in disinfection of the finished water. The addition of this system has allowed us to remove the hazards of using and storing ton cylinders of chlorine.



JUN 05 2017

Water Contaminants MT DEQ PUBLIC WATER & SUBDIVISION BUREAU

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic Contaminants, such as salts and metals, which can be naturallyoccurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive Contaminants, which can be naturally-occurring or the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling EPA.s Safe Drinking Water Hotline, 1-800-426-4791.

In order to ensure that tap water is safe to drink, the Environmental Protection Agency (EPA) prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health. MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-amillion chance of having the described health effect.

Some people may be more vulnerable contaminants in drinking water than general population. Immuno-compromised persons persons such as with cancer undergoing chemotherapy, persons who have underaone organ transplants, people with HIV/AIDS or other immune system disorders. some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline, 1-800-426-4791.

The EPA requires monitoring of over 80 drinking water contaminants. Only those listed in the following table were detected in your drinking water. The table shows the test results for calendar year 2016. As authorized by the EPA. requirements monitoring for certain contaminants are less often than once a year because the concentrations of these contaminants are not expected to significantly from year to year.

As you will see by the following table, our system had no violations of the water quality standards. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected. The EPA has determined that your water IS SAFE at these levels.



JUN 05 2017

Important Terms

MT DEQ PUBLIC WATER & SUBDIVISION BUREAU

- Action Level or AL: The concentration of a contaminant, which if exceeded, triggers treatment or other requirements a water system must follow.
- Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- Maximum Contaminant Level or MCL: The highest level of a contaminant allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Residual Disinfectant Level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- Maximum Residual Disinfectant Level Goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.

Table of Detected Contaminants

Key to Table:

AL = Action Level

MCL = Maximum Contaminant Level

MCLG = Maximum Contaminant Level Goal ppm = parts per million, or milligrams per liter

(mg/l)

ppb = parts per billion, or micrograms per liter (ug/l)

ND = No Detect

NR = Not Regulated

N/A = Not Applicable

NTU = Nephelometric Turbidity Units

TTHMs = Total Trihalomethanes

pCi/l = picocuries per liter (a measure of radioactivity)

| Contaminant | MCLG | MCL | Highest Compliance level | Violation Yes/No | Range of Detection | Year, Date Obtained |
|---------------------------|--|---------|--------------------------------|---------------------|-----------------------|------------------------|
| Inorganic Contaminant | | | | | | |
| Fluoride F- | 4 ppm | 4 ppm | .4 ppm | NO | .4 ppm | 11/29/16 |
| Other Information | Some people who drink water containing fluoride in excess of the MCL over many years could get bone disease, including pain and tenderness of the bones. Children may get mottled teeth. | | | | | |
| Likely Source of Contamin | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories | | | | | |
| Copper CU | 1.3 ppm | 1.3 ppm | .066 ppm | NO | .014066 ppm | 08/23/16 |



| Other Information | level ove gastrointe containing could su | vas tested for in a action level. Con the action level. Con a relatively should distress. It is a copper in exception of the should consult the | nort amount Some pe ess of the ac dney damag | of time could eople who tion level over ge. People v | d experience drink water r many years | |
|--------------------------------|--|---|--|---|---|---|
| Likely Source of Contamir | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives | | | | | |
| Lead PB | 0 | .015 ppm | .003 ppm | NO | ND003 ppm | 08/23/16 |
| Other Information | | were belitypically general paragray be hof materia about ele have you minutes | s tested for in 10 ow the action low the action low more vulnerable copulation. It is pigher than at other als used in your low vated lead levels rowater tested a before using the from the Safe Driver water tested promises the safe promises the s | evel. Infants to lead in cossible that the homes in home's plum in your homend flush you tap water. | s and young drinking was lead levels a the communi- bing. If you a le's water, you ar tap for 30 s Additional in | children are atter than the later than the later than the later your home ity as a result re concerned a may wish to seconds to 2 aformation is |
| Likely Source of Contamir | Corrosion of household plumbing systems, erosion of natural deposits | | | | | |
| Arsenic | N/A | .01 ppm | .002 | NO | .002 | 11/29/16 |
| Other Information | EPA is reviewing the drinking water standard for arsenic because of special concerns that it may not be stringent enough. Arsenic is a naturally occurring mineral known to cause cancer in humans at high concentrations. | | | | | |
| Likely Source of Contamination | | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes | | | | |
| Microbiological Contam | inants | | | | | |
| Turbidity | NA | .300 ppm | .220 NTU | NO | .0222 | 01/20/16 |
| Other Information | | | is a measure of t e it is a good ir | | | |



| 37100 | | | | | MTDE | DIVISION | |
|-------------------------|---|---|--|----|--------------------|----------|--|
| Nutrients | | | | | & SUB | DIVISION | |
| Nitrate/Nitrite as N | 10 ppm | 10 ppm | .09 ppm | NO | .09 ppm | 11/29/16 | |
| Other Information | Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant you should ask advice from your health care provider. | | | | | | |
| Likely Source of Cor | | | om fertilizer use; f natural deposits | | m septic tanks, | sewage; | |
| TTHMs | N/A | .080 ppm | .076 ppm | NO | .064 – .084 ppm | 09/12/16 | |
| Other Information | | | | | | | |
| Likely Source of Cor | ntamination | By-product of drinking water chlorination | | | | | |
| HAA5s | N/A | .060 ppm | .039 ppm | NO | .024 – .039 ppm | 03/08/16 | |
| 0.11 | | | | | | | |
| Other Information | | | | | | | |

Below is a table of other constituents. Although not regulated, they are provided for the informational purposes of our customers.

| Constituent | MCLG | MCL | Measured Value | Year, Date Obtained |
|------------------------|------|-----|----------------|------------------------|
| Alkalinity as CaCO3 | NR | NR | 144 ppm | 11/29/16 |
| Bicarbonate as HCO3 | NR | NR | 172 ppm | 11/29/16 |
| Calcium | NR | NR | 48 ppm | 11/29/16 |
| Chloride | NR | NR | 20 ppm | 11/29/16 |
| Conductivity | NR | NR | 626 umhos/cm | 11/29/16 |

| Hardness as CaCO3 | NR | NR | 194 ppm 11.3 grains/gal | 11/29/16 |
|---------------------------|----|----|----------------------------|----------|
| Magnesium | NR | NR | 18 ppm | 11/29/16 |
| Sulfate | NR | NR | 145 ppm | 11/29/16 |
| рН | NR | NR | 8.4 s.u. | 11/29/16 |
| Potassium | NR | NR | 3 ppm | 11/29/16 |
| Sodium | NR | NR | 54 ppm | 11/29/16 |
| Total Dissolved Solids | NR | NR | 385 ppm | 11/29/16 |

We work around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

This report is required by the federal Safe Drinking Water Act and will NOT BE MAILED out to individual water customers. A copy of this report can be picked up at City Hall. It can also be viewed and printed from our website www.cityofcolstrip.com. We want our valued customers to be informed about their water utility. Call for information about the next opportunity for public participation in decisions about our drinking water. If you have comments or concerns, please attend any of our regularly scheduled city council meetings. They are held on the second and fourth Tuesday of each month at 7:00 PM at City Hall.

For More Information Contact:

Public Works Director Attn: Bryan Swan Box 1902 Colstrip, MT 59323

E-mail: publicworks@cityofcolstrip.com

Phone: 748-2300 Fax: 406-748-2303



JUN 05 2017

MT DEQ PUBLIC WATER & SUBDIVISION BUREAU