4.0 Analysis of Alternatives

4.1 Evaluation of Alternatives (ARM 17.20.1311)

Keystone is designing the Project in order to meet the stated purpose and need of the Project and to meet the specific requirements of its committed shippers, which form the underpinning of the Project, as well as anticipated additional shipper demand and applicable regulatory requirements. The following sets of alternatives were evaluated to assure meeting these requirements.

Alternative Transportation Modes

In consideration of alternate modes of transportation, for context, shipment by road with tanker trucks would require over 4,000 trucks per day to ship 900,000 bpd. By rail, the equivalent requirements would be about 40, 100-tank-car-unit trains per day.

For the Project's purpose and need, these alternate modes are not practical. Additionally, transportation by pipeline remains the safest mode of transportation for crude oil.

Alternative Starting Points or Destination Points

The start point of the oil hub in Hardisty, Alberta, aligns with the start of the Keystone Pipeline Project, which is currently being executed. The Project is proposed as a further phase of the development of the Keystone Pipeline System. Hardisty is the preferred and flexible initial delivery point for shippers to import oil into the US from the developing supply base in Alberta. Hardisty is a major initiating point for oil shipments from the WCSB.

All three alternative routes utilize the same entry point into the State of Montana. This point was selected because it takes advantage of the reduced environmental footprint resulting from co-location with the Foothills Pipeline System in Canada.

The delivery points at Nederland and Moore Junction in Texas were selected after feedback from potential shippers wishing to develop new supplies of crude oil for the PADD III area refineries on the Gulf Coast of Texas.

Each alternative route utilizes a different exit point from the State of Montana. The relative merits of these points are tied to the relative merits of the reflective alternative routes.

The start and end delivery points were also chosen to be responsive to known shipper interest. Other points were not considered because they would not have been consistent with the Project purpose and need.

Alternative Diameter Pipe and Alternative Flow Rates (System Capacity Analysis)

Crude oil supply and demand outlook discussed in Chapter 3.0 provided the target pipeline capacity that would be of interest to shippers in the timeframe intended for available service. An economic pipeline with an ultimate capacity in the neighborhood of about 1 million bpd was the initial starting point. Additionally, a minimum initial capacity of approximately 500,000 bpd to the US Gulf Coast was targeted based on initial feedback from potential shippers.

Screening hydraulic analysis was done considering different pipeline diameters. For this analysis a maximum pump station discharge pressure of 1,440 psig was selected, this being the maximum pressure rating for ANSI 600 flanges. This pressure provides for economic design of pump station facilities and efficient system operation.

4-1 December 2008

Following are the results of the initial screening hydraulic analysis for various pipeline diameters.

Pipe Diameter (NPS)	Nominal Design Capacity (bbl/d)	Maximum Discharge Pressure (psig)
30	591,000	1,440
36	900,000	1,440
42	1,530,000	1,440

Pipe sizing must take into account volume requirements, fluid properties, and the type of flow required to maintain batch integrity. Flow velocities in a turbulent flow regime rather than a laminar flow regime are required to maintain batch integrity.

While the 30-inch-diameter pipe provided flow velocities that would provide batch integrity, it was eliminated from further consideration as it did not provide sufficient capacity to meet the targeted maximum capacity. The 42-inch-diameter pipe could provide sufficient capacity, but would require a minimum flow of 624,000 bpd to avoid laminar flow. The expected initial contract volumes would have resulted in a pipeline design not suited for the intended batch operation. The ultimate capacity of approximately 1.5 million bpd was greater than targeted.

Based on these results and the targeted flow regime capacities, the 36-inch-diameter option was selected for further study and development. For the 36-inch-diameter pipeline, batch integrity is achieved for flows above 450,000 bpd.

Further hydraulic analyses were conducted to optimize a 36-inch-diameter pipeline system design. With the maximum pump system discharge pressure of 1,440 psig, it was found that, at some site specific locations with a lower elevation than the upstream pump station, the 1,440 psig pressure could be exceeded under some normal and abnormal system conditions. For these locations, a MOP of 1,600 psig has been specified.

The Project's capacity is defined in terms of design and nominal capacities. Design capacity refers to the maximum capacity of the pipeline with all operating equipment available. Keystone's design capacity is 1,000,000 bpd. Nominal capacity refers to the long-term sustainable capacity taking into account seasonal variations in operating temperatures, maintenance requirements, power outages, and operational flexibility. The nominal capacity of the Project, 900,000 bpd, represents 90 percent of the design capacity.

Pipeline Expansion Options Considered

Various ways to utilize and expand the previously permitted Keystone Pipeline Project, the first phase of the Keystone Pipeline system, were considered, including:

- Additional pumping
- Partial looping
- New pipeline adjacent route

Additional Pumping

Adding pumps on the base Keystone Pipeline system would only provide very nominal increases in overall capacity and was not considered because it would not meet the targeted incremental flow capacities.

4-2 December 2008

Partial Looping

Looping with additional pumping would add increased capacity to the base pipeline. However, batch quality in a partially looped pipeline system is not maintained to the level required. Unless the entire pipeline is fully looped the desired batch integrity is not achievable.

New Pipeline - Adjacent Route

One continuous new line, adjacent to the existing Keystone Pipeline, also was analyzed. This meets the technical and operational requirements, but the total capital costs, operating costs, and power requirements would be significantly higher due to the longer route between Hardisty and Steele City (1,417 miles vs 1,170 miles). Environmental impacts would be correspondingly greater than those that would occur for the preferred route.

Preferred Pipeline Option

A direct route approach is the preferred alternative. This meets the technical and operational requirements and, when compared to other alternatives, is shorter in length, has a smaller environmental footprint, and is less expensive on an incremental volume basis. Another design benefit is a single bullet pipe design, which will provide better delivered product quality and faster transit times compared to other less direct options and, therefore, create value for Keystone's customers.

Alternative Size, Number, and Location of Pump Stations

Once the preferred pipeline option was identified, pump station locations were evaluated on the basis of hydraulics, environmental footprint, and cost.

A series of hydraulic analyses were carried out comparing pipe size, pressure, and pump spacing to determine the optimum pump station configuration. Hydraulic analysis indicated that co-locating pump stations with the existing Keystone Pipeline Project pump stations or TransCanada-owned facilities would not result in optimal pump spacing and would result in more, rather than fewer, pump stations.

The chosen pump sizes and configuration were 6,500 or 7,000 hp pumps (to be determined in detail engineering) in a series configuration. Several other pump sizes and pump station configurations were considered including:

- Smaller pumps (5,000 hp instead of 7,000 hp) in a series configuration This alternative provides some efficiencies for initial volumes and ability to expand for future potential simplicity of operation, but over a longer term requires many more pumps, therefore, a larger pump station foot print and higher capital and operating cost. The pumps required for this type of operation also were not common or proven in the industry.
- Smaller pumps series-parallel configuration this type of alternative provides benefits of efficiencies
 for initial volumes and ability to expand for future potential and is common and proven within the
 industry. It does require a significant pump station footprint, is much more complex to operate, and
 has a significant cost implication, due to the much greater number of pumps required.
- Larger parallel configuration in this alternative, the initial and future build up volumes can be
 accommodated, the pump sizes are comparable to others in use in the industry, and the number of
 pumps required is similar to the chosen sizes and configuration.

Alternative Pump Fuels and Fuel Sources

Along several areas of the pipeline, using natural gas fired equipment, either as a fuel source for generating power or for directly driving pumping units, was evaluated as an alternative. In these cases, both long- and

4-3 December 2008

short-term considerations were evaluated and compared to electric power. It was determined that the environmental impact and the costs, both capital and operating, exceeded that of energizing the stations with electrical power provided by new transmission lines.

Pipe Material Grade and Wall Thickness

Steel was the only pipe material considered for the Project. Two pipe grades were considered for the Project; API 5LX-70 with a specified minimum yield strength of 70,000 psi and API 5LX-80 with a specified minimum yield strength of 80,000 psi. Both pipe grades are used in the pipeline industry and both are still being evaluated for use on the Project.

The pipe selected for the project design to meet the requirements of CFR 49, Part 195 are:

```
36" O.D. x 0.463" w.t., API 5LX-70 (0.80 design factor, 1,440 psig MOP) 36" O.D. x 0.405" w.t., API 5LX-80 (0.80 design factor, 1,440 psig MOP) 36" O.D. x 0.515" w.t., API 5LX-70 (0.72 design factor, 1,440 psig MOP) 36" O.D. x 0.450" w.t., API 5LX-80 (0.72 design factor, 1,440 psig MOP) 36" O.D. x 0.619" w.t., API 5LX-70 (0.60 design factor, 1,440 psig MOP) 36" O.D. x 0.540" w.t., API 5LX-80 (0.60 design factor, 1,440 psig MOP) 36" O.D. x 0.743" w.t., API 5LX-70 (0.50 design factor, 1,440 psig MOP) 36" O.D. x 0.648" w.t., API 5LX-80 (0.50 design factor, 1,440 psig MOP) 36" O.D. x 0.572" w.t., API 5LX-70 (0.72 design factor, 1,600 psig MOP) 36" O.D. x 0.500" w.t., API 5LX-80 (0.72 design factor, 1,600 psig MOP)
```

System Alternatives

To provide potential shippers with the desired capacity expansion of the Keystone System from Hardisty to the refinery area of the USGC, Keystone developed a pipeline transportation system that will be appropriately sized and economically justifiable. Key design and economic considerations included:

- Present and future capacity requirements;
- Crude oil quality considerations; and
- Minimizing potential environmental effects and project footprint.

The design that was selected represents the optimum combination of these considerations.

The No Action Alternative also is evaluated, as are system alternatives and routing alternatives.

4.1.1 No Action Alternative

Under the No Action Alternative, Keystone would not request approval for, nor construct the proposed Project. If the proposed facilities are not constructed, the short- and long-term impacts identified in this MFSA application will not occur; however, Keystone will not be able to meet the demonstrated market need within the required timeframe. Moreover, shippers will seek other means to move their product or shut in production. It is purely speculative to predict the resulting effects and actions that could be taken by another entity or the shippers as well as any associated direct and indirect environmental impacts. However, it is clear that the demand for crude oil in the US overall and in the area served by the Project is increasing. Thus, not building the proposed facilities could limit some or all of the access to additional crude oil supplies, thus jeopardizing the benefits to be provided by the Project, which would include substantial tax revenues to the counties crossed.

4-4 December 2008

4.1.2 Route Alternatives

The proposed route for the Project was developed through an iterative, multidisciplinary route selection process. This process involved the systematic identification of objectives, control points, collection of data, review of alternatives, and continual reassessment of these factors as refinement occurred. Additionally, the process unfolded in two distinct phases, given modifications to basic Project objectives, which had significant impacts on suitable routing alternatives.

4.1.2.1 Objectives

The purpose of the Project is to:

- Transport crude oil production from the WCSB to meet growing demand by refineries and markets in the US;
- Transport crude oil from the oil supply hub near Hardisty, Alberta, Canada and deliver it to existing oil storage terminal facilities near Nederland and Houston, Texas; and
- Provide US refineries and markets with access to a substantial and reliable supply of Canadian crude oil to meet increasing US demand for petroleum products.

4.1.2.2 Definition of Control Points

The following control points served to define the route (see **Attachment A**, **Figure 1**). In Canada, the Project is co-located with an existing pipeline. That dictates the port of entry to the US.

- Co-location with Foothills Pipeline in Canada;
- US/Canada border crossing near Morgan, Montana;
- Construction limitations at Fort Peck Reservoir, Montana;
- Crossing the Niobrara River at locations not designated as wild and/or scenic;
- Minimization of new pipeline by connecting with the Keystone Cushing Extension;
- Delivery point at Nederland, Texas; and
- Delivery point at the Houston Ship Channel, Texas.

The last two bullets are not applicable to route selection in Montana and, thus, are not discussed further.

4.1.2.3 Steele City Segment

The Steele City Segment of the Project takes a more direct route from Hardisty, Alberta, to Steele City, Nebraska, than that of the Keystone Pipeline Project. The development of the Keystone Pipeline Project included the conversion to crude oil service of a significant underutilized segment of TransCanada's Canadian Mainline assets from the Alberta border running east through Saskatchewan to Manitoba. No other existing assets are available for this kind of conversion and use on the Keystone XL Project, therefore a direct route was chosen.

Four route alternatives were initially considered for the Steele City Segment of the Project to interconnect with the Keystone Cushing Extension. One alternative was construction of a new pipeline directly from the US/Canada border to the interconnection at Cushing, Oklahoma. This alternative did not take advantage of the opportunity to avoid new pipeline construction by connecting with the Keystone Cushing Extension. Therefore, it would require construction of several hundred more miles of pipeline than other alternatives, with associated costs and environmental disturbances. For these reasons, this alternative was removed from further consideration.

4-5 December 2008

Several other alternatives were considered, all of which involved construction of new pipe to a point near Steele City, Nebraska, where the Project could then connect with the Keystone Cushing Extension to deliver oil to the Gulf Coast Segment (please refer to the Overview Map). Of the three remaining routes that were considered, the Project team identified Steele City Route Option B as the preferred route. Route B is significantly shorter, by over 100 miles, than the other alternatives, resulting in the following overall benefits:

- Reduced environmental footprint and impact;
- Reduced landowner impacts;
- Reduced congestion in relation to population;
- · Reduced overall construction costs; and
- Reduced operating costs.

4.2 Alternative Siting Study (ARM 17.20.1426 and Circular MFSA-2)

In preparation for the Alternative Siting Study and Baseline Study and selecting a preferred location for the Project facilities. Keystone obtained many publically available electronic data layers to map the avoidance areas and other environmental constraints. Keystone's routing process avoided wilderness areas and primitive areas; attempted to identify a location that achieves the best balance of preferred location criteria listed in Circular MFSA-2, Section 3.1 and the avoidance areas described and referenced in Circular MFSA-2, Sections 3.2, 3.4, 3.7, and 3.8; and selected alternate routes that would either avoid, or allow means for, mitigation of adverse impacts.

4.2.1 Delineation of the Study Area (Circular MFSA-2, Section 3.2)

Given the size and scope of the proposed Project (see **Attachment A**, **Figure 1**) and considering all reasonable endpoints for the facility within or outside the State of Montana, the study area for the portion of the Project that would be located within the State of Montana is simply identified as "eastern Montana" (Circular MFSA-2, Section 3.2 (2) and (4)). In identifying this broad study area, obviously, many of the siting criteria and avoidance areas outlined in Circular MFSA-2 could not be "avoided" within the study area, but were certainly taken into consideration while selecting the alternative routes through the study area.

Once the study area was defined, the avoidance areas defined in Circular MFSA-2, Section 3.2 (d) and (e) were mapped (see **Attachment A**, **Figure 2**) showing eastern Montana with all avoidance areas mapped, but no routes) (Circular MFSA-2, Section 3.2 (3)). In addition to **Attachment A**, **Figure 2** and to fully satisfy the requirements of Circular MFSA-2, Section 3.2 (3), electronic equivalents, complete with shapefiles and metadata, are being filed on DVD with the Montana DEQ.

The methods used to determine the boundaries of the study area are explained above. While the factors listed under Section 3.2(2) were not specifically considered during the delineation of the study area, due to the large size of the study area (all of eastern Montana), all of the factors listed under Section 3.2(2) were carefully considered during identification of alternative locations suitable for siting the facility.

4.2.2 Overview Survey (Circular MFSA-2, Sections 3.3, 3.4, and 3.5)

In accordance with Circular MFSA-2, Section 3.3 (2), Keystone held public open houses along the preferred route in June 2008 and discussed the Project and alternate routing with County Commissioners in Daniels, Roosevelt, and Sheridan counties, where the alternative routes would pass (see Section 5.3 and **Attachment F**). Keystone also publically noticed the Project and alternate routes again in November 2008 in the following newspapers: *Glendive Ranger Review, Glasgow Courier, Fallon County Times, Circle Banner, Billings Gazette, Miles City Star*, and the *Wolf Point Herald News.* **Attachment F** provides copies of the notices that were published in these eastern Montana newspapers in November 2008.

4-6 December 2008

In accordance with Circular MFSA-2, Section 3.3(3), Keystone has prepared base maps at a scale of 1:100,000 along each of the alternate routes (in **Attachment A**). Consistent with Circular MFSA-2, Section 3.3(5), the areas specified in Sections 3.2(1)(e) and 3.4(2), were avoided by all three routes to the maximum extent possible. Where it was not possible to avoid these areas, mitigation of significant adverse impacts is possible. The mapping for the Overview Survey was prepared in accordance with the requirements of, and in consideration of, the factors listed in Sections 3.3(6), (7), and (8).

Circular MFSA-2, **Section 3.3(9)**. In the late summer of 2007, a study team consisting of representatives from engineering, environmental, construction, and land was assembled to analyze pipeline routing options from Morgan, Montana, to Steele City, Nebraska. The initial route concept was to co-locate with the Northern Border Pipeline southeastward through Montana, North Dakota, and much of South Dakota, until meeting up with the current Keystone Pipeline route; then co-locating with the Keystone Pipeline route southward to Steele City (Route Option A). Route A crossed the Fort Peck Indian Reservation. Because of the extensive statutory and procedural requirements associated with the acquisition of ROWs across the reservation, Keystone determined that the Project schedule could be jeopardized by proceeding with Route A. Consequently, a route around the reservation was formulated and analyzed (Route Option A1A). The study team also discussed looking at a direct "straight line" route from Morgan to Steele City (Route Option B).

In August 2007, the Project study team convened and, using current, relevant desktop data assessed routing options from Morgan to Steele City. Using recent aerial imagery and geographic information system (GIS) data, including land base maps, US Geological Survey (USGS) quadrangle (topography and land use) maps, existing utility locations, etc., the study team refined the preliminary routes and produced maps to support the field reconnaissance.

Subsequently, extensive field reconnaissance was conducted. The routes were flown by fixed-wing aircraft. Key locations were identified to visit during ground reconnaissance. The team also conducted site visits to locations that were of interest and could be accessed by public roads.

The study team reconvened to discuss data collected during the aerial and ground reconnaissance. Further route refinement was done based on the team's findings. The routing criteria set forth in Circular MFSA-2 were mapped and considered to help refine the alternate routes within the State of Montana. Each of the alternate routes considered in the Baseline Study below, were, at one time, the preferred route.

Although the primary preferred and alternate routes are selected, these routes continue to undergo refinement as additional location-specific information becomes available.

Based on these alternative routes and this alternative route selection process, much of the formal process laid out in Circular MFSA-2, Sections 3.4 and 3.5 for the overview survey was rendered moot; however, all of the factors and criteria listed in Sections 3.4, 3.7, and 3.8 were considered in the baseline study and impact assessment of the alternative routes.

4.3 Baseline Study Requirements (ARM 17.20.1426 and Circular MFSA-2)

4.3.1 Introduction

There are three alternative routes evaluated in this section, Routes A, A1A, and B. The following sections address the various resources that may be impacted by the three alternative routes in Montana. Each section identifies common baseline information, followed, where appropriate, by data relevant to each of the three routes, and then an assessment is provided of the resource impacts expected to result from each alternative. Resource impact assessments that are common to all route alternatives are presented in a single section; where appropriate, route-specific impacts are summarized in a table at the end of each technical section.

4-7 December 2008

4.3.2 Land Use/Recreation

4.3.2.1 Baseline Data and Description of Routes – All Routes

Land Ownership (Circular MFSA-2 3.7(4))

The linear mileage crossed by the three alternative routes is categorized by surface ownership in **Table 4-1**. For Routes A1A and B, land ownership along the routes is primarily private. Route A primarily crosses substantial Tribal-owned lands; Route B crosses no Tribal-owned lands; and Route A1A crosses on 1 mile of Tribal-owned lands. All three routes also cross state and federal lands. Land ownership along the three alternatives is shown in **Attachment A**, **Figure 2**.

Table 4-1 Surface Ownership Crossed by the Alternative Routes in Miles

	Route A	Route A1A	Route B
Federal	17.5	17.4	42.6
State	14.3	35.2	19.4
Tribal	89.6	1.0	0
Private	59.2	151.9	220.7
Total	180.7	205.5	282.7

Source: Montana Natural Heritage Program (2007) Montana Public Ownership Layer.

The Tribal land ownership type includes Bureau of Indian Affairs Trust Lands, Turtle Mountain Allotted Lands, as well as private lands on the Fort Peck Indian Reservation. Federal lands are predominantly BLM lands in both the Malta and Miles City Districts, but also include a short crossing of USFWS lands on Route A1A and a crossing of US Department of Defense/US Army Corps of Engineers (USACE) property on Route B. State-owned land is almost exclusively Montana State Trust Lands, except for a short segment along Route B, which crosses water under State Department of Natural Resources ownership.

Land Use

Land use types crossed by the alternative routes are detailed in **Table 4-2** in miles and in **Table 4-3** in acres. The predominant types of land uses crossed are agricultural land, grassland/rangeland, developed, forest land, wetland/riparian, and waterbody. Specific information on the types of agricultural lands also is included in the table. On Routes A and B, the most common land use type crossed is grassland/rangeland with fallow agricultural land as the second most common type. No other land use type makes up more than 3 percent of the total miles crossed. On Route A1A the predominant land use type is fallow agricultural land with grassland/rangeland as the second most common type. Similar to the other two routes, no other land use type makes up more that 3.5 percent of the total miles crossed by Route A1A. Land uses crossed by the proposed pipeline are shown in **Attachment A, Mapbook 1**.

The agricultural land use type includes actively cultivated land, row crops, and hayfields. The specific types of cropland were acquired from the Montana Department of Revenue (MDR) agricultural land reappraisal data layer. The rangeland/grassland type includes range and pasture. Developed land includes residential, industrial, and commercial areas, as well as transportation and utility corridors. Forest includes upland forests only. The wetland/riparian type includes wetlands with 50 percent or more tree coverage as well as emergent and shrub dominated wetlands. The waterbody land use type includes ephemeral, intermittent, and perennial stream channels as well as open water and manmade ditches and ponds.

4-8 December 2008

Table 4-2 Land Use Type¹ Crossed by the Alternative Routes (Miles)

Land Use Type	Route A	Percent of Total Route A	Route A1A	Percent of Total Route A1A	Route B	Percent of Total Route B
Agricultural Land						
Dryland cropland	3.9	2.2	6.7	3.3	8.1	2.9
Pivot irrigated cropland	1.5	0.8	0.8	0.4	0.6	0.2
Sprinkler irrigated cropland	0.00	0.00	0.00	0.00	0.00	0.00
Flood irrigated cropland	1.8	1.0	1.1	0.6	2.7	1.0
Fallow cropland	79.2	43.8	102.8	50.0	82.6	29.2
Subtotal	86.4	47.8	111.5	54.2	94.0	33.2
Rangeland/Grassland	88.5	49.0	86.6	42.2	171.7	60.7
Developed	2.7	1.5	2.9	1.4	3.3	1.2
Forest	0.0	0.0	0.0	0.0	0.4	0.1
Wetland/Riparian	0.9	0.5	2.5	1.2	5.3	1.95
Waterbody	2.2	1.2	2.0	1.0	8.1	2.9
Total	180.7	100	205.5	100	282.7	100

GIS Land Use layer for the three routes was digitized from 2006 aerial photos. The layer was subsequently compared, and cropland types further attributed based on MDR agricultural land reappraisal layer. MDR layer is in development and no metadata were available for the dataset from the state.

Table 4-3 Land Use Type¹ Crossed by the Alternative Routes (Acres)

Land Use Type	Route A	Route A1A	Route B
Agricultural land	1,198.9	1,545.2	1,288.5
Rangeland/Grassland	1,227.1	1,199.2	2,370.7
Developed	35.6	36.9	50.0
Forest	0.6	0.3	5.7
Wetland/Riparian	11.8	34.9	75.0
Waterbody	31.8	29.6	111.9
Total	2,504.6	2,845.5	3,901.4

GIS Land Use layer for the three routes was digitized from 2006 aerial photos. The layer was subsequently compared, and cropland types further attributed based on MDR agricultural land reappraisal layer. MDR layer is in development and no metadata were available for the dataset from the state.

Note: Acreage totals include a permanent ROW of 50 feet and additional temporary ROW of 60 feet, as well as additional temporary workspace (ATW). ATW was estimated as 3.96 percent additional acreage of those types crossed by the individual route ROWs.

4-9 December 2008

Developed Land (Circular MFSA-2 Section 3.7(4)

In developing the routes, the location of developed areas was a key factor. As such, there are relatively few impacts to residential, commercial, or industrial land uses along any of the routes. These types are shown in detail in **Table 4-4**. ROW is the developed land use type most often crossed by all routes. This type includes roads, railroads, and utility corridors. The second most crossed type is industrial, which includes uses like electric power or gas utility stations, manufacturing or industrial plants, landfills, mines, quarries, or wind farms. Only Route B has a mine within 1 mile of the route. It is a sand and gravel mine in Valley County. Route B crosses approximately 800 feet away from the property line of the mine. It is not anticipated that there will be any impact to the mine as a result of the construction, operation, or maintenance of the pipeline. Special use type includes schools, parks, cemeteries, golf courses, and ball fields. This land use is not crossed by Routes A or A1A and only 0.02 mile is crossed on Route B. Residential areas are minimally impacted, with Route A having 0.13 mile in residential land use type crossing five areas in Valley and Roosevelt counties; Route A1A having 0.02 mile crossing in one area in Valley County; and Route B crossing 0.01 mile, two areas, one in Valley County and the other in McCone County. More specific information on residences/structures within 500 feet of routes is shown in **Table 4-5**. The alternative routes have been chosen to provide safe distance from existing residences.

Table 4-4 Developed Land Use Type¹ (Miles)

Developed Land Use Types	Route A	Route A1A	Route B
Commercial	0.0	0.3	0.1
Industrial	0.6	0.4	0.1
Residential	0.1	0.0	0.1
Right-of-way	1.9	2.1	3.2
Special use	0.0	0.0	0.1
Total	2.7	2.86	3.3

GIS Land Use layer for the three routes was digitized from 2006 aerial photos.

Table 4-5 Potential Residences/Structures within 500 feet of Facilities Along Alternative Routes

	Route A	Route A1A	Route B
Number of structures/residences	57	43	11

Recreation and Special Interest Areas (Circular MFSA-2 Section 3.7(15))

Recreation and special interest areas crossed by the alternate routes in Montana are listed in **Table 4-6**. Recreation and special interest areas are shown on **Attachment A**, **Figure 2**. Route A and A1A cross the BLM Bitter Creek Area of Critical Environmental Concern (ACEC) and Wilderness Study Area (WSA). Route A1A also crosses the Medicine Lake National Wildlife Refuge (NWR). The crossing is of the diversion canal that supplies, and is included within, Medicine Lake NWR; however, the crossing of this area would utilize the HDD technique to avoid surface impacts. There is one easement crossed by Route B: the Phillips County USFWS Wetland Easement. This easement is described in further detail in Section 4.3.4, Wildlife and Fisheries.

4-10 December 2008

Table 4-6 Recreation and Special Interest Areas Crossed in Montana

Special Interest Area	Miles Crossed
Route A	
Bitter Creek ACEC and BLM WSA	4.1
Fort Peck Indian Reservation	89.6
Route A1A	
Bitter Creek ACEC and BLM WSA	4.1
Medicine Lake National Wildlife Refuge	0.1
Route B	
Phillips County USFWS Wetland Easement	0.8
Lewis and Clark National Historic Trail (cross both the northern and southern trails)	Na ¹

¹Trail boundary is not defined.

None of the routes cross roadless areas of 5,000 acres or more, national primitive areas, national monuments, national recreation areas, national forests, state parks, state wildlife areas, agricultural experiment stations or cross rivers in reaches that have a wild and scenic designation. One Class I fishery and one Class II fishery are crossed by Route B. However, both will be crossed using the HDD technique, so no impacts are anticipated. No Class I or Class II streams are crossed by Route A or A1A.

4.3.2.2 Impact Assessment (Circular MFSA-2 3.7(4))

<u>Issues</u>

- Establishment of a new pipeline ROW;
- Damage to agricultural equipment or features (e.g., drainage tiles and irrigation systems) during construction:
- Temporary loss of agricultural productivity during the construction period;
- Increased noise during construction;
- Visual impacts associated with the construction ROW, which include removal of existing vegetation, exposure of bare soils, and earthwork and grading scars;
- Increased noise and dust to nearby residential and commercial areas from pipeline construction activities; and
- Increased noise to nearby residential and commercial areas as a result of pump station operations.

Construction

The majority of land crossed by the alternative routes in Montana would be rangeland/grassland and agriculture. Other land use categories that would be affected by construction account for 3.5 percent or less of the miles crossed by any alternative. Land use on Route A is equally divided between rangeland/grassland and agriculture. Route A1A has a slightly higher percent of lands in agriculture. Route B has the largest percentage of rangeland/grassland, compared to the other alternatives.

4-11 December 2008

Surface disturbance to various land uses that would be caused by construction of the Project are summarized in **Table 4-2**. A relatively small, temporary loss of crops and forage land will occur in many agricultural and rangelands during construction. In areas where drainage tile is present, the tiles could be inadvertently damaged by the installation of the pipeline. Keystone will repair or restore drain tiles, fences, and lands that are temporarily disturbed during pipeline construction, as described in the CMRP. Section 4.3 of the CMRP also describes topsoil handling and reclamation practices designed to restore all types of agriculture land to its prior use.

Special interest areas crossed by the routes are shown in **Table 4-6**. Mitigation measures outlined in the CMRP will minimize impacts to these areas. Keystone will work with the appropriate agency or tribe to address issues related to crossing these special interest areas and implement minimization and mitigation measures as agreed to by the agency or tribe and Keystone.

Residences within 500 feet of a route will experience short-term inconvenience from construction equipment noise for a period of 1 week to 30 days. During construction, Keystone will be required to comply with any local construction noise requirements. For more information see Section 4.3.13.

Operation

No permanent structures can be constructed or placed on the permanent pipeline ROW for the entirety of the ROW lease period, representing a long-term future constraint on development of private land. The 50-foot-wide permanent ROW will be maintained in an open condition for the life of the pipeline facilities. No other operational impacts are anticipated to agriculture and rangeland or special management areas. If there are to be surface disturbances due to future maintenance activities, these will be reclaimed after the disturbance, utilizing measures described in the CMRP.

The impacts of aboveground facilities on visual resources will depend on the location of each individual facility and its visibility from the surrounding area. More detailed information on visual resources is provided in Section 4.3.10. Keystone has located the pump stations based on hydraulic and engineering design and access considerations, but also has considered impacts on aesthetics and sensitive environmental resources. Most pump stations are located on private land. Each alternative has one pump station on state-owned land, and Alternative A also has one pump station on Tribal land. All pump stations are in rangeland or non-irrigated agricultural land.

During operation of the pipeline, noise impacts associated with the electrically driven pump stations are expected to be minimal and limited to the vicinity of the facilities. Noise is addressed in Section 4.3.13.

Impact to Recreation (MFSA-2 3.7(16))

Project impacts to recreation areas are expected to be associated with construction. Adverse impacts to recreational aesthetics would be limited to upgrading existing access roads and pipeline and facility construction would be temporary. After construction the disturbed ROW would be permanently reclaimed and any disrupted recreational activities would resume. As the pipeline would be buried, no long-term impact to recreational activities are expected.

In order to assess the relationship of the affected recreational areas to the regional supply of recreation opportunities, a review of the Montana Statewide Comprehensive Outdoor Recreation Plan (SCORP) was conducted. Routes A, A1A, and B pass through Montana State Parks Region 6. Route B also passes through Region 7. According to the SCORP, the top four recreational facility needs in Region 6 are:

- Bike and pedestrian trails;
- Hunting lands;

4-12 December 2008

- State parks; and
- Playgrounds.

Region 7 listed the following top four recreational facility needs:

- Lakes:
- Camping with hunting;
- RV dumping station; and
- Swimming pools.

Hunting can occur on Montana State Trust Lands and there is the potential for short-term recreational disruptions as construction passes through; however, hunting opportunities would still exist nearby on State Trust Lands which construction would not affect. Route A crosses the fewest miles of Montana State Trust Lands (approximately 13 miles); Route B crosses the most miles (approximately 35 miles); and Route B crosses an intermediate number of miles (19 miles). Any disrupted hunting opportunities on these lands would resume in the long-term as the land is reclaimed.

Impacts to the Bitter Creek ACEC by Routes A and A1A, and the Medicine Lake NWR by Route A1A, would be short-term during construction. Additionally, impacts would be very small and limited when compared to the total acreage of these recreational areas. While Route B would intercept the Lewis and Clark National Historic Trail, there are no campsites or other recreational facilities within 2 miles of where Route B crosses the Lewis and Clark National Historic Trail.

Land Management Plans (Circular MFSA-2, Section 3.4 (7)(b), 3.7(4))

Comprehensive land use plans were requested from all the potentially affected counties. Land use plans were received from Valley, Fallon, Daniels, and Sheridan counties, as well as from the Fort Peck Indian Reservation. After a review of the county and reservation land use plans, it has been determined that there is no restrictions or land use planning concern that would preclude pipeline construction. Route A1A would cross the diversion canal that supplies, and is included within, the Medicine Lake NWR; however, Keystone would cross this area utilizing the HDD technique. No other federal or state land use plans would prohibit pipeline construction.

4.3.2.3 Summary of Route-Specific Land Use Impacts

Route-specific impacts for land use are summarized in **Table 4-7**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

4-13 December 2008

Table 4-7 Summary of Route-Specific Land Use Impacts

		Route Alternatives			
Resource	Route A	Route A1A	Route B		
Miles of Pipe					
Steele City Segment	919.7	951.3	850.7		
Portion in Montana	180.7	205.5	282.7		
Land Use					
Land ownership	Route A surface ownership comprises primarily tribal (50 percent) ownership with minor components of private (33 percent), federal (10 percent), and state (8 percent) ownership.	Route A1A surface ownership comprises primarily private (74 percent) ownership with minor components of state (17 percent), federal (8.5 percent), and tribal (0.5 percent) ownership.	Route B surface ownership comprises primarily private (78 percent) ownership with minor components of federal (15 percent) and state (7 percent) ownership.		
Land use	Land use is primarily composed of agricultural (48 percent) and rangeland/grassland (49 percent) types with minor components of developed, waterbodies, wetland/riparian, and forest types.	Land use is primarily composed of agricultural (54 percent) and rangeland/grassland (42 percent) types with minor components of developed, waterbodies, wetland/riparian, and forest types. Same as Route A; however, Route A1A would result in the second greatest impact of the alternatives.	Land use is primarily composed of rangeland/grassland (61 percent) and agricultural (33 percent) types with minor components of waterbodies (3 percent), developed, wetland/riparian, and forest types. Same as Route A; however, Route B would result in the greatest impact of the alternatives, due to its length in Montana.		
Developed land	Developed land use comprises approximately 2.74 miles in length, primarily associated with existing ROW and minor components of industrial and residential use types.	Developed land use comprises approximately 2.86 miles in length, primarily associated with existing ROW and minor components of commercial, industrial, and residential use types. Same as Route A; however, Route A1A would result in the second greatest impact of the alternatives.	Developed land use comprises approximately 3.29 miles in length, primarily associated with existing ROW and minor components of commercial, industrial, residential, and special use types. Same as Route A; however, Route B would result in the greatest impact of the alternatives, due to its length in Montana.		
Recreation and special interest areas	Recreation and special use areas crossed by Route A include the Bitter Creek ACEC, BLM WSA, and Fort Peck Indian Reservation.	Recreation and special use areas crossed by Route A1A include the Bitter Creek ACEC, BLM WSA, and Medicine Lake NWR.	Recreation and special use areas crossed by Route B include the Phillips County USFWS Wetland Easement and Lewis and Clark National Historic Trail.		

4-14 December 2008

4.3.3 Vegetation

4.3.3.1 Baseline Data and Description of Routes – All Routes (Circular MFSA-2 Section 3.9(1)(c)(viii))

Vegetation types and community characterizations for the proposed routes were identified based on interpretation of aerial photography. Vegetation communities were placed into four types: agriculture, forest, grassland, and wetland. Distribution of vegetation types is strongly influenced by variations in topography, elevation, aspect, moisture, and soil type. **Table 4-8** summarizes the miles for each vegetation type within the three proposed pipeline corridor alternatives. Total miles does not reflect total crossed by the pipeline alternatives, rather it only accounts for total vegetation land use types crossed.

Table 4-8 Vegetation Types Crossed in Montana

	Cover Type	Miles Crossed
Route A		
Agriculture		86.4
Forest		0.0 (<0.1)
Grassland		88.5
Wetland	Palustrine Emergent Wetlands	0.7
	Palustrine Forested Wetlands ¹	0.1
	Palustrine Scrub-shrub Wetlands	0.1
Total		175.8
Route A1A		
Agriculture		111.5
Forest		0.0 (<0.1)
Grassland		86.6
Wetland	Palustrine Emergent Wetlands	1.8
l	Palustrine Forested Wetlands ¹	0.0 (<0.1)
l	Palustrine Scrub-shrub Wetlands	0.7
Total		200.6
Route B		
Agriculture		94.0
Forest		0.4
Grassland		171.6
Wetland	Palustrine Emergent Wetlands	4.2
l	Palustrine Forested Wetlands ¹	0.9
	Palustrine Scrub-shrub Wetlands	0.2
Total		271.3

For the purposes of this analysis, all riparian forests are being classified as palustrine forested wetlands (PFO), thereby increasing the amount of forested wetland impact.

4-15 December 2008

The following descriptions of the vegetation types are consistent with species nomenclature found in the US Department of Agriculture Natural Resources Conservation Service Plants Database (USDA NRCS 2008a).

Agriculture

Agricultural lands are located throughout the majority of the Project area. The topography is composed of gently rolling hills and plains. Hay (i.e., areas of grasses, legumes, or grass-legume mixtures) and cultivated crops (i.e., areas used for production of annual crops such as corn, etc.) characterize a majority of the agricultural crops within the Project area (USDA 2007).

Forest

Forest land is characterized by natural or semi-natural woody vegetation, generally greater than 6 meters tall. Tree canopy accounts for 25 to 100 percent of the cover in forest land (USEPA 2008a). Topography of the area is rugged and consists of rolling hills dissected by drainages scattered throughout the Project area. Common upland trees include junipers (*Juniperus* spp.) and deciduous trees.

Grassland

Generally topography for grasslands includes treeless rolling hills and plains dissected by intermittent drainages. Vegetation typical in the Project area grasslands include: blue grama grass (*Bouteloua gracilis*), needlegrass (*Nasella viridual*), thickspike wheatgrass (*Elymus lanceolatu*), and western wheatgrass (*Pascopyrum smithii*) (USEPA 2008b). Sagebrush habitats also were grouped in the grassland cover type. The primary upland shrub community that occurs throughout the Project area is silver sagebrush (*Artemesia cana*). Silver sagebrush occupies relatively mesic sites, and is generally found on the upper floodplain terraces of the larger creeks in the Project area. Wyoming big sagebrush (*Artemisia tridentata* spp. *wyomingensis*) also occurs in some small, sparse stands throughout the study area. Silver buffaloberry (*Shepherdia argentea*) occurs in small, isolated patches in protected draws, drainage heads, and swale bottoms (USEPA 2008b).

Wetlands/Riparian Areas (Circular MFSA-2 Section 3.7(12)(b)(xxi))

Within the region, wetlands and riparian areas are limited in extent and usually found along shallow to deeply incised landforms associated with drainages. Riparian areas are defined by the NRCS and USDA (GM 190.411, Part 411) as areas with unique soil and vegetation characteristics between terrestrial and aquatic ecosystems. Included in this definition are wetlands and those portions of floodplains and valley bottoms that support riparian vegetation. The riparian areas provide critical vegetation and transportation corridors for mammals, birds, and amphibians; maintain water quality; stabilize stream banks; provide flood control; and have aesthetic values (USDA NRCS 2008b). Mature riparian forests, defined by the Circular MFSA, are riparian stands of cottonwood or mixed cottonwood-conifer forests greater than 300 feet long and 30 feet wide where average canopy height is 50 feet or more and average density of mature trees is greater than 20 stems per acre (Circular MFSA-2 Section 3.7 (12)(b)(xxi)). For the purposes of this analysis all riparian forests are being classified as PFO wetlands.

Wetlands within the Project areas were classified into three categories: palustrine emergent wetlands (PEM); palustrine scrub-shrub wetlands (PSS); and PFO (Cowardin et al. 1979). In PEM wetlands, fowl blue grass (*Poa palustris*), and fox tail (*Hordeum jubatum*) dominate areas that typically contain water for several weeks after spring snowmelt. Shallow-marsh vegetation such as spikerush (*Eleocharis palustris*) and wheat sedge (*Carex antherodes*) dominate areas where water typically persists for a few months each spring, and deepmarsh vegetation like cattails (*Typha latifolia*) and hardstem bulrush (*Scirpus acutus*) occupies areas where water persists throughout the year. PSS wetlands are dominated by woody vegetation less than 5 meters in height. The species present could be true shrubs, young trees, or trees that are stunted due to environmental conditions. Common PSS species may include greasewood (*Sarcobatus*), winterfat (*Krascheninnikovia lanata*), fourwing saltbush (*Atriplex canescens*), and shadscale saltbush (*Atriplex confertifolia*). PFO wetlands are dominated by woody vegetation greater than or equal to 5 meters in height. Common PFO species

4-16 December 2008

include: boxelder (*Acer negundo*) eastern cottonwood (*P. deltoides*), peachleaf willow (*Salix amygdaloides*), gray alder (*Alnus incana*), water birch (*Betula occidentalis*), redosier dogwood (*Cornus sericea*), chokecherry (*Prunus virginiana*), skunkbush sumac (*Rhus trilobata*), Drummond's willow (*Salix drummondiana*), narrowleaf willow (*Salix exigua*), shining willow (*Salix lucida*), silver buffaloberry (*Sheperdia argentea*), and snowberry species (*Symphoricarpos* spp.). Exotic species of tamarisk species (*Tamarix* spp.) and Russian olive (*Elaeangus angustifolia*) are common within these stands (USDA NRCS 2008a; USEPA 2008a,b).

Noxious Weeds (Circular MFSA-2 Sections 3.8(1)(d))

The State of Montana is experiencing a rapid introduction and spread of noxious weeds on all types of land ownership. A "noxious weed" is defined by MCWCA (2003) as any exotic plant that is established and may be harmful to agriculture, livestock, crops, land, and injurious to public health (MCWCA 2003). Noxious weeds have become a growing concern in the western US, based on their ability to increase in cover relative to surrounding vegetation and exclude native plants from an area. A variety of ground disturbances such as agriculture, construction, and roadside activity can increase the spread of noxious weeds. In addition, noxious weeds can be transported by heavy machinery and vehicles used during construction.

The spread of noxious weeds has resulted in substantial economic impacts on some sectors in Montana, including the loss of crops, and animal production, and a decline in aesthetics and recreation experiences. As a result, the local county governments in Montana were given the responsibility to implement and enforce weed management. The MWCA (Title 7, Chapter 22 Part 21) requires each county to appoint a weed control board. The act authorizes any state agency controlling land within a district to enter into a written agreement with the board. The MWCA (Title 80, Chapter 7 Part 7) provides for technical assistance, funding of noxious plant management programs, and embargos. In addition, the federal Noxious Weed Act of 1974, as amended (7 USC 2801 *et seq*) requires cooperation with state, local, and other federal agencies in the application and enforcement of all laws and regulations in relation to the management and control of noxious weeds (MWCA 2003).

The Montana Weed Management Plan was created to strengthen local weed management programs. Management of noxious weeds in Montana is divided into four priorities based on a unique species classification system. These include a watch list (Category 4), non-established new invaders (Category 3), established new invaders (Category 2), and those species that are widespread in the state (Category 1) (Weed Management Task Force 2008). **Attachment D** lists potential noxious weeds that maybe encountered by the Project (Weed Management Task Force 2008; MWCA 2003).

The BLM works cooperatively with other federal, state, and local agencies and private landowners to manage and control noxious weeds by giving grant money to parties involved in control and eradication of noxious weeds in Montana (BLM 2007). Such cooperative agreements include a Memorandum of Understanding (MOU) to control noxious weeds between landowners and federal, state, and local agencies in Montana. Priorities and strategies for treatment are determined through existing MOU's and the USDA. Integrated pest management is employed in many counties to control noxious weeds through the use of biological, mechanical, and chemical controls (BLM 2007).

Special Status Plant Species

Special status species are those in which state and/or federal agencies provide protection by law, regulation, or policy. Federally listed and federally proposed for listing species with designated critical habitat are protected under the federal Endangered Species Act (ESA) of 1973. Other species of concern include those species that have been designated as Special Status by the BLM and Species of Concern by the Montana Fish, Wildlife and Parks (MFWP), and the Montana Natural Heritage Program (MTNHP). This designation is not a regulatory or statutory classification. "Instead, this designation provides a basis for resource manager and decision-makers to direct limited resources to priority data collection needs and address conservation needs proactively (MTNHP and MFWP 2006)."

4-17 December 2008

Attachment H is a record of all special status and other species of concern including plant species. The table also lists each species status. MTNHP location data (MTNHP 2008) was used to determine if there were any known occurrences within the Project. Based on Natural Heritage Inventory data, four populations of other species of concern are located in the vicinity of Route B. One population of other species of concern is located near Route A in Valley County. The closest special status plant species found near either route alternative is 2.4 miles away from the centerline; therefore all known populations are located well outside of the temporary and permanent ROWs and will not be affected by the Project.

Natural Areas (Circular MFSA-2, Section 3.7(12)(b)(ix); (xiv))

The proposed pipeline routes were selected to minimize environmental impacts and cost. As a result few state natural areas are crossed. Alternative B passes within a quarter mile of the Charles M. Russell NWR near the Missouri River crossing, but does not cross the refuge. Alternative A crosses the Bitter Creek ACEC, which also is a BLM WSA, and the Fort Peck Indian Reservation. Alternative A1A crosses the Bitter Creek ACEC. The diversion canal that supplies, and is included within, Medicine Lake NWR also would be crossed by Alternative A1A. It is likely that if Alternative A1A is chosen, HDD will be used to cross the canal. See **Table 4-1**, for a detailed tabulation of all lands managed by public agencies crossed by each alternative. In each instance, if the route were to be chosen, preconstruction planning and mitigation measures would be discussed with the appropriate agency in order to cross the area in the best way possible. At this time no specially managed buffer areas surrounding national wilderness areas, and national primitive areas have been identified.

4.3.3.2 Impact Assessment – Upland Vegetation (Circular MFSA-2, Section 3.7(12)(d))

- Temporary loss of agricultural production.
- Permanent loss of woody vegetation over the 30-foot-wide corridor, centered on the pipeline.
- Potential to introduce or spread noxious weeds.

Construction

During construction of the Project, vegetation will be cleared from the construction ROW and re-established following construction except in forested areas (please see **Table 4-8** for miles of disturbance within each vegetation cover type). Typically in agricultural lands, disturbances occur annually during annual planting operations. There will be minimal change to agricultural lands since these areas would be revegetated and maintained in vegetative cover similar to that found before construction. Other affected vegetation communities include grassland (consisting of native prairie and seeded pastureland).

Pipeline construction will involve both the temporary and permanent alteration of vegetation through ROW preparation and excavation, high traffic activity, and the clearing of shrubs and trees. Vegetation recovery rates are estimated to be 1 to 5 years for herbaceous components, 5 to 15 years for low shrubs, and 20 or more years for woodlands (depending on age and species). The reestablishment of pastures, rotated croplands, and open grassland range following construction is expected to take approximately 1 to 5 years.

Reclamation, native species revegetation, and revegetation success monitoring, as outlined in the CMRP (Attachment C), would be completed for disturbed areas within the construction ROW after Project construction activities are completed. Under normal to above-normal precipitation conditions, vegetative cover in the reclaimed areas would consist primarily of herbaceous plants after 1 to 3 years. Reclamation success is dependent upon several variables, including soil preparation, season of seed application, and precipitation levels after seed application.

Long-term impacts to vegetation include the loss of woody species (i.e., evergreen and deciduous trees) during clearing activities. The 50-foot-wide permanent ROW will be maintained free of trees for the life of the Project except in certain limited circumstances. Within that permanent ROW, a 30-foot-wide corridor, centered

4-18 December 2008

on the pipeline, will be maintained solely in an herbaceous condition. Trees and shrubs will be removed during clearing activities and converted to early successional herbaceous and grassland communities. Trees and shrubs eventually will reestablish a presence in the temporary easement area after construction. However, shrubs will not become reestablished in the temporary easement area naturally for approximately 5 years or more and trees will require a minimum of 20 years or more, depending on species and age of woodlands cleared.

Based on the CMRP, Keystone will monitor revegetation success along the pipeline ROW until revegetation is successful. Revegetation would be considered successful if, upon visual survey, the density and cover of non-nuisance vegetation are similar in density and cover to adjacent, undisturbed lands. In agricultural areas, restoration of land productivity would be considered successful if crop yields are similar to adjacent undisturbed portions of the same field. Reseeding will be based upon reclamation success and natural rainfall amounts received in the years following revegetation efforts.

Keystone will use seed mixtures approved by the NRCS in each affected county. On federal lands, Keystone will use seed mixtures approved by the appropriate agencies. Other than forested communities, vegetation affected by pipeline construction is expected to return to near pre-Project conditions. Impacts that may occur if desirable plant species are not established in the ROW within a short period of time include higher soil erosion rates, increases in weedy species, and reduced forage production.

Noxious and Invasive Plant Species (Circular MFSA-2, Section 3.8(1)(d))

Construction surface disturbance could contribute to the introduction of noxious and invasive weed species and other undesirable plant species. These species are fast growing and could displace native species and inhibit the establishment of native grass, forb, and shrub species. Increases in noxious and invasive weed species are particularly serious within wetland areas and other sensitive plant communities. Typical locations for noxious weed infestations are riparian zones, roads, and disturbed soils.

To prevent the spread of noxious weeds Keystone would implement the procedures outlined in the CMRP (Section 2.13), as summarized below.

All construction equipment will be cleaned prior to use on a job site. Erosion control measures such as straw bales used will be free of noxious weeds. Areas infested with noxious weeds will be clearly marked. Prior to disturbing the soil, solid handling procedures and treatments to infested areas such as herbicides and mowing prior to seed development may be used to help prevent the spread of noxious weeds. Herbicides will not be used in or within 100 feet of a wetland or waterbody. In areas containing isolated weed populations, topsoil from the full-width of the construction ROW will be stripped and stored separately from other top soil and subsoil.

After construction Keystone will maintain weed densities on land disturbed during construction to a level that does not exceed adjacent undisturbed land to limit the potential spread of weeds onto adjacent agricultural lands.

Operation

Pipeline operation and maintenance will have minimal impact to revegetated areas. Maintenance impacts will generally be limited to infrequent traffic along the pipeline ROW. Routine clearing of trees and shrubs on the ROW generally would not occur more frequently than every 3 years. Sites for ancillary facilities (e.g., pump stations) will remain as a grassland or grass covered area.

Keystone will employ multiple safeguards to prevent a pipeline release. The chance of a spill occurring is very low and if a spill occurred, the volume is likely to be relatively small. In the unlikely event of a pipeline release, Keystone would initiate its ERP and emergency response teams would contain and clean up the spill. To minimize impacts to vegetation, appropriate remedial measures will be implemented to meet federal and state

4-19 December 2008

standards designed to ensure protection of human health and environmental quality. Additional information on potential impacts to vegetation resulting from a crude oil spill is provided in the Risk Assessment (**Attachment H**).

4.3.3.3 Impact Assessment - Wetland Vegetation (Circular MFSA-2, Section 3.7(12)(d))

Construction

Based on 2006 field aerial photointerpretation of the proposed pipeline routes, all routes would cross wetlands. Mileage for wetlands crossed for each alternative are located in **Table 4-8**. None of the proposed pump stations would be located in wetlands, based on aerial interpretation of the sites.

Effects on wetland vegetation would be greatest during and immediately following construction. To mitigate the potential for these impacts, Keystone would implement the procedures outlined in the CMRP (**Attachment C**), as summarized below.

The construction ROW width would be reduced through certain wetlands to minimize potential effects. Keystone would restore or mitigate impacts to wetlands affected by construction activities, to the extent practicable. Pipeline construction through wetlands must comply, at a minimum, with USACE Section 404 permit conditions. Section 404(b)(1) guidelines restrict the discharge of dredged or fill material into wetland areas where a less environmentally damaging practicable alternative exists.

For rivers that are crossed by the HDD method, streamside wetlands or floodplain forests would not be affected. Smaller streams and ephemeral or intermittent drainages would likely be open cut, wetlands located in these areas would be crossed by trenching. No permanent loss of wetlands will occur as a result of this Project; however, forested wetlands would be permanently converted to herbaceous wetland. Herbaceous vegetation in palustrine emergent wetlands is expected to reestablish to pre-construction levels within 1 to 5 years following the completion of reclamation, resulting in a short-term loss of vegetation and available habitat for some wildlife species. Trees in the temporary workspace in forested wetlands would recover in 20 to 50 years. Keystone will work with each USACE District to examine what kind of compensation will be required for this permanent conversion of wetland habitat.

As described in the CMRP, specific construction techniques will be used to retain the hydrological and vegetation characteristics of wetlands that will be disturbed by construction. These techniques will include segregation and replacement of wetland soils (except in areas of standing water, saturated wetlands, or where no topsoil is evident) so that soil profiles and native vegetation seed and rootstock would be reestablished to help ensure successful restoration and reestablishment of local drainage patterns to restore existing surface and subsurface water flow patterns.

Operation

Woody vegetation in forested wetlands would be removed periodically above the pipeline (approximately 15 feet on each side of the centerline) to maintain visibility of the area above the pipeline for aerial pipeline observation and to permit access to all areas along the pipeline in the event of an emergency.

4.3.3.4 Summary of Route-Specific Vegetation Impacts

Route-specific impacts for vegetation are summarized in **Table 4-9**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

4-20 December 2008

Table 4-9 Summary of Route-Specific Vegetation Impacts

		Route Alternatives			
Resource	Route A	Route A1A	Route B		
Miles of Pipe					
Steele City Segment	919.7	951.3	850.7		
Portion in Montana	180.7	205.5	282.7		
Vegetation					
Vegetation cover types	Primary vegetation cover types include agriculture (49 percent) and grassland (50 percent) with minor forest and wetland components.	Primary vegetation cover types include agriculture (55 percent) and grassland (43 percent) with minor forest and wetland components. Same as Route A; however, Route A1A would result in the second greatest impact of the alternatives.	Primary vegetation cover types include agriculture (35 percent) and grassland (63 percent) with minor forest and wetland components. Same as Route A; however, Route B would result in the greatest impact of the alternatives, due to its length in Montana.		
Noxious weeds	28 noxious weed species have been identified as having the potential to occur along Route A.	Same as Route A.	31 noxious weed species have been identified as having the potential to occur along Route B.		
Special status plant species	No special status plant species were identified on Route A; therefore, no adverse impacts are anticipated.	No special status plant species were identified on Route A1A; therefore, no adverse impacts are anticipated.	No special status plant species were identified on Route B; therefore, no adverse impacts are anticipated.		

References

Bureau of Land Management (BLM). 2007. Noxious Weed Control Management for Montana, North Dakota, and South Dakota. Website: <a href="http://www.grants.gov/search/announce.do;jsessionid="http

Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. Prepared for the U.S. Fish and Wildlife Service. FWS/OBS-79/31. December 1979.

Montana Weed Control Association (MWCA). 2003. Title 7 Chapter 22 Part 21, County Weed Control Act. Website: http://www.mtweed.org/weedLegislation.html. (Accessed September 9, 2008.)

_____. 2008. Montana's Noxious Weed List. Website: http://www.mtweed.org/weedLegislation.html. (Accessed September 8, 2008.)

Montana Natural Heritage Program (MTNHP). 2008. Species of Concern Reports. County lists. Website: http://nhp.nris.mt.gov/SpeciesOfConcern/Default.aspx. (Accessed September 10, 2008).

4-21 December 2008

- Montana Natural Heritage Program and Montana Fish Wildlife and Parks (MTNHP and MFWP). 2006.

 Montana animal species of concern. Helena, Montana: Montana Natural Heritage Program and Montana Department of Fish Wildlife and Parks. 17 p.
- U.S. Department of Agriculture (USDA) Natural Resource Conservation Service (NRCS). 2008a. Plants Database. Website: http://plants.usda.gov/. (Accessed September 8, 2007.)
- U.S Department of Agriculture (USDA). 2007. Montana State Agricultural Overview. Website: http://www.nass.usda.gov/Statistics_by_State/Ag_Overview/AgOverview_MT.pdf. (Accessed November 4, 2008.)
- _____. 2008b. Part 411; Riparian Area and Management. Website: http://policy.nrcs.usda.gov/viewDirective.aspx?id=2640. (Accessed September 11, 2008.)
- University of Montana at Missoula. 2008. Invaders Database System. Website: http://invader.dbs.umt.edu/guery3.asp. (Accessed September 9, 2008.)
- U.S. Environmental Protection Agency (USEPA). 2008a. Multi Resolution Land Characteristics Consortium (MRLC). Website: http://www.epa.gov/mrlc/definitions.html. (Accessed September 9, 2008.)
- _____. 2008b. Montana Front Land Cover Types. Descriptions of the Level IV Ecoregions of Montana. Second Addition. Website: ftp://ftp.epa.gov/wed/ecoregions/mt/mt_front_1.pdf. (Accessed September 9, 2008.)
- Weed Management Task Force. 2008. Montana Weed Management Plan. Montana Department of Transportation: Helena, Montana. Website: http://agr.mt.gov/weedpest/pdf/2008weedPlan.pdf. (Accessed November 4, 2008.)

4.3.4 Wildlife and Fisheries

4.3.4.1 Baseline Data and Description of Routes – All Routes

Terrestrial Wildlife (Circular MFSA-2, Section 3.7(12)(a);(b)(i); (ii); (xviii))

Wildlife habitats along the alternative routes consist of cropland, native prairie, sagebrush grasslands, range or pasture land, forest lands, riparian woodland, wetlands, and aquatic and riverine habitats. Descriptions of vegetative communities that will be crossed by the routes are discussed in Section 4.3.2. The routes are dominated by rangeland and cropland. **Table 4-3**, lists the acreage impacts to wildlife habitats. Although cropland is undeveloped land that represents open space, it has limited value as wildlife habitat since vegetative cover and food sources are present primarily on a short-term basis due to seasonal harvesting and cultivation. The primary value of agricultural land as wildlife habitat is that it contributes seasonal food sources for small mammals and avian species during the growing season. Crop residue remaining after harvest provides a food source for small mammals, songbirds, gamebirds, and waterfowl.

Undeveloped natural areas such as riparian river bottoms, wetlands and aquatic habitat, grasslands, and native prairie, play an important role in sustaining native wildlife populations. Wetlands are considered a significant habitat for waterfowl and waterbird production, as well as resting, and foraging habitat for other wildlife species. Both upland and riparian woodlands provide important cover and habitat for game species, nesting areas for songbirds, and migratory stopover areas for forest-associated neotropical migrants. Native prairie habitat also provides important habitat for wildlife species. Important undeveloped wildlife habitats that will be crossed by the proposed route, as discussed below, include forests, wetlands, grasslands, and surface water features. Refer to Section 4.3.3, for more detailed information on these habitats.

Although the alternative routes were selected to minimize environmental impacts, a few sensitive wildlife habitat areas are crossed. Alternative A crosses the Bitter Creek ACEC, which also is a BLM WSA, and the

4-22 December 2008

Fort Peck Indian Reservation. Alternative A1A crosses the Bitter Creek ACEC. The diversion canal that supplies, and is included within, Medicine Lake NWR also would be crossed by Alternative A1A; however it would be likely the crossing of this area that would utilize HDD. See **Table 4-6** for a detailed tabulation of all lands managed by public agencies crossed by each alternative. In each instance if the route were to be chosen, preconstruction planning and mitigation measures would be discussed with the appropriate agency in order to cross the area in the best way possible. At this time no specially managed buffer areas surrounding national wilderness areas and national primitive areas have been identified.

Big Game Species (Circular MFSA-2 Section 3.7(12)(b)(xv)(xvi)(xvii))

Principal big game species that could occur along all three routes include mule deer, white-tailed deer. All three routes cross winter range for mule deer, white-tailed deer, and pronghorn. Elk winter range and summer security areas are not crossed by any of the three routes. In addition, mountain goat and bighorn sheep seasonal ranges are not crossed by the proposed alternative routes (**Attachment A, Figure 3**).

Small Game Species

Small game species that could occur along the alternative routes include upland gamebirds, waterfowl, furbearers, and small mammals. Specific species could include mourning dove, northern bobwhite, ring-necked pheasant, greater sage-grouse, sharp-tailed grouse, ruffed grouse, gray partridge, wild turkey, eastern fox squirrel, eastern gray squirrel, red squirrel, eastern cottontail, sandhill crane, and a number of migratory waterfowl. Furbearers include beaver, bobcat, red fox, gray fox, swift fox, raccoon, badger, ermine, least weasel, long-tailed weasel, and mink.

Greater Sage-Grouse/Sharp-tailed Grouse (Circular MFSA-2 Section 3.7(12)(b)(xviii))

The greater sage-grouse is considered the most sensitive small game species along all three alternative routes and is discussed further as a special status species in Section 4.3.4.3 and **Attachment H**. The distribution of sage-grouse and sharp-tailed grouse lek sites and winter range is found in **Confidential Volume 4A**. The number of leks crossed by each alternative route is discussed under each route description.

Waterfowl (Circular MFSA-2 Section 3.7(12)(b)(xix); Section 3.8 (1)(c)(v))

No waterfowl production areas are crossed by any of the three alternatives. In order to evaluate the amount of high waterfowl population densities and prime waterfowl locations, an analysis of waterbodies greater than 10 acres was conducted. **Tables 4-23**, **4-28**, and **4-33** in Section 4.3.5, list the locations of these sites. These locations are discussed under the appropriate route.

Nongame Species

The three routes traverse various regions, which are inhabited by a diversity of nongame species (e.g., small mammals, raptors, songbirds, amphibian, and reptiles). Nongame mammals include shrews, bats, squirrels, prairie dogs, pocket gophers, pocket mice, voles, and mice. These small mammals provide an important prey base for the region's predators including, coyote, badger, skunk, raptors (eagles, buteos, accipiters, owls), and snakes.

The majority of the songbirds inhabiting the region, particularly in woodland areas, are neotropical migrants. These are birds that breed in North America but winter in the neotropical region of Central and South America. Examples of neotropical migrants that potentially could occur in the area of the proposed route include lark bunting, kingbird, and various vireos and warbler species. Eastern kingbird, American crow, western and eastern meadowlark, horned lark, and sparrows are common open-country inhabitants, while woodpeckers, blue jay, chickadees, wrens, vireos, warblers, and cardinals are typical summer or year-long residents of shrublands and woodlands.

4-23 December 2008

Nongame birds include a variety of songbirds and raptor species, most being species associated with open, grassland habitat, although woodland species also are represented along woodland riparian corridors as well as in upland forests along the route. Raptors likely to be present in open habitats include turkey vulture, burrowing owl, golden eagle, red-tailed hawk, Swainson's hawk, northern harrier, ferruginous hawk, American kestrel, short-eared owl, and great horned owl. The northern harrier, short-eared owl, burrowing owl, and ferruginous hawk are the only ground nesters.

Surveys (Circular MFSA-2 Section 3.7(12)(b)(xxii))

An aerial survey was completed to collect raptor nest and prairie dog town occurrence information along all routes from September 22 through September 25, 2008. For raptor nests, the survey included coverage of all alternative ROWs and an area of at least 0.25 mile on each side of each proposed alignment. At major river crossings; survey coverage was expanded to 1 mile on each side of the ROW to search for bald eagle nests. September raptor nest data are presented in **Attachment I**. For prairie dog towns, the survey documented all towns crossed by the proposed routes. All aerial surveys were conducted in a helicopter with a pilot and a two-person survey team. The results of these surveys are listed under each specific route.

Aquatic Resources

Aquatic resources are defined in this study as fish and invertebrate communities that inhabit perennial streams and pond/lake environments. The description of aquatic communities focuses on important fisheries, which are defined as species with recreational or commercial value or threatened, endangered, or sensitive status (i.e., special status). This section describes recreationally or commercially important fisheries that occur at or immediately downstream of the proposed crossings. Special status aquatic species are discussed in Section 4.3.4.3. The study area for aquatic resources includes the perennial streams, rivers, and ponds/lakes that will be crossed by the proposed pipeline route. Other waterbodies are included if they are located within approximately 0.5 mile of the proposed crossing and support recreationally or commercially important game fish or special status aquatic species.

Invertebrate communities that occur in waterbodies along the proposed route include worms, immature and adult insect groups, shellfish, and other forms of aquatic life. The composition can vary depending on flowing or standing water and other physical characteristics of the waterbody. Invertebrates function in the aquatic environment through their food web dynamics and are valued as indicators of water quality. For the purpose of describing aquatic resources, it is assumed that invertebrates are present in all Project area waterbodies.

Recreationally important fish species or groups that occur within waterbodies crossed by the proposed route are listed in **Table 4-10**. **Table 4-10** also includes the associated spawning periods and habitats.

The Missouri and Yellowstone rivers are the only rivers listed as having fisheries values of Class I or II by the MFWP. These rivers are crossed by Route B only. The Missouri and Yellowstone rivers will be crossed using the HDD measures. Routes A and A1A do not cross any Class I or II rivers (Circular MFSA-2, Section 3.7(12)(b)(xi)).

4.3.4.2 Baseline Data and Description – Route A

Wildlife Habitats and Special Interest Areas

Undeveloped wildlife habitat that will be crossed on Route A includes approximately: 17.5 miles of federal land, 89.6 miles of tribal lands, 14.3 miles of state land, 0.67 mile of emergent wetlands, 0.05 mile of forested wetlands, 0.13 mile of scrub-shrub wetlands, 88.53 miles of grassland, and 0.02 mile of forests.

4-24 December 2008

Table 4-10 Game and Commercial Fish Spawning Periods and Habitat

		Spawning Periods (in gray) Months ²									ay)		
Species or Group ¹	J	F	М	Α	М	1	J	Α	s	0	N	D	Habitat
Burbot													Eggs are scattered over sand or gravel substrates.
Bass													Shallow areas over clean gravel and sand bottoms.
Brown bullhead													Spawn in shallow areas by building nests in mud substrate.
Bullhead (yellow and black)													Usually spawn in weedy or muddy shallow areas by building nests.
Buffalo fish													Spawn at depths of 4 to 10 feet over gravel or sand substrates.
Carp													Adhesive eggs scattered in shallow water over vegetation, debris, logs, or rocks.
Catfish (flathead and blue)													Nest builders with habitat similar to channel catfish.
Channel catfish													Prefers areas with structures such as rock ledges, undercut banks, logs, or other structure where it builds nests.
Сгарру													Eggs deposited in depressions on bottom in cove or embayments.
Freshwater drum													Buoyant eggs drift in river currents during development.
Muskellunge													Spawn in tributary streams and shallow lake channels.
Northern pike													Small streams or margins of lakes over submerged vegetation.
Paddlefish													Moves into rivers and spawns over flooded gravel bars.
Sauger													Moves into tributary streams or backwaters where they spawn over rock substrates.
Shovelnose sturgeon													Spawning occurs in open water channels of large rivers over rocky or gravelly bottoms.
Sunfish													Nest builders in diverse substrates and shallow depths.
Walleye													Spawn in lakes and streams in shallow water over rock substrates.
White bass													Egg masses deposited over sand bars, submerged vegetation, or other instream debris.
Yellow perch													Shallow open water over weedy areas.

¹ Rainbow trout is not included because the species does not spawn in streams crossed by the pipeline routes.

Source: Eddy and Underhill 1974; Harlan et al. 1987; Skaar 2001.

4-25 December 2008

² Spawning periods are approximate and could occur in only a portion of a particular month.

Phillips County USFWS Wetland Easement

The proposed Route A crosses this USFWS wetland easement between Mileposts 4.19 and 5.01 (USFWS 2008a) in Phillips County. A wetland easement is "a legal agreement signed with the United States of America, through the US Fish and Wildlife Service (Service) pays the landowner to permanently protect wetlands. Wetlands covered by an easement cannot be drained, filled, leveled, or burned. When these wetlands dry up naturally, they can be farmed, grazed, or hayed. Wetlands covered by an easement are mapped and a copy of the easement and maps is sent to the landowner. No signs are placed on the property and the easement does not affect hunting or mineral rights" (USFWS 2008c).

Fort Peck Indian Reservation

Option A would transect 89.6 miles of the Fort Peck Indian Reservation. The USFWS supports the rights of Native Americans to be self-governing, and further supports the authority of Native American governments to manage, co-manage, or cooperatively manage fish and wildlife resources, and to protect their federally recognized authorities (USFWS 1994). Additional tribal consultation regarding fish and wildlife impacts and mitigation would then be necessary prior to the construction of this alternative route.

Bitter Creek ACEC and WSA

The Bitter Creek ACEC and WSA are BLM public lands in northern Valley County where special management attention is required to protect important historic, cultural, or scenic values, fish and wildlife resources, or other natural systems, and to protect life and safety from natural hazards (BLM 2000). Route A crosses the ACEC between Mileposts 41.79 and 42.35, 42.94 and 42.95, and 44.39 and 47.96 for a total of 4.13 miles and 55.07 acres (based on a nominal construction ROW of 110 feet).

Big Game, Small Game, and Nongame (Circular MFSA-2 Section 3.7(12)(xv))

Big game species occurring along the proposed Route A are similar to those mentioned for all routes. Based on GIS analysis from the MFWP and MTNHP, **Table 4-11** lists the length and affected acreage of winter game ranges crossed by Route A.

Small game species occurring along the proposed Route A are similar to those mentioned for all routes. Based on the MFWP historic data, 8 greater sage grouse lek sites have been identified as occurring within 4 miles of Route A. Sixteen sharp-tailed grouse lek sites have been identified as occurring within 2 miles of Route A.

Nongame species occurring along the proposed Route A are similar to those mentioned for all routes. The September 2008 aerial surveys located prairie dog towns along Route A at the locations listed in **Table 4-12**. **Attachment I** lists the locations of raptor nests along Route A. A total of eight raptor stick nests were identified during the overflight. All eight were inactive at the time of survey.

Aquatic Resources

Route A will cross five perennial streams. Game fish include a variety of warm water species listed in **Table 4-10**. Route A does not cross any Class I or II fisheries. A list of game fisheries crossed or downstream of Route A is found in **Table 4-13**.

4.3.4.3 Baseline Data and Description – Route A1A

Wildlife Habitats and Special Interest Areas

Undeveloped wildlife habitat that will be crossed on Route A1A includes approximately: 17.4 miles of federal land, 1.0 mile of tribal lands, 35.2 miles of state land, 1.81 miles of emergent wetlands, 0.04 mile of forested wetlands, 0.65 mile of scrub-shrub wetlands, 86.63 miles of grassland, and 0.02 mile of forests.

4-26 December 2008

Table 4-11 Big Game Winter Ranges Crossed by Route A

	Milepost	Locations		Acreage			
Game Type	Beginning Milepost	Ending Milepost	Total Length Crossed (miles)	Affected During Construction			
White-tailed deer winter	149.07	A-149.55	0.4	6.4			
range	150.18	A-156.62	6.4	85.9			
	170.39	A-171.54	1.3	15.3			
	171.56	A-177.99	6.4	85.7			
		Total	14.5	193.3			
Mule deer winter range	8.9	A-27.4	18.4	245.5			
	30.5	A-51.5	21.1	280.7			
	176.2	A-177.9	1.8	23.8			
	178.8	A-179.9	0.4	5.7			
		Total	41.7	555.7			
Antelope winter range	11.31	A-12.3	1.1	13.5			
	12.60	A-13.8	1.2	15.5			
	14.00	A-20.4	6.4	85.7			
	20.47	A-26.9	5.7	76.3			
	38.36	A-50.5	12.2	162.1			
		Total	26.5	353.1			

Source: MFWP 2008a (http://nris.mt.gov/gis/); acreage based on a nominal construction ROW of 110 feet.

Table 4-12 Route A – Prairie Dog Towns Identified during the September 2008 Aerial Surveys

Approximate Milepost	Activity Status	Town Description/Comments
80.5	Active	Small town (5 to 10 burrows), low density
82.0 to 85.0	Active	Large town, high density
85.5	Active	Large town, high density
51.0 to 59.0	Active	Large town, low density
62.0 to 63.0	Active	Moderate town, moderate density
65.0 to 68.0	Active	Moderate town, moderate density
91.5	Active	Small town, low density
119.2	Active	Small town, low density
132.0	Active	Moderate town, moderate density
107.0 to 108.0	Active	Large town, high density
125.0 to 126.0	Active	Moderate town, moderate density
171.3 to 173.2	Active	Large town, high density

4-27 December 2008

Table 4-13 Game Fisheries in Waterbodies Crossed or Downstream of Route A

County	Waterbody Name	Fishery Class ¹	Number of Crossings
Phillips	Dunham Coulee	Non-salmonid fishery	1
Phillips	East Fork Whitewater Creek	Non-salmonid fishery	1
Phillips	Frenchman Creek	Non-salmonid fishery	1
Valley	Jordan Coulee	Non-salmonid fishery	1
Valley	Big Coal Bank Coulee	Non-salmonid fishery	1
Valley	Rock Creek	Non-salmonid fishery	1
Valley	Collins Creek	Non-salmonid fishery	2
Valley	East Fork Collins Creek	Non-salmonid fishery	1
Valley	Burnett Creek	Non-salmonid fishery	1
Valley	Willow Creek	Non-salmonid fishery	1
Valley	Chisholm Creek	Non-salmonid fishery	1
Valley	Eagles Nest Coulee	Non-salmonid fishery	1
Valley	Canyon Creek	Non-salmonid fishery	1
Valley	Buggy Creek	Non-salmonid fishery	1
Valley	West Fork Porcupine Creek	Non-salmonid fishery	1
Valley	Middle Fork Porcupine Creek	Non-salmonid fishery	1
Valley	Snow Coulee	Non-salmonid fishery	1
Valley	East Fork Porcupine Creek	Non-salmonid fishery	1
Valley	West Fork Little Porcupine Creek	Non-salmonid fishery	1
Valley	East Fork Little Porcupine Creek	Non-salmonid fishery	1
Valley	Cottonwood Creek	Marginal salmonid fishery	2
Roosevelt	Tule Creek	Non-salmonid fishery	1
Roosevelt	Boxelder Creek	Marginal salmonid fishery	1
Roosevelt	Smith Coulee	Marginal salmonid fishery	1
Roosevelt	Long Creek	Marginal salmonid fishery	2
Roosevelt	Poplar River	Marginal Salmonid Fishery	1
Roosevelt	Kirns Coulee	Marginal salmonid fishery	1
Roosevelt	Spring Creek	Non-salmonid fishery	1
Roosevelt	Coyote Coulee	Non-salmonid fishery	1
Roosevelt	Big Muddy Creek	Non-salmonid fishery	1
Roosevelt	Sand Creek	Non-salmonid fishery	1
Roosevelt	Sheep Creek	Non-salmonid fishery	1
Roosevelt	Shell Creek	Non-salmonid fishery	1
Roosevelt	Shotgun Creek	Non-salmonid fishery	1
Roosevelt	Little Muddy Creek	Non-salmonid fishery	1
Roosevelt	Deer Creek	Non-salmonid fishery	1

Non salmonid fishery – Waters that do not provide habitat for trout and salmon species. Non-salmonid species include sturgeons, suckers, minnows, etc. Blue Ribbon – Class I: Recreational fishery of outstanding value. Red Ribbon fishery – Class II: Recreational fishery of high value.

4-28 December 2008

Bitter Creek ACEC and WSA

The Bitter Creek ACEC and WSA are BLM public lands in northern Valley County where special management attention is required to protect important historic, cultural, or scenic values, fish and wildlife resources, or other natural systems, or to protect life and safety from natural hazards (BLM 2000). Route A1A crosses the ACEC between Mileposts 41.79 and 42.35, 42.94 and 42.95, and 44.39 and 47.96, for a total of 4.13 miles and 55.07 acres (based on a 110-foot construction ROW).

Medicine Lake National Wildlife Refuge

Route A1A crosses a small portion of the Medicine Lake NWR between Mileposts 169.19 and 169.25, equaling a total of 0.06 mile and 0.8 acre. The crossing is of the diversion canal that supplies, and is included within, Medicine Lake NWR; however, it would be likely the crossing of this area that would utilize HDD.

Big Game, Small Game, and Nongame

Big game species occurring along the proposed Route A1A are similar to those mentioned for all routes. Based on GIS analysis from the MFWP and MTNHP, **Table 4-14** lists the length and affected acreage of game ranges crossed by Route A1A.

Based on the MFWP historic data, 8 greater sage grouse lek sites that have been identified as occurring within 4 miles of Route A1A. One sharp-tailed grouse lek site has been identified as occurring within 2 miles of Route A1A.

Nongame species occurring along the proposed Route A1A are similar to those mentioned for all routes. The September 2008 aerial surveys located prairie dog towns along Route A1A at the locations listed in **Table 4-15**. **Attachment I** lists the locations of raptor nests along Route A1A. A total of 19 raptor nests were identified during overflight. All 19 were inactive at the time of survey.

Aquatic Resources

Route A1A will cross 10 perennial streams. Game fish include a variety of warm water species listed in **Table 4-10**. Route A1A does not cross any Class I or II fisheries. A list of game fisheries crossed or downstream of Route A1A is found in **Table 4-16**.

4.3.4.4 Baseline Data and Description – Route B

Wildlife Habitats and Special Interest Areas

Undeveloped wildlife habitat that will be crossed on Route B includes: 0.82 mile of USFWS property/easements, 42.6 miles of federal land, no tribal lands, 19.4 miles of state land, 1.81 miles of emergent wetlands, 0.04 mile of forested wetlands, 0.65 mile of scrub-shrub wetlands, 171.65 miles of grassland, and 0.38 mile of forests.

Phillips County USFWS Wetland Easement

Route B crosses this USFWS wetland easement between Mileposts 4.19 and 5.01 equaling 0.82 mile of disturbance (USFWS 2008a) in Phillips County. A wetland easement is described by the USFWS as "a legal agreement signed with the United States of America, through the U.S. Fish and Wildlife Service (Service)" that pays landowners to permanently protect wetlands. Wetlands covered by an easement cannot be drained, filled, leveled, or burned. When these wetlands dry up naturally, they can be farmed, grazed, or hayed. Wetlands covered by an easement are mapped and a copy of the easement and maps is sent to the landowner. No signs are placed on the property and the easement will not affect hunting or mineral rights" (USFWS 2008c).

4-29 December 2008

Table 4-14 Big Game Winter Ranges Crossed by Route A1A

	Milepost Locations			Acreage Affected	
Game Type	Beginning Milepost	Ending Milepost	Total Length Crossed (miles)	During Construction	
White-tailed deer winter	75.10	82.18	7.1	94.4	
range	87.20	90.21	3.1	40.1	
	151.53	161.73	10.2	136	
	169.41	173.39	3.9	53.1	
	175.40	183.11	7.7	102.8	
		Total	31.9	426.4	
Mule deer winter range	8.95	27.36	18.4	245.5	
	30.47	51.52	21.1	280.7	
	148.46	153.63	5.2	68.9	
		Total	44.6	595.1	
Antelope winter range	11.31	12.32	1.1	13.5	
	12.60	13.76	1.2	15.5	
	14.00	20.43	6.4	85.7	
	20.47	26.19	5.7	76.3	
	38.36	50.52	12.2	162.1	
		Total	26.5	353.1	

Source: MFWP 2008a (http://nris.mt.gov/gis/); acreage based on a nominal construction ROW of 110 feet.

Table 4-15 Route A1A – Black-tailed Prairie Dog Towns Identified during the September 2008 Aerial Surveys

Approximate Milepost	Activity Status	Town Description/Comments
57.8 to 63.0	Active	Small town (10 to 20 burrows), low density
74.2 to 81.3	Active	Small town (10 to 20 burrows), low density, no individuals observed
83.9 to 87.0	Active	Large town, high density, near wet drainage
88.8 to 92.0	Active	Large town, moderate density
92.9 to 101.2	Active	Large town, high density
106.7	Active	Small town, low density
109.8 to 111.7	Active	Large town, high density
114.2 to 115.8	Active	Large town, moderate density
120.1 to 120.7	Active	Moderate town, high density
133.6 to 134.6	Active	Moderate town, moderate density
138.9 to 139.8	Active	Large town, high density
173.2 to 172.9	Active	Moderate size and density
193.2	Active	Small town, low density
204.5	Active	Moderate size and density

4-30 December 2008

Table 4-16 Game Fisheries in Waterbodies Crossed or Downstream of Route A1A

County	Waterbody Name	Fishery Class ¹	Number of Crossings
Phillips	Dunham Coulee	Non-salmonid fishery	1
Phillips	East Fork Whitewater Creek	Non-salmonid fishery	1
Phillips	Frenchman Creek	Non-salmonid fishery	1
Valley	Jordan Coulee	Non-salmonid fishery	1
Valley	Big Coal Bank Coulee	Non-salmonid fishery	1
Valley	Rock Creek	Non-salmonid fishery	1
Valley	Collins Creek	Non-salmonid fishery	2
Valley	East Fork Collins Creek	Non-salmonid fishery	1
Valley	Burnett Creek	Non-salmonid fishery	1
Valley	Willow Creek	Non-salmonid fishery	1
Valley	Chisholm Creek	Non-salmonid fishery	1
Valley	Eagles Nest Coulee	Non-salmonid fishery	1
Valley	Canyon Creek	Non-salmonid fishery	1
Valley	Buggy Creek	Non-salmonid fishery	1
Valley	West Fork Porcupine Creek	Non-salmonid fishery	1
Valley	Middle Fork Porcupine Creek	Non-salmonid fishery	1
Valley	Snow Coulee	Non-salmonid fishery	1
Valley	East Fork Snow Coulee	Non-salmonid fishery	1
Daniels	Hell Creek	Marginal salmonid fishery	7
Daniels	Shipstead Coulee	Marginal salmonid fishery	1
Daniels	West Fork Poplar River	Marginal salmonid fishery	3
Daniels	Police Creek	Marginal salmonid fishery	1
Daniels	Cabarett Coulee	Marginal salmonid fishery	1
Daniels	Poplar River	Marginal salmonid fishery	1
Daniels	Line Coulee	Marginal salmonid fishery	1
Daniels	Smoke Creek	Non-salmonid fishery	1
Sheridan	Wolf Creek	Non-salmonid fishery	1
Sheridan	Crazy Horse Creek	Non-salmonid fishery	1
Sheridan	Otter Creek	Non-salmonid fishery	1
Sheridan	Clarence Coulee	Non-salmonid fishery	1
Sheridan	Big Muddy Creek	Non-salmonid fishery	1
	1		I.

4-31 December 2008

Table 4-16 Game Fisheries in Waterbodies Crossed or Downstream of Route A1A

County	Waterbody Name	Fishery Class ¹	Number of Crossings
Sheridan	Reserve Creek	Non-salmonid fishery	1
Sheridan	Neiser Creek	Non-salmonid fishery	1
Sheridan	Lake Creek	Non-salmonid fishery	1
Sheridan	Lost Creek	Non-salmonid fishery	1
Roosevelt	West Shotgun Creek	Non-salmonid fishery	1
Roosevelt	East Shotgun Creek	Non-salmonid fishery	1
Roosevelt	Snake Creek	Non-salmonid fishery	1

Non-salmonid fishery – Waters that do not provide habitat for trout and salmon species. Non-salmonid species include sturgeons, suckers, minnows, etc. Blue Ribbon – Class I: Recreational fishery of outstanding value. Red Ribbon fishery – Class II: Recreational fishery of high value.

Big Game, Small Game, and Nongame

Big game species occurring along Route B are similar to those mentioned for all routes. Based on GIS analysis from the MFWP and the MTNHP, **Table 4-17** lists the length and affected acreage of game ranges crossed by Route B.

Small game species occurring along Route B are similar to those mentioned for all routes. Based on the MFWP historic data, 24 greater sage grouse lek sites that have been identified as occurring within 4 miles of Route B. No historic sharp-tailed grouse lek sites have been identified within 2 miles of Route B.

Nongame species occurring along Route B are similar to those mentioned for all routes. Aerial surveys for raptor nests and prairie dog towns were conducted between September 22 and 25, 2008. One inactive prairie dog town was observed at the time of survey along Route B. **Attachment I** lists the locations of raptor nests along Route B. A total of 47 raptor nests were identified during the overflight. Of the 47 nests, 2 were active and 45 were inactive at the time of survey. One of the active nests was identified as a red-tailed hawk nest.

Aquatic Resources

Route B will cross 13 perennial streams in Montana. These include three larger rivers: the Milk River, the Missouri River, and the Yellowstone River. The Missouri River east of Fort Peck Reservoir to the border of Richland County is classified as a Class II, Red Ribbon Fishery and the Yellowstone River through Prairie County is classified as a Class I, Blue Ribbon Fishery. Game fish include a variety of warm water species such as burbot, walleye, crappie, channel catfish, pumpkinseed, sauger, green sunfish, bluegill, northern pike, sturgeon, and paddlefish (BLM 1995). A list of game fisheries crossed or downstream of the proposed Route B is found in **Table 4-18**.

4-32 December 2008

Table 4-17 Big Game Winter Ranges Crossed by Route B

	Milepost Lo	ocations	Total Length	Acreage Affected
Game Type	Beginning Milepost	Ending Milepost	Crossed (miles)	During Construction
White-tailed deer winter	54.38	57.42	3.0	40.5
range	65.77	68.17	2.4	32
	79.79	84.92	5.1	68.4
	87.31	91.03	3.7	49.6
	121.3	124.35	3.1	40.7
	137.73	142.86	5.1	68.4
	152.97	171.01	18.0	240.5
	193.56	196.93	3.4	44.9
	244.51	247.23	2.7	36.3
	248.48	248.57	0.1	1.2
	279.12	282.28	3.2	42.1
		Total	49.9	664.7
Mule deer winter range	9.13	28.2	19.03	253.7
	28.44	29.7	1.3	17.3
	32.81	33.8	1.0	13.6
	34.29	35.2	0.9	11.8
	35.77	36.6	0.8	10.4
	37.25	65.8	28.5	380.3
	66.96	67.0	0.1	1.1
	88.54	89.4	0.8	11.1
	89.72	130.9	40.5	539.5
	131.44	131.7	0.3	3.6
	152.97	161.9	8.9	118.8
	202.92	204.2	1.2	16.4
	211.98	225.7	13.2	175.7
	244.51	247.2	2.7	36.3
	248.48	248.6	0.1	1.2
	256.71	259.9	3.2	42.8
	260.95	264.8	3.8	50.9
	269.02	280.2	11.2	148.8
	280.69	281.6	0.1	12
		Total	119.4	1,845.3

4-33 December 2008

Table 4-17 Big Game Winter Ranges Crossed by Route B

	Milepost Locations		Total Length	Acreage Affected	
Game Type	Beginning Milepost	Ending Milepost	Crossed (miles)	During Construction	
Antelope winter range	11.39	12.38	0.1	13.2	
	12.68	13.82	1.1	15.2	
	14.08	20.27	6.2	82.5	
	21.55	26.85	5.3	70.7	
	38.75	65.77	27.0	360.3	
	74.63	82.67	8.0	107.2	
	83.73	83.74	0.0	0.1	
	111.66	129	17.3	231.2	
	162.17	163.12	0.1	12.7	
	163.91	164.33	0.4	5.6	
	219.19	219.49	0.3	4	
	254.97	255.69	0.7	9.6	
	258.25	258.89	0.6	8.5	
	267.97	280.18	12.2	162.8	
		Total	81.3	1,083.6	

Source: MFWP 2008a (http://nris.mt.gov/gis/); acreage based on a nominal ROW of 110 feet.

4-34 December 2008

Table 4-18 Game Fisheries in Waterbodies Crossed or Downstream of Route B

Waterbody	County	Fishery Class ¹	Number of Crossings
Route B			
Dunham Coulee	Phillips	Non-salmonid fishery	1
Corral Coulee	Phillips	Non-salmonid fishery	2
Frenchman Creek	Valley	Non-salmonid fishery	1
Hay Coulee	Valley	Non-salmonid fishery	1
Rock Creek	Valley	Non-salmonid fishery	1
Willow Creek	Valley	Non-salmonid fishery	1
Lime Creek	Valley	Non-salmonid fishery	1
Black Coulee	Valley	Non-salmonid fishery	1
Brush Fork	Valley	Non-salmonid fishery	1
Bear Creek	Valley	Non-salmonid fishery	1
Unger Coulee	Valley	Non-salmonid fishery	1
Buggy Creek	Valley	Non-salmonid fishery	1
Alkali Coulee	Valley	Non-salmonid fishery	1
Wire Grass Coulee	Valley	Non-salmonid fishery	1
Spring Creek	Valley	Non-salmonid fishery	1
Mooney Coulee	Valley	Non-salmonid fishery	1
Cherry Creek	Valley	Non-salmonid fishery	1
Foss Coulee	Valley	Non-salmonid fishery	1
Spring Coulee	Valley	Non-salmonid fishery	1
East Fork Cherry Creek	Valley	Non-salmonid fishery	1
Milk River	Valley	Non-salmonid fishery	1
Missouri River	McCone	Salmonid fishery, Red Ribbon, Class II	1
West Fork Lost Creek	McCone	Non-salmonid fishery	1
Jorgensen Coulee	McCone	Non-salmonid fishery	1
Cheer Creek	McCone	Non-salmonid fishery	1
Bear Creek	McCone	Non-salmonid fishery	1
South Fork Shade Creek	McCone	Non-salmonid fishery	1
Flying V Creek	McCone	Non-salmonid fishery	2
Figure Eight Creek	McCone	Non-salmonid fishery	1

4-35 December 2008

Table 4-18 Game Fisheries in Waterbodies Crossed or Downstream of Route B

Waterbody	County	Fishery Class ¹	Number of Crossings
Middle Fork Prairie Elk Creek	McCone	Non-salmonid fishery	1
East Fork Prairie Elk Creek	McCone	Non-salmonid fishery	1
Lone Tree Creek	McCone	Non-salmonid fishery	1
Redwater River	McCone	Non-salmonid fishery	1
Buffalo Springs Creek	McCone	Non-salmonid fishery	3
Cottonwood Creek	Dawson	Non-salmonid fishery	1
Berry Creek	Dawson	Non-salmonid fishery	1
Hay Creek	Dawson	Non-salmonid fishery	1
Upper Seven Mile Creek	Dawson	Non-salmonid fishery	1
Clear Creek	Dawson	Non-salmonid fishery	1
Cracker Box Creek	Dawson	Non-salmonid fishery	1
Yellowstone River	Dawson	Non-salmonid fishery, Blue Ribbon, Class I	1
Cabin Creek	Prairie	Non-salmonid fishery	1
West Fork Hay Creek	Prairie	Non-salmonid fishery	1
Hay Creek	Prairie	Non-salmonid fishery	2
Dry Fork Creek	Fallon	Non-salmonid fishery	2
Pennel Creek	Fallon	Non-salmonid fishery	1
Sandstone Creek	Fallon	Non-salmonid fishery	1
Red Butte Creek	Fallon	Non-salmonid fishery	1
Hidden Water Creek	Fallon	Non-salmonid fishery	1
Little Beaver Creek	Fallon	Non-salmonid fishery	1
Soda Creek	Fallon	Non-salmonid fishery	1
North Fork Coal Bank Creek	Fallon	Non-salmonid fishery	1
South Fork Coal Bank Creek	Fallon	Non-salmonid fishery	1
Boxelder Creek	Fallon	Non-salmonid fishery	1

Non-salmonid fishery – Waters that do not provide habitat for trout and salmon species. Non-salmonid species include sturgeons, suckers, minnows, etc. Blue Ribbon – Class I: Recreational fishery of outstanding value. Red Ribbon fishery – Class II: Recreational fishery of high value.

4-36 December 2008

4.3.4.5 Impact Assessment

Terrestrial Wildlife

Issues

- Habitat loss or alteration and incremental habitat fragmentation;
- Loss of breeding success from exposure to construction and operational noise and from higher levels
 of human activity;
- Limited direct mortalities from Project construction and operation; and
- The potential loss of individuals from exposures to accidental crude oil releases.

Construction

Wildlife Habitat

Potential impacts to terrestrial wildlife species from the Project can be classified as short-term, long-term, and permanent. Short-term impacts consist of activities associated with Project construction and changes in wildlife habitats lasting less than 5 years. This would include impacts to species dependent on herbaceous habitats. Long-term impacts would consist of changes to wildlife habitats lasting 5 years or more and would include species dependent on habitats with woody species components. Permanent impacts would result from construction of aboveground facilities that convert natural habitat to an industrial site. The severity of both short- and long-term impacts would depend on factors such as the sensitivity of the species impacted, seasonal use patterns, type and timing of construction activities, and physical parameters (e.g., topography, cover, forage, and climate).

Less mobile or burrowing species may be lost to construction vehicles and equipment. Other potential impacts include habitat loss or alteration, habitat fragmentation, and animal displacement. Individuals may be permanently displaced and perish due to increased competition or other effects of being forced into sub-optimal habitat. Indirect impacts from increased noise and additional human presence also could lead to displacement and lowered fitness. However, the habitat adjacent to the construction zone would support displaced animals due to the small scale amount of disturbance compared to the surrounding available habitat.

Habitat fragmentation is frequently a concern when clearing ROWs. In general, fragmentation results in an altered wildlife community as species more adaptable to edge habitats establish themselves, while species requiring undisturbed habitats are subject to more negative effects. These effects would result in overall changes in habitat quality, habitat loss, increased animal displacement, reductions in local wildlife and migratory bird numbers, and changes in species composition. The severity of these effects on migratory birds depends on factors such as sensitivity of the species, seasonal use, type and timing of construction activities, and physical parameters (e.g., topography, cover, forage, and climate). The effects of fragmentation on native wildlife populations would be relatively small since the majority of the Project would cross relatively open habitat types (e.g., shrubland, grassland, and cultivated land).

Due to the linear nature of the Project over a large geographic area (approximately 282 linear miles of new pipe), the area impacted will represent a small percent of available wildlife habitat on a regional basis. The effects of short- and long-term habitat loss on native wildlife populations will be relatively small since the majority of habitat disturbance will be restored to the pre-disturbance condition. Agricultural lands will continue to be used for pre-construction uses while rangeland/grassland habitats will be reclaimed to primarily herbaceous communities using appropriate seed mixes prescribed by local, state, and federal agencies. Loss of shrub communities will be long-term (5 to 20 years or more) within reclaimed areas of the construction ROW since these communities will become reestablished through the natural reinvasion of woody species. Loss of woodland vegetation will be permanent since trees will not be allowed to reestablish within 15 feet of either

4-37 December 2008

side of the pipeline centerline. Habitat losses also will be long-term at permanent aboveground pipeline facility locations such as pump stations and access roads.

Construction of Route B will result in the short-term disturbance and long-term habitat modification of: 0.82 mile of the Phillips County USFWS wetland easement, 19.4 miles of state lands, and 42.6 miles of federal lands. Long-term conversion of wooded habitats to herbaceous communities will result in an increase in habitat fragmentation in these areas but habitat conversion also could increase habitat diversity, depending on the extent of habitats affected and the extent and distribution of undisturbed habitats remaining in the state wildlife areas. Construction during the fall hunting seasons will create conflicts with hunter use of these areas.

Big Game Species

Construction impacts to primary big game species (white-tailed deer, mule deer, and antelope) will include the short-term loss of potential forage and will result in a temporary increase in habitat fragmentation within the proposed surface disturbance areas. These losses of vegetation will represent only a small percentage of the overall available habitat within the broader Project region. The loss of shrubland vegetation would be long-term (greater than 5 years and, in some cases, more than 20 years). In the interim, herbaceous species will become established within 3 to 5 years, depending on future weather conditions and grazing management practices that would affect reclamation success in the Project region. In most instances, suitable habitat adjacent to the disturbed areas would be available for wildlife species until grasses and woody vegetation were reestablished within the disturbance areas.

Indirect short-term impacts will result from increased noise levels and human presence during surface disturbance activities. Big game animals (especially antelope and mule deer) would decrease their use within 0.5 mile of surface disturbance activities due to increased noise levels (Ward et al. 1980; Ward 1976). This displacement would be short term and animals would return to the disturbance area following construction activities.

Small Game Species

Potential impacts to small game from the Project will result in the temporary loss of habitat and short-term habitat fragmentation until vegetation is reestablished. Indirect impacts could include the temporary displacement of small game from the disturbance areas as a result of increased noise and human presence. Although habitats adjacent to the Project and other disturbance areas may support some displaced animals, species that are at or near carrying capacity could suffer some increased mortalities due to displacement. Displacement or loss of small game animals from disturbance areas will be short-term because of their generally high reproductive potentials and the fact that animals will return to the disturbance areas following completion of construction and reclamation activities.

Potential direct impacts to small game species could include nest or burrow abandonment, loss of eggs or young where construction occurs during the breeding season. Of greatest concern is the potential for loss of lekking grounds and other greater sage-grouse and sharp-tailed grouse habitat (e.g., nesting habitat).

Although the Project would not result in a permanent loss of habitat along the pipeline ROW, the regeneration of sagebrush would likely be slow. A 30-year interval represents the approximate recovery period for a stand of Wyoming big sagebrush. A 20-year interval represents the approximate recovery time for a stand of mountain sagebrush (Connelly et al. 2000). The potential impacts on sage-grouse habitat would be minimized by locating the proposed ROW within previously disturbed areas (i.e., adjacent to existing pipelines and/or roads) to the extent possible. Given the abundant suitable habitat in the general area, it is not likely that the minor, yet long-term, loss of habitat along the pipeline ROW would affect sage-grouse populations in the vicinity of the Project.

4-38 December 2008

Depending on the timing of construction, the Project could potentially impact sage-grouse and sharp-tailed grouse during lekking activities or brood rearing. Keystone will continue to consult with MTFWP, BLM, and USFWS regarding recommended avoidance and minimization measures in order to address sage-grouse lek buffers, sites and breeding areas.

Nongame Species

Direct impacts to nongame species from surface disturbance activities will result from the temporary loss of habitat and increased fragmentation until vegetation is reestablished. Potential impacts also will result in mortalities of less mobile or burrowing nongame species (e.g., small mammals, birds, reptiles, amphibians, invertebrates) due to exposure to vehicles and construction equipment traffic. Potential direct impacts also could include nest or burrow abandonment or loss of eggs or young where construction occurs during the breeding season. Other impacts will include the short-term displacement of some of the more mobile species (e.g., medium-sized mammals, adult birds) as a result of surface disturbance. Although the habitats adjacent to the proposed disturbance area may support some displaced animals, species that are at or near carrying capacity could suffer some increased mortalities. Displacement or loss of nongame species from disturbance areas will be short-term because of their generally high reproductive potentials and the fact that animals will return to the disturbance areas following completion of construction and reclamation activities.

If surface disturbance activities occur during the breeding season for passerines, raptors, and other summer avian residents (approximately March 1 through August 31), nest or territory abandonment or the loss of eggs or young (loss of productivity) for the breeding season could result. Impacts to nesting birds will depend on the nest location relative to the proposed disturbance area, the phase of the breeding period, and the level and duration of the disturbance.

Table 4-19 outlines the preferred timing and buffer distances for a variety of species provided by the agencies. Keystone will continue to work with the agencies to determine a mutually agreeable strategy for minimizing potential impacts, while still allowing for a feasible construction schedule.

Operation

Normal pipeline operations will have negligible effects on terrestrial wildlife resources. Direct impacts to wildlife species populations and habitats from maintenance activities such as physical pipe inspections or ROW repair will be the same as those discussed above for construction. In order to reduce potential impacts to important wildlife resources as a result of maintenance activities, Keystone will consult with the appropriate state wildlife agencies prior to the initiation of maintenance activities beyond standard inspection measures.

Keystone will employ multiple safeguards to prevent a pipeline release. The chance of a spill occurring is very low and if a spill occurred, the volume is likely to be relatively small. In the unlikely event of a pipeline release, Keystone would initiate its ERP and emergency response teams would contain and clean up the spill. To minimize impacts to wildlife, appropriate remedial measures will be implemented to meet federal and state standards designed to ensure protection of human health and environmental quality. Additional information on potential impacts to wildlife resulting from a crude oil spill is provided in the Risk Assessment (Attachment D).

Aquatic Resources

Issues

- Short-term physical disturbance to stream channels;
- Short-term increases in suspended solids concentrations from in-stream activities and erosion from adjacent disturbed lands;
- One-time increases in downstream sedimentation from in-stream activities and erosion from adjacent disturbed lands:

4-39 December 2008

- Potential fuel spills from equipment and toxicity to aquatic biota if fuel reached a waterbody;
- Local short-term reductions in habitat if surface water is used for hydrostatic testing and loss of individuals during pumping; and
- Loss of individuals as a result of acute and chronic toxicity from exposure to accidental crude oil releases.

Table 4-19 Seasonal Timing Restrictions and Buffers for Big Game, Greater Sage-Grouse, Sharp-tailed Grouse, Migratory Birds, Bald Eagles, and Raptors

Species/Habitat Type	Buffer (miles) ¹	Seasonal Timing Restrictions ²
White-tailed deer winter range	NA ³	December 1 to March 31 (MFWP); December 1 to May 15 (BLM)
Mule deer winter range	NA ³	December 1 to March 31 (MFWP); December 1 to May 15 (BLM)
Antelope winter range	NA ³	December 1 to March 31 (MFWP); December 1 to May 15 (BLM)
Sage-grouse (lek and nesting habitat)	Within 4 miles of an active lek (MFWP); within 2 miles of an active lek (BLM)	March 1 to June 15
Sharp-tailed grouse (lek and nesting habitat)	Within 2 miles of an active lek (MFWP/BLM)	March 1 to June 15
Migratory birds (protected under the Migratory Bird Treaty Act), excluding raptors	As determined appropriate by the USFWS and BLM	April 15 to July 15
Bald eagle	0.5 mile	Nesting: February 1 to August 15 Winter Roosting: November 1 to April 1
Raptors	0.5 mile (MFWP) 0.25 NSO ³ ; 0.5 TLS ² (BLM)	March 1 to August 1 (MFWP) March 1 to July 31 (BLM)

Source: 1994 Montana Bald Eagle Management Plan; Big Dry RMP; MFWP 2008d; BLM 2008a,b.

Construction

Crossings

On Route B three waterbodies are planned to be crossed using the HDD method (see **Table 1-7**). Construction-related impacts on aquatic biota and their habitat will be minor at these rivers. Drilling at these

4-40 December 2008

² TLS = Timing Limitations. For pipelines, this includes no disturbance within 0.5 mile of an active nest between March 1 and July 31 on lands administered by the BLM.

No surface occupancy (NSO) or disturbance. For pipelines, this includes no permanent aboveground facilities year-round and no surface disturbing activities within the timing restrictions on lands administered by the MFWP and BLM.

rivers will aid in minimizing impacts to important game and commercial fish species and special status species. Directional drilling will not alter or remove habitat because construction within the channel will not be required. It is possible that mud from the directional drilling could inadvertently enter the active stream along the drilling route. Measures will be undertaken to reduce additional seepage and cleanup of what was released will occur. If any seepage enters the stream, increased turbidity or physical impact to the covering substrate will be localized and short-term (less than 1 day). All preventative and response measures to frac-outs will be located in a frac-out contingency plan. Open cut trenching will be used on the remaining perennial streams, all of which contain at least one or more game fish species.

In-stream Habitat

In the vicinity of the trenchline, trenching and backfilling can result in alteration of in-stream habitat and the mortality of benthic invertebrates inhabiting that reach of the watercourse. Studies done to monitor the effects on benthic invertebrates have indicated that the impacts are short-term. The disturbed area typically is recolonized by benthic invertebrates to near pre-construction levels by the spring or summer following construction (Tsui and McCart 1981; Schubert and Vinikour 1987).

Backfilling the in-stream trench can either improve or lessen the quality of habitat available. This habitat quality change will depend largely on the nature of the soil materials from the lower depths of the trench with respect to those near the surface. If backfilling results in a different material on the stream bed surface than the adjacent areas, a local habitat modification may have occurred. However, the limited extent of the disturbed area and the active bottom substrate sorting by a river suggest any such habitat modification will be small and of short duration in most stream environments.

Bank Cover

Vegetative cover along the stream banks of a waterbody provides cover for fish, shading, bank stability, erosion control, and an increased food and nutrient supply due to the deposition of insects and vegetative matter into the watercourse. Loss of bank cover may result in increased water temperatures, reduced food supply, impaired aesthetics, and reduced productivity. The potential for channel migration also can be increased since the removal of vegetation destabilizes the banks at discrete locations. Given the relatively small width of disturbance associated with a pipeline crossing, the above impacts tend to be negligible relative to an entire stream system. The CMRP provides bank restoration measures that will ensure short-term bank stability (temporary erosion control structures) and rapid vegetation recovery (replanting woody species where appropriate).

Interruption of Fish Movement

Most water crossing methods allow movement of fish across the ROW; however, some techniques such as dry crossing procedures, may temporarily block or delay normal movements. Long-term interruption of fish movement in a watercourse or a relatively short-term delay in spawning migration can have adverse impacts. Interruptions during sensitive periods typically are not a concern since in-stream construction generally can be performed outside of sensitive periods. Blockage of non-spawning-related fish movement for limited periods (less than 7 days) should not affect fish growth and behavior. Delays of less than 3 days will not adversely affect spawning migrations (Dryden and Stein 1975).

Direct Disturbance of Spawning

In-stream construction activities can displace spawning fish from preferred habitat and result in the utilization of lower quality spawning habitat. Generally, this is of limited concern for water crossing construction since in-stream activities generally are not scheduled during spawning periods. Keystone will work with agencies as necessary to further define spawning periods and to refine construction schedules to avoid, where possible,

4-41 December 2008

instream activities during sensitive periods. As shown in **Table 4-10**, spawning periods for most fish species extend from April through June.

Water Quality Effects

It is widely recognized that in-stream excavation activities result in short-term increases in total suspended solids (TSS) levels and turbidity. These levels decrease with distance from the source as particles settle. The levels also decrease with time following cessation of in-stream activities.

The impact to aquatic organisms by increases in suspended solids levels is a function of the duration of exposure and the concentration of suspended solids. While relatively high levels of TSS can occur immediately downstream of a crossing, the effects are very short-term with construction across most streams being completed in 1 day. The waterbodies in the Project area normally experience wide ranges in seasonal flow rates (large peak flows due to precipitation events), and drain through areas with relatively fine grained soils. These factors cause sudden natural peaks in suspended solids concentrations. The aquatic systems supported by these waterbodies are adapted to such increases.

The extent of the increase in TSS levels would be mitigated by Keystone through the use of BMPs that include: measures to reduce the period of instream activity, spoil handling techniques, equipment access and installation procedures. Standard industry BMPs also address upland erosion and sediment control procedures to limit the potential for runoff from disturbed areas to contribute to increased in-stream TSS.

Sedimentation Effects

Solids introduced into suspension in a waterbody ultimately will settle on the streambed downstream of the crossing. The distance from the crossing is dependent upon the depth of flow, flow velocity, particle diameter, and flow characteristics. Coarser materials (sands and gravels) tend to settle relatively close to the crossing location and tend to be distributed uniformly across the stream section. Fine silts and clays can stay in suspension for considerable periods of time and will tend to settle in natural depositional areas downstream of the crossing.

The channel substrates of the streams and rivers that will be crossed by the Project consist primarily of fine grained materials (clay, silt, and sand). Fine-grained excavated material that is deposited downstream is expected to be similar to the existing substrate. Stream flows will suspend and re-deposit excavated materials during higher flow periods.

Young and Mackie (1991) found that benthic invertebrates inhabiting the upper surface of the substrate may be more adaptable to sedimentation than are taxa occupying the interstitial spaces of the substrate. Post construction studies have shown that benthic invertebrate populations generally have recovered to normal within 1 to 2 months of construction. Tsui and McCart (1981) reported benthic invertebrate populations downstream of a water crossing had recovered to near pre-construction levels shortly after construction.

The BMPs adopted for the Project as described in the CMRP will mitigate the short-term effects of downstream sedimentation, as discussed under Water Quality Effects.

Hydrostatic Testing

The CMRP and **Table 4-36** in subsection 4.3.5.4, list 10 streams or rivers in Montana as potential water sources for hydrostatic testing for Route B. The water sources are located throughout the length of the proposed route. The water is likely to be withdrawn from water sources during summer and fall months. Relatively small one-time withdrawals will occur from the streams or rivers designated for hydrostatic test water in accordance with withdrawal permits.

4-42 December 2008

Withdrawal rates and volumes will be designed to avoid impacts to aquatic life and downstream water users. Hydrostatic test water will be discharged to the land surface at an approved location or be returned to the source with an approved energy dissipation device. Discharged water may evaporate or infiltrate into the soil or drainage where the water is released. Hydrostatic test water will be withdrawn and returned to the same water source.

Water withdrawal could entrain small fish and drifting macroinvertebrates. The expected numbers of organisms removed during entrainment is considered to be relatively small in relation to the overall numbers in the stream or river. In summary, hydrostatic testing will result in minor impacts to aquatic biota. The discharge of hydrostatic test water will follow state permit requirements, which will reduce potential effects on water quality or aquatic organisms. Energy dissipaters also will be used to prevent erosion at discharge locations.

Operation

Routine maintenance of the pipeline ROW will consist of periodic tree and brush removal. Vegetation removal adjacent to waterbodies will be limited to the removal of trees within 15 feet of the centerline. As a result, maintenance activities will not affect aquatic biota or their habitat.

Keystone will employ multiple safeguards to prevent a pipeline release. The chance of a spill occurring is very low and if a spill occurred, the volume is likely to be relatively small. In the unlikely event of a pipeline release, Keystone would initiate its ERP and emergency response teams would contain and clean up the spill. To minimize impacts to aquatic resources, appropriate remedial measures will be implemented to meet federal and state standards designed to ensure protection of human health and environmental quality. Additional information on potential impacts to aquatic resources resulting from a crude oil spill is provided in the Risk Assessment (Attachment D).

4.3.4.6 Special Status Species: Baseline Data and Description – All Routes

Special status species are those in which federal and/or state agencies provide protection by law, regulation, or policy. This includes federally listed and federally proposed for listing species with designated critical habitat that are protected under the ESA, and species listed as sensitive or special status by the BLM. The BLM special status species are protected by law, regulation, or policy on lands owned by the BLM only. Other species of concern analyzed in this document include those species that have been designated as Species of Concern by the MFWP and the MTNHP. This designation is not a regulatory or statutory classification. "Instead, this designation provides a basis for resource managers and decision makers to direct limited resources to priority data collection needs and address conservation needs proactively" (MTNHP and MFWP 2006).

Special status species analysis focused on wildlife and plant species and habitats that may be affected by construction and operation of the proposed Project. The process considered federal laws and state statutes. The ESA is administered by the USFWS and provides broad national protection for fish, wildlife, and plants that are listed as endangered, threatened or proposed for listing. The ESA outlines procedures for federal agencies to follow when a listed species or designated habitat may be affected by an action they authorize, fund, or permit.

Special status wildlife and aquatic species potentially occurring within suitable habitat along all alternative routes are discussed under the appropriate route analysis below.

Consultation (Circular MFSA-2 Section 3.0(4); Section 3.7(12)(d))

Potential occurrence data for sensitive terrestrial and aquatic species was obtained from MFWP, MTNHP, USFWS websites, and other applicable websites (e.g., NatureServe). In addition, consultations with the USFWS, MFWP, and MTNHP were used to gather occurrence data. The results of these desktop analyses and consultations are identified in **Attachment H**. Methods for establishing a baseline of status, occurrence,

4-43 December 2008

and associated habitat of wildlife that may occur within the proposed Project area include reviewing published literature, natural heritage database information, internet websites, agency correspondence, and field surveys. Biologists with the USFWS, MFWP, and MTNHP were contacted for information about the status of wildlife species, habitat, special wildlife features, and habitats in the proposed Project area (USFWS 2008b). Aerial biological surveys were conducted in April and September 2008 to identify raptor nests and prairie dog towns.

Wildlife Habitat and Critical Habitat (Circular MFSA-2 Sections 3.7(1)(e)) and 3.7 (12)(b)(x))

Habitats for special status species are similar to those discussed in Section 4.3.4.2.

Critical habitat is defined in the ESA as "(i) the specific areas within the geographic area occupied by a species, at the time it is listed in accordance with the Endangered Species Act, on which are found those physical or biological features (I) essential to conserve the species and (II) that may require special management considerations or protection; and (ii) specific areas outside the geographic area occupied by a species at the time it is listed, upon determination that such areas are essential to conserve the species (ESA Section 3(5)(A))." Critical habitat is not crossed by any of the route alternatives but is present for the piping plover in proximity to the alternative routes. **Table 4-20** lists the locations of piping plover critical habitat within the study area.

Table 4-20 Piping Plover Critical Habitat within the Study Area

Counties	Location Comments
Sheridan	Alkali Lakes and Wetlands including Medicine Lake National Wildlife Refuge
Phillips	Bowdoin National Wildlife Refuge
McCone/Richland/Roosevelt	Missouri River
McCone/Garfield/Valley/Phillips	Fort Peck Reservoir/Charles M. Russell National Wildlife Refuge

Source: Federal Register 2001.

Special Status – Aquatic Species

Based upon data obtained from agency consultation and websites (USFWS 2008c; MFWP 2008e,f; MTNHP 2008a,b), a total of 10 special status aquatic wildlife species were identified as potentially occurring along all routes (**Attachment H**). Occurrence potential along the proposed route was evaluated for each species based on its habitat requirements and/or known distribution. A summary of sensitive species that occur along each alternative route is provided below.

4.3.4.7 Special Status Species: Baseline Data and Description – Route A

A total of 59 special status wildlife and aquatic species could potentially occur within suitable habitat along the proposed Route A. Of the 59, 3 (black-footed ferret, whooping crane, and piping plover) are federally listed. Thirty-seven are identified as BLM species of concern and 22 are listed as MFWP species of concern. All special status species potentially occurring along Route A are listed in **Attachment H**.

Terrestrial and Aquatic Species

A total of 55 special status terrestrial wildlife species could potentially occur within suitable habitat along the proposed Route A. Of the 55, 3 (black-footed ferret, whooping crane, and piping plover) are federally listed. The remaining 52 are identified as BLM species of concern and species of concern.

4-44 December 2008

A total of four special status aquatic species could potentially occur within suitable habitat along the proposed Route A. These include the blue sucker, pearl dace, sauger, and northern redbelly x finescale dace. All four are BLM and MFWP species of concern. Big Muddy Creek, crossed by Route A at Milepost A-147, contains known occurrence data for the blue sucker and sauger.

4.3.4.8 Special Status Species: Baseline Data and Description – Route A1A

A total of 47 special status wildlife species could potentially occur within suitable habitat along the proposed Route A1A. Of the 47, 3 (black-footed ferret, whooping crane, and piping plover) are federally listed, 12 are identified as BLM species of concern, and 22 are MFWP species of concern.

Terrestrial and Aquatic Species

A total of 46 special status terrestrial wildlife species could potentially occur within suitable habitat along the proposed Route A1A. Of the 46, three (black-footed ferret, whooping crane, and piping plover) are federally listed. The remaining 43 are identified as BLM species of concern and MFWP species of concern.

One special status aquatic species (northern redbelly x finescale dace) could potentially occur within suitable habitat along the Route A1A. This species is identified as a BLM species of concern and a MFWP species of concern. However, according to the MTNHP (2008), Route A1A does not cross any streams with any known occurrence data for sensitive fish species.

4.3.4.9 Special Status Species: Baseline Data and Description – Route B

A total of 65 special status wildlife species could potentially occur within suitable habitat along the proposed Route B. Of the 65, five (black-footed ferret, whooping crane, interior least tern, piping plover, and the pallid sturgeon) are federally listed, 57 are identified as BLM species of concern, and 14 are Montana species of concern. **Attachment H** lists all special status species identified as potentially occurring along Route B.

Terrestrial and Aquatic Species

A total of 56 special status terrestrial wildlife species could potentially occur within suitable habitat along the proposed Route B. Of the 56, four (black-footed ferret, whooping crane, interior least tern, and piping plover) are federally listed. The remaining 52 are identified as BLM species of concern and MFWP species of concern.

A total of nine special status aquatic species could potentially occur within suitable habitat along the proposed Route B. Of the nine, one (pallid sturgeon) is federally listed. The remaining eight are identified as BLM species of concern and MFWP species of concern.

Cherry Creek, the Milk River, the Missouri River, the Redwater River, the Yellowstone River, and Boxelder Creek all contain habitat for special status species. These are the sicklefin chub, sturgeon chub, shortnose gar, sauger, blue sucker, redbelly x finescale dace, and paddlefish. Finally, the pallid sturgeon; a USFWS endangered species is present in the Milk River, the Missouri River, and the Yellowstone River.

4.3.4.10 Special Status Species: Impact Assessment

<u>Issues</u>

The issues are the same as those for general wildlife species in Section 4.3.4.

Construction

Terrestrial Wildlife Species

Potential impacts to sensitive wildlife resources are similar to those discussed in this section. Direct impacts to sensitive species from surface disturbance activities include the loss or alteration of potential breeding and/or

4-45 December 2008

foraging habitats and short-term habitat fragmentation until native vegetation has become reestablished. Potential impacts also could include mortalities of less mobile species as the result of exposure to vehicle and construction equipment traffic, and the potential abandonment of a nest site or territory, including the loss of eggs or young. Other impacts will include short-term displacement of some of the more mobile species from the disturbance areas as a result of increased noise and human presence.

A number of occurrences of species of special concern have been identified by the MTNHP as occurring near or within the Project area. For terrestrial wildlife, most sensitive species may be rare within a given state but their populations are relatively secure elsewhere. In addition, most are relatively mobile species that could avoid short-term construction disturbance with no resulting long-term adverse effects on local populations. Increased mortality rates could occur in species that are less mobile as the result of exposure to vehicles and construction traffic. This will result in the loss of some individuals but the relatively narrow and linear disturbance area that will be associated with pipeline construction is unlikely to have measurable adverse effects on local populations of sensitive species. For a few species, however, such as the greater sage-grouse, construction through an important habitat feature, such as a lek, may result in the loss of a local breeding population. This could result in extirpation of a remnant population and contribute to a trend leading to federal listing without the implementation of appropriate mitigation.

Surface disturbance activities along the pipeline ROW will result in the disturbance of portions of native prairie, wetland, and woodland habitats, which may contain potentially suitable habitat for a number of sensitive species. Preconstruction surveys for federally listed, BLM special status species, and state special status species are still to be determined through consultation with the USFWS, BLM, and state wildlife agencies. If surveys are required, they will be completed prior to surface disturbances. Once these surveys are complete and if important habitat or populations are identified, appropriate protection measures will be implemented in order to minimize potential impacts to these species.

Aquatic Species

The types of impacts that could affect sensitive fish species are similar to those discussed for game fish species. Construction-related impacts on sensitive species living in streams that will be crossed by the Project using HDD (subsection 4.3.5.4, **Table 4-36**) will be minor, since directional drilling will eliminate disturbance within the channel. In contrast, open-cut trenching at other streams listed above will result in alteration of bottom substrates, temporary increased sedimentation, and possible removal of riparian vegetation. The degree of impact will depend upon whether important fish spawning or rearing habitat is altered. Adult fish are likely to move away from the construction area. Generally, impacts could range from several weeks to several years, depending on the life stages that are affected and whether future spawning will be affected.

Natural Heritage Inventory information indicates that special status species are found almost exclusively in large rivers including the Missouri, the Yellowstone, and the Milk, all of which will be crossed using HDD, resulting in minimal to no impacts. Other waterbodies with special status species include Boxelder Creek on Route B, and the Poplar River on Route A1A. These waterbodies will more likely be crossed by an open cut method, but low water conditions would be favored in many cases, often avoiding key spawning times for special status species. Keystone will continue its consultation with the appropriate agencies to determine a mutually agreeable strategy for minimizing potential impacts.

Potential sources for hydrostatic testing and dust control water are listed in Section 4.3.5. Specific water volumes that will be withdrawn from these streams are not known at this time but will be quantified as details of the hydrostatic test plan are finalized. Nevertheless, water use from any of these streams will result in a relatively small one-time flow reduction. Water withdrawal is expected to represent a relatively small percentage of base flow conditions. Therefore, impacts on fish habitat will be considered minor in the mid-size to large streams. A low level impact could occur in the smaller streams. The discharge of hydrostatic test water will follow state permit requirements, which will eliminate potential water quality effects on sensitive species.

4-46 December 2008

Operation

In order to reduce potential impacts to sensitive wildlife species as a result of maintenance activities, Keystone will consult with the appropriate state wildlife or land management agency prior to the initiation of maintenance activities beyond standard inspection measures.

Keystone will employ multiple safeguards to prevent a pipeline release. The chance of a spill occurring is very low and if a spill occurred, the volume is likely to be relatively small. In the unlikely event of a pipeline release, Keystone would initiate its ERP and emergency response teams would contain and clean up the spill. To minimize impacts to special status species, appropriate remedial measures will be implemented to meet federal and state standards designed to ensure protection of human health and environmental quality. Additional information on potential impacts to special status species resulting from a crude oil spill is provided in the Risk Assessment (Attachment D).

4.3.4.11 Summary of Route-Specific Wildlife, Fisheries and Special Status Species Impacts

Route-specific impacts for wildlife, fisheries, and special concern species are summarized in **Table 4-21**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

Table 4-21 Summary of Route-Specific Wildlife, Fisheries and Special Status Species Impacts

	Route Alternatives			
Resource	Route A	Route A1A	Route B	
Miles of Pipe				
Steele City Segment 919.7		951.3	850.7	
Portion in Montana	180.7	205.5	282.7	
Wildlife and Fisheric	es			
Big game species	Route A crosses 14.5 miles of white-tailed deer winter range, 41.68 miles of mule deer winter range, and 26.48 miles of antelope winter range.	Route A1A crosses 31.98 miles of white-tailed deer winter range, 44.63 miles of mule deer winter range, and 26.48 miles of antelope winter range.	Route B crosses 49.85 miles of white-tailed deer winter range, 119.37 miles of mule deer winter range, and 81.27 miles of antelope winter range.	
Greater sage grouse and sharp-tailed grouse	Route A crosses 8 known greater sage-grouse leks and/or their associated buffer zones.	Route A1A crosses 8 known greater sage-grouse leks and/or their associated buffer zones.	Route B crosses 24 known greater sage-grouse leks and/or their associated buffer zones.	
Aquatic resources	Route A does not cross any Class I or II fisheries.	Route A1A does not cross any Class I or II fisheries.	Route B crosses one Class I fishery at the Yellowstone River and one Class II fishery at the Missouri River.	

4-47 December 2008

Table 4-21 Summary of Route-Specific Wildlife, Fisheries and Special Status Species Impacts

	Route Alternatives			
Resource	Route A	Route A1A	Route B	
Miles of Pipe		1	1	
Steele City Segment	919.7	951.3	850.7	
Portion in Montana	180.7	205.5	282.7	
Special Status Spec	cies			
Special status species	A total of 59 special status wildlife species could potentially occur within suitable habitat along Route A. Of the 59, three (black-footed ferret, whooping crane, and the piping plover) are federally listed under the ESA; 37 are identified as BLM species of concern; and 22 are Montana species of concern.	A total of 47 special status wildlife species could potentially occur within suitable habitat along Route A1A. Of the 47, three (black-footed ferret, whooping crane, and the piping plover) are federally listed under the ESA; 12 are identified as BLM species of concern; and 22 are Montana species of concern.	A total of 65 special status wildlife species could potentially occur within suitable habitat along Route B. Of the 65, five (black-footed ferret, whooping crane, interior least tern, piping plover, and the pallid sturgeon) are federally listed under the ESA; 51 are identified as BLM species of concern; and 14 are Montana species of concern.	

References

Bureau	of Land Management (BLM). 2008a. Correspondence from K. Undlin (BLM) to P. Lorenz (ENSR). August 22, 2008.
	2008b. Correspondence from J. Carlson (BLM) to P. Lorenz (ENSR). August 14, 2008.
	2000. Bitter Creek and Mountain Plover Areas of Critical Environmental Concern Plan Amendment and Environmental Assessment. Glasgow Field Station. Glasgow, Montana. December 2000.
	1995. Big Dry Resource Management Plan and Final Environmental Impact Statement. Miles City District Office. Big Dry Resource Area. February 1995.
	1994. Montana Bald Eagle Management Plan. Billings, Montana. July 1994.

- Connelly, J. W., M. A. Schroeder, A. R. Sands, and C. E. Braun. 2000. Guidelines to Manage Sage Grouse Populations and Their Habitats. Wildlife Society Bulletin 28(4):967-985.
- Dryden, R. L. and J. M. Stein. 1975. Guidelines for the Protection of the Fish Resources of the Northwest Territories During Highway Construction and Operation. Department of the Environment, Fisheries and Marine Service, Technical Report Series No. CEN/T-75-1.
- Eddy, S. and J. Underhill. 1974. Northern Fishes. University of Minnesota Press, Minneapolis, Minnesota. 414 pp.
- Federal Register. 2001. Endangered and Threatened Wildlife and Plants; Proposed Designation of Critical Habitat for the Northern Great Plains Breeding Population of the Piping Plover; Reopening of Public

4-48 December 2008

Comment Period and Notice of Availability of Draft Economic Analysis Federal Register 66 (249): 67165-67166.

Harlan, J., E. Speaker, and J. Mayhew. 1987. lowa Fishing and Fishing. lowa Department of Natural Resources. Des Moines. Iowa. Montana Fish Wildlife and Parks (MFWP). 2008a. Correspondence from W. Davis (MFWP) to P. Lorenz (ENSR). August 14, 2008. . 2008b. Website: http://fwp.mt.gov/insidefwp/GIS/download.aspx#Wil. (Accessed September 2008.) . 2008c. Correspondence from W. Davis (MFWP) to P. Lorenz (ENSR). August 14, 2008. ____. 2008d. Email Request for information to W. Davis, P. Gunderson, and T.O. Smith, Montana Fish. Wildlife and Parks from P. Lorenz, ENSR. October 17, 2008. . 2008e. Email Reguest for Information to Adam Messer, Montana Fish, Wildlife, and Parks from P. Lorenz, ENSR. October 17, 2008. Montana Natural Heritage Program (MTNHP). 2008a. Email Request for Information to Martin Miller, Montana Natural Heritage Program from P. Lorenz, ENSR. October 16, 2008. . 2008b. Species of Concern Reports. County lists. Website: http://nhp.nris.mt.gov/SpeciesOfConcern/ Default.aspx. (Accessed September 10, 2008.) Montana Natural Heritage Program and Montana Fish Wildlife and Parks (MTNHP and MFWP). 2006. Montana animal species of concern. Helena, Montana. 17 p. Schubert, J. P. and W. S. Vinikour. 1987. "Effects on Suspended and Substrate Sediments in Two Streams Resulting from Different Gas-pipeline Installation Techniques." In: 4th Symposium on Environmental Concerns in Right-of-Way Management, Indianapolis, Indiana. Skaar, D. 2001. Spawning Times of Montana Fishes. Montana Fish, Wildlife and Parks. March 2001. Tsui, P. T. P. and P. J. McCart. 1981. Effects of Stream Crossing by a Pipeline on the Benthic Macroinvertebrate Communities of a Small Mountain Stream. Hydrobiologia, 79:271-276. U.S. Fish and Wildlife Service (USFWS). 2008a. Email correspondence from S. Fields (USFWS) to P. Lorenz (ENSR). September 10, 2008. __. 2008c. Endangered, Threatened, Proposed, and Candidate Species Montana Counties. Endangered Species Act. March 2008. . 2008b. Website: http://www.fws.gov/mountain-prairie/realty/wetesmt.htm. (Accessed September 12, 2008.) Ward, A. L. 1994. The Native American Policy of the U.S. Fish and Wildlife Service. June 28, 1994. ____. 1976. Elk Behavior in Relation to timber harvest Operations and Traffic on the Medicine Bow Range in South-central Wyoming. In: Proceedings Elk-logging-roads Symposium, ed. S. R. Hieb.

Pp. 32-43. Moscow, University of Idaho.

4-49 December 2008

Ward, A. L., N. E. Fornwalt, S. E. Henry, and R. A. Hodorff. 1980. Effects of Highway Operation Practices and Facilities on Elk, Mule Deer, and Pronghorn Antelope. Report No. FHWA-RD-79-143. National Technical Information Service, Springfield, Virginia.

Young, R. J. and G. L. Mackie. 1991. The Effect of Winter Oil-pipeline Construction on the Benthic Invertebrate Community of Hodgson Creek. N.W.T. Can. J. Zool. 69: 2154-2160.

4.3.5 Water Resources

This section includes identified water resources that are crossed by or affected by the alternate routes developed for the Project. General conditions that are common to all alternative routes are first discussed. Following the general discussion, conditions unique to each individual alternative route are discussed. After the conditions, impact assessments are discussed in the same format, with general consequences followed by unique consequences for individual alternative routes.

4.3.5.1 Baseline Data and Description – All Routes

Surface Water (Circular MFSA-2, Section 3.7(12)(b)(vi))

Surface water resources that occur along Route B are located in the Missouri River water resource region, as identified by its major river systems (Seaber et al. 1994). Primary drainages along all alternatives are depicted in **Attachment A**, **Mapbook 3**.

Waterbody crossings were identified utilizing GIS analysis of the USGS National Hydrographic Dataset (NHD). The results were checked against USGS 1:24,000 topographic quadrangle maps and any necessary corrections or additions to waterbody names were made. The NHD classifies waterbodies according to the hydrologic characteristics of each stream reach or waterbody. The features classified as "Artificial Path" reflect a waterbody that is too wide to be represented by a single line feature. In the case of this classification, each instance was analyzed on USGS maps and was either assigned the classification of perennial stream/river or reservoir. This was done under the assumption that streams large enough to receive the "Artificial Path" designation are in fact perennial in nature and that the vast majority of impounded waterbodies in this area are man-made reservoirs. Detailed tabulations of the stream crossings associated with each of the alternative routes are included Sections 4.3.5.2, 4.3.5.3, 4.3.5.4, and **Attachment J**.

Major waterbodies within 10 stream miles were identified in a two-part process. GIS analysis of the NHD was utilized to identify all feature types of lake/pond or reservoir that were greater than 10 acres in surface area and within 10 miles of the centerline. Each of these features was then investigated using desktop analysis to determine the hydrologic connectivity and up- or down-stream location. Those features that were hydrologically connected and located downstream were included in **Tables 4-23**, **4-28**, and **4-33** (subsection 4.3.5.2).

The National Park Service (NPS), National Center for Recreation and Conservation's Nationwide Rivers Inventory was consulted regarding Wild and Scenic Rivers designation. No river corridors in the Wild and Scenic Rivers system or those that may be eligible for inclusion in the system are crossed by any of the alternative routes (NPS 2008).

Water Quality

The Clean Water Act (CWA), Section 303(c), requires each state to review, establish, and revise water quality standards for all surface waters within the state. To comply with this requirement, Montana has developed its own beneficial use classification system to describe state-designated use(s). Regulatory programs for water quality standards include default narrative standards, non-degradation provisions, a Total Maximum Daily Load (TMDL) regulatory process for impaired waters, and associated minimum water quality requirements for the designated uses of listed surface waterbodies within the state.

4-50 December 2008

The State of Montana's water quality classifications for all streams crossed by each alternative can be found in **Attachment J**. The MFWP assigned fisheries value classes of I and II which are discussed in Section 4.3.4, Wildlife and Fisheries, and listed in **Tables 4-13**, **4-16**, and **4-18**.

Pollution due to storm water runoff during construction and reclamation will be controlled in accordance with the Storm Water Pollution Prevention Plan (SWPPP) that will be developed prior to permitting. The SWPPP will include descriptions of storm water management controls and BMPs to be implemented.

Sediment discharges are the major pollutant of concern from storm water due to increased erosion from the disturbed areas during construction activities and prior to final stabilization through completed reclamation. These discharges will be controlled throughout the entire project, with special attention committed at any wetland or waterbody crossings. Discharges will be controlled through measures such as vegetative buffers, silt fences, straw bale barriers, and permanent slope breakers (water bars), among others.

Other pollutants of concern are fuels, lubricants, and other hazardous materials. The control and containment of these pollutants will be detailed in the Spill Prevention, Containment, and Countermeasures (SPCC) Plan, which will be developed for each construction spread and submitted prior to construction.

Groundwater

Existing literature on the geology and groundwater hydrogeology of the counties in Montana affected by the Project were reviewed. Particular emphasis was placed on the location of shallow aquifers (i.e., those aquifers with a depth of less than 200 feet), depth to the shallow groundwater table, and expected use of the shallow aquifers within a few miles of the alternate routes. Availability of existing literature and published studies of the aquifers in this region vary. In areas where the level of detail is low, a considerable degree of uncertainty exists relative to groundwater resources. These locations include areas where estimates of the depth to the water table are based on regional groundwater elevation contours, and where water quality estimates are a general estimate of water quality based on regional or sometimes county-wide evaluations. Generally, areas where aquifers are heavily used or are potentially sensitive to contamination have more complete and available information. These areas may include shallow alluvial aquifers along major river drainages where the river alluvium is a major source of domestic and irrigation water supply.

All of the proposed pipeline alternative routes lie within the Great Plains physiographic province (Fenneman 1928). Continental glaciation during the Pleistocene covered most of northern Montana with a complex array of glacial drift and glacial outwash. This glacial material covers the bedrock aquifers in many areas and provides shallow alluvial groundwater for domestic and agricultural use in both current stream valleys and also from buried glacial paleochannels. In many cases, the buried paleochannels are not continuous, and serve as major sources of groundwater only for local use. In many areas of northern Montana, the glacial drift is fine-grained and relatively impermeable, thus it acts as a "confining layer" above the bedrock aquifers. Within this fine-grained drift, local paleochannels can be found, which can provide groundwater for ranches and small communities.

Three main aguifer types are found along the alternative routes in eastern Montana:

- 1. Unconsolidated alluvial and/or glacial aquifers;
- 2. Lower Tertiary aquifers, mainly in the Fort Union Formation; and
- 3. Upper Cretaceous aquifers, mainly in the Fox Hills and Hell Creek formations.

The most sensitive aquifers are the shallow alluvial aquifers found in unconsolidated alluvial and glacial sediments along major drainages. Sensitive groundwater resources are defined as those shallow groundwater areas that occur in permeable rock units or unconsolidated alluvium, or where the groundwater is used for

4-51 December 2008

domestic or irrigation purposes (Smith et al. 2000). Locations where the proposed pipeline alternative routes will either cross or be within a few miles of an identified sensitive groundwater resource are indicated.

Phillips and Valley counties are crossed by all the alternatives as shown in **Attachment A**, **Figure 2**. These two counties were glaciated during the Pleistocene, and thus have a thick veneer of glacial till and drift, which is generally around 20 to 40 feet thick, but can reach approximately 100 feet thick (Whitehead 1996). This glacial till overlies the upper Cretaceous Judith River, Clagett, and Bearpaw formations. The glacial till is relatively impermeable, and acts as a "confining layer" above the upper Cretaceous bedrock aquifer found mainly in the Judith River Formation. The glacial till can contain locally permeable buried zones of coarse glacial outwash which may provide water for ranches. The upper Cretaceous Judith River Formation is the main aquifer and consists of sandstone and siltstone. The aquifer is confined, and the water table elevation ranges from 2,600 to 2,800 feet above mean sea level (amsl) (Libmeyer 1985). Groundwater quality ranges from Montana Class II with a total dissolved solid (TDS) content between 500 and 1,800 milligrams per liter (mg/L), to Montana class III with a TDS between 1,800 and 10,000 mg/L. The water table is from 150 to 500 feet deep based on drilling depths for recorded water wells (Smith et al. 2000).

A number of drainages in Phillips and Valley counties are considered sensitive groundwater resources and would be crossed by all alternatives. These include Frenchman Creek above Frenchman Reservoir; Rock Creek, which is considered sensitive due to the shallow alluvial aquifer; and Buggy Creek, which could be a sensitive groundwater resource depending on the depth to groundwater.

Water Supplies and Wells (Circular MFSA-2, Section 3.4(1)(v))

Along all the alternative routes within Montana, the municipal water supply systems identified are dependent on withdrawals from groundwater sources. These sources are often alluvial aquifers associated with streams and rivers. Private wells also are likely located along each of the alternatives. Source Water Protection Areas (SWPAs) were identified along all alternate routes. Identified SWPA reports were reviewed and analyzed.

SWPAs associated with each route are discussed in the respective sections. No SWPAs depending on surface waters were identified.

Floodplains

From a geomorphic perspective, floodplains are relatively low, flat areas of land that surround waterbodies and hold overflows during flood events. Floodplains are often associated with rivers and streams, where they consist of stream deposited sediments forming levels (or "terraces") deposited at different times along the watercourse.

From a policy perspective, the Federal Emergency Management Agency (FEMA) defines a floodplain as being any land area susceptible to being inundated by waters from any source (FEMA 2005). Much of the basic inventory, regulation, and mitigation efforts for floodplains and flood mitigation (including the National Flood Insurance Program) have been led by FEMA. Executive Order 11988, Floodplain Management, states that actions by federal agencies shall avoid to the extent possible the long- and short-term adverse impacts associated with the occupancy and modification of floodplain development wherever there is a practicable alternative.

Each agency shall provide leadership and shall take action to reduce the risk of flood loss, to minimize the impact of floods on human safety, health and welfare, and to restore and preserve the natural and beneficial values served by floodplains in carrying out its responsibilities for: 1) acquiring, managing, and disposing of federal lands, and facilities; 2) providing federally undertaken, financed, or assisted construction and improvements; and 3) conducting federal activities and programs affecting land use, including but not limited to water and related land resources planning, regulating, and licensing activities.

Pump stations will not be located within the FEMA-defined 100-year floodplain.

4-52 December 2008

Along all alternative routes through Montana, low terraces occur at the majority of stream crossings. For smaller intermittent and ephemeral drainages, these are typically narrow and infrequently flooded. At crossings of rivers and larger perennial streams, floodplains are wider and may be more frequently flooded to a particular elevation depending on the magnitude of a given flood. Floodplains identified within this report were those with widths approaching 1 mile or more according to desktop analysis of USGS 1:24,000 topographic quadrangle maps and aerial photography.

Wetlands and Riparian Areas

Once the preferred route is established, the wetlands and riparian areas along this route will be field delineated in accordance with the direction provided by the USACE – Omaha District. Specific information regarding discussions with the USACE district's personnel, level of effort, wetland and other waters of the US delineation methodology, and permitting requirements will be submitted to the lead federal agency. For more information on wetland and riparian areas, see Section 4.3.3, Vegetation.

Hydrostatic Testing (Circular MFSA-2, Section 3.8(1)(c)(iii)(E))

The pipeline will be hydrostatically tested in sections to ensure the system is capable of withstanding the operating pressure for which it is designed. This process involves isolating the pipe segment with test manifolds, filling the line with water, pressurizing the section to a pressure at least 1.25 times the MOP, and maintaining that pressure for a period of 8 hours. The hydrostatic test will be conducted in accordance with 49 CFR Part 195. Keystone proposes to obtain water for hydrostatic testing from rivers and streams crossed by the pipeline and permit that one-time use in accordance with federal, state, and local regulations. The pipeline will be hydrostatically tested after the pipeline is installed and backfilled. Only water from local water sources with no additives will be used. If leaks are found, they will be repaired and the section of pipe retested until specifications are met. Water used for the testing will then be transferred to another pipe section for subsequent hydrostatic testing and eventually returned to the source location. The water will be used and discharged in accordance with the NPDES discharge permit requirements.

Compliance with NPDES permits shall be achieved during the discharge of test water. There will be no discharge of any water containing oil or other substances that are in sufficient amounts as to create a visible color film on the surface of the receiving water. No discharge into state-designated exceptional value waters; waterbodies which provide habitat for federally listed threatened or endangered species; or waterbodies designated as public water supplies will occur unless appropriate federal, state, and local permitting agencies grant written permission. To avoid impacts from introduced species, no inter-basin transfers (discharge) of hydrostatic test water will occur.

The rate of discharge will be regulated to a 3,000 gallons per minute (gpm) maximum. Energy dissipation devices such as straw bale structures and splash pups will be utilized, and sediment barriers installed, as necessary, to prevent erosion, streambed scour, suspension of sediments, or excessive stream flow. Water will be disposed of by using good engineering judgment so that all federal, state, and local environmental standards are met.

4.3.5.2 Baseline Data and Description – Route A

Surface Water (Circular MFSA-2 Sections 3.4(1)(u) and 3.8(1)(c)(iii)(C))

Major streams crossed by Route A include Frenchman Creek just above Frenchman Reservoir in Phillips County near the Valley County line. In Valley County this alternative would cross Rock Creek, Willow Creek, and the headwaters of Buggy Creek, West Fork Porcupine Creek (western Fort Peck Indian Reservation boundary) and Middle Fork Porcupine Creek. The headwaters of Tule and Boxelder creeks would be crossed in Roosevelt County along with the Poplar River, Big Muddy Creek (eastern Fort Peck Indian Reservation boundary), Shotgun and Little Muddy creeks. **Table 4-22** lists the total number of waterbody crossings. Reservoirs located within 10 stream miles downstream from Route A are indicated in **Table 4-23**. **Attachment J**, is a detailed tabulation of the stream crossings associated with Route A.

4-53 December 2008

Table 4-22 Total Waterbody Crossings for Route A

County	Perennial	Intermittent	Canal/Ditch	Reservoir/Lake
Phillips	1	46	0	3
Valley	1	133	0	0
Roosevelt	3	113	2	0
Total	5	292	2	3

Table 4-23 Waterbodies Greater than 10 Acres within 10 Miles Downstream of Route A Crossing

County	Stream Crossing Point	Approximate Milepost	Affected Downstream Reservoir/Fishery/ Wildlife Area	Other Description
Phillips	Tributaries East Fork Whitewater Creek	1.3 to 2.8	Unnamed	
Phillips	East Fork Whitewater Creek and tributaries	10.3 to 11.2	Salsbery Reservoir	
Phillips	Frenchman Creek and tributaries	17.6 to 25.8	Frenchman Reservoir	Pipeline passes approximately 0.5 mile upstream on Frenchman Creek
Valley	Collins Creek and tributaries	34.3 to 34.9	Desert Claim Reservoir	
Roosevelt	Tributaries Poplar River	129.5 to 133.2	Geddart Lake	
Roosevelt	Shotgun Creek	168	Unnamed	Two on-channel reservoirs

Water Quality (Circular MFSA-2, Section 3.4(1)(j), 3.7(18))

Where stream segments have been designated by Montana, the use classifications of surface waterbodies at proposed crossings are indicated in **Attachment J.** A. This table also indicates uses supported or impaired as listed by Montana DEQ and approved by the USEPA where applicable to the waterbodies crossed. Stream segments listed as impaired by the USEPA, and the reasons for such listing, are further identified in **Table 4-24**.

4-54 December 2008

Table 4-24 Impaired Waterbodies Crossed by Route A

Waterbody Name	State Water Quality Classification	Supports Use Designation	Impairment	Priority
Frenchman	Aquatic life	Partial support	Alteration in stream-side or	
Creek	Fisheries (non- salmonid)	Partial support	littoral vegetative covers; chlorophyll-a; low flow alterations	TMDLs not
	Agriculture	Partial support	Low flow alterations	started 2009-
	Industry	Partial support	Low now anterations	2012
	Drinking water (human health)	Full support		
	Recreation	Partial support	Low flow alterations	
Buggy Creek	Aquatic life	Partial support		
	Fisheries (non- salmonid)	Partial support	Iron	
	Agriculture	Full support		TMDLs not started 2009-
	Industry	Full support		2012
	Drinking water (human health)	Full support		
	Recreation	Full support		
Big Muddy	Aquatic life	Partial support	Alteration in stream-side or	
Creek	Fisheries (non- salmonid)	Partial support	littoral vegetative covers; low flow alterations; nitrogen (total); phosphorus (total); sedimentation/siltation	TMDLs not
	Recreation	Not assessed		started 2009-
	Marginal agriculture	Not reported		2013
	Marginal industry	Not reported		1
	Marginal drinking water (human health)	Not reported		

Source: Montana DEQ 2006.

Groundwater

Route A would cross the Fort Peck Reservation and then into North Dakota, traversing Phillips, Valley, and Roosevelt counties as shown in **Attachment A**, **Figure 2**. The Fort Peck Reservation is covered by glacial till 20 to 40 feet in thickness that is similar to that found along Route B and Route A1A. Beneath the glacial till, the Fort Peck Reservation is underlain mainly by the upper Cretaceous aquifers, with the Bearpaw Shale being the most common unit (Whitehead 1996). Along the eastern boundary of the Reservation and beyond the Reservation to the North Dakota border, this alternative route would be underlain by the lower Tertiary Fort Union Formation aquifer.

Water quality in the upper Cretaceous units and in the Fort Union Formation would be similar along this alternative route to that found in these same aquifers along Route A1A. Groundwater elevations in both the upper Cretaceous units and the Fort Union Formation would be around 2,000 feet amsl (Whitehead 1996).

4-55 December 2008

Groundwater flow would be to the southeast. Sensitive alluvial aquifers can be expected where this alternative route crosses Snow Coulee, at Big Muddy Creek, Porcupine Creek, Boxelder Creek, the Poplar River, Spring Creek, Little Muddy Creek, Shotgun Creek above Bainville, and Big Muddy Creek.

Water Supplies and Wells

There is one SWPA associated with a municipal water system within 1 mile of Route A. No other systems were identified within 5 miles.

Floodplains

Zones along Route A in Montana of major interest from a regulatory floodplain perspective are indicated in **Table 4-25**.

Table 4-25 Significant Floodplains along Route A

Approximate Milepost	Watercourse Associated with Floodplain	
125.0 to 126.4	Poplar River	
144.6 to 147.2	Big Muddy Creek	
167.4 to 168.5	Shotgun Creek	

Wetlands and Riparian Areas

Route A crosses 0.85 mile of wetlands that are located within the permanent ROW. Please see Section 4.3.3, for further discussion.

Hydrostatic Testing (Circular MFSA-2, Sections 3.8(1)(c)(iii)(D)and (E))

Potential hydrostatic water sources for Route A are contained in **Table 4-26**.

Table 4-26 Potential Hydrostatic Testing Water Sources and Drainage Basins for Route A

Approximate Location Where Pipeline Crosses Water Source (Milepost)	Drainage Basins and Water Sources	
25.0	Frenchman Creek	
39.1	Willow Creek	
64.4	Middle Fork Porcupine Creek	
125.5	Poplar River	
146.9	Big Muddy Creek	
168.0	Shotgun Creek	
175.1	Little Muddy Creek	
193.0	Missouri River (South Dakota)	

4-56 December 2008

4.3.5.3 Baseline Data and Description – Route A1A

Surface Water (Circular MFSA-2 Sections 3.4(1)(u) and 3.8(1)(c)(iii)C)

Route A1A would cross Frenchman Creek, Rock Creek, Willow Creek, and the headwaters of Buggy Creek in Phillips and Valley counties. Route A1A would then cross West Fork Porcupine Creek and Middle Fork Porcupine Creek above the Fort Peck Indian Reservation boundary in Valley County. Hell Creek, West Fork Poplar River, Police Creek, the Poplar River, and Smoke Creek would all be crossed in Daniels County. In Sheridan County Wolf Creek, Big Muddy Creek and its tributaries, and Diversion Ditch Number One would be crossed. Above the crossing, Diversion Ditch Number One diverts water from Big Muddy Creek, transporting it into Medicine Lake NWR approximately 2 miles downstream from the crossing. The East and West Forks of Shotgun Creek and tributaries would be crossed in Roosevelt County. **Table 4-27** lists the total number of waterbody crossings. Reservoirs located within 10 stream miles downstream from Route A1A are indicated in **Table 4-28**. **Attachment J**, is a detailed tabulation of the stream crossings associated with Route A1A.

Water Quality (Circular MFSA-2, Section 3.4(1)(j), 3.7(18))

Where stream segments have been designated by Montana, the use classifications of surface waterbodies at proposed crossings are indicated in **Attachment J**. This table also indicates uses supported or impaired as listed by Montana DEQ and approved by the USEPA where applicable to the waterbodies crossed. Stream segments listed as impaired by the USEPA, and the reasons for such listing, are further identified in **Table 4-29**.

Groundwater

Route A1A would diverge from Route B in western Valley County and go along the northern border of the Fort Peck Reservation, down the eastern side of the Reservation and then into North Dakota, as shown in **Attachment A, Figure 2**. The route would go through Phillips, Valley, Daniels, Sheridan, and Roosevelt counties. Starting in eastern Valley County and continuing through Daniels, Sheridan, and Roosevelt counties, this alternative route would be underlain by glacial till that overlies the lower Tertiary Fort Union aquifer. Along the Poplar River and the West Fork of the Poplar River, the route would encounter the upper Cretaceous bedrock aquifers.

Groundwater levels in the upper Cretaceous aquifers range from 3,000 feet amsl along the western part of this alternative route to around 2,000 feet amsl near the North Dakota border, suggesting groundwater flow to the southeast (Whitehead 1996). Aquifer properties and water quality in the upper Cretaceous aquifers are similar to that found in these units along Route B. In Daniels and western Roosevelt counties, water quality in the upper Cretaceous has a TDS generally below 1,000 mg/L. In eastern Roosevelt County, the water quality in the upper Cretaceous units ranges from 1,000 to 3,000 mg/L. For the Fort Union Formation aquifer, the water level ranges from around 3,000 feet in eastern Valley County to about 2,000 feet amsl near the North Dakota border, suggesting groundwater flow to the southeast (Whitehead 1996). Water quality in the Fort Union along this alternative route is similar to that found in the Fort Union along Route B.

Sensitive alluvial aquifers with shallow depths to the water table and relatively coarse and permeable alluvial sediments can be expected where this alternative route crosses the West Fork of the Poplar River, the East Fork of the Poplar River, Hell Creek, Police Creek, Big Muddy Creek, Line Coulee, Wolf Creek, and Lake Creek.

Water Supplies and Wells

There are no SWPAs associated with a municipal water system within 1 mile of Route A1A. There are two SWPAs within 1 to 3 miles, and one SWPA within 3 to 5 miles.

4-57 December 2008

Table 4-27 Total Waterbody Crossings for Route A1A

County	Perennial	Intermittent	Canal/Ditch ¹	Reservoir/Lake
Phillips	1	46	0	3
Valley	2	87	0	0
Daniels	4	55	0	0
Sheridan	2	47	0	1
Roosevelt	1	20	0	0
Total	10	255	0	4

NHD classifies Diversion Ditch Number One (for the NWR) as an "artificial path". For the purposes of this report, all NHD features classified as "artificial path" were assumed to be perennial streams. See Section 4.3.5.1 for discussion of this assumption.

Table 4-28 Waterbodies Greater than 10 Acres within 10 Miles Downstream of Route A1A Crossing

	Stream Crossing	Approximate	Affected Downstream Reservoir/Fishery/	
County	Point	Milepost(s)	Wildlife Area	Other Description
Phillips	Tributaries East Fork Whitewater Creek	1.3 to 2.8	Unnamed	
Phillips	East Fork Whitewater Creek and tributaries	10.3 to 11.2	Salsbery Reservoir	
Phillips	Frenchman Creek and tributaries	17.6 to 25.8	Frenchman Reservoir	Pipeline passes approximately 0.5 mile upstream on Frenchman Creek
Valley	Collins Creek and tributaries	34.3 to 34.9	Desert Claim Reservoir	
Sheridan	Tributaries Big Muddy Creek	159.0 to 163.6	Oxbows Big Muddy Creek	Multiple Oxbow Lakes/Reservoirs
Sheridan	Diversion Ditch Number One	169.4	Medicine Lake National Wildlife Refuge	Pipeline crosses diversion canal from Big Muddy Creek
Sheridan	Lost Creek	176.8	Homestead Lake	Part of Medicine Lake National Wildlife Refuge
Roosevelt	West Shotgun Creek	192.1	Unnamed	

4-58 December 2008

Table 4-29 Impaired Waterbodies Crossed by Route A1A

Waterbody Name	State Water Quality Classification	Supports Use Designation	Impairment	Priority	
Frenchman	Aquatic life	Partial support	Alteration in stream-side or		
Creek	Fisheries (non-salmonid)	Partial support	littoral vegetative covers; chlorophyll-a; low flow alterations	_ TMDLs not	
	Agriculture	Partial support		started	
	Industry	Partial support	Low flow alterations	2009-2012	
	Drinking water (human health)	Full support			
	Recreation	Partial support	Low flow alterations		
Buggy	Aquatic life	Partial support			
Creek	Fisheries (non-salmonid)	Partial support	Iron		
	Agriculture	Full support		TMDLs not	
	Industry	Full support]	started	
	Drinking water (human health)	Full support		2009-2012	
	Recreation	Full support]		
Poplar River	Aquatic life	Partial support	Sedimentation/siltation; temperature, water		
	Fisheries (marginal salmonid)	Insufficient information		TMDLs not started	
	Agriculture	Full support			
	Industry	Full support		2009-2013	
	Drinking water (human health)	Full support			
	Recreation	Not supported	Escherichia coli	_	
Big Muddy Creek	Aquatic life	Partial support	Alteration in stream-side or littoral vegetative covers; low		
Стеек	Fisheries (non-salmonid)	Partial support	flow alterations; nitrogen (total); phosphorus (total); sedimentation/siltation	TMDLs not	
	Recreation	Not assessed		started	
	Marginal agriculture	Not reported		2009-2014	
	Marginal industry	Not reported			
	Marginal drinking water (human health)	Not reported			

Source: Montana DEQ 2006.

4-59 December 2008

Floodplains

Zones along Route A1A in Montana of major interest from a regulatory floodplain perspective are indicated in **Table 4-30**.

Table 4-30 Significant Floodplains Crossed by Route A1A

Approximate Mileposts	Watercourse Associated with Floodplain
96.4 to 97.0	East Fork Poplar River
110.2 to 111.6	Poplar River
155.8 to 156.5	Big Muddy Creek
166.0 to 173.0	Big Muddy Creek

Wetlands and Riparian Areas

Route A1A crosses 2.5 miles of wetlands that are located within the permanent ROW. Please see Section 4.3.3, for further discussion.

Hydrostatic Testing (Circular MFSA-2, Section 3.8(1)(c)(iii)(D) and (E))

Potential hydrostatic water sources for Route A1A are contained in **Table 4-31**.

Table 4-31 Potential Hydrostatic Testing Water Sources and Drainage Basins for Route A1A

Approximate Location where Pipeline Crosses Water Source (Milepost)	Drainage Basins and Water Sources
25.0	Frenchman Creek
39.1	Willow Creek
63.5	Middle Fork Porcupine Creek
96.8	West Fork Poplar River
110.9	Middle Fork Poplar River
155.8	Big Muddy Creek
172.4	Lake Creek
194.4	East Shotgun Creek
224.0	Missouri River (South Dakota)

4.3.5.4 Baseline Data and Description – Route B

Surface Water (Circular MFSA-2, Sections 3.4(1)(u) and 3.8(1)(c)(iii)(C))

The major stream crossings in Montana along Route B include Frenchman Creek just above Frenchman Reservoir, Rock Creek and tributaries, and the Milk River and tributaries in Valley County. The Missouri River is proposed to be crossed at the Valley-McCone County Line, just over 1 mile below the Fort Peck Dam where the river is approximately 1,000 feet wide. The drainage area of Fort Peck Reservoir is traversed in McCone County, where Route B is never closer than approximately 2 miles to Fort Peck Reservoir and is

4-60 December 2008

separated from the reservoir by State Highway 24. Route B crosses Bear Creek, a tributary to Fort Peck Reservoir, approximately 14 miles upstream from the reservoir in McCone County. Prairie Elk Creek also is crossed in McCone County. The Redwater River and tributaries are crossed in McCone and Dawson counties. Clear Creek and the Yellowstone River and tributaries are crossed in Dawson County. Cabin Creek and tributaries are crossed in Prairie County. Tributaries of Fallon Creek, Little Beaver Creek and tributaries, and Boxelder Creek and tributaries are crossed in Fallon County. **Table 4-32** lists the total number of waterbody crossings. Several reservoirs are located near or 10 stream miles downstream from the Project, as indicated in **Table 4-33**.

Table 4-32 Number and Type of Waterbodies Crossed by Route B

County	Perennial	Intermittent	Canal/Ditch	Reservoir/Lake
Phillips	0	40	0	4
Valley	5	80	13	2
McCone	1	139	0	2
Dawson	2	69	0	1
Prairie	2	28	0	0
Fallon	3	89	0	3
Total	13	445	13	12

Table 4-33 Waterbodies Greater than 10 Acres within 10 Miles Downstream of Route B Crossing Locations

County	Stream Crossing Point	Approximate Milepost(s)	Affected Downstream Reservoir/Fishery/ Wildlife Area	Other Description
Phillips	Tributaries East Fork Whitewater Creek	1.3 to 2.8	Unnamed	
Phillips	East Fork Whitewater Creek and tributaries	10.3 to 11.2	Salsbery Reservoir	
Phillips, Valley	Frenchman Creek and tributaries	17.7 to 25.9	Frenchman Reservoir	Pipeline passes approximately 0.5 mile upstream on Frenchman Creek
Valley	Tributaries Bear Creek	49.4 to 49.7	Reservoir Number Four	Pipeline passes within 0.1 mile of reservoir
Valley	Oxbow Milk River	Milk River Floodplain	Unnamed Reservoir	Pipeline passes within approximately 0.1 mile of oxbow on floodplain
McCone	Tributaries Fort Peck Reservoir including Bear Creek	102.3 to 105.5	Fort Peck Lake and Charles M. Russell Wildlife Refuge	Highway 24 is located between Project and Reservoir
McCone	Tributary South Fork Shade Creek	113.7	Christianson Reservoir	Pipeline passes within 0.1 mile of reservoir

4-61 December 2008

Table 4-33 Waterbodies Greater than 10 Acres within 10 Miles Downstream of Route B Crossing Locations

County	Stream Crossing Point	Approximate Milepost(s)	Affected Downstream Reservoir/Fishery/ Wildlife Area	Other Description
McCone	Tributaries Lost Creek	134.3 to 136.1	Unnamed Reservoir	Downstream from Haynie Reservoir, with additional tributaries
McCone	Tributaries Lost Creek	139.3 to 141.0	Unnamed Reservoir	
Dawson	Upper Sevenmile Creek	166.1	Lindsay Reservoir	Approximately 10 river miles downstream

Water Quality (Circular MFSA-2, Sections 3.4(1)(j), and 3.7(18))

Where stream segments have been designated by Montana, the uses of surface waterbodies at proposed crossings are indicated in **Attachment J**. This table also indicates major uses supported or impaired as listed by Montana DEQ and approved by the USEPA where applicable to the waterbodies crossed. Stream segments listed as impaired by the USEPA, and the reasons for such listing, are further identified in **Table 4-34**.

Table 4-34 Impaired Waterbodies Crossed by Route B

Waterbody Name	State Water Quality Classification	Supports Use Designation	Impairment	Priority	
Frenchman	Aquatic life	Partial support	Alteration in stream-side or littoral		
Creek	Fisheries (non-salmonid)	Partial support	vegetative covers; chlorophyll-a; low flow alterations	TMDLs not	
	Agriculture	Partial support	Low flow alterations		
	Industry	Partial support		started 2009-2012	
	Drinking water (human health)	Full support			
	Recreation	Partial support	Low flow alterations		
Buggy	Aquatic life	Partial support	Iron		
Creek	Fisheries (non-salmonid)	Partial support			
	Agriculture	Full support		TMDLs not	
	Industry	Full support		started 2009-2012	
	Drinking water (human health)	Full support		2009-2012	
	Recreation	Full support			
Cherry Creek	Aquatic life	Partial support	Iron	TMDLs not started 2009-2012	
	Fisheries (non-salmonid)	Partial support	IIOII		
	Agriculture	Full support			
	Industry	Full support			

4-62 December 2008

Table 4-34 Impaired Waterbodies Crossed by Route B

Waterbody Name	State Water Quality Classification	Supports Use Designation	Impairment	Priority
	Drinking water (human health)	Full support		
	Recreation	Full support		
Milk River	Aquatic life	Not assessed		
	Fisheries (non-salmonid)	Not assessed		
	Agriculture	Partial support	Food coliform	TMDLs not
	Industry	Partial support	Fecal coliform	started
	Drinking water (human health)	Not supported	Lead; mercury	2009-2012
	Recreation	Threatened	Fecal coliform	
Missouri	Aquatic life	Partial support	Alteration in stream-side or littoral	
River	Fisheries (marginal salmonid)	Partial support	vegetative cover; other flow regime alterations; temperature, water	TMDLs not
	Agriculture	Full support		
	Industry	Full support		2009-2012
	Drinking water (human health)	Full support		
	Recreation	Full support		
Middle Fork	Aquatic life	Partial support	Alteration in stream-side or littoral	TMDLs not
Prairie Elk Creek	Fisheries (non-salmonid)	Partial support	vegetative cover; phosphorus (total); physical substrate habitat alterations; total Kjehldahl nitrogen	
	Recreation	Not assessed		started
	Marginal agriculture	Not reported		2009-2012
	Marginal industry	Not reported		
	Marginal drinking water (human health)	Not reported		
East Fork	Aquatic Life	Partial support	Alteration in stream-side or littoral	
Prairie Elk Creek	Fisheries (non-salmonid)	Partial support	vegetative cover; phosphorus (total); physical substrate habitat alterations; total Kjehldahl nitrogen TMDL started 2009-2	
	Recreation	Not assessed		
	Marginal agriculture	Not reported		
	Marginal industry	Not reported		
	Marginal drinking water (human health)	Not reported		

4-63 December 2008

Table 4-34 Impaired Waterbodies Crossed by Route B

Waterbody Name	State Water Quality Classification	Supports Use Designation	Impairment	Priority	
Yellowstone	Aquatic life	Not assessed			
River	fisheries (non-salmonid)	Partial support	Fish-passage barrier		
	agriculture	Full support		TMDL not	
	Industry	Full support		required	
	Drinking water (human health)	Not assessed			
	Recreation	Not assessed			
Cabin	Aquatic life	Not supported	Oxygen, dissolved;		
Creek	Fisheries (non-salmonid)	Not supported	sedimentation/ siltation; total Kjehldahl nitrogen		
	Recreation	Full support		TMDLs not	
	Agriculture	Not assessed		started 2009-2012	
	Industry	Not assessed			
	Drinking water (human health)	Not assessed			
Pennel	Aquatic life	Partial support	Total dissolved solids		
Creek	Fisheries (non-salmonid)	Partial support			
	Recreation	Full support		TMDLs not	
	Agriculture	Not assessed		started 2009-2012	
	Industry	Not assessed		2009-2012	
	Drinking water (human health)	Not assessed			
Sandstone	Aquatic life	Partial support	Nitrate/nitrite (nitrite + nitrate as		
Creek	Fisheries (non-salmonid)	Partial support	n); total Kjehldahl nitrogen		
	Recreation	Full support		TMDLs not	
	Agriculture	Not assessed		started 2009-2012	
	Industry	Not assessed		2009-2012	
	Drinking water (human health)	Not assessed			

Source: Montana DEQ (2006).

Groundwater

Route B continues through Valley County, where several additional sensitive groundwater resources are encountered, including Cherry Creek, the Milk River, which is a highly sensitive groundwater resource in Montana, and the Missouri River. The shallow alluvial aquifer in the alluvium of the Missouri River is a highly sensitive groundwater resource in Montana because of the shallow depth to groundwater (less than 50 feet) and the considerable use of the groundwater.

4-64 December 2008

In McCone County, Route B crosses two aquifers, the upper Cretaceous Hells Creek/Fox Hills aquifer and the lower Tertiary Fort Union aquifer. Approximately one-third of Route B in McCone County is in the Hells Creek/Fox Hills outcrop area beginning south of the Missouri River in the dissected uplands. The remainder of Route B within McCone County is within the rolling upland plains underlain by the lower Tertiary aquifer.

The upper Cretaceous Hells Creek/Fox Hills aquifer has groundwater elevations in the range of 2,200 to 2,400 feet amsl (Whitehead 1996), with a TDS ranging from 500 to 1,800 mg/L dominated by sodium bicarbonate. The permeable sandstones of the lower one-third of the Hells Creek/Fox Hills aquifer contain a confined aquifer overlain by less permeable mudstones. The lower Tertiary Fort Union aquifer consists of interbedded sandstones, mudstones, shale, and coal seams. Groundwater elevations in the Fort Union in McCone County are in the range of 2,400 feet amsl in the northern part of the county to 2,800 feet amsl in the southeastern part of the county. Groundwater flow is to the northwest, toward the Missouri River. The Fort Union aquifer is mostly a confined aquifer that is found in sandstones interbedded with shales and mudstones. Water quality is variable with TDS ranging from 500 to as much as 5,000 mg/L, and sodium bicarbonate is the primary constituent (Busby et al. 1995). Water depths in the Fort Union range from 100 to 150 feet below ground surface (bgs) (Swenson and Drum 1955). Groundwater flow in the lower Tertiary Fort Union aquifer is mostly local in that flow is to local drainages from highland recharge areas.

Dawson, Prairie, and Fallon counties are part of the Lower Yellowstone aguifer system with groundwater resources in the lower Tertiary Fort Union Formation, linked to the lower Yellowstone River system. The Fort Union Formation is a shallow bedrock aguifer, and provides most of the groundwater used in all three counties. Major streams in the area, such as the Yellowstone, have considerable alluvial material along their banks and in terraces which contain important shallow aquifers used for water supply. The upper Cretaceous Fox Hills and Hell Creek formations underlie the lower Tertiary Fort Union at depths from 600 to 1,600 feet bgs. Groundwater flow in the Fox Hills and Hells Creek formations is confined and part of a regional flow system that directs groundwater flow to the lower Yellowstone River. Groundwater flow in the Fort Union Formation includes both local flow from higher topographic areas to local drainages and a general regional flow to the Yellowstone River. Groundwater elevations in the lower Tertiary Fort Union aguifer range from 2,600 to 3,000 feet amsl. The Yellowstone River acts as a regional drain for groundwater in the Fort Union aguifer, because a groundwater low area exists along the course. Groundwater elevations in the underlying upper Cretaceous Fox Hills/Hells Creek aquifer range from 2,200 to 2,800 feet amsl. Groundwater levels in the alluvial aquifers adjacent to the lower Yellowstone River are in the range of 2,000 to 2,200 feet amsl (Smith 1998). Water quality is similar to river water quality, consisting of calcium bicarbonate water with TDS ranges from 1,000 to 1,500 mg/L. Wells in the Fort Union aguifer yield an average of 10 gpm, and water is dominated by sodium bicarbonate, with a TDS range of 500 to 5,000 mg/L. Average TDS is about 1,670 mg/L (Smith et al. 2000). Water in the Fox Hills aguifer also is sodium bicarbonate dominated, but the TDS ranges from 1,000 to 2,500 mg/L, averaging about 1,460 mg/L (Smith et al. 2000). About 60 percent of all wells in these three counties are less than 200 feet deep (Smith 1998), and the maximum well depth is around 400 feet (Smith et al. 2000).

Through these three counties, Route B crosses a few streams with shallow alluvial aquifers which could be considered sensitive groundwater areas. The crossings at the Yellowstone River and Sandstone Creek are the most sensitive groundwater areas. At the crossing of the lower Yellowstone River, the alluvial groundwater table is less than 50 feet bgs and the groundwater aquifer is a highly sensitive groundwater area in Montana because of the shallow groundwater table, the permeable unconsolidated alluvial material, and the use of the groundwater (Smith et al. 2000). This route crosses Sandstone Creek within 2 miles of Baker, Montana, where groundwater from both the Fort Union and the Fox Hills aquifers is used for public water supply. Also, the alluvium of Sandstone Creek contains a shallow aquifer. Crossing the alluvial plains of ephemeral creeks also may involve shallow alluvial aquifers that have water during the spring but may be mostly dry during the late summer and fall.

4-65 December 2008

Water Supplies and Wells

There was one SWPA associated with a municipal water system identified within 1 mile of Route B, three additional SWPAs within 1 to 3 miles, and two additional SWPAs within 3 to 5 miles of the route.

Floodplains

Zones along Route B in Montana of major interest from a regulatory floodplain perspective are indicated in **Table 4-35**.

Table 4-35 Significant Floodplains along Route B

Approximate Mileposts	Watercourse Associated with Floodplain
82.5 to 84.9	Milk River
86.9 to 90.0	Missouri River
146.1 to 146.8	Redwater River
194.8 to 196.0	Yellowstone River

Wetlands and Riparian Areas

Route B crosses 2.5 miles of wetlands that are located within the permanent ROW. Please see Section 4.3.3, Vegetation, for further discussion.

Hydrostatic Testing (Circular MFSA-2, Sections 3.8(1)(c)(iii)(D) and (E))

Potential hydrostatic water sources for Route B are contained in **Table 4-36**.

Table 4-36 Potential Hydrostatic Testing Water Sources and Drainage Basins for Route B

Approximate Location where Pipeline Crosses Water Source (Milepost)	Drainage Basins and Water Sources	
25.9	Frenchman Creek	
40.4	Willow Creek	
82.7	Milk River	
88.9	Missouri River	
146.5	Redwater River	
195.9	Yellowstone River	
201.9	Cabin Creek	
244.1	Sandstone Creek	
262.2	62.2 Little Beaver Creek	
281.2	Boxelder Creek	

4-66 December 2008

4.3.5.5 Impact Assessment – All Routes (Circular MFSA-2, Sections 3.6(5) and 3.7(18))

Surface Water Issues

- Water quality degradation from temporary increases in suspended solids concentrations during in-stream construction activities or erosion from disturbed lands;
- Increased sedimentation in streams resulting from in-stream construction or nearby activities;
- Channel and bank modifications that affect channel morphology and stability;
- Reduced flows in streams where water is withdrawn for hydrostatic testing; and
- Water quality degradation in streams, lakes, impoundments, or surface water-based public water supplies from pipeline spills or leaks, or from spills or leaks of fuel, lubricants, or hazardous materials during construction or operation.

Construction

Waterbody Crossings (Circular MFSA-2, Section 3.8(1)(g))

Depending upon the construction technique used, the installation of the pipeline across waterbodies can cause the following impacts:

- Temporary degradation of water quality in the form of increased suspended solids concentrations;
- Sedimentation (deposition of solids introduced into suspension by construction activities); and
- Channel and bank modifications.

Keystone is proposing the following water crossing techniques (see CMRP).

- HDD;
- Open cut wet crossings;
- · Open cut dry flumed crossings; and
- Open cut dry dam and pump crossings.

Since HDD does not involve any intended direct contact with the waterbody, channel bed, or banks, no impact is expected at these crossings. It is possible that a frac-out (drilling lubricant release) or inadvertent return of drilling lubricant could enter the waterbody. Open cut wet crossings involve the direct excavation of the channel and banks in contact with any flow present. HDD or dry crossing procedures will be considered at some crossings pending determination of crossing-specific resources (aquatic life), which may warrant extraordinary mitigation. At open cut wet crossings, the extent of increased suspended solids concentrations and downstream sedimentation impacts will depend on the flow conditions at the time of construction and the channel substrate. Measures related to managing spoil, timing, access, and equipment are included in the CMRP. These measures will limit impacts of increased suspended solids concentrations and downstream sedimentation. Most open cut crossings will be completed in 24 to 48 hours or less, dependent upon stream width. Larger open cut crossings may take upwards of 7 to 10 days.

Runoff and the resulting erosion of lands adjacent to waterbodies can lead to the introduction of solids into suspension and the deposition of sediment in-stream. The CMRP includes extensive procedures to limit the extent of disturbed land adjacent to waterbodies, to control erosion, and methods to prevent sediments from entering waterbodies or wetlands. These measures include BMPs, such as clearing limits, buffer strips, drainage diversion structures, and sediment barrier installations. Keystone will comply with the NPDES construction storm water permit process with respect to pipeline construction and operation. Keystone will

4-67 December 2008

develop and file a SWPPP as part of the NPDES construction stormwater permitting effort. This plan will include BMPs to minimize soil erosion and sedimentation.

Open cut crossings will involve disturbance of stream banks and channel bottoms. During construction of open cut crossings where stream flow is present, temporary increases in suspended sediment are likely due to this disturbance. The CMRP includes procedures for limiting the extent of this disturbance and the restoration of disturbed areas. Restoration includes grading, stabilization, and revetment BMPs. These BMPs embrace bioengineering concepts, which encourage the restoration of natural streambanks.

Streams listed by Montana DEQ as not attaining designated beneficial uses are crossed by each alternative. Among those crossed, the following streams contain impairments due to sedimentation/siltation: Big Muddy Creek on Route A, the Poplar River and Big Muddy Creek on Route A1A, Cabin Creek on Route B.

The pipeline will be constructed under flood management structures (levees and drainage ditches) as well as river channels with potential for lateral scour. The pipeline will be buried at an adequate depth under channels, adjacent floodplains, and flood protection levees to avoid pipe exposure caused by channel degradation and lateral scour. Determination of the pipeline burial depth will be based on site-specific channel and hydrologic investigations where deemed necessary.

Hydrostatic Test Water Withdrawal and Discharge

Depending on locations, state requirements, and availability, water will be obtained and withdrawn from nearby streams or privately owned reservoirs. Recycling water between test sections will reduce withdrawal volumes.

Water used for hydrostatic testing of the pipeline will be obtained from surface water resources. The volume for a 50-mile test section of 36-inch pipe is approximately 14 million gallons (43 acre-feet). Withdrawal rates and volumes will be designed to avoid impacts to aquatic life and downstream water users. Hydrostatic test water will be discharged to the land surface at an approved location to the same source from which it was removed. Discharged water may evaporate or infiltrate into the soil or drainage where the water is released.

If water is withdrawn from a sensitive surface water source during a low-flow period or at a time when particular flow are needed for other uses, habitat reductions for water-dependent resources (e.g., fisheries, aquatic invertebrates) could occur. A similar effect on surface water resources could occur if large withdrawals are made from aquifer zones that provide late-season baseflows to streams.

Streams listed by Montana DEQ as not attaining designated beneficial uses are crossed by each alternative. Among those crossed, the following streams contain impairments due to low flow alterations and are proposed as potential hydrostatic test water sources: Frenchman Creek on all routes and Big Muddy Creek on Routes A and A1A.

In accordance with the CMRP, hydrostatic test water withdrawals from surface waterbodies will be made at controlled rates and with equipment that will minimize impacts on stream beds and aquatic life. Keystone will coordinate with federal and state agencies to further identify such water sources and seasonal concerns. Similarly, discharges of hydrostatic testing waters will be made such that water quality requirements are met. Discharge controls will include restrictions on pipeline dewatering rates, velocity control devices (such as splash pups or diffusers), and/or temporary synthetic channel linings.

Water quality will not be reduced by pipe cleaning or hydrostatic test waters because discharged water will be required to meet water quality standards imposed by the discharge permits issued by Montana DEQ for the permitted discharge locations. Water discharge rates will not exceed the daily discharge criteria referenced in the permits.

4-68 December 2008

Spill Prevention

Refueling and lubricating of most construction equipment will be restricted to upland areas at least 100 feet away from the edge of any streams, wetlands, ditches, and other waterbodies and at least 150 feet away from groundwater wells. Wheeled and tracked construction equipment will be moved to an upland area more than 100 feet away from streams, wetlands, ditches, and other waterbodies for refueling when necessary. Fuels and lubricants will be stored in designated areas and in appropriate service vehicles. Whenever possible, storage sites for fuels, other petroleum products, chemicals, and hazardous materials, including wastes, will be located in uplands or at least 100 feet from waterbodies and wetlands. SPCC procedures are described in the CMRP and will be implemented in compliance with 40 CFR Part 112 (for oil spills) and corresponding state regulations.

In a few cases, such as for pumps or directional drill equipment located within or near a waterbody or wetland, refueling will be necessary within or near a waterbody or wetland. In these situations, protective measures identified in the SPCC portion of the CMRP will be followed.

Operation

Normal operations will not adversely affect water resources. Minor surface disturbance activities from pipeline inspection and maintenance may occur infrequently and at widely spaced locations.

Keystone will employ multiple safeguards to prevent a pipeline release. The chance of a spill occurring is very low and if a spill occurred, the volume is likely to be relatively small. In the unlikely event of a pipeline release, Keystone would initiate its ERP and emergency response teams would contain and clean up the spill. To minimize impacts to surface water resources, appropriate remedial measures will be implemented to meet federal and state standards designed to ensure protection of human health and environmental quality. Additional information on potential impacts to surface water resources resulting from a crude oil spill is provided in the Risk Assessment (Attachment D).

To reduce the amount of product that could enter surface waters, federal regulation (49 CFR Part 195.260(3)) stipulates that new pipelines must have valves installed on both sides of any waterbody that has at least a 100-foot width between ordinary high water marks. According to the Office of Pipeline Safety (OPS), intermittent and ephemeral streams are not considered waterbodies. In general, wetlands are not considered by the OPS to be waterbodies. Consequently, valves are required by OPS on both sides of the larger perennial streams. Keystone will comply with these OPS requirements. Valve locations, in addition to those required for major waterbody crossings, will be incorporated into the final design based upon the outcome of the risk assessment. These additional valves will further aid in minimizing the amount of material that could be released into other waterbodies in the unlikely event of a spill. The location of valves, spill containment measures, and Keystone's ERP will minimize adverse effects to perennial, intermittent, and ephemeral waterbodies, as well as to groundwater.

Groundwater Issues

• Groundwater quality degradation during or after construction from disposal of materials, pipeline spills, or leaks that seep into shallow aquifers used for domestic, agricultural, or public water supplies.

Construction

Reductions in groundwater quality from spills, leaks, or disposal practices are not anticipated during construction. Most of the aquifers along the route will be at least temporarily isolated from any spills on the land surface and attending personnel will be able to respond to an incident before contaminants migrate into groundwater. In areas with near-surface groundwater or in areas adjacent to surface waterbodies, additional procedures and measures will be implemented as presented in the CMRP.

4-69 December 2008

Operation

While routine operation of the Project will not affect groundwater resources, there is the possibility that a crude oil release could migrate through near-surface materials and enter a water-bearing zone or system. All SWPAs within 5 miles of all alternatives have been identified and are discussed in Sections 4.3.5.2, 4.3.5.3, and 4.3.5.4.

Keystone will employ multiple safeguards to prevent a pipeline release. The chance of a spill occurring is very low and if a spill occurred, the volume is likely to be relatively small. In the unlikely event of a pipeline release, Keystone would initiate its ERP and emergency response teams would contain and clean up the spill. To minimize impacts to groundwater resources, appropriate remedial measures will be implemented to meet federal and state standards designed to ensure protection of human health and environmental quality. Additional information on potential impacts to groundwater resources resulting from a crude oil spill is provided in the Risk Assessment (Attachment D).

Wetlands Issues

- Potential modifications in wetland productivity because of modifications to surface and subsurface flow patterns from pipeline construction;
- Temporary and permanent modifications in wetland vegetation community composition and structure from clearing and operational maintenance;
- Loss of wetlands due to backfilling or draining;
- Wetland soil disturbance:
- A temporary increase in turbidity and fluctuations in wetland hydrology; and
- Construction through prairie pothole areas could affect the water retaining substrate in these wetlands and result in permanent alterations to their water holding capacity.

Construction

Based on GIS analysis of the digitized land use layer, 2.5 miles of pipeline Route B will cross wetlands. Effects on wetland vegetation will be greatest during and immediately following construction. To mitigate the potential for these impacts, Keystone will implement the procedures outlined in the CMRP.

The construction ROW width will be reduced to 85 feet through certain wetlands to minimize potential effects. Keystone will restore or mitigate impacts to wetlands affected by construction activities, to the extent practicable. Pipeline construction through wetlands must comply, at a minimum, with USACE Section 404 Nationwide Permit (NWP) conditions.

For rivers that are crossed by the HDD method, streamside wetlands or floodplain forests will not be affected. Smaller streams and ephemeral or intermittent drainages will likely be open cut and wetlands located in these areas will be crossed by trenching. No permanent loss of wetlands will occur as a result of this Project; however, it is likely that a small fraction of forested wetland will be permanently converted to herbaceous wetland to facilitate aerial patrols of the permanent ROW. Trees will not be allowed to reestablish within 15 feet of either side of the pipeline centerline. Herbaceous vegetation in palustrine emergent wetlands is expected to reestablish to pre-construction levels within 1 to 5 years following the completion of reclamation, resulting in a short-term, temporary loss of vegetation and available habitat for some wildlife species.

As described in the CMRP, specific construction techniques will be used to retain the hydrological and vegetation characteristics of wetlands that will be disturbed by construction. These techniques will include segregation and replacement of wetland soils (except in areas of standing water, saturated wetlands, or where no topsoil is evident) so that soil profiles and native vegetation seed and rootstock will be reestablished to help

4-70 December 2008

ensure successful restoration and reestablishment of local drainage patterns to restore existing surface and subsurface water flow patterns.

Operation

Woody vegetation in forested wetlands will be removed periodically above the pipeline (approximately 15 feet on each side of the centerline) to maintain visibility of the area above the pipeline for aerial pipeline observation and to permit access to all areas along the pipeline in the event of an emergency.

4.3.5.6 Summary of Route-Specific Water Resources Impacts

Route-specific impacts for water resources are summarized in **Table 4-37**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

Table 4-37 Summary of Route-Specific Water Resources Impacts

		Route Alternatives	
Resource	Route A	Route A1A	Route B
Miles of Pipe			
Steele City Segment	919.7	951.3	850.7
Portion in Montana	180.7	205.5	282.7
Water Resources			
Perennial waterbodies crossed	Route A crosses 5 perennial streams.	Route A1A crosses 10 perennial streams.	Route B crosses 13 perennial streams.
Wetlands crossed (miles)	Route A crosses 0.86 mile of wetlands.	Route A1A crosses 2.50 miles of wetlands.	Route B crosses 5.27 miles of wetlands.
Floodplains crossed (miles)	Route A crosses 5.1 miles of floodplains.	Route A1A crosses 9.7 miles of floodplains.	Route B crosses 7.4 miles of floodplains.
Impaired waterbodies crossed	Route A crosses three impaired waterbodies (including one with sedimentation/siltation as impairment).	Route A1A crosses four impaired waterbodies (including two with sedimentation/siltation as impairment).	Route B crosses 11 impaired waterbodies (including one with sedimentation/siltation as impairment).
Surface water protection areas	Route A crosses one surface water protection area within 1 mile; zero within 5 miles.	Route A1A crosses zero surface water protection areas within 1 mile; two within 1 to 3 miles; one additional within 3 to 5 miles.	Route B crosses one surface water protection area within 1 mile; three within 1 to 3 miles; two additional within 3 to 5 miles.

References

Busby, J. F., B. A. Kimball, J. S. Downey, and K. D. Peter. 1995. Geochemistry of Water in Aquifers and Confining Units of the Northern Great Plains in Parts of Montana, South Dakota, North Dakota, and Wyoming. U.S. Geological Survey Prof. Paper 1402-F.

4-71 December 2008

- Federal Emergency Management Agency (FEMA). 2005. National Flood Insurance Program, Flood Insurance Definitions. Website: http://www.fema.gov/nfip/19def2.htm.
- Fenneman, N. H. 1928. Physiographic Divisions of the United States. Annals of the Association of American Geographers, Vol. 18, No. 4, (December 1928), pp. 261-353.
- Libmeyer, D. H. 1985. Freshwater Heads and Groundwater Temperatures in the Aquifers of the Northern Great Plains in Parts of Montana, North Dakota, South Dakota, and Wyoming. U.S. Geological Survey Professional Paper 1402-D.
- Montana Department of Environmental Quality (Montana DEQ). 2006. 2006 Integrated 303(d)/305(b) Water Quality Report for Montana. Montana Department of Environmental Quality, Water Quality Planning Bureau, Helena, Montana. Website: http://cwaic.mt.gov/wq_reps.aspx?yr=2006qryld=37017. (Accessed August 6, 2007.)
- National Park Service (NPS). 2008. Nationwide Rivers Inventory, National Center for Recreation and Conservation. Website: http://www.nps.gov/ncrc/programs/rtca/nri/index.html. (Accessed October 9, 2008.)
- Seaber, P. R., F. P. Kapinos, and G. L. Knapp. 1994. Hydrologic Unit Maps. U.S. Geological Survey, Water-Supply Paper 2294. Second printing, U.S. Government Printing Office, Washington, D.C.
- Smith, L. N. 1998. Geologic framework of hydrologic units in the lower Yellowstone River area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1, Part B, Map 1.
- Smith, L. N., J. I. LaFave, T. W. Patton, J. C. Rose, and D. A. McKenna. 2000. Groundwater Resources of the Lower Yellowstone River Area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1.
- Swenson, F. A. and W. H. Drum. 1955. Geology and Groundwater Resources of the Missouri River Valley in Northeastern Montana. U.S. Geological Survey Water Supply Paper 1263.
- Whitehead, R. L. 1996. Groundwater Atlas of the United States, Segment 8: Montana, North Dakota, South Dakota, and Wyoming. U.S. Geological Survey Hydrologic Atlas 730-I.

4.3.6 Geology

4.3.6.1 Baseline Data and Description of Routes – All Routes

Physiography, Topography, and Geology

Routes A, A1A, and B are located in the Great Plains physiographic province (Fenneman 1928). In eastern Montana, the Great Plains is divided into two major sections, the Glaciated Missouri Plateau and the Unglaciated Missouri Plateau. The Missouri Plateau is essentially a dissected plateau characterized by badlands, buttes and mesas, and exhumed mountain ranges such as the Black Hills. Routes A and A1A are entirely in the Glaciated Missouri Plateau; Route B is in the Glaciated Missouri Plateau from where it enters the US near Morgan, Montana. The glaciated area is generally of low relief compared to the unglaciated area which has more variety of landforms (Trimble 1980). The Glaciated Missouri Plateau is covered by glacial deposits, but the boundary between the glaciated and non-glaciated sections is not distinct because the glacial deposits thin gradually. Route B crosses the Unglaciated Missouri Plateau south from the vicinity of Morgan, Montana, to the South Dakota state line. Elevations along Route B vary from 3,000 feet amsl in the northern and southeastern parts of the Project area to around 2,000 feet amsl at the Missouri River. Elevations along

4-72 December 2008

Routes A and A1A range from 2,000 to 2,500 feet amsl and the topography is low relief, even along major drainages such as the Poplar River.

The surficial deposits are primarily composed of Quaternary alluvium, colluvium, and glacial till. The alluvium primarily occurs in modern channels and floodplains, but also is present in older river terraces or in glacial deposits. Landslide deposits also are present in limited areas along the sides of drainages along Route B.

The bedrock geology consists of Upper Cretaceous and Tertiary rocks. **Tables 4-38**, **4-39**, and **4-40**, Bedrock Units, provide a description of the bedrock units that are crossed by the three routes. The Claggett Shale and the Bearpaw Shale were deposited under marine conditions and the Judith River Formation was deposited under marine to marginal marine conditions (Condon 2000). The Fox Hills Formation is a marginal marine sandstone that has widespread distribution throughout the Northern Rocky Mountain basins from northeast Colorado to Montana. Overlying the Fox Hills Formation is the Hell Creek Formation, which was deposited under non-marine conditions in depositional environments of river channels, floodplains, and lakes.

The Tertiary section is primarily represented by various members of the Fort Union Formation, which was deposited under non-marine conditions similar to the Hell Creek Formation in river channels, floodplains, and lakes. Both the Hell Creek and Fort Union Formations appear to have been sourced by uplift and erosion of emerging Rocky Mountains to the west and south of the Project area (McDonald 1971). The Flaxville Formation is thought to be Miocene in age and was deposited by braided streams sourced to the west and southwest (Leckie 2006).

The entire route crosses the western fringe of the Williston Basin, a major structural basin that covers northeastern Montana, most of North Dakota, and northwestern South Dakota (Peterson and MacCary 1987). The Williston Basin also extends north into Saskatchewan and Manitoba in southern Canada. The basin contains about 15,000 feet of Paleozoic through Tertiary sedimentary rock. The center of the basin is located in western North Dakota and in the Project area, the rocks dip gently towards the east and northeast. Major structural features crossed by the proposed routes include the Hinsdale, Weldon-Brockton, and Poplar Fault Zones or Lineaments and the Cedar Creek Anticline. The fault zones or lineaments extend into the Precambrian basement (ancient rocks that lie beneath the sedimentary rock section). These fault zones are thought to have influenced sedimentation patterns in the basin, but are not thought to be active at present (Fischer 2005). The Cedar Creek Anticline is a northwest to northeast trending anticlinal structure in southeastern Montana and extends into the southwestern corner of North Dakota and the northwestern corner of South Dakota (Clement 1987). The Cedar Creek Anticline is 145 miles long and 6 to 20 miles wide. Route B is located on the southwest flank of the Cedar Creek Anticline and generally parallels the strike of the anticline.

Mineral Resources

The major energy mineral resources in the Project area are oil, natural gas, and coal (Montana Bureau of Mines and Geology 1963). Uranium deposits also are present, but do not represent an important resource. The major non-fuel mineral resources are sand, gravel and bentonite (Montana Bureau of Mines and Geology/USGS 2004; Kennedy 1990). The Williston Basin is a major oil and gas producing basin. In the US-portion of the basin, total production to the end of 2007 was approximately 2.5 billion barrels of oil and 470 billion cubic feet of gas (Burke 2006; Montana Board of Oil and Gas 2007; North Dakota Industrial Commission 2007; South Dakota Oil and Gas Section 2008). Oil production decline in the 1990s has been offset in recent years by technological advances, which have allowed for increased production from the Bakken Formation, which has an estimated technically recoverable resource of 3.7 billion barrels of oil and 1.9 trillion cubic feet of gas (USGS 2008a). The pipeline route crosses only a few oil and gas producing areas since the route lies on the western edge of the basin. **Tables 4-41**, **4-42**, and **4-43** list the wells that are within 1,320 feet of Routes A, A1A, and B, respectively.

4-73 December 2008

Table 4-38 Summary of Geologic and Paleontological Resources Along Route A

Geologic Formation (Fm)/Deposit (Map Symbol)	Period	Description	BLM PFYC System Class/Types of Fossils	Milepost(s)
Alluvium/colluvium (Qal), landslides (Qls), sand and gravel (Tsg)	Tertiary - Quaternary	Sand, gravel, and clay.	Class 2/Mammals.	Occur sporadically throughout route, alluvium primarily occurs along drainages and river crossings.
Sentinel Butte Member of Fort Union Fm. (Tfsb)	Tertiary - Paleocene	Primarily siltstone, mudstone, and claystone with lesser amounts of lignite and fine-grained sandstone. Can be up to 700 feet thick. Forms prominent bluffs.	with lesser amounts of lignite and fine-grained andstone. Can be up to 700 feet thick. Forms	
Tongue River Member of Fort Union Fm. (Tftr)	Tertiary - Paleocence	Poorly cemented sandstone interbedded with siltstone and mudstone and coal. Some coals have burned to form "clinker beds." Commonly eroded to badland topography. Thickness 400 to 650 feet.	Class 5/Plants, mammals and mollusks.	132.68 to 177.50 178.25 to 178.78
Lebo Member of Fort Union Fm. (Tfle)	Tertiary - Paleocene	Sandstone, siltstone, and mudstone interbedded with carbonaceous shale. Forms rolling hills. Thickness 180 to 300 feet.	Class 5/Mammals.	93.48 to 96.50 96.65 to 105.49 108.47 to 116.75 116.88 to 117.42 129.77 to 132.68
Tullock Member of Fort Union Fm. (Tft)	Tertiary - Paleocene	Sandstone, claystone, and carbonaceous shale and thin isolated coal beds. Thickness 200 to 300 feet.	Class 5/Invertebrates and vertebrates (fish, amphibians, reptiles, birds, mammals).	93.20 to 93.48 96.50 to 96.65 105.49 to 108.47 116.75 to 116.88 117.42 to 122.48 128.4 to 129.77

4-74 December 2008

Table 4-38 Summary of Geologic and Paleontological Resources Along Route A

Geologic Formation (Fm)/Deposit (Map Symbol)	Period	Description	BLM PFYC System Class/Types of Fossils	Milepost(s)
Hell Creek Fm/Fox Hills Fm. (Khc/Kfh)	Upper Cretaceous	Hell Creek Fm Shale, mudstone, and lenticular coal beds. Forms badland topography. Contact with underlying Fox Hills Fm. is gradational and sometimes not distinguishable. Thickness 300 to 400 feet. Fox Hills Fm - Thin interbedded sandstone, siltstone, and clay grading upward to poorly consolidated sandstone. Thickness 200 feet.	Hell Creek - Class 5/Large numbers of plants and terrestrial vertebrates (fish reptiles, dinosaurs), invertebrates (mollusks), and plants. Fox Hills - Class 3/Contains marine vertebrates and invertebrates. Lesser occurrence of plants and terrestrial vertebrates (reptiles, dinosaurs, mammals).	75.90 to 76.90 77.22 to 77.60 78.39 to 79.38 80.21 to 83.47 84.15 to 84.23 84.51 to 93.20 112.48 to 128.40
Bearpaw Fm. (Kb)	Upper Cretaceous	Bentonitic mudstone and shale with fossiliferous concretions containing. Thickness 1,100 feet or more. The Pierre shale is the eastern equivalent to the Claggett, Judith River, and Bearpaw Fms.	Class 3/Commonly contains marine invertebrates (ammonites and pelecypods) and vertebrates.	0.00 to 1.15 3.55 to 23.32 28.46 to 29.32 20.38 to 32.34 32.83 to 38.91 39.76 to 39.91 40.66 to 75.90 76.90 to 77.22 77.60 to 78.39 79.38 to 80.21 83.47 to 84.15 84.23 to 84.51
Judith River Fm. (Kjr)	Upper Cretaceous	Sandstone, siltstone, mudstone, shale, and coal or lignite. Thickness up to 600 feet.	Class 5/Contains a variety of vertebrate fossils including fish, turtles, crocodiles, dinosaurs, and mammals. Also invertebrates and plants.	1.15 to 3.55 23.32 to 24.82 25.22 to 28.46 29.32 to 30.38 32.34 to 32.83 38.91 to 39.76 39.91 to 40.66

4-75 December 2008

Table 4-38 Summary of Geologic and Paleontological Resources Along Route A

Geologic Formation (Fm)/Deposit (Map Symbol)	Period	Description	BLM PFYC System Class/Types of Fossils	Milepost(s)
Claggett Shale (Kcl)	Upper Cretaceous	Shale and siltstone with bentonite beds near the base. Thickness up 200 to 500 feet.	Class 3a/Reptiles, dinosaurs, plants and invertebrates.	24.82 to 25.22

Source: Bergantino 2001, 2003; Bergantino and Wilde 1998a,b,c,d; BLM 1992; 2006; Condon 2000.

4-76 December 2008

Table 4-39 Summary of Geologic and Paleontological Resources Along Route A1A

Geologic Formation (Fm)/Deposit (Map Symbol)	Period	Description	BLM PFYC System Class/Types of Fossils	Milepost(s)
Alluvium/colluvium (Qal), sand and gravel (Tsg)	Tertiary - Quaternary	Sand, gravel, and clay.	Class 2/Mammals.	Occur sporadically throughout route, alluvium primarily occurs along drainages and river crossings.
Sentinal Butte Member of Fort Union Fm. (Tfsb)	Tertiary - Paleocene	Primarily siltstone, mudstone, and claystone with lesser amounts of lignite and fine-grained sandstone. Can be up to 700 feet thick. Forms prominent bluffs.	Primarily siltstone, mudstone, and claystone With lesser amounts of lignite and fine- grained sandstone. Can be up to 700 feet Class 5/Mammals. 1	
Tongue River Member of Fort Union Fm. (Tftr)	Tertiary - Paleocence	Poorly cemented sandstone interbedded with siltstone and mudstone and coal. Some coals have burned to form "clinker beds." Commonly eroded to badland topography. Thickness 400 to 650 feet.	Class 5/Plants, mammals, and mollusks.	114.42 114.59 116.54 to 155.10 156.52 to 192.58 192.86 to 195.96
Lebo Member of Fort Union Fm. (Tfle)	Tertiary - Paleocene	Sandstone, siltstone, and mudstone interbedded with carbonaceous shale. Forms rolling hills. Thickness 180 to 300 feet.	Class 5/Mammals.	87.43 to 90.79 98.17 to 98.29 99.43 to 99.94 100.28 to 109.01 112.71 to 114.42 114.59 to 116.54 155.10 to 156.52
Tullock Member of Fort Union Fm. (Tft)	Tertiary - Paleocene	Sandstone, claystone, and carbonaceous shale and thin isolated coal beds. Thickness 200 to 300 feet.	Class 5/Invertebrates and vertebrates (fish, amphibians, reptiles, birds, mammals).	83.09 to 87.43 90.79 to 91.76 97.61 to 98.17 98.29 to 99.43 99.94 to 100.28 109.10 to 110.44 111.21 to 112.71

4-77 December 2008

Table 4-39 Summary of Geologic and Paleontological Resources Along Route A1A

Geologic Formation (Fm)/Deposit (Map Symbol)	Period	Period Description		Milepost(s)
Hell Creek Fm/Fox Hills Fm. (Khc/Kfh)	Upper Cretaceous	Hell Creek Fm Shale, mudstone, and lenticular coal beds. Forms badland topography. Contact with underlying Fox Hills Fm. is gradational and sometimes not distinguishable. Thickness 300 to 400 feet. Fox Hills Fm Thin interbedded sandstone, siltstone, and clay grading upward to poorly consolidated sandstone. Thickness 200 feet.	Hell Creek - Class 5/Large numbers of plants and terrestrial vertebrates (fish reptiles, dinosaurs), invertebrates (mollusks), and plants. Fox Hills - Class 3/Contains marine vertebrates and invertebrates. Lesser occurrence of plants and terrestrial vertebrates (reptiles, dinosaurs, mammals).	71.95 to 73.32 73.37 to 73.55 74.67 to 83.09 91.76 to 97.61 110.44 to 111.21
Bearpaw Fm. (Kb)	Upper Cretaceous	Bentonitic mudstone and shale with fossiliferous concretions containing. Thickness 1,100 feet or more. The Pierre shale is the eastern equivalent to the Claggett, Judith River, and Bearpaw Fms.	c mudstone and shale with bus concretions containing. s 1,100 feet or more. The Pierre he eastern equivalent to the Class 3/Commonly contains marine invertebrates (ammonites and pelecypods) and	
Judith River Fm. (Kjr)	Tm. (Kjr) Upper Cretaceous Sandstone, siltstone, mudstone, shale, and coal or lignite. Thickness up to 600 feet. Class 5/Contains a variety of vertebrate fossils including fish, turtles, crocodiles, dinosaurs, and mammals. Also invertebrates and plants.		1.15 to 3.55 23.32 to 24.82 25.22 to 28.46 29.32 to 30.38 32.34 to 32.83 38.91 to 39.76 39.91 to 40.66	
Claggett Shale (Kcl)	Upper Cretaceous	Shale and siltstone with bentonite beds near the base. Thickness up 200 to 500 feet.	Class 3a/Reptiles, dinosaurs, plants and invertebrates.	24.82 to 25.22

Source: Bergantino 2001, 2003; Bergantino and Wilde 1998a,b,c,d; BLM 1992; 2006; Condon 2000.

Table 4-40 Summary of Geologic and Paleontological Resources Along Route B

Geologic Formation (Fm)/Deposit (Map Symbol)	Period	Description	BLM PFYC System Class/Types of Fossils	Milepost(s)
Alluvium/colluvium (Qal), landslides (Qls), sand and gravel (Tsg)			Class 2/Mammals.	Occur sporadically throughout route, alluvium primarily occurs along drainages and river crossings.
Flaxville Fm. (Tf)	Tertiary - Miocene	Sand and gravel.	Class 2/Mammals.	48.45 to 48.59
Ludlow Member of Fort Union Fm. (Tfl)	Tertiary - Paleocene	Primarily sandstone, siltstone, mudstone, carbonaceous shale and lignite, up to 460 feet thick.	Class 5/Mammals.	200.99 to 203.63 240.77 to 244.62 244.78 to 250.93 251.23 to 251.28 251.47 to 251.68 252.49 to 253.95 254.07 to 254.16 254.45 to 254.58 269.64 to 270.45 272.72 to 282.50
Tongue River Member of Fort Union Fm. (Tftr)	Tertiary - Paleocence	Poorly cemented sandstone interbedded with siltstone and mudstone and coal. Some coals have burned to form "clinker beds." Commonly eroded to badland topography. Thickness 400 to 650 feet.	nd mudstone and coal. Some and mollusks. ned to form "clinker beds." ded to badland topography.	
Lebo Member of Fort Union Fm. (Tfle)	Tertiary - Paleocene	Sandstone, siltstone, and mudstone interbedded with carbonaceous shale. Forms rolling hills. Thickness 180 to 300 feet.	Class 5/Mammals.	119.70 to 121.31 123.68 to 123.96 124.08 to 124.57 125.04 to 125.08 128.00 to 129.04

4-79 December 2008

Table 4-40 Summary of Geologic and Paleontological Resources Along Route B

Geologic Formation (Fm)/Deposit (Map Symbol)	Period	Description	BLM PFYC System Class/Types of Fossils	Milepost(s)
Tullock Member of Fort Union Fm. (Tft)	Tertiary- Paleocene	Sandstone, claystone, and carbonaceous shale and thin isolated coal beds. Thickness 200 to 300 feet.	Class 5/Invertebrates and vertebrates (fish, amphibians, reptiles, birds, mammals).	105.41 to 105.5 105.64 to 107.3 112.57 to 112.61 112.77 to 113.40 113.60 to 113.68 114.98 to 115.24 116.49 to 116.51 116.55 to 119.70 121.31 to 123.68 123.96 to 124.08 124.57 to 125.04 125.08 to 128.00
Hell Creek Fm/Fox Hills Fm. (Khc/Kfh)	Upper Cretaceous	Hell Creek Fm Shale, mudstone, and lenticular coal beds. Forms badland topography. Contact with underlying Fox Hills Fm. is gradational and sometimes not distinguishable. Thickness 300 to 400 feet. Fox Hills Fm Thin interbedded sandstone, siltstone, and clay grading upward to poorly consolidated sandstone. Thickness 200 feet.	Hell Creek - Class 5/Large numbers of plants and terrestrial vertebrates (fish reptiles, dinosaurs), invertebrates (mollusks), and plants. Fox Hills - Class 3/Contains marine vertebrates and invertebrates. Lesser occurrence of plants and terrestrial vertebrates (reptiles, dinosaurs, mammals).	91.55 to 105.41 105.5 to 105.64 107.3 to 112.57 112.61 to 112.77 113.4 to 113.60 113.68 to 114.98 115.24 to 116.49 116.51 to 116.55 244.62 to 244.78 250.93 to 251.23 251.28 to 251.47 251.68 to 252.49 253.95 to 254.07 254.16 to 254.45 254.58 to 257.92 258.97 to 269.64 279.45 to 272.72

4-80 December 2008

Table 4-40 Summary of Geologic and Paleontological Resources Along Route B

Geologic Formation (Fm)/Deposit (Map Symbol)	Period	Description	BLM PFYC System Class/Types of Fossils	Milepost(s)
Bearpaw Fm./Pierre Shale (Kb/Kp)	Upper Cretaceous	Bentonitic mudstone and shale with fossiliferous concretions containing thickness 1,100 feet or more. The Pierre shale is the eastern equivalent to the Claggett, Judith River, and Bearpaw Fms.	Class 3/Commonly contains marine invertebrates (ammonites and pelecypods) and vertebrates.	0.00 to 1.15 3.55 to 21.34 21.72 to 23.79 30.69 to 36.01 36.34 to 37.12 44.58 to 44.82 45.17 to 48.45 48.59 to 91.55 257.92 to 258.97
Judith River Fm. (Kjr)	Upper Cretaceous	Sandstone, siltstone, mudstone, shale, and coal or lignite. Thickness up to 600 feet.	Class 5/Contains a variety of vertebrate fossils including fish, turtles, crocodiles, dinosaurs, and mammals. Also invertebrates and plants.	1.15 to 3.55 21.34 to 21.72 23.79 to 30.69 36.01 to 36.34 37.12 to 38.96 39.47 to 40.16 41.44 to 44.58 44.82 to 45.17
Claggett Shale (Kcl)	Upper Cretaceous	Shale and siltstone with bentonite beds near the base. Thickness up 200 to 500 feet.	Class 3a ¹ /Reptiles, dinosaurs, plants and invertebrates.	38.96 to 39.47 40.16 to 41.44

Source: Bergantino 1999, 2001, 2003; BLM 1992; 2006; Condon 2000; Gill and Cobban 1966; SWCA 2008; Vuke and Colton 2003; Vuke et al. 2001, 2003; Wilde and Bergantino 2004; Wilde and Smith 2003a,b.

4-81 December 2008

Table 4-41 Oil and Gas Wells within 1,320 Feet of Route A

Milepost	Distance (feet)	Long.	Lat.	Operator	Status ¹	Field ²	County
17.59	1201 West	-107.31	48.80	Guyer, W.B.	P&A	WC	Phillips
20.12	95 West	-107.28	48.77	Pacific Enterprises Oil Co.	P&A	WC	Phillips
71.73	546 East	-106.26	48.55	Chevron USA. Inc.	P&A	WC	Valley
105.91	1064 West	-105.55	48.42	Placid Oil Company	P&A	Benrud, E	Roosevelt
105.95	198 East	-105.55	48.42	Sinclair Oil & Gas Company	P&A	WC	Roosevelt
106.01	964 West	-105.55	48.42	HNG Oil Company	P&A	WC	Roosevelt
106.21	191 East	-105.54	48.42	Chandler & Assoc., Inc.	P&A	WC	Roosevelt
107.58	109 West	-105.51	48.42	Equitable Res. Energy Company	P&A	WC	Roosevelt
108.08	441 East	-105.50	48.42	The California Company	P&A	WC	Roosevelt
108.86	796 West	-105.49	48.41	Mallon Oil Company	P&A	WC	Roosevelt
109.63	897 West	-105.47	48.41	Davis Oil Company	P&A	WC	Roosevelt
109.81	730 East	-105.47	48.41	Mallon Oil Company	P&A	WC	Roosevelt
109.92	765 West	-105.46	48.40	Oryx Energy Company	P&A	WC	Roosevelt
110.05	938 East	-105.46	48.41	Murphy Expl. & Prod. Company.	P&A	WC	Roosevelt
110.31	783 East	-105.46	48.41	Placid Oil Company	P&A	WC	Roosevelt
110.55	1292 East	-105.45	48.41	Amarex, Inc.	P&A	WC	Roosevelt
149.32	188 East	-104.64	48.28	Oil Dev. Company of Texas	P&A	WC	Roosevelt
149.33	205 East	-104.64	48.28	Hunt Petroleum, Inc.	P&A	WC	Roosevelt
170.80	236 West	-104.22	48.16	Noble Energy, Inc.	P&A	WC	Roosevelt
172.90	640 East	-104.18	48.15	Zoller & Danneburg Expl. Ltd.	P&A	WC	Roosevelt
172.92	533 East	-104.18	48.14	XOIL Inc.	Р	Bainville	Roosevelt
173.20	222 East	-104.18	48.14	St. Mary Land & Expl. Company	Р	Bainville	Roosevelt
174.80	880 West	-104.16	48.12	St. Mary Land & Expl. Co.	Р	Bainville II	Roosevelt
178.42	1293 West	-104.09	48.10	Zenergy Operating Company, LLC	Permit to Drill	WC	Roosevelt
178.51	1295 West	-104.09	48.10	Duncan, Raymond T.	P&A	WC	Roosevelt

¹ P&A – Plugged and Abandoned; P – Producing.

4-82 December 2008

² WC – Wildcat, no field designation.

Table 4-42 Oil and Gas Wells within 1,320 feet of Route A1A

Milepost	Distance (feet)	Long.	Lat.	Operator	Status ¹	Field ¹	County
17.59	1201 West	-107.31	48.80	Guyer, W.B.	P&A	WC	Phillips
20.12	95 West	-107.28	48.77	Pacific Enterprises Oil Company	P&A	WC	Phillips
76.26	198 East	-106.148293	48.648411	Armstrong Operating, Inc.	P&A	WC	Valley
106.51	658 East	-105.494915	48.673361	Nerdlihc Company, Inc.	SI	Cabaret Coulee	Daniels
107.76	708 East	-105.472640	48.662868	Pan Am Petroleum	P&A	WC	Daniels
119.08	132 West	-105.229632	48.653882	Adobe Res. Corp	P&A	WC	Daniels
124.72	114 West	-105.106980	48.651969	RME Petroleum Company	P&A	Smoke Creek	Daniels
152.12	1028 East	-104.523483	48.645999	SV Limited, A Colorado	P&A	Green Coulee	Sheridan
153.86	1195 West	-104.490507	48.640873	Northern Michigan Expl. Company	P&A	Green Coulee E	Sheridan
155.25	493 East	-104.459457	48.639488	Linn Operating, Inc.	Р	Wakea	Sheridan
155.30	812 East	-104.458009	48.640111	Linn Operating, Inc.	Р	Wakea	Sheridan
155.33	722 East	-104.457340	48.639722	Linn Operating, Inc.	Р	Wakea	Sheridan
155.90	233 East	-104.445994	48.637254	Oryx Energy Company	P&A	WC	Sheridan
157.02	1085 East	-104.421538	48.639376	Gulf Oil Corporation	P&A	WC	Sheridan
158.81	106 West	-104.413772	48.619285	Cenex #1359	P&A	WC	Sheridan
159.81	667 East	-104.414560	48.604726	Cenex, Inc.	P&A	Reserve	Sheridan
160.36	841 West	-104.422863	48.597656	Cenex #1359	P&A	Reserve	Sheridan
160.83	293 East	-104.420109	48.590399	Cenex, Inc.	P&A	Reserve	Sheridan
161.61	224 West	-104.425287	48.579544	Cenex #1359	P&A	Reserve	Sheridan
161.95	952 West	-104.429579	48.575105	Northern Oil Production, Inc.	P&A	Reserve	Sheridan
162.85	664 East	-104.426585	48.561401	Basic Earth Science Systems, Inc.	P&A	Reserve, South	Sheridan
163.47	1221 East	-104.428220	48.550502	Cenex #1359	P&A	Reserve	Sheridan
167.24	1129 East	-104.499239	48.521594	Oil Country Traders	WW	Honker	Sheridan
167.26	1229 East	-104.499384	48.521213	Slawson Exploration Company, Inc.	P&A	Honker	Sheridan
173.25	764 West	-104.538525	48.449482	Jayhawk Exploration Inc.	P&A	wc	Sheridan

4-83 December 2008

Table 4-42 Oil and Gas Wells within 1,320 feet of Route A1A

Milepost	Distance (feet)	Long.	Lat.	Operator	Status ¹	Field ¹	County
185.99	1000 East	-104.409006	48.299850	G3 Operating, LLC	Р	Froid, South	Roosevelt
186.03	1227 East	-104.407709	48.299847	G3 Operating, LLC	TA	Froid, South	Roosevelt
186.77	422 West	-104.401617	48.289044	Columbus Energy Corporation	P&A	WS	Roosevelt
197.63	359 West	-104.186851	48.249412	Harper Oil Company (Buckhorn Petroleum)	P&A	Burget, East	Roosevelt
197.88	1210 East	-104.181260	48.253532	ST Oil Company	Р	Burget, East	Roosevelt
200.62	1106 West	-104.122235	48.245182	Oasis Petroleum North America LLC	Р	Red Bank	Roosevelt
201.35	824 East	-104.106164	48.249935	B & R Development, Inc.	Р	Red Bank	Roosevelt
202.03	838 East	-104.091373	48.249469	Missouri Basin Well Service, Inc.	P&A	Red Bank	Roosevelt
202.43	1235 East	-104.080751	48.246425	Williston Industrial Supply Corp.	P&A	Red Bank	Roosevelt
202.68	723 East	-104.079221	48.242693	Williston Industrial Supply Corp.	AID	Red Bank	Roosevelt

¹ P&A – Plugged and abandoned.

WC – Wildcat, no field designation.

SI - Shut-in.

P – Producing.

WW - Converted to water well.

TA – Temporarily abandoned.

WS - Shallower pool wildcat.

AID - Active injection well.

4-84 December 2008

Table 4-43 Oil and Gas Wells within 1,320 feet of Route B

Milepost	Distance (feet)	Long	Lat	Operator	Status ¹	Field ²	County
17.66	350 West	-107.313143	48.801712	Guyer, W.B.	P&A	WC	Phillips
36.89	286 West	-107.039888	48.605994	Guyer, W.B.	P&A	WC Valley, E	Valley
45.51	399 West	-106.913381	48.518998	Seaboard Oil	P&A	WC Valley, E	Valley
130.64	170 East	-105.766937	47.613947	Rainbow Res. Inc.	P&A	WC	McCone
127.86	10 East	-105.820444	47.632156	Gulf Oil Corp.	P&A	WC	McCone
124.39	325 West	-105.863156	47.671766	Pioneer Prod.	P&A	WC	McCone
127.01	356 East	-105.825397	47.642980	Gulf Oil Corp.	P&A	WC	McCone
127.48	60 East	-105.825790	47.635786	Gulf Oil Corp.	P&A	WC	McCone
96.05	93 East	-106.258806	47.969621	Axem Res. Inc.	P&A	WC	McCone
256.90	274 West	-104.210889	46.226288	Artex Oil Co.	G-SI	WC	Fallon
259.65	110 East	-104.191231	46.189511	Artex Oil Co.	G-SI	WC	Fallon
261.10	218 East	-104.181908	46.169575	Warner, Frank A.	P&A	Plevna	Fallon
268.44	380 West	-104.155312	46.067152	Shell Oil Co.	P&A	WC	Fallon
264.25	392 West	-104.175491	46.125994	Sands Oil Co.	G-P	Plevna, South	Fallon
264.45	148 East	-104.168295	46.123299	Bowers Oil & Gas, Inc.	G-P	Plevna, South	Fallon
268.79	167 East	-104.146255	46.063951	Sands Oil Co.	G-SI	WC	Fallon
265.35	91 West	-104.170446	46.110220	Sands Oil Co.	G-SI	WC	Fallon
272.49	96 West	-104.119753	46.016059	Sands Oil Co.	G-P	Gas Light	Fallon
272.98	23 West	-104.119009	46.008905	Sands Oil Co.	G-P	Gas Light	Fallon
159.63	90 West	-105.361421	47.310197	Jackson, L	P&A	WC	Dawson

¹ P&A – Plugged and Abandoned; G-SI – Gas Shut in; G-P – Gas Producing.

4-85 December 2008

² WC – Wildcat, no field designation.

Route B crosses the Fort Union Coal region from just south of the Missouri River to the South Dakota state line (Averitt 1963). Routes A and A1A pass through the Fort Union Coal region in Roosevelt County, as well as Sheridan County for Route A1A. The coal in the Fort Union Formation is generally lignite in the Project area. To the southwest of Route B in the Powder River Basin, the coal becomes progressively higher rank to sub-bituminous and is mined extensively in that area of Montana as well as northeast Wyoming. No lignite mines are present along the proposed route. Lignite has been mined by surface and underground methods near Routes A and A1A, but no mining was reported after 1975 (Mudge et al. 1977).

In southeastern Montana, uranium-bearing lignites have been found in the Fort Union Formation (Weissenborn and Weiss 1963). While some fairly high-grade deposits have been identified in northeast Fallon County and northern Carter County, Route B does not intersect identified deposits. Lignite is not currently mined for uranium.

Bentonite, a clay derived from layers of volcanic ash, is present in mineable quantities in the Bearpaw Shale, but also occurs in other upper Cretaceous and Tertiary formations. Bentonite has variety of uses but is commonly used as a major constituent of drilling fluids and as a moisture absorbent. In the Project area, bentonite has been mined in an area known as the Chinook-Malta-Glasgow bentonite district (Kennedy 1990). There are a number of abandoned pits in the Glasgow-Malta area. Bentonite was mined and processed southeast of Glasgow beginning in 1976 (BLM 1992). The processing plant was shut down in 1979, but mining continued until 1985. According to the BLM, the bentonite claims have been abandoned. As of 2004, there was no bentonite mining in the area (Montana Bureau of Mines and Geology/USGS 2004).

Aggregate production occurs from local deposits in floodplains and glacial deposits. Sand and gravel deposits have been identified to the east of Route B in glacial sediments in the Fort Peck Indian Reservation and areas to the north (Weis 1963). Gravel deposits also are present along the Yellowstone River where the route crosses the river. For Routes A and A1A, sand and gravel are widespread in northeast Montana due to extensive Tertiary deposits, glacial deposits, and alluvium that contain sand and gravel. None of the routes cross aggregate mining operations.

Geologic Hazards

Seismic Hazards

There are three major phenomena associated with seismic hazards: Faults, seismicity, and ground motion. The following describes the potential for seismic hazard occurrence along the three routes. Section 4.3.6.2, Impact Assessment, discusses the potential impacts of seismic hazards to the proposed Project.

Faults are dislocations where blocks of earth material on opposite sides of the faults have moved in relation to one another. Rapid slippage of blocks of earth past each other can cause energy to be released, resulting in an earthquake. The Weldon-Brockton fault zone or lineament has surface expression in the Brockton-Froid Fault that has been defined as late Quaternary in age (Attachment A; Mapbook 4), generalized figure showing location of Brockton-Froid Fault) (USGS and Montana Bureau of Mines and Geology 2006). Late Quaternary means that movement has occurred in the last 300,000 years. The fault has been mapped ontrend with the Weldon-Brockton lineament 50 miles east of Route B in Roosevelt County, just north of Culbertson, Montana. The Brockton-Froid fault zone crosses Route A at Milepost 146.00 and crosses Route A1A in the vicinity of Milepost 146.00. The fault was mapped on the basis of surface features, shallow auger holes, and evidence obtained from oil and gas exploration data (Wheeler 1999). There is an indication of offset in older strata, but no evidence that would lead to a conclusion of movement on the fault in the last 10,000 years. An active fault is one in which movement can be demonstrated to have taken place within the last 10,000 years (USGS 2008b). Also, the evidence is not conclusive as to whether it is a fault. Some researchers think it is entirely an erosion feature in glacial deposits that cover the area.

Seismicity concerns the intensity, frequency, and location of earthquakes in a given area. Eastern Montana has historically had little earthquake activity (USGS 2008c,d). From 1973 to 2007, east of longitude

4-86 December 2008

110 degrees west, there were 14 earthquakes, 7 of which were not assigned magnitudes. The other 7 had magnitudes of 4.1 or less.

Ground motion hazards result when the energy from an earthquake is propagated through the ground. The USGS ground motion hazard mapping indicates that potential ground motion hazard in the proposed Project area is low. The hazard map used estimates peak ground acceleration expressed as a percentage of the acceleration of gravity with a 2 percent probability of exceedance in 50 years (Frankel et al 1997; Petersen et al. 2008).

Landslides

Landslide is a term used for various processes involving the movement of earth material down slopes (USGS 2004). Landslides can occur in a number of different ways in different geological settings. Large masses of earth become unstable and by gravity begin to move downhill. The instability can be caused by a combination of steep slopes, periods of high precipitation, undermining of support by natural processes (stream erosion), or unintentional undercutting or undermining the strength of unstable materials in the construction of roads and structures.

Cretaceous and Tertiary rocks in the Missouri River Plateau have high clay content and upon weathering can be susceptible to instability in the form of slumps and earth flows. Landslide potential is enhanced on steeper slopes. Formations that are especially susceptible are the Cretaceous-aged Claggett, Bearpaw, and Pierre Shales as well as shales in the Tertiary Fort Union Formation (Radbruch-Hall et al. 1982). These shale units can contain appreciable amounts of bentonite, a rock made up of montmorillonite clay that has deleterious properties when exposed to moisture.

The three routes are located in areas of varying landslide susceptibility and recorded incidence. Landslide susceptibility "refers to the likelihood of a landslide occurring in an area on the basis of terrain conditions," but does not take into account the probability of occurrence (National Research Council 2004). Incidence is based on the percentage of area involved in movement (low: less than 1.5 percent; moderate: 1.5 to 15 percent; and high: more than 15 percent) (Radbruch-Hall et al. 1982). **Tables 4-44, 4-45,** and **4-46** show the landslide incidence and susceptibility for Routes A, A1A, and B, respectively.

Table 4-44 Landslide Incidence and Susceptibility Along Route A

Pipeline Segment (Approximate Mileposts)	Landslide Incidence	Landslide Susceptibility	Approximate Mileposts where Slope Exceeds 15 Percent and is Underlain by Cretaceous Shale or Mapped Landslide Deposit
0.00 to 70.0	Low	High	0.02 to 0.08; 13.70 to 14.0; 16.30 to 16.60; 24.55 to 24.70; 25.50 to 25.61; 32.32 to 33.33; 38.93 to 39.02; 39.90 to 40.93; 46.47 to 46.51
70.0 to 127.0	Low	Low	
127.0 to 137.0	Low	High	82.37 to 82.68; 88.65 to 88.67; 89.05 to 89.11
137.0 to 170.0	Low	Low	
170.0 to 180.68	Moderate	Low	

Source: Bergantino 2001, 2003; Bergantino and Wilde 1998a,b; Condon 2000; National Atlas 2008; Radbruch-Hall et al. 1982.

4-87 December 2008

Table 4-45 Landslide Incidence and Susceptibility Along Route A1A

Pipeline Segment (Approximate Mileposts)	Landslide Incidence	Landslide Susceptibility	Approximate Mileposts where Slope Exceeds 15 Percent and is Underlain by Cretaceous Shale or Mapped Landslide Deposit
0.00 to 70.0	Low	High	0.02 to 0.08; 13.70 to 14.0; 16.30 to 16.60; 24.55 to 24.70; 25.50 to 25.61; 32.32 to 33.33; 38.93 to 39.02; 39.90 to 40.93; 46.47 to 46.51
70.0 to 195.00	Low	Low	97.00 to 97.06
195.00 to 205.47	Moderate	Low	

Source: Bergantino 2001, 2003; Bergantino and Wilde 1998a,b,c,d; Condon 2000; National Atlas 2008; Radbruch-Hall et al. 1982.

Table 4-46 Landslide Incidence and Susceptibility Areas Along Route B

Pipeline Segment (Approximate Mileposts)	Landslide Incidence	Landslide Susceptibility	Approximate Mileposts where Slope Exceeds 15 Percent and is Underlain by Cretaceous Shale or Mapped Landslide Deposit
0.0 to 82.3	Low	High	0.02 to 0.08; 13.70 to 14.00; 16.30 to 16.60; 21.50 to 21.70; 25.00 to 25.50; 26.00 to 26.40; 36.10 to 36.20; 38.90 to 39.10; 40.00 to 40.40; 41.40 to 41.60; 48.00 to 48.40; 55.00 to 55.20; 81.90 to 82.00
82.3 to 90.3	Low	Low	
90.3 to 116.5	Moderate	High	90.40 to 91.50; 93.90 to 94.10; 101.90 to 102.10; 112.50 to 112.60
116.5 to 282.6	Low	Low	

Source: Bergantino 1999, 2001, 2002; Condon 2000; National Atlas 2008; Radbruch-Hall et al. 1982; Vuke and Colton 2003; Vuke et al. 2001, 2003; Wilde and Bergantino 2004; Wilde and Smith 2003a,b.

Of particular concern for slope stability are Cretaceous shales that are present on slopes greater than 15 percent (Montana DEQ 2004). In the Project area, steeper slopes occur along the Missouri River valley walls and larger tributaries (Radbruch-Hall et al. 1982). Landslides are documented at Mileposts 39 and 90.4 to 91.5. At both of these locations, slumps have occurred at major drainages, the former at the Willow Creek crossing and the latter on the south side of the Missouri River Valley (Bergantino 2002, 1999). No landslide deposits have been identified along Route A or A1A. **Tables 4-44**, **4-45**, and **4-46**, respectively, present places on the proposed routes where slopes exceed 15 percent and are underlain by Cretaceous shale. These areas with steep slopes and underlain by Cretaceous shales may have more susceptibility to landslides than other areas.

Subsidence

No ground subsidence or karst hazards are present in the vicinity of any of the three proposed routes (National Atlas 2008).

Flooding

In general, seasonal flooding hazards exist where the proposed pipeline route would cross rivers and streams, and flash flooding hazards exist where the pipeline would cross localized drainages. Route B would cross 13 perennial streams and 445 intermittent streams all of which are locations where seasonal or flash flooding

4-88 December 2008

could occur. The stream and drainage crossings for Route B are listed in **Tables 4-22** and **Attachment G**. Route A would cross 5 perennial streams and 292 intermittent streams, all of which are locations where seasonal or flash flooding could occur. The stream and drainage crossings for Route A are listed on **Table 4-23** and **Attachment G**. Route A1A would cross 10 perennial streams and 255 intermittent streams, all of which are locations where seasonal or flash flooding could occur. The stream and drainage crossings for Route A1A are listed on **Table 4-23** and **Attachment J**.

Swelling Clays

The bentonite layers in the Claggett, Bearpaw, and Pierre Shales may present hazards associated with swelling clays (Olive et al. 1989). These formations are considered to have "high swelling potential." Bentonite has the property whereby when wet, it expands significantly in volume. When bentonite layers are exposed to successive cycles of wetting and drying, they swell and shrink, the soil fluctuates in volume and strength. Structures built on soil with high shrink-swell potential can be damaged as soils expand and shrink.

4.3.6.2 Impact Assessment

The Project may have potential adverse impacts on geological, mineral, and paleontological resources. In addition to the potential effects of the Project on the various resources, there are potential impacts of geological hazards to the Project. Impacts to geological resources or minerals would be considered significant and would require mitigation if construction and operation of the proposed pipeline and associated facilities (pump stations, meters, and valves) would:

- Adversely affect unique geological features that are protected under state or federal programs;
- Preclude or hinder the development of mineral resources; and
- Cause damage or loss of vertebrate or invertebrate fossils that are considered to have scientific importance by paleontologists.

Impacts of geological hazards to the Project would be significant if the hazard would:

- Hinder the construction in such a manner as to cause inordinate delays in schedule;
- Cause damage resulting in disruption of service; and
- Result in the spillage or release of reportable quantities of product that causes impact to soil and water resources.

Geology

Construction

<u>Issues</u>

• Disturbances to topography resulting in disruption of drainage.

The effects of construction would include disturbances to the topography along the proposed ROW and at aboveground facilities due to grading and trenching activities. Upon completion of construction, Keystone would restore topographic contours and drainage patterns as closely as possible to pre-construction conditions. Limited blasting would be required in areas where shallow bedrock or boulders were encountered that could not be removed by conventional excavation with a track hoe trencher, ripping with a bulldozer followed by track hoe excavation, or hammering with a track hoe-mounted hydraulic hammer followed by excavation. Blasting may be conducted where bedrock cannot be disaggregated by using hydraulic hammers or other machinery. In the event blasting is necessary, the CMRP has procedures for conducting blasting (see **Attachment C**).

4-89 December 2008

The construction techniques proposed in the CMRP are sufficient to minimize impacts and restore surface contours and no unavoidable adverse impacts to topography are expected.

Operation

Issues

No issues associated with geological resources were identified with operation.

Operation of the proposed pipeline and associated aboveground facilities would not materially alter the geologic and topographic conditions or worsen existing unfavorable geologic conditions in the area.

No unavoidable adverse impacts to geological resources would be anticipated due to operations.

Mineral Resources

Construction

Issues

Potential interference with existing mining or oil and gas operations.

The proposed routes cross several oil and gas fields. In addition, the routes may cross aggregate resources in alluvial valleys and terraces. Nevertheless, construction would have very minor and short-term impact on current mineral extraction activities due to the temporary and localized nature of pipeline construction activities. Several oil and gas wells were identified within or close to the proposed pipeline construction ROW (Tables 4-41, 4-42, and 4-43; tables showing oil and gas wells with 1,320 feet of each route). Construction activities potentially could damage wells, associated underground fluid lines and pipelines, and disrupt normal operations and routine maintenance. Also, damage to oil and gas facilities, if they should occur, could present health, safety, and contamination hazards. Abandoned wells also could be impacted since construction potentially could remove existing abandoned well markers and damage near-surface cement plugs. Because oil and gas are produced from depths of more than 1,000 feet, construction of the pipeline would not be expected to affect the oil and natural gas producing formations. Rather, any construction-related impacts would be limited to surface or near-surface components of the wells and gathering systems, which would temporarily disrupt production until repairs are made. Prior to construction, Keystone would identify the exact locations of active, shut-in, and abandoned wells and any associated underground pipelines in the construction ROW and take appropriate precautions to protect the integrity of such facilities. Keystone also would abide by utility locate rules in Montana and conduct due diligence to identify and contact all oil and gas well operators and pipeline gathering system owners prior to construction activities.

Potential impacts to surface mineral extraction operations, if any, would be limited to temporary short-term encumbrances during construction and would be minimized by Keystone working with the owners and/or operators of oil and gas facilities during ROW negotiations and facilities construction. Because construction of the pipeline would be limited to near-surface disturbance, the proposed Project would not impact oil and gas production. Construction of the pipeline would not result in an irretrievable commitment of mineral resources or unavoidable adverse impacts to mineral resources.

Operation

<u>Issues</u>

- Potential for reduced access to underlying minerals;
- Potential interference with future mining operations; and

4-90 December 2008

 Potential subsidence over underground mined-out voids leading to loss of ground support and damage or breakage of pipe.

Long-term operation of a pipeline has the potential to preclude access to mineral resources. Because the pipeline is a narrow linear feature, it is not expected present a hindrance to access to oil and gas resources. Although the proposed route is in an area of potential exploitable minerals (lignite and sand and gravel), no current plans to mine such resources were identified. No active or abandoned underground mine workings were identified along the proposed route, therefore, ground subsidence issues associated with underground mining are not a concern.

Operation of the proposed Project would not have a significant added impact on current or future mineral recovery operations in the area, generally because of the lack of identified mineral resources other than oil and gas. Additionally, impacts on future mineral development would not constitute a significant loss of mineral resource or mineral availability because of the narrow, linear nature of the pipeline ROW relative to the expanse of areas with mineral resource potential. It is anticipated that the pipeline trench would be backfilled with materials derived from the trench excavation, and it might be necessary to obtain some construction sand and gravel from local, existing commercial sources for use as pipe padding, road base, or surface facility pads. These demands for sand and gravel would not substantially affect the long-term availability of construction materials in the area.

Geologic Hazards

Construction

Issues

 Potential damage to the pipeline and the safety of the workers due to geological hazards encountered during construction.

The main hazard of concern during construction of the pipeline would be from unintentional undercutting of slopes or construction on steep slopes resulting in instability that would lead to landslides. Other hazards may result from construction on Cretaceous shales that contain bentonite beds. The high swelling hazard may cause slope instability during periods of precipitation. When selecting the proposed pipeline route, Keystone will attempt to minimize the amount of steep slopes crossed by the pipeline. Special pipeline construction practices described in the CMRP would minimize slope stability concerns during construction.

Measures to reduce risks from landslides involve surveying areas identified as medium landslide susceptibility or higher by qualified individuals to assess site-specific landslide risks. Avoidance of steep slopes may be all that is needed to lessen the risk. If a re-route is not possible, there may be a number of engineering remedies depending on site-specific conditions. Those remedies can include, but are not limited to, re-direction of surface and groundwater away from unstable areas, construction of retaining walls, or removal of unstable materials. Pipeline installation techniques, using padding and rock-free backfill can protect the pipeline from minor earth movements. Also, orientation of the pipeline along the long axis of a slope face would minimize the overall energy to which a segment of pipe would be exposed during a major landslide event.

Operation

Issues

- Potential damage to the pipeline and associated facilities from landslides and slope instability;
- Potential damage to the pipeline and associated facilities from earthquakes (ground motion) and ground displacement (fault movement);
- Potential damage to the pipeline and related facilities from ground subsidence;

4-91 December 2008

- Potential damage to the pipeline from flood scour; and
- Potential damage to facilities from swelling clay.

Landslides

Large ground failure can result in damage to pipeline and associated facilities. If landsliding is severe enough, loss of support to the pipeline could lead to catastrophic rupture of the pipeline. The proposed pipeline facilities would be designed and installed in accordance with 49 CFR Part 195, and Transportation of Hazardous Liquids by Pipeline (provisions for external stress on pipelines). During pipeline operations, movement or abnormal loading of pipe as a result of landslides that impairs the serviceability would be reported according to 49 CFR Part 195.55.

Seismicity

Potential seismic hazards to Project facilities would include strong ground shaking, surface faulting, or secondary ground deformation such as liquefaction and flow failure. Pipelines and aboveground facilities are capable of withstanding substantial ground motion. The proposed Project is in an area where the probability of a strong earthquake is low and ground motion hazard probability is low; there would be a low risk of related hazards of earthquake induced landslides. The proposed Project does not cross identified active faults so ground displacement due to fault movement is not a concern.

Flooding and Scour

Flooding hazards to Project facilities would include inundating surface facilities, debris flows, or scouring stream beds at the point of the pipeline crossing. Severe scouring often leaves exposed unsupported spans of pipe. In general, seasonal flooding hazards exist where the proposed pipeline route would cross major streams and rivers, and flash flooding hazards exist where the proposed pipeline would cross small watersheds. The proposed pipeline routes would cross perennial and ephemeral streams as identified in **Tables 4-22, 4-23**, and **4-24** and **Attachment J**. All these crossings are potential seasonal or flash flooding locations. Though flooding in and of itself does not represent a significant risk to buried pipelines, stream scour and mud/debris flows often accompanying flooding can impact pipelines by exposing and leaving unsupported spans of pipe. To minimize these effects, the proposed pipeline would be buried at a sufficient depth to avoid possible scour at waterbody crossings. In addition, regular visual inspection of the proposed pipeline route would be used to identify areas that would be potentially exposed after flood events. The aboveground facilities are not located within areas susceptible to flooding.

Swelling Clays

High-strength steel pipelines are not affected by swelling clays, but surface facilities like pump stations may be vulnerable to damage by swelling clays. Damage may include cracking and buckling of foundations, disruption of utility lines, and connections from pump stations to the mainline. Potential impacts due to swelling soils can be mitigated by conducting detailed geotechnical site investigations of pump station sites to define shrink-swell potential. If the hazard is present, excavation and removal of swelling clay and replacement with specification fill or pile placement can reduce or eliminate potential impacts. In addition, routing of drainage around foundations to avoid standing water also can help prevent hazards due to swelling clay.

In summary, a number of places along the routes have been identified as having a potential for landslides, slope instability, flood hazards, and swelling clay. Seismic and ground subsidence hazards are not expected to pose concerns. Appropriate engineering design and pipeline routing would reduce the potential effects that pipeline facilities would suffer from potential natural hazards during operation of the proposed facilities. Further, operation of the proposed Project and facilities is not expected to worsen unfavorable geologic conditions in the area.

4-92 December 2008

4.3.6.3 Summary of Route-Specific Geology Impacts

Route-specific impacts for Geology are summarized in **Table 4-47**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

Table 4-47 Summary of Route-Specific Geology Impacts

	Route Alternatives								
Resource	Route A	Route A1A	Route B						
Miles of Pipe									
Steele City Segment	919.7	951.3	850.7						
Portion in Montana	180.7	205.5	282.7						
Geology									
Physiography, topography, geology	There are no unique geological features along Route A.	Same as A.	Same as A.						
Mineral resources	There are 24 oil and gas well locations within 0.25 mile of Route A; 3 are active producers and 21 are abandoned. Route A crosses about 32.0 miles of deposits that may contain gravel resources.	There are 9 oil and gas well locations within 0.25 mile of Route A1A; 4 are active producers and 5 are abandoned or temporarily abandoned. There is one active injection disposal well within 0.25 mile of Route A1A. Route A1A crosses about 54.0 miles of deposits that may contain gravel resources.	There are 20 oil and gas well locations within 0.25 mile of Route B; 4 are active producers, 4 are shutin gas producers, and 12 are abandoned. Route B crosses about 34.0 miles of deposits that may contain gravel resources.						
Seismic hazards	None.	Same as A.	Same as A.						
Landslides	Route A crosses 90.0 miles of low incidence and low susceptibility areas; 80.0 miles of low incidence and high susceptibility areas, and 11.0 miles of moderate incidence and low susceptibility areas; and 2.5 miles where slopes exceed 15 percent on Cretaceous shale bedrock.	Route A1A crosses 125.0 miles of low incidence and low susceptibility areas; 70.0 miles of low incidence and high susceptibility areas, and 10.0 miles of moderate incidence and low susceptibility areas; and 2.0 miles where slopes exceed 15 percent on Cretaceous shale bedrock.	Route B crosses 175.0 miles of low incidence and low susceptibility areas; 82.0 miles of low incidence and high susceptibility areas, and less than 26.0 miles of moderate incidence and high susceptibility areas; and 4.0 miles where slopes exceed 15 percent on Cretaceous shale bedrock.						
Subsidence	None.	None.	None.						
Flooding	Route A crosses 5 perennial streams and 292 intermittent streams prone to seasonal or flash flooding.	Route A1A crosses 10 perennial streams and 255 intermittent streams prone to seasonal or flash flooding.	Route B crosses 13 perennial streams and 445 intermittent streams prone to seasonal or flash flooding.						


4-93 December 2008

Table 4-47 Summary of Route-Specific Geology Impacts

	Route Alternatives							
Resource	Route A	Route A1A	Route B					
Miles of Pipe								
Steele City Segment	919.7	951.3	850.7					
Portion in Montana	180.7	205.5	282.7					
Swelling clays	Route A crosses 69.0 miles of shale bedrock areas that may have bentonite layers.	Route A1A crosses 73.0 miles of shale bedrock areas that may have bentonite layers.	Route B crosses 76.0 miles of shale bedrock areas that may have bentonite layers.					

References

Averitt, P. 1963. Coal in Mineral and Water Resources of Montana, Montana Bureau of Mines and Geology Special Publication 28, May 1963. Digital version prepared in 2002-2003. Website: http://www.mbmg.mtech.edu/sp28/intro.htm. (Accessed July 30, 2008.)




4-94 December 2008

- _____. 1992. Judith Valley Phillips Resource Management Plan Environmental Impact Statement. Montana State Office, October 1992. Website: http://www.blm.gov/mt/st/en/prog/planning/JVP.html. (Accessed August 13, 2008.)
- Burke, R. B. 2006. Deep Gas production in North Dakota's Williston Basin Look Again (abstr). Website: http://www.searchanddiscovery.net/documents/2006/06088houston_abs/abstracts/burke.htm. (Accessed July 30, 2008.)
- Clement, J. H. 1987. Cedar Creek: A Significant Paleotectonic Feature of the Williston Basin <u>In</u>: J. A. Longman, (ed.), Williston Basin: Anatomy of a Cratonic Oil Province, Papers collected and edited by J. A. Peterson, D. M. Kent, S. B. Anderson, R. H. Pilaske, and M. W. Longman. The Rocky Mountain Association of Geologists, Denver, Colorado, 1987, p. 323-336
- Condon, S. M. 2000. Stratigraphic Framework of Lower and Upper Cretaceous Rocks in Central and Eastern Montana. U. S. Geological Survey Digital Data Series DDs-57.
- Fenneman, N. H. 1928. Physiographic Divisions of the United States. Annals of the Association of American Geographers, Vol. 18, No. 4, (December 1928), pp. 261-353.
- Fischer, D. W., J. A. LeFever, J. A. Sorensen, S. A. Smith, L. D. Helms, R. D. LeFever, S. G. Whittaker, E. N. Steadman, and J. A. Harju. 2005. The Influence of Tectonics on the Potential Leakage of CO₂ from Deep Geological Sequestration Units in the Williston Basin. Plains CO² Reduction Partnership, University of North Dakota. Website: http://www.netl.doe.gov/technologies/carbon_seq/partnerships/phase1/pdfs/InfluenceTectonicsPotenital.pdf. (Accessed July 29, 3008.)
- Frankel, A., C. Mueller, T. Barnhard, D. Perkins, E. V. Leyendecker, N. Dickman, S. Hanson, and M. Hopper. 1997. Seismic-hazard Maps for the Conterminous United States, Map C Horizontal Peak Acceleration with 2 Percent Probability of Exceedance in 50 Years, U.S. Geological Survey Open-File Report 97-131-F.
- Gill, J. R. and W. A. Cobban. 1966. The Red Bird Section of the Upper Cretaceous Pierre Shale in Wyoming, U.S. Geological Survey Professional Paper 393-A, 73 p.
- Hoganson, J. W. and J. Campbell. 2002. Paleontology of Theodore Roosevelt National Park, North Dakota Notes No. 9; North Dakota Geological Survey. Website: https://www.dmr.nd.gov/ndgs/NDNotes/ndn9 h.htm. (Accessed September 9, 2008.)
- Kennedy, B. B. 1990. Surface Mining. Society for Mining, Metallurgy, and Exploration (U.S.), 1206 p.
- Leckie, D. A. 2006. Tertiary Fluvial Gravels and Evolution of the Western Canadian Prairie Landscape (abstr.). http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6V6X-4KBDWMH-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_ur_lversion=0&_userid=10&md5=6bf0cfd3574e8a10019978f6ed2954db. (Accessed June 28, 2008.)
- McDonald, R. E. 1971. Eocene and Paleocene Rocks of the Southern and Central Basins, in Mallory, W. (ed.), 1972, Geologic Atlas of the Rocky Mountain Region, Rocky Mountain Association of Geologists, Denver, Colorado, p 243-256.
- Montana Board of Oil and Gas. 2007. Montana Oil and Gas Annual Reviews 1951 to 2006. Department of Natural Resources and Conservation of the State of Montana; Oil and Gas Conservation Division, billings Montana, 93 p. Website: http://bogc.dnrc.state.mt.us/annualreviews.asp. (Accessed July 30, 2008.)

4-95 December 2008

- Montana Bureau of Mines and Geology/U.S. Geological Survey. 2004. Mineral Industry of Montana. Website: http://minerals.usgs.gov/minerals/pubs/state/mt.html. (Accessed July 1, 2008.)
- Montana Bureau of Mines and Geology. 1963. Mineral and Water Resources of Montana, Montana Bureau of Mines and Geology Special Publication 28, May 1963. Digital version prepared in 2002-2003. Website: http://www.mbmg.mtech.edu/sp28/intro.htm. (Accessed July 30, 2008.)
- Montana Department of Environmental Quality. 2004. Application Requirements for Linear Facilities, Alternative Siting Study Baseline Study Impact Assessment. Montana DEQ Circular MFSA-2, 2004 edition.
- Mudge, M. R., M. Sokaski, D. D. Rice, and G. McIntyre. 1977. Status of Mineral Resource Information for the Fort Peck Indian Reservation, Northeastern Montana. Bureau of Indian Affairs Administrative Report 28.
- National Atlas. 2008. Website: http://nationalatlas.gov/maplayers.html?openChapters=chpgeol. (Accessed July 11, 2008.)
- National Research Council. 2004. Partnerships for Reducing Landslide Risk. The National Academies Press, Washington D.C., 144 p. Website: http://www.nap.edu/catalog.php?record_id=10946#toc. (Accessed August 1, 2008.)
- North Dakota Industrial Commission. 2007. Production Statistics. Website: https://www.dmr.nd.gov/oilgas/statisticsvw.asp. (Accessed July 30, 2008.)
- Olive, W. W., A. F. Chleborad, C. W. Frahme, J. Schlocker, R. R. Schneider, and R. L Shuster. 1989. Website: http://pilevoid.com/surevoid_web/soil_maps/reg_rm.html. (Accessed August 14, 2008.)
- Petersen, M. D., A. D. Frankel, S. C. Harmsen, C. S. Mueller, K. M. Haller, R. L. Wheeler, L. Russell., R. L. Wesson, L. Robert, Y. Zeng, O. S. Boyd, D. M. Perkins, N. Luco, E. H. Field, C. J. Wills, and K. S. Rukstales. 2008. Documentation for the 2008 Update of the United States National Seismic Hazard Maps: U.S. Geological Survey Open-File Report 2008–1128, 61 p.
- Peterson, J. A. and L. M. McCary. 1987. Regional Stratigraphy and General Petroleum Geology of the U.S. Portion of the Williston Basin and Adjacent Areas, in J. A. Longman (ed.), Williston Basin: Anatomy of a Cratonic Oil Province, Papers collected and edited by J. A. Peterson, D. M. Kent, S. B. Anderson, R. H. Pilaske, and M. W. Longman. The Rocky Mountain Association of Geologists, Denver, Colorado, 1987, p. 9-43.
- Radbruch-Hall, D. H., R. B. Colton, W. E. Davies, I. Lucchitta, B. A. Skipp, and D. J. Varnes. 1982. Landside Overview Map of the United States. U.S. Geological Survey Professional Paper 1183.
- South Dakota Oil and Gas Section. 2008. Historical Production Statistics. Website: http://www.state.sd.us/denr/DES/Mining/Oil&Gas/producti.htm. (Accessed July 30, 2008.)
- SWCA Environmental Consultants. 2008. Paleontological Assessment for Federal Land along the Montana Segment of the Keystone XL Pipeline Project. Prepared for ENSR Corporation and BLM, September 12, 2008; 312 p.
- Trimble, D. E. 1980. The Geologic Story of the Great Plains. U.S. Geological Survey Bulletin 1493.

4-96 December 2008



- U.S. Geological Survey and Montana Bureau of Mines and Geology. 2006. Quaternary Fault and Fold Database for the United States. Website: http://earthquakes.usgs.gov/regional/qfaults/. (Accessed July 31, 2008.)
- Vuke, S. M. and R. B. Colton. 2003. Geologic Map of the Terry 30' x 60' Quadrangle, Eastern Montana, Montana Bureau of Mines and Geology: Open File Report 477, 9 p., 1 sheet(s), 1:100,000.
- Vuke, S. M., E. M. Wilde, R. B. Colton, and M. C. Stickney. 2003. Geologic Map of the Wibaux 30' x 60' Quadrangle, Eastern Montana and Adjacent North Dakota, Montana Bureau of Mines and Geology: Open File Report 465, 11 p., 1 sheet(s), 1:100,000.
- Vuke, S. M., E. M. Wilde, R. N. Bergantino, and R. B. Colton. 2001. Geologic Map of the Ekalaka 30' x 60' Quadrangle, Eastern Montana and adjacent North and South Dakota, Montana Bureau of Mines and Geology: Open File Report 430, 1 sheet(s), 1:100,000.
- Weis, P. L. 1963. Sand and Gravel in Mineral and Water Resources of Montana, Montana Bureau of Mines and Geology Special Publication 28, May 1963. Digital version prepared in 2002-2003. Website: http://www.mbmg.mtech.edu/sp28/intro.htm. (Accessed July 30, 2008.)
- Weissenborn, A. E. and P. L. Weis. 1963. Uranium in Mineral and Water Resources of Montana, Montana Bureau of Mines and Geology Special Publication 28, May 1963. Digital version prepared in 2002-2003. Website: http://www.mbmg.mtech.edu/sp28/intro.htm. (Accessed July 30, 2008.)
- Wheeler, R. L. (compiler). 1999. Fault number 707, Brockton-Froid fault zone, in Quaternary Fault and Fold Database of the United States: U.S. Geological Survey. Website: http://earthquakes.usgs.gov/regional/qfaults. (Accessed July 31, 2008.)
- Wilde, E. M. and R. N. Bergantino. 2004. Geologic Map of the Fort Peck Lake East 30' x 60' Quadrangle, Eastern Montana, Montana Bureau of Mines and Geology: Open File Report 498, 10 p., 1 sheet(s), 1:100,000.
- Wilde, E. M. and L. M. Smith. 2003a. Geologic and Structure Contour Map of the Richey 30' x 60' Quadrangle, Eastern Montana, Montana Bureau of Mines and Geology: Open File Report 475, 9 p., 1 sheet(s), 1:100.000.

4-97 December 2008

_____. 2003b. Geologic Map of the Circle 30' x 60' Quadrangle, Eastern Montana, Montana Bureau of Mines and Geology: Open File Report 470, 5 p., 1 sheet(s), 1:100,000.

4.3.7 Soils

4.3.7.1 Baseline Data and Description of Routes

The Project route will be located within two land resource regions of soil resources in Montana. Generally, from north to south, these include the following (NRCS 2006):

- Northern Great Plains Spring Wheat Region; and
- Western Great Plains Range and Irrigated Region.

The Northern Great Plains Spring Wheat Region is located in the northern-most portion of the route, including portions of Montana and South Dakota. Much of this region has been topographically smoothed by continental glaciation and is blanketed by undulating till and level to gently rolling lacustrine deposits. The soils typically have thick, dark topsoils with mixed or smectitic mineralogy. Ustolls occur on uplands, and Aquolls occur in low wet areas and along streams. Some of the Ustolls have a high content of sodium, and some of the Aquolls have a high content of sodium and lime. Orthents occur on the steeper slopes. The soils in the region dominantly have a frigid soil temperature regime, an ustic or aquic soil moisture regime.

The Western Great Plains Range and Irrigated Region includes portions of Montana, South Dakota, and northern Nebraska. This region is an elevated piedmont plain dissected by numerous rivers flowing to the east. Slopes generally are gently rolling or rolling. Flat-topped, steep-sided buttes and badlands also occur in this region. The soils are varied and range from very deep organic soils to shallow soils with thin topsoil horizons. Most have mixed or smectitic mineralogy, but some have carbonatic mineralogy. Most of the soils in the region have a mesic or frigid soil temperature regime and an ustic or aridic soil moisture regime.

Summary Soil Characteristics

This section includes a description of the soil characteristics for the Project. The soil baseline characterization for the alternate routes is based on Soil Survey Geographic (SSURGO) database review and analyses. SSURGO is the most detailed level of soil mapping done by the NRCS (Soil Survey Staff 2007). This investigation focused on soil characteristics or limitations of particular interest to the proposed pipeline construction. The results of the SSURGO data assessment are shown in **Table 4-48**. Please refer to **Attachment K** for a detailed summary of soil map units crossed by each alternative route for each county.

Soils Common to All Montana Routes

The soils in the northern portion of Montana generally formed in glacial till. Some glacial lacustrine deposits occur and shale may be exposed on some uplands. Small areas of alluvial deposits occur along rivers and drainageways. The soils are generally very deep, well drained, and loamy or clayey. Soils such as Natrustalfs (Elloam and Thoeny series) and Haplustalfs (Phillips series) formed in till on till plains. Ustorthents (Hillon and Sunburst series) formed in till on till plains and hills. Argiustolls formed in till on till plains and hills (Bearpaw, Joplin, Scobey, Telstad, and Vida series) and in alluvium on alluvial fans, stream terraces, and hills (Ethridge and Evanston series). The freeze-free period averages ranges from 120 to 165 days (NRCS 2006).

Route A

The soils along this route in Montana generally formed in glacial till. Soils are typically very deep. The most common soil complex encountered along this route is the Williams-Zahill loams. These soils are very deep and occur on plains with slopes of 2 to 8 percent. The Williams-Zahill soils are compaction prone and can be calcareous. The Turner sandy loam also is common along this route. These soils occur on alluvial fans, stream terraces, and relict stream terraces. These soils have thick dark surfaces (NRCS 2008).

4-98 December 2008

Table 4-48 Summary of Sensitive Soils along the Proposed Keystone XL Project in Montana (Miles Crossed)

County	Total Miles ¹	Wind Erosion ²	Water Erosion ³	LRP ⁴	Hydric ⁵	Compaction Prone ⁶	Prime Farmland ⁷	Farmland of Statewide Importance ⁷	Shallow Bedrock ⁸	Stony – Rocky ⁹	Droughty ¹⁰
Option A											
Phillips	25.1	0.0	6.5	9.6	0.4	0.0	10.0	10.0	0.0	9.1	0.0
Valley	68.4	0.0	42.7	46.5	0.4	381.2	4.5	1.9	0.0	10.5	4.5
Roosevelt	87.2	0.0	12.6	8.0	1.8	50.6	32.4	28.5	0.0	27.1	17.6
Option A Totals	180.7	0.0	61.8	64.1	2.6	431.8	46.9	40.4	0.0	46.7	22.1
Option A1A											
Phillips	25.1	0.0	6.5	9.6	0.4	24.6	10.0	10.0	0.0	9.1	0.0
Valley	57.1	0.2	34.1	36.7	0.4	50.8	6.6	6.4	0.0	11.0	6.9
Daniels	48.8	0.0	7.8	2.4	0.2	39.9	10.2	8.4	0.0	25.7	18.7
Sheridan	46.4	0.0	11.6	5.3	1.0	45.4	19.3	4.1	0.0	30.8	2.2
Roosevelt	28.1	0.0	8.5	3.9	0.4	27.5	10.3	9.6	0.0	5.7	1.1
Option A1A Totals	205.5	0.2	68.5	58.0	2.5	188.2	56.4	38.5	0.0	82.2	29.1
Option B											
Phillips	25.8	0.0	6.5	9.5	0.3	25.3	11.2	11.2	0.0	8.9	0.0
Valley	63.1	0.0	40.0	47.5	0.6	62.2	2.8	0.9	0.0	11.7	3.8
McCone	67.4	5.2	20.5	36.4	0.1	53.0	22.0	13.4	0.0	2.7	4.9
Dawson	40.7	1.1	8.9	28.8	0.3	32.3	8.3	2.7	3.1	11.0	9.5
Prairie	21.0	1.1	10.8	15.2	0.0	16.4	3.7	1.0	1.5	2.3	3.8
Fallon	64.4	0.2	17.9	42.0	0.1	42.3	20.9	19.9	0.0	0.5	0.6

4-99 December 2008

Table 4-48 Summary of Sensitive Soils along the Proposed Keystone XL Project in Montana (Miles Crossed)

County	Total Miles ¹	Wind Erosion ²	Water Erosion ³	LRP ⁴	Hydric⁵	Compaction Prone ⁶	Prime Farmland ⁷	Farmland of Statewide Importance ⁷	Shallow Bedrock ⁸	Stony – Rocky ⁹	Droughty ¹⁰
Option B Totals	282.3	7.5	104.6	179.2	1.4	231.6	68.8	49.1	4.6	37.0	22.5

¹ Individual soils may occur in more than one characteristic class.

Note: Discrepancies in mileage are due to rounding.

4-100 December 2008

² Includes all soils with Wind Erodibility Group (WEG) of 1 or 2.

³ Includes all soils that are highly erodible by water.

⁴ Low Reclamation Potential includes all soils that are saline, sodic, very acidic, and/or very strongly alkaline.

⁵ As designated by the NRCS (2007).

⁶ Includes soils that have clay loam or finer textures.

⁷ Includes land listed by the NRCS (2007) as potential prime farmland if adequate protection from flooding and adequate drainage are provided.

Includes soils that have lithic bedrock within 60 inches of the soil surface.

⁹ Includes soils that have either: 1) a cobbly, stony, bouldery, gravelly, channery, flaggy, or shaly modifier to the textural class; or 2) have >5 percent (weight basis) of stones larger than 3 inches in the surface layer.

¹⁰ Includes coarse-textured soils (sandy loams and coarser) that are moderately well to excessively drained.

Prime farmland soils occupy approximately 26.0 percent of Route A in Montana. Other sensitive soils crossed include 1.4 percent of hydric soils, and 35.5 percent of low reclamation potential soils, and 12.2 percent of droughty soils. Soils with shallow bedrock do not occur along this route. Details are further listed in **Table 4-48**.

Route A1A

Most of the soils encountered along this route are similar to Route A. Route A1A has approximately 24.8 more miles crossed. The soils along this route in Montana generally formed in glacial till. Soils are typically very deep and occasionally calcareous.

Prime farmland soils occupy approximately 27.4 percent of Route A1A in Montana. Other sensitive soils crossed include 1.2 percent of hydric soils, 28.2 percent of low reclamation potential soils, and 14.2 percent of droughty soils. Soils with shallow bedrock do not occur along this route. Details are further listed in **Table 4-48**.

Route B

From McCone County south to Fallon County the soils formed on old plateaus and terraces that have been eroded. Slopes generally are gently rolling to steep. Steeply sloping badlands border a few of the larger river valleys. In some areas flat-topped, steep-sided buttes rise sharply above the general level of the plains. The soils are generally shallow to very deep, well drained, and clayey or loamy. In areas of cretaceous shales, soils with high bentonite clay contents may occur, such as the Neldore series. These soils frequently have saline or sodic soil chemical properties. See Section 4.3.6, Geology, for further discussion on the landslide prone and clay soils prone to shrink-swell in Montana.

Other soils that occur in the area such as Ustorthents formed in residuum on hills and ridges (Cabba, Cabbart, and Yawdim series). Ustifluvents (Havre series) formed in alluvium on fans, terraces, and flood plains. Haplustepts (Busby, Cherry, Delpoint, Lonna, and Yamacall series) formed in alluvium, eolian deposits, and residuum on terraces, fans, and hills. Calciustepts (Cambeth series) formed in alluvium, colluvium, and residuum on fans, hills, and plains. Natrustalfs (Gerdrum series) and Haplustolls (Shambo series) formed in alluvium and glaciofluvial deposits on fans and terraces and in drainageways.

Prime farmland soils occupy approximately 24.4 percent of Route B in Montana. Other sensitive soils crossed include 0.5 percent of hydric soils, 63.5 percent of low reclamation potential soils, and 8.0 percent of droughty soils. Approximately 1.6 percent of soils with shallow bedrock are crossed. Details are further listed in **Table 4-48**.

4.3.7.2 Impact Assessment – All Routes (Circular MFSA-2, Section 3.1(6) and Section 3.4(1)(k))

<u>Issues</u>

- Accelerated wind or water erosion on disturbed areas during construction and operation (including maintenance activities):
- Reduced soil quality and corresponding reductions in the productivity of desirable vegetation or crops as a result of accelerated erosion, soil mixing, compaction, spills, or disturbance of irrigation or drainage features; and
- Hydrocarbon contaminated soils encountered within the pipeline trench caused by leaks and spills from adjacent pipelines.

Construction

Grading and excavating for the proposed pipeline and ancillary facilities will disturb a variety of agricultural, rangeland, wetland, and forestland soils. Certain inherent soil characteristics influence the agricultural productivity and revegetation potential after disturbance. The major soil characteristics of concern and the miles crossed of each type for each alternative route are indicated in **Table 4-48**. The quantification of acreage

4-101 December 2008

for each of the characteristics is based on data in the SSURGO database. Key soil characteristics of concern include highly erodible soils, hydric soils, prime farmland, compaction prone soils, stony and rocky soils, shallow to bedrock soils, low reclamation potential, and droughty soils.

Soils classified as prime farmland typically possess the most favorable qualities for agricultural production (e.g., fertility, structure, depth and water holding capacity, microbial populations, infiltration and percolation rates, slope, and drainage). Short-term impacts such as soil compaction from equipment traffic, excavation and handling, and spills of fuels and lubricants may alter the capability of these soils temporarily following construction. Short-term impacts to prime farmland are anticipated on 30 percent of Route A, 27.5 percent of Route A1A, and 24.5 percent of Route B (all percents based on average). Where facilities, such as pump stations, are located on prime farmland permanent impacts would occur. On average, a typical pump station would impact approximately 5 acres. Route A and Route B each have one pump station located on prime farmland.

Farmland of Statewide Importance is land other than Prime Farmland, which has a good combination of physical and chemical characteristics for the production of crops. Route A and Route B have two pump stations located on farmland of statewide importance, while Route A1A has 1.1 pump stations on Farmland of statewide importance.

Although accelerated erosion due to construction-related soil disturbance could occur at any stage of construction, the maximum potential for erosion within the construction ROW would be expected after final grading has occurred but before a vegetative cover had been reestablished. Wind erodible soils are not commonly encountered on any of the routes. Route B crosses a slightly higher percentage of water erodible soils, 12.4 percent, compared to 7.0 percent of Route A or 10.4 percent of A1A. **Attachment A, Mapbook 5,** Highly Erodible Soils, depicts areas along all routes with highly erodible soils. All other areas along the routes are assumed to be low to moderately erodible soils.

While hydric soils are not commonly encountered (less than 2 percent crossed by each route) they would be difficult to reclaim and sensitive to disturbance. Hydric soils generally are defined as those that have evidence of saturation within 12 inches of the land surface for an extended period of time during the growing season. The presence of a hydric soil is often associated with native wetland hydrology and vegetation or with agricultural (farmed) wetlands. Both compaction-prone and hydric soils are especially prone to structural and aeration damage when trafficked or excavated.

Compaction-prone soils will likely result in compaction and rutting from the movement of heavy construction vehicles along the construction ROW and additional temporary work areas, and on access roads. The degree of compaction would depend on the moisture content and texture of the soil at the time of construction. Compaction would be most severe where heavy equipment operates on moist to wet soils with high clay contents. Detrimental compaction also can occur on soils of various textures and moisture contents if multiple passes are made by high ground weight equipment. Route A and A1A cross a substantial percentage of compaction prone soils (94.0 and 91.6 percent, respectively). Route B crosses approximately 82.0 percent of compaction prone soils.

Typically soils that are compaction prone also are prone to rutting or displacement when saturated. Rutting occurs when the soil strength is not sufficient to support the applied load from vehicle traffic. Rutting affects the surface hydrology of a site as well as the rooting environment. The process of rutting physically severs roots and reduces the aeration and infiltration of the soil, thereby degrading the rooting environment. Rutting also disrupts natural surface water hydrology by damming surface water flows, creating increased soil saturation upgradient from ruts, or by diverting and concentrating water flows, creating accelerated erosion. When grading is required and in areas of isolated weed populations, the topsoil shall be removed from the entire ROW and stored separately from subsoil. However, in all other locations topsoil will be removed from the trenchline only. Where trenchline only topsoil stripping occurs, rutting from equipment traffic may mix thinner

4-102 December 2008

topsoils with the subsoil, thereby reducing soil productivity. Rutting is most likely to occur on moist or wet fine textured soils, but also may occur on dry sandy soils due to low soil strength.

Where stony or rocky soils are crossed, revegetation recovery rates may be slow. Route A1A would impact the most substantial percentage of stony or rocky soils, approximately 40.0 percent. Comparatively Route A and Route B would impact about 26.0 and 13.1 percent, respectively, of stony or rocky soils. Similarly, in areas of shallow bedrock (relative to the trench excavation depth), excavation may result in rock fragments remaining on the surface or within the trench backfill at levels that will limit the success of restoration efforts. Where the pipeline route crosses soils with lithic bedrock blasting or rock saws may be required for trenching. Route A and A1A do not cross any soils that are shallow to lithic bedrock. Only 1.6 percent of Route B is shallow to lithic bedrock.

Droughty soils would be prone to wind erosion during construction and would be more difficult to successfully stabilize and revegetate following construction. Less than 15 percent of droughty soils would be crossed by all routes. Similarly, scattered areas of low reclamation potential soils, such as soils that are saline, sodic, or strongly alkaline are known to occur in the Project region. Saline and/or sodic soils often have drainage limitations and may undergo compaction impacts similar to the hydric or compaction-prone soils. In addition, the success of stabilization and restoration efforts in these areas may be limited unless additional treatments and practices are employed to offset the adverse physical and chemical characteristics of the soils. Route B crosses approximately 63.5 percent of low reclamation potential soils compared to 35.5 percent and 28.2 percent of A and A1A, respectively.

Cretaceous shales weather to form soils high in smectitic clay minerals typically referred to as Bentonite clays. These soils typically have high shrink-swell potentials and also are prone to erosion by water when disturbed. Please see **Attachment L**, Smectitic Soils Associated with Cretaceous Shales, which provides a summary of smectitic soils crossed in Montana. Soils such as the Sunburst series occur in Valley, Phillips, and McCone counties. The Sunburst series has a very high shrink-swell potential due to a high percentage of smectite clay minerals. The proposed route will cross numerous other smectitic soils such as Neldore, Scobey, Gerdrum, Creed, and Bascovy series. Badlands also may be associated with cretaceous shales and may be highly erodible and difficult to reclaim when disturbed. Please refer to Section 4.3.6.1 for further discussion on slope instability associated with cretaceous shales and swelling clays.

Keystone plans to minimize or mitigate potential impacts to soils by implementing the soil protection measures identified in the CMRP (Attachment C). The measures include procedures for segregating and replacing topsoil, trench backfilling, relieving areas compacted by heavy equipment, removing surface rock fragments, and implementing water and wind erosion control practices. In addition, Keystone will work closely with landowners and soil conservation agencies to identify and implement recommended soil conservation practices in specific areas where they are necessary. Damaged irrigation and tile drainage systems will be repaired in accordance with the CMRP.

To accommodate potential discoveries of contaminated soils, Keystone will develop unanticipated contaminated soil discovery procedures in consultation with relevant agencies. These procedures will be added to the CMRP. If hydrocarbon contaminated soils are encountered during trench excavation, the state agency responsible for emergency response and site remediation will be contacted immediately. A remediation plan of action will be developed in consultation with that agency. Depending on the level of contamination found, affected soil may be replaced in the trench or removed to an approved landfill for disposal.

Operation

Very small scale, isolated surface disturbance impacts resulting in accelerated erosion, soil compaction, spills, and related reductions in the productivity of desirable vegetation or crops could result from pipeline maintenance traffic and incidental repairs. Impacts related to excavation and topsoil handling are not likely to

4-103 December 2008

occur. If they do occur, they will be limited to small areas where certain pipeline maintenance activities take place or where reclamation is unsuccessful. During operation, these types of impacts will be addressed with the affected landowner and a mutually agreeable resolution reached.

Keystone will employ multiple safeguards to prevent a pipeline release. The chance of a spill occurring is very low and if a spill occurred, the volume is likely to be relatively small. In the unlikely event of a pipeline release, Keystone would initiate its ERP and emergency response teams would contain and cleanup the spill. To minimize impacts to soils, appropriate remedial measures will be implemented to meet federal and state standards designed to ensure protection of human health and environmental quality. Additional information on potential impacts to soils resulting from a crude oil spill is provided in the Risk Assessment (**Attachment D**).

4.3.7.3 Summary of Route-Specific Soils Impacts

Route-specific impacts for soils are summarized in **Table 4-49**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

Table 4-49 Summary of Route-Specific Soils Impacts

	Route Alternatives								
Resource	Route A	Route A1A	Route B						
Miles of Pipe									
Steele City Segment	919.7	951.3	850.7						
Portion in Montana	180.7	205.5	282.7						
Soils									
Prime farmland	Route A crosses 46.9 miles of prime farmland.	Route A1A crosses 56.4 miles of prime farmland.	Route B crosses 68.8 miles of prime farmland.						
Sensitive soils	Route A crosses 75.8 miles of smectitic soils.	Route A1A crosses 54.8 miles of smectitic soils.	Route B crosses 114.0 miles of smectitic soils.						

References

Natural Resources Conservation Service (NRCS). 2006. Land Resource Regions and Major Land Resource Areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296.

Natural Resources Conservation Service (NRCS), Lincoln, Nebraska. 2008. Official Soil Series Descriptions. Website: http://soils.usda.gov/ technical/classification/osd/index.html. (Accessed September 10, 2008.)

Natural Resources Conservation Service (NRCS) Staff. 2007. Soil Survey Geographic (SSURGO) Database for all counties crossed. Website: http://soildatamart.nrcs. usda.gov. (Accessed 2007.)

4-104 December 2008

4.3.8 Paleontology

4.3.8.1 Baseline Data and Description of Routes – All Routes (Circular MFSA-2, Section 3.4(10)(a)(b)(c) and Section 3.7(13)(14)(b)(c)

Recently, the BLM has adopted the Potential Fossil Yield Classification (PFYC) system to identify and classify fossil resources on federal lands (BLM 2007). The PFYC system is summarized briefly as follows (BLM 2007):

Occurrences of paleontological resources are closely tied to the geologic units (i.e., formations, members, or beds) that contain them. The probability for finding paleontological resources can be broadly predicted from the geologic units present at or near the surface. Therefore, geologic mapping can be used for assessing the potential for the occurrence of paleontological resources.

Using the PFYC system, geologic units are classified based on the relative abundance of vertebrate fossils or scientifically significant invertebrate or plant fossils and their sensitivity to adverse impacts, with a higher class number indicating a higher potential. This classification is applied to the geologic formation, member, or other distinguishable unit, preferably at the most detailed mappable level. It is not intended to be applied to specific paleontological localities or small areas within units. Although significant localities may occasionally occur in a geologic unit, a few widely scattered important fossils or localities do not necessarily indicate a higher class; instead, the relative abundance of significant localities is intended to be the major determinant for the class assignment.

The PFYC system is meant to provide baseline guidance for predicting, assessing, and mitigating paleontological resources. The classification should be considered at an intermediate point in the analysis, and should be used to assist in determining the need for further mitigation assessment or actions.

The BLM intends for the PFYC system to be used as a guideline as opposed to rigorous definitions. Descriptions of the potential fossil yield classes are presented below (BLM 2007):

Class 1 – Very Low. Geologic units that are not likely to contain recognizable fossil remains.

- Units that are igneous or metamorphic, excluding reworked volcanic ash units; and
- Units that are Precambrian in age or older.

Class 2 – Low. Sedimentary geologic units that are not likely to contain vertebrate fossils or scientifically significant nonvertebrate fossils.

- Vertebrate or significant invertebrate or plant fossils not present or very rare;
- Units that are generally younger than 10,000 years before present;
- Recent Aeolian deposits; and
- Sediments that exhibit significant physical and chemical changes (i.e., diagenetic alteration).

Class 3 – Moderate or Unknown. Fossiliferous sedimentary geologic units where fossil content varies in significance, abundance, and predictable occurrence; or sedimentary units of unknown fossil potential.

- Often marine in origin with sporadic known occurrences of vertebrate fossils;
- Vertebrate fossils and scientifically significant invertebrate or plant fossils known to occur intermittently; predictability known to be low; and
- Poorly studied and/or poorly documented. Potential yield cannot be assigned without ground reconnaissance.

4-105 December 2008

Class 3a – Moderate Potential. Units are known to contain vertebrate fossils or scientifically significant nonvertebrate fossils, but these occurrences are widely scattered. Common invertebrate or plant fossils may be found in the area, and opportunities may exist for hobby collecting. The potential for a Project to be sited on or impact a significant fossil locality is low, but is somewhat higher for common fossils.

Class 3b — Unknown Potential. Units exhibit geologic features and preservational conditions that suggest significant fossils could be present, but little information about the paleontological resources of the unit or the area is known. This may indicate the unit or area is poorly studied, and field surveys may uncover significant finds. The units in this class may eventually be placed in another class when sufficient survey and research is performed. The unknown potential of the units in this class should be carefully considered when developing any mitigation or management actions.

Class 4 – High. These are geologic units containing a high occurrence of significant fossils. Vertebrate fossils or scientifically significant invertebrate or plant fossils are known to occur and have been documented, but may vary in occurrence and predictability. Surface disturbing activities may adversely affect paleontological resources in many cases.

Class 4a – Unit is exposed with little or no soil or vegetative cover. Outcrop areas are extensive with exposed bedrock areas often larger than 2 acres. Paleontological resources may be susceptible to adverse impacts from surface disturbing actions. Illegal collecting activities may impact some areas.

Class 4b – These are areas underlain by geologic units with high potential but have lowered risks of human-caused adverse impacts and/or lowered risk of natural degradation due to moderating circumstances. The bedrock unit has high potential, but a protective layer of soil, thin alluvial material, or other conditions may lessen or prevent potential impacts to the bedrock resulting from the activity:

- Extensive soil or vegetative cover; bedrock exposures are limited or not expected to be impacted;
- Areas of exposed outcrop are smaller than two contiguous acres;
- Outcrops form cliffs of sufficient height and slope so that impacts are minimized by topographic conditions; and
- Other characteristics are present that lower the vulnerability of both known and unidentified paleontological resources.

Four Class 4 and Class 5 units may be combined as Class 5 for broad applications, such as planning efforts or preliminary assessments, when geologic mapping at an appropriate scale is not available. Resource assessment, mitigation, and other management considerations are similar at this level of analysis, and impacts and alternatives can be addressed at a level appropriate to the application.

The probability for impacting significant paleontological resources is moderate to high, and is dependent on the proposed action. Mitigation considerations must include assessment of the disturbance, such as removal or penetration of protective surface alluvium or soils, potential for future accelerated erosion, or increased ease of access resulting in greater looting potential. If impacts to significant fossils can be anticipated, on-the-ground surveys prior to authorizing the surface disturbing action will usually be necessary. On-site monitoring or spot-checking may be necessary during construction activities.

Class 5 – Very High. Highly fossiliferous geologic units that consistently and predictably produce vertebrate fossils or scientifically significant invertebrate or plant fossils, and that are at risk of human-caused adverse impacts or natural degradation.

4-106 December 2008

Class 5a – Unit is exposed with little or no soil or vegetative cover. Outcrop areas are extensive with exposed bedrock areas often larger than two contiguous acres. Paleontological resources are highly susceptible to adverse impacts from surface disturbing actions. Unit is frequently the focus of illegal collecting activities.

Class 5b – These are areas underlain by geologic units with very high potential but have lowered risks of human-caused adverse impacts and/or lowered risk of natural degradation due to moderating circumstances. The bedrock unit has very high potential, but a protective layer of soil, thin alluvial material, or other conditions may lessen or prevent potential impacts to the bedrock resulting from the activity:

- Extensive soil or vegetative cover; bedrock exposures are limited or not expected to be impacted;
- Areas of exposed outcrop are smaller than two contiguous acres; and
- Outcrops form cliffs of sufficient height and slope so that impacts are minimized by topographic conditions.

Other characteristics are present that lower the vulnerability of both known and unidentified paleontological resources.

Tables 4-38, **4-39**, and **4-40** summarize the paleontological resource potential and sensitivity of geologic formations crossed by Route A, Route A1A, and Route B. A paleontological resource assessment was conducted for lands managed by the BLM along Route B (SWCA Environmental Consultants 2008a). Field surveys also were conducted along the Route B corridor, transmission line routes, and access road locations. File searches also were conducted at the Miles City and Malta Field Offices of the BLM as well as records of the University of California, Museum of Paleontology. Routes A and A1A were not surveyed on the ground, but the conclusions of potential fossil yield for the formations along Route B should be adequate to characterize the fossil yield potential of the same formations found along the other routes.

Several of the formations, Judith River, Hell Creek, and Fort Union, have a high degree of sensitivity for paleontological resources because of the high potential for the presence of scientifically important fossils. During the paleontological assessment, 20 nonsignificant fossil occurrences were documented and 14 "significant" fossil localities were discovered.

4.3.8.2 Impact Assessment

Construction

To reduce impacts to potentially important fossil localities, Keystone would conduct surveys for resources on the route and develop a mitigation plan to protect fossil resources on federal lands encountered during proposed Project construction. Provisions of the plan for protection of paleontological resources would include worker training, spot monitoring of construction activities, sampling for microfossils where appropriate, obtaining stratigraphic information in excavations, salvaging fossil resources, and unanticipated discoveries plan for large or extremely important fossil finds.

Under no circumstances would fossils be removed from private lands for any reason, including curation, without the written consent of the landowners.

Adherence to a paleontological mitigation plan would minimize adverse impacts to scientifically important paleontological resources on federal lands. Important paleontological resources on non-federal lands may be recovered only with approval of the landowners, and therefore, may be unavailable for scientific curation.

Operation

Issues

Potential damage and loss of scientifically important fossils from maintenance activities.

4-107 December 2008

Any potential effects to fossils from maintenance activities would be isolated due to the probable disbursed nature of maintenance activities. Also, potential impact during operations and maintenance would be minimal since activity would occur on previously disturbed ROW.

Normal operation of the proposed pipeline and its associated facilities would not disturb important paleontological resources. Maintenance activities would result in surface disturbance, but typically would occur within the ROW that was previously disturbed during construction. Since no new disturbances would be anticipated from maintenance activities (i.e., maintenance activities would occur within the ROW), impacts to paleontological resources would be negligible.

4.3.8.3 Summary of Route-Specific Paleontology Impacts

Route-specific impacts for paleontology are summarized in **Table 4-50**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

Table 4-50 Summary of Route-Specific Paleontology Impacts

	Route Alternatives									
Resource	Route A	Route A1A	Route B							
Miles of Pipe	Miles of Pipe									
Steele City Segment	919.7	951.3	850.7							
Portion in Montana	180.7	205.5	282.7							
Paleontology										
Fossil potential	Route A crosses the Judith River, Hell Creek, and Fort Union formations, all having a high potential for scientifically important fossils such as dinosaurs and mammals. Total miles crossed: 116.	Route A1A crosses the Judith River, Hell Creek, and Fort Union formations; all having a high potential for scientifically important fossils, such as dinosaurs and mammals. Total miles crossed: 142.	Route B crosses the Judith River, Hell Creek, and Fort Union formations, all having a high potential for scientifically important fossils, such as dinosaurs and mammals. Total miles crossed: 207.0.							

References

Bureau of Land Management (BLM). 2007. Instruction Memorandum No. 2008-009, October 18, 2007. Website: http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/ national instruction/20080/im 2008-009.html. (Accessed August 13, 2008.)

SWCA Environmental Consultants. 2008a. Paleontological assessment for federal land along the Montana Segment of the Keystone XL Pipeline Project. Prepared for ENSR Corporation and BLM, September 12, 2008, 312 pages.

______. 2008b. Paleontological assessment for federal land along the Montana Segment of the Keystone XL Pipeline Project: Field survey recommendations. Prepared by SWCA Environmental Consultants for ENSR Corporation and BLM, August 8, 2008, 9 pages.

4-108 December 2008

4.3.9 Cultural Resources

4.3.9.1 Prehistoric and Historic Overview of the Study Area (MFSA-2 Section 3.4, 10a)

Eastern Montana contains a rich and varied cultural history which can be categorized into four prehistoric periods and the later historic period. Of the prehistoric periods, these four divisions can be further broken down into a multitude of human complexes associated with different food procurement strategies and technological advances. While very valid for a professional archaeological perspective, further analysis of the five periods of time is unwarranted for the purpose of overview and will be omitted from this document.

Prehistory in regards to human occupation in Montana begins with the Paleoindian Period, which ranges from 12,000 Before Present and continues until 8,000 Before Present. During this time span, humans residing on the Plains led a highly migratory lifestyle. This was in great part to the necessity of these populations to follow and exploit late Pleistocene animals and harvest associated plant life.

Of these populations the most well recognized Paleoindian group for this period is referred to as the Clovis complex. Clovis is categorized by a distinct, basally fluted projectile point; these points, along with associated material, are the earliest unequivocal evidence of a Paleoindian complex in North America. Clovis projectiles have been best known from areas such as the Colby mammoth kill site in Wyoming. Other complexes include, but are not limited to, Goshen, Folsom, Agate Basin, Hell Gap, Alberta, and Cody. All previously mentioned Paleoindian complexes mark technological or style changes which can be followed throughout time.

Directly following the Paleoindian Period is the Archaic Period. This period ranges from 8,000 Before Present to 1,500 Before Present and is marked by a shift from stemmed lanceolate projectiles to the use of large side notched forms. This indicates a drastic change in technology, where the emphasis in the Archaic Period changes from that of utilizing hand thrown spears toward the use of a propelled dart or atlatl. Not only is there a severe technological shift but a drastic climate change as well. This paleoclimatic change in turn triggered differing subsistence strategies, which may have emphasized an increased dependence on floral resources throughout the Plains.

The invention of the bow and arrow reflects a technological innovation which marks the Late Prehistoric Period that ranged from 1,500 Before Present to 250 Before Present. During this time human populations increased dramatically across the region which is evident from an increase in radiocarbon dating localities. Subsistence strategies carried along the same routes as the two earlier periods in the form of migratory hunting strategies and limited horticulture. The late prehistoric period also offers a diverse palate of rock art examples. This art ranges from fertility representations to grandiose depictions of bison hunts strewn across rock shelter walls.

The Protohistoric Period (250 to 130 Before Present), which is poorly represented in material remains in eastern Montana is categorized by major population migrations as well as significant changes involved with material culture. Native populations acquired the horse and increasing numbers of firearms and respectively began to utilize both, perhaps no other introduction was as significant a catalyst to the mobile ethnohistoric cultures of the Plains. Trade goods became very common during this period as did the introduction of metal tools, glass beads, and textiles.

Historical context in relation to this area is well documented, ranging from early expansion and the fur trade to Euro American settlement in the form of Homesteads and the expanse of agriculture. Railroads and collaborative highway efforts all shaped the area, as did the interactions between the native populations and the expanding Euro American groups. These interactions directly resulted in multiple treaties between the US government and various tribal entities, which in a way, now shape the manner in which some 12,000 years of history must now be addressed.

4-109 December 2008

4.3.9.2 Native American Consultation and SHPO Data Requests

Tribal engagement has been initiated with 72 tribal members from 16 tribes for the entirety of the Project. These tribes were recognized as having a potential past or present affiliation with the Project area. Seven of the 16 Tribes are from Montana and only 3 have responded, see **Table 4-51**. Formal consultation with the tribes will be the responsibility of the DOS.

Table 4-51 Tribal Contact List in Montana

Tribe	Date of Contact	Status
Blackfeet Nation	May 27, 2008	Written reply as of July 24, 2008. Consultation desired.
Fort Peck Tribes	May 27, 2008	Verbal reply as of July 24, 2008. Consultation desired.
Northern Cheyenne Tribe	May 27, 2008	Written reply as of July 24, 2008. Consultation desired.
Salish and Kootenai Tribes	May 27, 2008	No reply.
Little Shell	May 27, 2008	No reply.
Crow	May 27, 2008	No reply.
Chippewa Cree	May 27, 2008	No reply.

Efforts to identify places of traditional or religious importance to Native American tribes will continue throughout the environmental review and construction phases of the Project. The consultation process, once initiated, will include asking interested tribes to participate in consultation when a traditional cultural property (TCP) may be affected by the proposed Project. Any TCP that may be affected by the Project will be treated in accordance with the National Historical Preservation Act (NHPA), as amended, and its implementing regulations, and other applicable federal statutes and/or tribal laws and policies, as appropriate. No surface disturbance will occur within or immediately adjacent to the boundary of a TCP prior to completion of all consultation required by law. Any data recovery or mitigation plan will be reviewed and approved by the lead federal agency and appropriate SHPO. Tribal representatives will be asked to participate in the development of any such data recovery or mitigation plan in accordance with federal mandates.

Data requests have also been made of the Montana SHPO Office with regard to the three routes. File/record searches were requested and received for the areas crossed by each Route so that it could be determined what types of sites and previous cultural inventories have been conducted in these areas. The results of these file searches are summarized in **Table 4-52**.

Table 4-52 Class I File/Records Search Results

Route	# Prehistoric Sites	# Historic Sites	# Unknown Sites
Route A	13, 1 Eligible	68, 9 Eligible	148
Route A1A ¹	30, 1 Eligible	20, 6 Eligible	22
Route B	148, 0 Eligible	62, 13 Eligible	6

Unique portion of Route A1A.

4-110 December 2008

4.3.9.3 Baseline Data and Description of Routes – All Routes (MFSA-2, Sections 3.4(10)(a)(b)) and 3.7(13)(14)

Places that may be of traditional cultural importance to Native American people include, but are not limited to, locations associated with the traditional beliefs concerning tribal origins, cultural history, or the nature of the world; locations where religious practitioners went or go to perform ceremonial activities based on traditional cultural rules or practice; ancestral habitation sites; trails; burial sites; and places from which plants, animals, minerals, and waters possessing healing powers or used for other subsistence purposes, may be taken. Additionally, some of these locations may be considered sacred to particular Native American individuals or tribes. It is the responsibility of all parties involved to take into account the effects the proposed Project may have on all localities.

If a resource has been identified as having importance in traditional cultural practices and the continuing cultural identity of a community, it may be considered a TCP. The term "traditional cultural property" first came into use within the federal legal framework for historic preservation and cultural resource management in an attempt to categorize historic properties containing traditional cultural significance. National Register Bulletin 38: Guidelines for Evaluating and Documenting Traditional Cultural Properties (Parker and King 1989) defines a TCP as "one that is eligible for inclusion in the National Register of Historic Places (NRHP) because of its association with cultural practices or beliefs of a living community that (a) are rooted in that community's history and (b) are important in maintaining the continuing cultural identity of the community." To qualify for nomination to the NRHP, a TCP must be more than 50 years old, must be a place with definable boundaries, must retain integrity, and meet certain criteria as outlined in National Register Bulletin 15: How to Apply the National Register Criteria for Evaluation (NPS 1995).

File Search and Aerial Survey

Systems utilized by the Montana SHPO include both the Cultural Resource Information Systems Report (CRIS), which documents all previously recorded sites within the search area and the Cultural Resource Annotated Bibliography System, which supplements the CRIS database but provides additional data in relation to dates and coverage of past surveys. Documentation of Routes A, A1A, and B files/records searches are provided in **Attachment M**, **Confidential Volume 3B**. Together these databases allow a summary to be generated of what types of Cultural resources are located within the area of potential effect (APE). A summary of all sites within the APE for all three routes is summarized in **Table 4-52**.

In addition to file searches, an aerial cultural inventory was conducted September 22–26, 2008 (MFSA 2, Section 3.4, 10c, Section 3.7, as Amended for Aerial Archaeological Survey). Methodology was in accordance with aerial archaeological standards; however, AECOM Environment European aerial guidelines were adapted to suit the diverse climate and topography of Eastern Montana. As few references for this type of work exist, guidelines are not well established and field expedient measures were utilized. These surveys were conducted from a Bell Jet Ranger helicopter flying at an altitude of between 75 and 150 feet off the ground surface. This altitude was deemed ideal, as was a cruising speed of roughly 25 miles per hour. Total results for aerial survey in reference to all three routes are summarized in **Table 4-53**.

Table 4-53 Results of Aerial Reconnaissance of Routes¹

Route	# Prehistoric Sites	# Historic Sites	# Unknown Sites
Route A	1	14	1
Route A1A	5	21	4
Route B	4	40	6

Sites visible from a helicopter.

4-111 December 2008

Route A

Keystone conducted a Class I cultural resource files/records search which was initiated with the Montana SHPO. The Class I file/records search produced a total of 229 previously recorded sites within the APE for Keystone's Route A. An overview of these resources is provided below.

- 68 historic sites;
- 13 prehistoric sites; and
- 148 unknown or no indication of age sites.

Of the 68 historic sites, 7 are deemed as ineligible for the NRHP, 9 are classified as eligible under criterion C and D of the NRHP guidelines, and the remaining 52 are listed as undetermined. The 13 prehistoric sites consist of 1 eligible site and 12 undetermined sites, and the remaining 148 previously recorded locations remain undetermined.

The aerial survey conducted on Route A produced 16 sites; of these 16, 1 prehistoric cairn was recorded, 1 positive crop mark of an unknown age was recorded, and the remaining 14 sites were associated with historic agriculture in the area. Roughly 24 miles of centerline are shared with Routes A, A1A, and B as such the sites referenced in this paragraph are unique to Route A.

Route A1A

An additional Class I cultural resource files/ records search was conducted in regards to Keystone's Route A1A. This second search produced a total of 72 previously recorded sites within the APE for Route A1A. A significant portion of Route A1A is shared with Route A, in consideration of this fact only the unique portion of Route A1A will be referenced below. Findings are as follows.

- 20 historic sites;
- 30 prehistoric sites; and
- 22 unknown or no indication of age sites.

Of the 20 historic sites, 6 are recorded as eligible under criterion C and D of the NRHP, 9 are deemed ineligible, and the remaining 5 are considered undetermined. The 30 prehistoric sites include 1 eligible site and 29 undetermined locations. The unknown localities are all listed as undetermined for the NRHP under any criterion.

The aerial survey of Route A1A yielded 5 prehistoric sites, 2 sites of unknown age, and 21 historic sites. Collectively, a total of 28 sites were recorded. Routes A and A1A share a significant portion (approximately 27 miles) of centerline APE as well.

Route B

A Class I cultural resource files/record search was performed in regards to the proposed centerline of Route B. This file/records search yielded 216 previously recorded sites within the APE of Route B. A summary is provided below.

- 62 historic sites;
- 148 prehistoric sites; and
- 6 multi-component sites.

4-112 December 2008

Of the historic sites, 13 are listed as eligible under the NRHP, the remaining 49 are listed as ineligible or undetermined. None of the Prehistoric sites are listed as eligible, and of the six multi-component sites, all are listed as undetermined for NRHP listing under any criterion.

The aerial survey completed on the Route B of the Project yielded 50 sites within close proximity to the APE. Of these 50, 4 are prehistoric, 6 are of unknown age, and the remaining 40 are historic. The four sites considered prehistoric include a cairn and three stone circle sites.

The six sites, which were recorded as being of an unknown age consist of both cairns and either positive or negative crop markings. Crop markings are defined as either an over- or under-developed section of plant growth, which may yield a distinct pattern. These patterns may be beneficial in pointing out to the aerial observer the possibility of sub surface cultural material.

All historic sites consist of historic farming/ranching activities and associated behavior (i.e., trash piles or corral structures). The overwhelming majority of sites throughout this region reflect a deep history associated with rural agriculture.

4.3.9.4 Impact Assessment

Issue

Construction and operation of the Project could affect NRHP-eligible historic properties such as prehistoric or historic archaeological sites, districts, buildings, structures, and objects.

Construction

Those areas in which construction activity is planned or where impacts are likely to occur are referred to as the area of potential effect, or APE. Specifically, the APE is defined as the geographic area or areas within which an undertaking may directly or indirectly cause changes in the character or use of NRHP-eligible sites, if any such sites exist.

Only those cultural resources located in the APE were reviewed to determine if any would be subject to impacts that could affect their eligibility for the NRHP based on NRHP criteria for evaluation. For the Project, the APE is the 200-foot-wide survey corridor in areas where the Project parallels an existing pipeline, the 300-foot-wide survey corridor in greenfield areas, the footprint of proposed pump stations, access roads to be used and/or upgraded during construction, pipe yards, contractor yards, and any other temporary use or staging areas, plus a 50-foot buffer.

Construction and operation of the Project could potentially affect NRHP-eligible sites. These could include prehistoric or historic archaeological sites, districts, buildings, structures, objects, and locations with traditional cultural value to Native Americans or other groups. Project impacts could include: the physical disturbance during construction on archaeological sites located within the Project APE; the demolition, removal, or alteration of historic or architecturally significant structures/features; and the introduction of visual or audible elements (e.g., pump stations) that could alter the site's setting. Impacts to NRHP-eligible sites would be mitigated through avoidance or SHPO- and DOS-approved data recovery techniques. Mitigation may include, but would not be limited to, one or more of the following measures: 1) avoidance through the use of realignment of the pipeline centerline, relocation of pump stations, or changes in the construction and/or operational design; 2) data recovery, which may include the systematic professional excavation of an archaeological site or the preparation of photographic and/or measured drawings documenting standing structures; and 3) the use of landscaping or other techniques that would minimize or eliminate effects on the historic setting or ambience of standing structures.

Whenever feasible, Keystone will avoid NRHP-eligible sites identified within the Project APE. Keystone will consult with DOS and the appropriate SHPO(s) to identify measures to avoid adversely affecting these sites. If

4-113 December 2008

adverse effects to any NRHP-eligible sites cannot be avoided, Keystone will develop treatment plans for mitigating those effects. Keystone will file avoidance or treatment plans, as appropriate, with DOS and the appropriate SHPO(s).

Construction activities and associated operations could adversely affect undiscovered archaeological sites. If previously undocumented sites are discovered within the construction corridor during construction activities, all work that might adversely affect the discovery will cease until Keystone, in consultation with the appropriate parties, can evaluate the site's eligibility and the probable effects. If the previously unidentified site is recommended as eligible to the NRHP, impacts will be mitigated through the steps outlined in an approved Unanticipated Discovery Plan, which will be included in the cultural resources survey reports prepared for the preferred route.

If construction or other Project personnel discover what they believe to be human remains, funerary objects, or items of cultural patrimony on federal land, construction will cease within the vicinity of the discovery and the appropriate agency and tribal representatives will be notified of the find. Treatment of any discovered human remains, funerary objects, or items of cultural patrimony found on federal land will be handled in accordance with Native American Graves Protectionand Repatriation Act (NAGPRA). Construction will not resume in the area of the discovery until the authorized agency has issued a notice to proceed.

If human remains and associated funerary objects are discovered on state or private land during construction activities, construction will cease within the vicinity of the discovery and the county coroner or sheriff will be notified of the find. Treatment of any discovered human remains and associated funerary objects found on state or private land will be handled in accordance with the provisions of applicable state laws as outlined in the Unanticipated Discovery Plan.

Operation

The primary impact of the operation phase of the Project is the potential introduction of visual or audible elements (e.g., pump stations), which could alter the setting associated with historic properties. Keystone will mitigate these operational impacts to NRHP-eligible sites by the use of landscaping or other techniques that will minimize or eliminate effects on the historic setting or ambience of standing structures if applicable.

4.3.9.5 Summary of Route-Specific Cultural Resources Impacts

Route-specific impacts for cultural resources are summarized in **Table 4-54**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

4-114 December 2008

Table 4-54 Summary of Route-Specific Cultural Resources Impacts

		Route Alternatives					
Resource	Route A	Route A1A	Route B				
Miles of Pipe	Miles of Pipe						
Steele City Segment	919.7	951.3	850.7				
Portion in Montana	180.7	205.5	282.7				
Cultural							
Aerial cultural survey, prehistoric sites	Within Route A's survey corridor, one prehistoric site was observed.	Within Route A1A's survey corridor, five prehistoric sites were observed.	Within Route B's survey corridor, four prehistoric sites were observed.				
Aerial cultural survey, historic sites	Within Route A's survey corridor, 14 historic sites were observed.	Within Route A1A's survey corridor, 21 historic sites were observed.	Within Route B's survey corridor, 40 historic sites were observed.				
Aerial cultural survey, unknown sites	Within Route A's survey corridor, one site of unknown age was observed.	Within Route A1A's survey corridor, two sites of unknown age were observed.	Within Route B's survey corridor, six sites of unknown age were observed.				
Previously recorded historic sites	Within Route A's survey corridor, 68 historic sites were previously recorded, 9 eligible for the NRHP. Access roads file/records search produced 34 historic sites, 2 eligible for NRHP.	Within Route A1A's survey corridor, 20 historic sites were previously recorded, 6 eligible for the NRHP. Access roads file/records search produced 64 historic sites, 7 eligible for NRHP.	Within Route B's survey corridor, 62 historic sites were previously recorded, 13 eligible for the NRHP. Access roads file/records search produced 49 historic sites, 20 eligible for NRHP.				
Previously recorded prehistoric sites	Within Route A's survey corridor 13 prehistoric sites were previously recorded, 1 eligible for the NRHP. Access roads file/records search produced 9 prehistoric sites, 0 eligible.	Within Route A1A's survey corridor 30 prehistoric sites were previously recorded, 1 eligible for the NRHP. Access roads file/records search produced 9 prehistoric sites, 0 eligible.	Within Route B's survey corridor 148 prehistoric sites were previously recorded, 0 eligible for the NRHP. Access roads file /records search produced 5 prehistoric sites, 0 eligible.				
Previously recorded multi- component sites	Within Route A's survey corridor for both centerline and access roads, no multicomponent sites were previously recorded.	Within Route A1A's survey corridor for both centerline and access roads, no multicomponent sites were previously recorded.	Within Route B's survey corridor for both centerline and access roads, 6 multi-component sites were previously recorded.				
Previously recorded sites of unknown age	Within Route A's centerline survey corridor, 148 sites of unknown age were previously recorded. Access roads file/records search produced 81 sites of unknown age, 0 eligible.	Within Route A1A's centerline survey corridor, 22 sites of unknown age were previously recorded. Access roads file/records search produced 88 sites of unknown age, 0 eligible.	Within Route B's centerline survey corridor, no sites of unknown age were previously recorded. Access roads file/records search produced 62 sites of unknown age, 0 eligible.				

4-115 December 2008

References

- Aerial archaeology in Britain. Riley, D. N. and N. Derrick. 1982. Aylesbury, Bucks, United Kingdom: Shire Publications.
- Air photography and archaeology. 1987. Riley, D. N. and N. Derrick. Philadelphia, University of Pennsylvania Press.
- American Indian Religious Freedom Act: Oversight hearing before the Subcommittee on Native American Affairs of the Committee on Natural Resources, House of Representatives, One Hundred Third Congress, First Session, on Effectiveness of P.L. 95-346--the American Indian Religious Freedom Act of 1978 (AIRFA).
- The Antiquities Act and Federal Land Policy and Management Act Amendments of 1979: Hearing Before the Subcommittee on Parks, Recreation, and Renewable Resources of the Committee on Energy and Natural Resources, United States Senate, Ninety-sixth Congress, First Session, on S. 1176. September 13, 1979.
- Archaeological investigations on the Northern Border Pipeline: Montana Segment: Report [S.l.: s.n., 1983-1984].
- Archaeology of the High Plains. Gunnerson, J. H. Denver, Colorado: Rocky Mountain Region, USDA Forest Service, 1987.
- Archaeology on the Great Plains. Lawrence: University Press of Kansas, c1998.
- Cultural Resource Investigations of the South Dakota Segment of the Northern Border Pipeline Project [Omaha, Nebraska] (2223 Dodge St., Omaha 68102): Northern Plains Natural Gas Co.], 1982.
- Folsom tools and technology at the Hanson Site, Wyoming. Frison, G. C. Albuquerque: University of New Mexico Press, c1980.
- Guidelines for Evaluating and Documenting Rural Historic Landscapes. [Washington, D.C.?]: U.S. Department of the Interior, National Park Service, Interagency Resources Division, [1990?]
- Guidelines for Evaluating and Documenting Traditional Cultural Properties. [Washington, D.C.?]: U.S. Department of the Interior, National Park Service, Interagency Resources Division, [1990?]
- How to Apply the National Register Criteria for Evaluation. [Washington, D.C.?]: U.S. Department of the Interior, National Park Service, Interagency Resources Division, [1991]
- Montana Legacy: Essays on History, People, and Places. Helena, Montana. Montana Historical Society Press, C2002.
- Native American Graves Protection and Repatriation Act: Hearing Before the Committee on Indian Affairs, United States Senate, One Hundred Third Congress, first session, on oversight hearing on understanding how the Native American Grave Protection and Repatriation Act is being implemented, May 27, 1993, Washington, DC.
- National Park Service (NPS). 1995. Nationwide Programmatic Agreement: Simultaneous Review of NPS Plans and Section 106 Compliance for Component Undertakings.

4-116 December 2008

- Parker, P. and T. King. 1989. Guidelines for Evaluating and Documenting Traditional Cultural Properties. National Register Bulletin 38. National Park Service, Washington, D.C. 1990.
- Plains Indians. A.D. 500-1500: The Archaeological Past of Historic Groups. Norman: University of Oklahoma Press, c1994.
- Prehistoric Hunters of the High Plains. Frison, G. C. New York: Academic Press, c1978.
- Roadside History of Montana. Spritzer, D. E., 1946-Missoula, Montana: Mountain Press Pub., c1999.
- Survival by Hunting: Prehistoric Human Predators and Animal Prey. Frison, G. C. Berkeley: University of California Press, c2004.
- The Archeology of the Plains: An Assessment (with Special Reference to the Missouri River Basin).

 Jennings, J. D. 1909-Salt Lake City: University of Utah, Department of Anthropology, [1955].
- The Colby Mammoth Site: Taphonomy and Archaeology of a Clovis Kill in Northern Wyoming. Frison, G. C. Albuquerque: University of New Mexico Press, c1986.

4.3.10 Visual Resources

4.3.10.1 Baseline Data and Description of Routes – All Routes (Circular MFSA-2, Sections 3.4(9), 3.7(10), and 3.8(1)(b)

Visual resources are those characteristics of the landscape visible to residents and visitors. Descriptions of visual resources include the aesthetic value of the natural and developed landscape, the public value of viewing the natural landscape, and the visibility of the landscape from sensitive viewpoints (e.g., residences, recreation areas, rivers, and highways). Documentation of potential visual effects of the pipeline includes evaluation of physical features of the landscape, with particular attention to the ability of the particular landscape to absorb the visual modifications that would be introduced, together with the level of concern, or sensitivity, people have for scenic quality. Together these factors define the degree of landscape modification that would acceptable.

Approximately 15 percent (42 miles) of the length of the proposed Project occurs on lands managed by the BLM; the State of Montana owns approximately 7 percent (19 miles); and 78 percent (221 miles) are privately owned. There are no formal guidelines for managing visual resources for private or state owned lands. The BLM is responsible for identifying and protecting scenic values on public lands under several provisions of the Federal Land Policy Management Act and the NEPA. The BLM Visual Resource Management (VRM) system was developed to facilitate the effective discharge of that responsibility in a systematic, interdisciplinary manner.

The VRM system, documented by the BLM in the 8400 series VRM Manual (BLM 1986), was used as the basis for both the visual resources inventory and the assessment of visual impacts of proposed Project route alternatives. The VRM system includes an inventory process, based on a matrix of scenic quality, viewer sensitivity to visual change, and viewing distances, which leads to classification of public lands and assignment of visual management objectives. Four VRM classes have been established, which serve two purposes: 1) as an inventory tool portraying relative value of existing visual resources, and 2) as a management tool portraying visual management objectives for the respective classified lands to establish the guidelines for the level of acceptable visual change allowed in the landscape. The management objectives for each of the VRM classes are displayed in **Table 4-55**.

4-117 December 2008

Table 4-55 BLM VRM Class Objectives

Class I Objective	The objective of this class is to preserve the existing character of the landscape. This class provides for natural ecological changes; however, it does not preclude very limited management activity. The level of change to the characteristic landscape should be very low and must not attract attention.
Class II Objective	The objective of this class is to retain the existing character of the landscape. The level of change to the characteristic landscape should be low. Management activities may be seen, but should not attract the attention of the casual observer. Any changes must repeat the basic (design) elements of form, line, color, and texture found in the predominant natural features of the characteristic landscape.
Class III Objective	The objective of this class is to partially retain the existing character of the landscape. The level of change to the characteristic landscape should be moderate. Management activities may attract attention, but should not dominate the view of the casual observer. Changes should repeat the basic elements found in the predominant natural features of the characteristic landscape.
Class IV Objective	The objective of this class is to provide for management activities, which require major modification of the existing character of the landscape. The level of change to the characteristic landscape can be high. These management activities may dominate the view and be the major focus of viewer attention. However, every attempt should be made to minimize the impact of these activities through careful location, minimal disturbance, and repeating the basic (design) elements.
Rehabilitation Areas	Areas in need of rehabilitation from a visual standpoint should be flagged during the inventory process. The level of rehabilitation will be determined through the resource management planning (RMP) process by assigning the VRM class approved for that particular area.

Source: Visual Resource Contrast Rating, BLM Manual Handbook 8431-1, January 17, 1986.

The VRM system also includes a "contrast rating" procedure for evaluating the potential visual effects of a proposed Project or management activity. The VRM system was used to evaluate the visual impact of the proposed Project and alternatives as well as the potential cumulative visual effects of the Project in the context of other activities that have taken place or may take place in the area in the reasonably foreseeable future.

Although BLM lands are interspersed among private lands throughout the Project area, BLM visual resource analysts for both the Malta and Miles City Field Offices addressed all of the lands within their jurisdictions when they conducted inventories, recognizing that the character of the landscape is not limited by ownership boundaries. Consequently, all public and private lands in the area of the proposed pipeline have been classified under the VRM system. The VRM classes established by the BLM were taken as the starting point for inventorying visual resources for the proposed Project and alternatives. Field reconnaissance was conducted to determine whether conditions had changed to the degree that any of the classifications were outdated, and to update them as necessary. There was a minor difference in the approaches taken to the inventory process by the two BLM field offices. The Miles City Field Office opted to classify a 2-mile-wide corridor for all Interstate and US highways Class II and a similar corridor for all state highways and a few other highways Class III. The Malta Field Office apparently did not assess the traffic levels and sensitivity of the motorists on highways to be sufficient to affect the classification in every case. For the sake of consistency and to be somewhat more conservative, this analysis opted to follow the Miles City Field Office approach.

4-118 December 2008

There are three classes of scenic quality under the BLM VRM system, differentiated as Class A, Class B, and Class C. Ratings are arrived at through an evaluation of seven design factors: landform, vegetation, water, color, adjacent scenery, scarcity, and cultural modifications. Each of the factors is evaluated in the context of, and in comparison with, the characteristic landscape of the physiographic province in which the study area resides. Class A scenery is considered distinctive, with considerable variety in form, line, color, and texture. Class B scenery has enough variety in form, line, color, and texture to attract interest and is above average in the regional context, though not unique or highly distinctive. Class C scenery is considered common. Not unattractive, necessarily, but typical throughout the region.

Visual sensitivity is based on a mixture of the type of users, the quantity of users, the level of interest in the landscape, the duration of views, the land use context, and the proximity of viewers to a proposed change in the landscape. For example, recreational sightseers are likely to be more sensitive to visual change than workers commuting to jobs. Residents viewing the landscape while relaxing on their patios or decks on a Sunday afternoon are likely to be more sensitive than interstate travelers cruising past at 75 miles per hour. Viewers within 0.5 mile – the foreground viewing distance – are likely to be more sensitive to a visual modification than someone with a 0.5-mile to 4-mile – middle ground – viewing distance, or more.

In keeping with the guidance of Circular MFSA-2, Section 3.8(b), specific visual resource information for the Project route alternatives is focused on the area within 0.75 mile and within view of the proposed alignment (i.e., a 1.5-mile-wide corridor along each of the alternative routes). The following general description of the landscape sets the context for evaluating the potential visual effects of the alternatives.

The visual environment of the proposed Project occurs in, and is characterized by, the visual resources of the Missouri Plateau section of the Great Plains Physiographic Province (Fenneman 1931). Portions of the study area are included in both the glaciated section of the province, generally north of the Missouri River, and the unglaciated section, generally south of the Missouri River. Topography for both sections tends to be generally flat to gently rolling with undulating, rolling hills in places, some bluffs, and hummocky areas. The rolling prairie lands are interspersed with uplands, wet vegetation, streams, and rivers. There are a few areas that are deeply eroded. The southern region of the study area is primarily an elevated plain with gently rolling slopes and flat-topped, steep-sided buttes, and badlands.

Major rivers, such as the Missouri, the Yellowstone, and the Milk, and the associated Fort Peck Reservoir comprise the dominant water features of the region. General vegetation types consist of grasslands, riparian/wetlands, developed, barren, rangeland, and agriculture. Natural landscapes are predominantly rangeland/grasslands; disturbed areas are largely dryland wheat and hay fields, with widely disbursed community settlements.

Route A

Scenic Quality

With few exceptions, scenic quality for Alternative A is rated Class C – Common. Terrain is generally flat to gently rolling for most of the route. It is somewhat more rugged in the upper reaches of the route from Mileposts 11 to 48, although the Alternative A alignment would parallel an existing pipeline and utilize gentler valley terrain wherever possible. Vegetation is approximately 50 pecent prairie grassland and 50 percent cropland with a mix of dryland wheat and hay. Approximately 0.48 percent of Alternative A is in wetlands with a range of vegetation types and only 0.01 percent of the route is forested (see **Table 4-8**).

Cultural modifications near the Alternative A route include a few widely disbursed communities, residences, agricultural facilities, agricultural lands, highways, and other roads.

Alternative A would cross two areas that the BLM has designated VRM Class II, but that are not on major rivers or high standard roadways. The Class II designation would protect areas the agency has determined to have unusual value for visual resources. The first is an area from Mileposts 12.0 to 25.6, where Alternative A

4-119 December 2008

would cross through the edge of an area of some 200 square miles encompassing the French Creek drainage. The landscape at the southwesterly edge of the Class II area, where Alternative A would cross, would be considered mostly common if it were not associated with the larger drainage, although Alternative A would cross three notable coulees in addition to French Creek and approximately 0.5 mile of associated wetlands. The second Class II area is focused on Rock Creek Canyon and includes most of the Bitter Creek WSA. The area is slightly larger than the French Creek Class II area. Alternative A would cross approximately 16.4 miles of the Class II area, including approximately 3.5 miles of the WSA. Alternative A would cross Rock Creek and Willow Creek at approximately Mileposts 32.5 and 39.0, respectively. It also would cross several lesser tributaries. Except for the two major creek crossings, neither of which has extensive wetlands, most of the terrain crossed by this alternative is fairly common rolling grassland with some hummocky areas.

Two additional small areas totaling less than 5 miles combined have been designated Class II. Both are associated with US Highway 2.

Visual Sensitivity

Residential Viewpoints

Views from residences are considered sensitive because residents are potentially subject to long duration views of the landscape and because they are often financially and emotionally committed to their location. A total of 53 individual residences are located within 0.75 mile of the proposed route for Alternative A. Only 4 of the 53 residences are located in BLM-designated Class II areas and 3 of the 4 are in the areas associated with US Highway 2. There are 27 residences that benefit from some degree of vegetative or structural screening from the Alternative A alignment. There are a few dense windbreak type screens, although most are mixtures of less substantial vegetation and farm buildings. No naturally wooded areas have been found to provide screening from the Alternative A alignment. One residence is situated such that it would benefit from a terrain barrier.

No residential clusters were identified within 0.75 mile of Alternative A. There are only two communities near the route: Culbertson, approximately 5.3 miles south of the route at US Highway 2 and Montana State Highway 16, and Bainville, approximately 1.5 miles south of the route along US Highway 2, 14 miles east of Culbertson.

Recreation and Transportation Viewpoints

Alternative A would not cross any major rivers or recreation areas. Highways crossed by Alternative A include US Highway 2 and, from west to east, Montana State Highways 24, 13, and 16. In addition, it would run parallel to US Highway 2 for approximately 5 miles near Bainville. Of lesser significance, but notable for their effect on BLM VRM classifications, Alternative A would cross Powder River Road about 9 miles west of Montana State Highway 13. Average annual daily traffic levels (AADT) at the various road crossings vary widely. US Highway 2 carries approximately 1,300 vehicles per day (vpd) near the proposed crossing. AADT on the state highways ranges from 257 vpd on Montana State Highway 24 to 385 vpd on Montana State Highway 13, and 957 vpd on Montana State Highway 16. The Powder River Road is gravel surfaced and appears to be lightly traveled, although no traffic counts are available.

Travel routes accommodate substantial numbers of people, some of whom are hurrying through for business purposes, but some also are on recreational adventures and thus more sensitive to the visual environment. The travel routes are documented to acknowledge the potential to adversely affect the visual experience for all viewers, but especially for those who are more attuned to the visual environment.

Special Areas

Special areas include an extensive list of areas that are likely to attract people that would be especially sensitive to visual degradation (see Circular MFSA-2, Section 3.7 (10)). The only area on the list that could be

4-120 December 2008

affected by Alternative A is the Bitter Creek WSA, since WSAs are typically managed to minimize effects that would jeopardize the characteristics that would contribute to wilderness character in each area.

VRM Classes

Portions of Alternative A cross areas that have been designated VRM Class II, III, and IV by the BLM. Field reconnaissance verified that most of the BLM designations are still reasonable and appropriate. The Class III areas for low traffic gravel roads are questionable, but lacking the BLM documentation for the designations, it was deemed best to accept them for this analysis. The one area that was changed for the analysis was the crossing of Montana State Highway 24 north of Glasgow, which was analyzed as a Class III corridor in order to be consistent with numerous state highway classifications throughout the Miles City Field Office jurisdiction. The Malta Field Office had taken a different tack and had not designated Class III areas of lightly used roads. **Attachment A, Figure 4** illustrates the VRM classes for the study area in general and the Alternative A route in particular.

With the change for Montana State Highway 24, the route for Alternative A is: 19.3 percent (Class II); 5.6 percent (Class IV) (**Table 4-56**).

Table 4-56 Alternative A Route Miles by VRM Class

	From To	Miles by VRM Class				
Approximate Location	Milepost	Milepost	Class II	Class III	Class IV	Total
Frenchman Creek	0.00	11.96			11.96	
	11.96	25.59	13.64			
	25.59	30.67			5.07	
Rock Creek, Bitter Creek WSA	30.67	47.05	16.38			
	47.05	58.91			11.86	
Montana State Highway 24	58.91	61.01		2.10		
	61.01	100.06			39.05	
Powder River Road	100.06	102.12		2.06		
	102.12	109.70			7.58	
Montana State Highway 13	109.70	111.77		2.07		
	111.77	155.53			43.75	
Montana State Highway 16	155.53	157.71		2.18		
	157.71	168.70			10.99	
Parallel to US Highway 2	168.70	170.60	1.91			
	170.60	171.16			0.56	
US Highway 2 Crossing	171.16	174.07	2.91			
Parallel to Montana State Highway 327	174.07	175.70		1.63		
	175.70	180.65			4.95	
Total Miles	<u> </u>		34.83	10.04	135.77	180.65
Percent of Total			19.28	5.56	75.16	100.00

4-121 December 2008

Route A1A

Scenic Quality

Scenic quality for Alternative A1A is rated Class C – Common for the most part. Terrain is generally flat to gently rolling for most of the route. It is somewhat more rugged in the upper reaches of the route from Mileposts 11 to 48 where scenic quality may have sufficient variety to rate Class B, although the Alternative A1A alignment would parallel an existing pipeline and utilize gentler valley terrain wherever possible. Vegetation is approximately 43 percent prairie grassland and 56 percent agricultural cropland with a mix of dryland wheat and hay. Approximately 1.2 percent of the route is in wetland vegetation of various types and just 0.01 percent is forested (see Table 4-8). There are two center pivot irrigation systems crossed by the route, and there are a few small areas of irrigated agriculture along stream bottoms.

Cultural modifications near the Alternative A1A route include a few widely disbursed communities, residences, agricultural facilities, agricultural lands, highways, and other roads.

Alternative A1A would cross two areas that the BLM has designated VRM Class II, but that are not on major rivers or high standard roadways. The Class II designation would protect areas the agency has determined to have unusual value for visual resources. The Class II areas are the same two that were described above for Alternative A as the upper 51.8 miles of Alternative A1A share a common alignment with Alternative A. The first Class II area is a segment from Mileposts 12.0 to 25.6, where Alternative A1A would cross through the edge of an area of some 200 square miles encompassing the Frenchman Creek drainage. The landscape at the southwesterly edge of the Class II area, where Alternative A1A would cross, would be considered mostly common if it were not associated with the larger drainage, although Alternative A1A would cross three notable coulees in addition to Frenchman Creek and approximately 0.5 mile of associated wetlands. The second Class II area is focused on Rock Creek Canyon and includes most of the Bitter Creek WSA. The area is slightly larger than the Frenchman Creek Class II area. Alternative A1A would cross approximately 16.4 miles of the Class II area, including approximately 3.5 miles of the WSA. Alternative A1A would cross Rock Creek and Willow Creek at approximately Mileposts 32.5 and 39.0, respectively. It would also cross several lesser tributary creeks. Except for the two major creek crossings, neither of which has extensive wetlands, most of the terrain crossed by this alternative is fairly common rolling grassland with some hummocky areas.

Visual Sensitivity

Residential Viewpoints

Views from residences are considered sensitive because residents are potentially subject to long duration views of the landscape and because they are often financially and emotionally committed to their location. A total of 62 individual residences, plus approximately 72 clustered in the communities of Homestead and Froid, are located within 0.75 mile of the proposed route for Alternative A1A. Just one residence (at Milepost 24.2) is located in a BLM designated Class II area. At least 33 residences benefit from some degree of vegetative or structural screening from the Alternative A1A alignment. There are several dense windbreak type screens, and others include a mixture of less substantial vegetation and farm buildings. No naturally wooded areas have been found to provide screening from the Alternative A1A alignment. Several of the residences in Froid benefit from at least partial screening by neighboring residences and other buildings closer to the Alternative A1A alignment.

In addition to the two communities nearest the route, there are four communities near enough to the route that they would be considered in foreground-middle ground viewing distance of the Alternative A1A alignment: Antelope, approximately 3.5 miles north of the route State Highway 16 (Milepost 156); Reserve, 1.8 miles west of the route at Milepost 160; Medicine Lake, approximately 1.0 mile southeast of the route on State Highway 16 at Milepost 168; and McCabe, approximately 1.2 miles southeast of the route at Milepost 190.

4-122 December 2008

Recreation and Transportation Viewpoints

Alternative A1A would not cross any major rivers or recreation areas. It would cross a narrow peninsula of the Medicine Lake NWR. However, the crossing is merely a 300-foot-wide strip of land accommodating the manmade Diversion Ditch #1 at Milepost 169.2; it is not a primary activity area of the refuge. Alternative A1A would pass between the two larger units of the Medicine Lake NWR, avoiding each by 1,200 feet to 1,500 feet.

Alternative A1A would not cross any US highways. It would cross three Montana state highways: State Highways 24, 13, and 16, which it would cross three times heading southerly along the eastern boundary of the Fort Peck Indian Reservation. AADT levels at the various road crossings vary widely, but are all relatively low. State Highway 24 carries approximately 257 vpd near the proposed crossing. Counts available for State Highway 13 were obtained approximately 20 miles south of the Alternative A1A crossing, but the 385 vpd count is a reasonable estimate for the relevant highway segment. AADTs near the State Highway 16 crossings range from 1,104 vpd at the northernmost crossing to 957 vpd a few miles south of the southerly crossing.

Travel routes accommodate substantial numbers of people, some of whom are hurrying through for business purposes, but some also are on recreational adventures and thus more sensitive to the visual environment. The travel routes are documented to acknowledge the potential to adversely affect the visual experience for all viewers, but especially for those who are more attuned to the visual environment.

Special Areas

Special areas include an extensive list of areas that are likely to attract people that would be especially sensitive to visual degradation (see Circular MFSA-2, Section 3.7(10)). The only area on the list that could be affected by Alternative A1A is the Bitter Creek WSA, since WSAs are typically managed to minimize effects that would jeopardize the characteristics that would contribute to wilderness character in each area.

VRM Classes

Portions of Alternative A1A cross areas that have been designated VRM Class II, III, and IV by the BLM. Field reconnaissance verified that most of the BLM designations are still reasonable and appropriate. The Class III areas for low traffic gravel roads are questionable, but lacking the BLM documentation for the designations, it was deemed best to accept them for this analysis. The one area that was changed for the analysis was the crossing of State Highway 24 north of Glasgow, which is a Class IV area on BLM maps, but which was changed to a Class III corridor for this analysis in order to be consistent with numerous state highway classifications throughout the Miles City Field Office jurisdiction. The Malta Field Office had taken a different tack and had not designated Class III areas of lightly used roads. **Attachment A**, **Figure 4** illustrates the VRM classes for the study area in general and the Alternative A1A route in particular.

With the change for State Highway 24, the route for Alternative A1A is: 14.6 percent (Class II)I 6.5 percent (Class III); and 78.9 percent (Class IV) (**Table 4-57**).

Alternative A1A would border on the north and east of the Fort Peck Indian Reservation. It would cross the western end of the Medicine Lake NWR. Alternative A1A would cross Montana State Highways 13, 16, and 24, as well as the Burlington Northern Santa Fe Railroad (BNSF), and thus affect viewers traveling these roadways and railway.

4-123 December 2008

Table 4-57 Alternative A1A Route Miles by VRM Class

	From To			Miles by V	RM Class	
Approximate Location	Milepost	Milepost	Class II	Class III	Class IV	Total
Frenchman Creek	0.00	11.96			11.96	
	11.96	25.59	13.64			
	25.59	30.67			5.07	
Rock Creek, Bitter Creek WSA	30.67	47.05	16.38			
	47.05	59.81			12.76	
Montana State Highway 24	59.81	61.81		2.00		
	61.81	108.51			46.70	
Montana State Highway 13	108.51	110.51		2.00		
	110.51	155.33			44.83	
Montana State Highway 16	155.33	157.35		2.01		
	157.35	162.26			4.91	
Parallel to and crossing Montana State Highway 16	162.26	166.72		4.46		
	166.72	178.69			11.97	
Crossing Montana State Highway 16	178.69	181.55		2.87		
	181.55	205.27			23.72	
Total Miles			30.02	13.34	161.92	205.27
Percent of Total			14.62	6.50	78.88	100.00

Route B

Scenic Quality

With only a few exceptions, scenic quality for Alternative B is rated Class C – Common. Terrain is generally flat to rolling. Vegetation is mainly rangeland/grassland (64 percent), but there are fairly substantial areas of dryland agriculture and there are a few small areas of irrigated agriculture along river and stream bottoms, totaling approximately 35 percent of the route. There also are about 4 miles interspersed between Mileposts 102 and 116 where the route would skirt around and through some barren badlands areas. Slightly less than 1 percent of the route is in wetlands and approximately 0.4 percent is forested (see **Table 4-8**). Three main river corridors would warrant Class B scenic designation: the Milk River at approximately Milepost 82.6, the Missouri River at Milepost 88.9, and the Yellowstone River at Milepost 195.9. The river corridors are quite narrow where Alternative B would cross. The availability of perennial water along the rivers has sustained stands of larger trees than are typically found in the region, most of which are cottonwoods and willows.

Cultural modifications near the proposed Project include a few widely disbursed communities, residences, agricultural facilities, agricultural lands, highways, and other roads.

4-124 December 2008

Alternative B would cross three areas that the BLM has designated VRM Class II, but that are not on major rivers or high standard roadways. They were apparently designated Class II to protect areas the agency has determined to have unusual value. The first is an area from Mileposts 12.0 to 25.8, where Alternative B would cross through the edge of an area of some 200 square miles encompassing the French Creek drainage. The landscape at the southwesterly edge of the Class II area, where Alternative B would cross, would be considered mostly common if it were not associated with the larger drainage, although Alternative B would cross three notable coulees in addition to French Creek and approximately 0.5 mile of associated wetlands. The second Class II area is focused on Rock Creek Canyon and includes most of the Bitter Creek WSA. The area is slightly larger than the French Creek Class II area. Alternative B would cross Rock Creek and Willow Creek from Mileposts 35.1 to 43.5 in the southerly quarter of the area. Except for the creek crossings, neither of which has extensive wetlands, most of the terrain crossed by this alternative is fairly common rolling grassland with some hummocky areas. Alternative B would pass approximately 4 miles southwest of the WSA. The third noted Class II area is smaller; Alternative B would cross it from Mileposts 125.4 to 128.9. Alternative B would parallel the East Fork Prairie Elk Creek and cross several small tributary drainages in addition to the creek. The landscape is rangeland/grassland with a complex network of excised drainages. It is not generally apparent what warranted the Class II designation and BLM records are not complete regarding the designation.

Visual Sensitivity

Residential Viewpoints

Views from residences are considered sensitive because residents are potentially subject to long duration views of the landscape and because they are often financially and emotionally committed to their location. A total of 70 individual residences and one small cluster of residences are located within 0.75 mile of the proposed route for Alternative B. An estimated 20 of the 70 residences are located in BLM-designated Class II areas. There are 33 residences that benefit from some degree of vegetative screening from the Alternative B alignment. The vegetative screens vary from heavy, dense windbreaks to light residential landscaping; most have been planted and very few are natural wooded areas. Few, if any, residences benefit from terrain barriers.

The only identified cluster of residences is on the southwest edge of Baker, just inside the 0.75 mile corridor at approximately Milepost 247.

With the exception of the Baker outskirts noted above, there are no communities within the 0.75 mile corridor for Alternative B. Communities near the route include: Glasgow, 4.9 miles distance; Circle, 1.5 miles distance; Glendive, 19 miles distance; and Baker, most of which is over 3.2 miles distance.

Recreation and Transportation Viewpoints

The proposed Project would cross two branches of the Lewis and Clark Trail, one near the Missouri River crossing and one near the Yellowstone River crossing. The exact locations of the routes of the Lewis and Clark party are unknown, but it is expected that some recreationists and history buffs visit the area for the experience of seeing the country the explorers passed through. Alternative B would be located within 0.25 mile of the Charles M. Russell NWR boundary, but would be more than 5.5 miles from the Dredge Cuts Swimming Areas and approximately 6 miles from the Downstream Campground at the base of Fort Peck Dam.

Highways crossed by Alternative B include Interstate Highway 94, US Highways 2 and 12, and, from north to south, Montana State Highways 24, 117, 13, 200, 200S, and 7. In addition, it would run parallel to Montana State Highway 24 for several miles southeast of the Missouri River and parallel to Montana State Highway 200S for several miles southeast of Circle. Of lesser significance, but notable for their effect on BLM VRM classifications, Alternative B would cross Old Smoky Road just north of US Highway 2, Nickels Road south of the Missouri River, County Road 504 east of Fallon, and County Road 247 south of Baker. AADT at

4-125 December 2008

the various road crossings vary widely. Interstate Highway 94 carries over 3,000 vpd near the proposed crossing, US Highway 2 carries approximately 1,500 vpd, and US Highway 12 carries approximately 1,100 vpd. AADT on the state highways range from less than 200 vpd on Montana State Highway 24 where it parallels the pipeline route to just over 800 vpd where Alternative B would cross Montana State Highway 200S. All of these lesser roads are gravel surfaced and appear to be lightly traveled, although no traffic counts are available for them.

Alternative B also crosses the BNSF railroad line that parallels the Missouri River and US Highway 2. This line has scheduled AMTRAK service so it carries a substantial amount of passenger traffic daily, and thus would affect passengers/viewers traveling this railway.

Travel routes accommodate substantial numbers of people, some of whom are hurrying through for business purposes, but some also are on recreational adventures and thus more sensitive to the visual environment. The travel routes are documented to acknowledge the potential to adversely affect the visual experience for all viewers, but especially for those who are more attuned to the visual environment.

Special Areas

Special areas include an extensive list of areas that are likely to attract people that would be especially sensitive to visual degradation (see Circular MFSA-2, Section 3.7 (10)). The only areas on the list that could be affected by Alternative B are the Charles M. Russell NWR and residential areas, both of which were addressed above.

VRM Classes

Portions of Alternative B cross areas that have been designated VRM Class II, III, and IV by the BLM. Field reconnaissance verified that most of the BLM designations are still reasonable and appropriate. The Class III areas for low traffic gravel roads are questionable, but lacking the BLM documentation for the designations, it was deemed best to accept them for this analysis. The one area that was changed for the analysis was the crossing of Montana State Highway 24 north of Glasgow, which was analyzed as a Class III corridor rather than the Class IV established by the Malta Field Office in order to be consistent with numerous state highway classifications throughout the Miles City Field Office designation. **Attachment A**, **Figure 4** illustrates the VRM classes for the study area in general and the Alternative B route in particular.

With the change for Montana State Highway 24, the route for Alternative B is: 15.0 percent (Class II), 13.8 percent (Class III); and 71.3 percent (Class IV) (**Table 4-58**).

4.3.10.2 Impact Assessment – All Routes

Issue

 Construction and operation of the proposed Project could affect the aesthetic value of the visual environment.

Construction

Construction activity may directly or indirectly cause changes in the visual environment. The proposed Project would parallel Northern Border pipeline in parts. It consists of proposed pump stations, access roads to be used and/or upgraded during construction, pipe yards, contractor yards, and any other temporary use or staging areas.

4-126 December 2008

Table 4-58 Alternative B Route Miles by VRM Class

	From	То	Miles by VRM Class			
Approximate Location	Milepost	Milepost	Class II	Class III	Class IV	Total
Frenchman Creek	0.00	12.04			12.04	
	12.04	25.75	13.71			
	25.75	35.14			9.39	
Rock Creek	35.14	43.46	8.32			
	43.46	68.15			24.69	
Montana State Highway 24	68.15	71.09		2.94		
	71.09	78.91			7.82	
Old Smoky Road	78.91	80.85		1.95		
US Highway 2, BNSF/AMTRAK, Milk River	80.85	84.07	3.22			
	84.07	86.94			2.87	
Missouri River	86.94	91.34	4.40			
	91.34	92.92			1.57	
Parallel to Montana State Highway 24	92.92	103.28		10.36		
	103.28	107.89			4.62	
Nickels Road	107.89	109.90		2.00		
	109.90	125.40			15.50	
East Fork Prairie Elk Creek	125.40	128.91	3.51			
	128.91	144.96			16.05	
Montana State Highways 13, 200, and 200S	144.96	161.94		16.98		
	161.94	192.00			30.06	
Interstate Highway 94, Yellowstone River	192.00	196.96	4.96			
	196.96	203.14			6.19	
County Road 504	203.14	206.37		3.23		
	206.37	206.70			0.33	
	206.70	206.71		0.01		
	206.71	243.42			36.70	
US Highway 12	243.42	245.54	2.12			
	245.54	247.17			1.63	
Montana State Highway 7	247.17	249.54		2.37		
	249.54	263.78			14.23	
County Road 7 Little Beaver Road	263.78	265.78		2.00		
	265.78	282.28			16.50	
Total Miles	•	•	40.24	41.84	200.21	282.28
Percent of Total			14.26	14.82	70.92	100.00

4-127 December 2008

Construction of the Project could potentially affect visual resources. Project impacts could include the physical disturbance during construction of the visual environment's landform, vegetation, and/or structures. Mitigation of adverse effects may include, but would not be limited to, one or more of the following measures:

1) avoidance through realignment of the pipeline centerline, relocation of pump stations, or changes in the construction and/or operational design; 2) selection of a color palette for aboveground facilities that would blend with the existing visual environment to minimize visual contrast; and 3) use of screening, landscape feathering, or other techniques that would minimize or eliminate adverse effects.

Construction of a pipeline includes several stages. In general terms, it begins with clearing and grubbing of the work area, followed by trenching, pipe assembly and welding, laying in of the pipe, backfilling the trench, and finally, reclamation of the surface. All of these activities have visual components that may contrast with the existing visual environment. A generally positive consideration regarding pipeline construction is that the activity moves relatively rapidly along the approved route. Noise and dust from heavy machinery would affect a given location for several weeks, at most. The visual effects in an environment like the study area would include a moderately strong linear feature beginning with the clearing and grubbing, which would expose soil by scraping off existing grass and the few shrubs that may be found in parts of the area. None of the alternatives would cross a heavily forested area. Topographic modifications would be minor; for the most part, the pipeline would follow native terrain and the backfill would restore the surface to natural levels. Major rivers would be directionally drilled such that there would be little or no surface disturbance between the endpoints of the drilling. Upon completion of construction, the disturbed ROW would be revegetated. Observation of the ROW of previous pipelines constructed in the study area indicates that the visual effects of the pipeline, itself, would be virtually eliminated within approximately 1 to 5 years after completion of construction, depending on rainfall. Agricultural areas might lose one growing season, depending on the timing of pipeline construction. However, visual effects of the pipeline across agricultural areas would be essentially eliminated with the first crop grown on those portions of the ROW.

Pump stations, some road improvements, and electric power lines to service the pump stations would be permanent above ground features. They would be industrial in character with above ground piping, metal support buildings, and a relatively small electric substation at each pump station site (**Figure 1-3**). Activity at the pump stations would include occasional visits by maintenance teams in small trucks; no full time employees would be based at the pump stations.

Operation

The primary impact of the operation phase of the Project is the potential introduction of visual elements (e.g., vehicles and maintenance equipment) which could further alter the visual environment. No other impacts would be associated with the operation phase of the Project.

4.3.10.3 Impact Assessment – Route A

Construction

Visual effects of construction of the pipeline would be essentially as described above. There would be a very short-term period of approximately 6 months during active construction when heavy equipment would be present and active on any given segment of the ROW. Activities would be somewhat similar to the large scale farming activities that occur in many parts of the region, with large tractors and dozers progressing along the route. Upon completion of the active construction, there would be a readily identifiable linear feature in the landscape, although the visual contrast would be moderate because the native soils along the route tend to be buff and gray colored, which is lighter, but not strikingly so, than the soft gray-greens and beiges of the grasslands during much of the year. Depending on the timing of pipeline construction, if the construction scar is visible in the spring when the grasslands are a more vivid green, this linear color contrast may be stronger. Nevertheless, the requirements of both the Class III and Class IV objectives would be met. The pipeline would attract very little, if any, attention and would clearly not dominate the view of the casual observer except during active construction.

4-128 December 2008

Standard trench construction is proposed for the four VRM Class II areas: the two areas along US Highway 2 and the Frenchman Creek and Rock Creek Canyon areas, including the Bitter Creek WSA. It is expected that the visual effects in these areas would be essentially the same as for most of the rest of the Alternative A route. The terrain and surface conditions would, for the most part, be amenable to successful reclamation in a reasonable time frame. Consequently, there would be moderate adverse visual effects in the short term, but the standards of the Class II area would be readily achieved upon completion of successful reclamation of the ROW. That is, the existing landscape character would be maintained and the pipeline would not attract the attention of the casual observer (**Table 4-55**).

Four pump stations are proposed for Alternative A. Two of the four – Pump Stations 9 and 10 – are proposed for VRM Class IV areas at Mileposts 1.2 and 50.1, respectively. Pump Stations 11 and 12 are proposed to be located at Mileposts 110.5 and 156.7, respectively, which are in Class III areas.

Pump Station 9, proposed for Milepost 1.2, would be located in a wheat field. It would be approximately 1.0 mile from the nearest residence, a middle-ground viewing distance. There are no major traffic arteries in the vicinity. Pump Station 10, proposed for Milepost 50.1 would be located on open grassland several miles from any residence or major roads.

Pump Station 11 is proposed for agricultural land at Milepost 110.5 in a VRM Class III area. This location is within approximately 1,200 feet of Montana State Highway 13 and approximately 2,400 feet of a farm residence to the north.

Pump Station 12 also would be located in a Class III agricultural area at Milepost 156.7. It would be within a few hundred feet of Montana State Highway 16 and in the middle-ground viewshed of several residences, the nearest of which would be approximately 2,200 feet to the north. Assuming efforts are made to minimize the pump station's visual contrast with the surrounding environment, as described above for Pump Station 11, Pump Station 12 also should meet the standards of the VRM Class III area in which it would be located.

Operation

In the longer term, after successful reclamation, there would be little, if any, discernible visible contrast between the pipeline ROW and the surrounding landscape. It is anticipated that reclamation would be successfully completed within approximately 5 to 10 years after construction is completed as the soil and moisture conditions throughout the Alternative A route are conducive to reestablishing native grasses.

The visual effects of construction of the pump stations described above would be essentially the long-term effects as well. Once completed, the pump stations would continue largely unchanged for the life of the Project.

4.3.10.4 Impact Assessment – Route A1A

Construction

Visual effects of construction of the pipeline would be essentially as described above. There would be a very short-term period of approximately 6 months during active construction when heavy equipment would be present and active on any given segment of the ROW. Activities would be somewhat similar to the large scale farming activities that occur in many parts of the Alternative A1A route, with large tractors and bulldozers progressing along the route. Upon completion of the active construction, there would be a readily identifiable linear feature in the landscape, although the visual contrast would be moderate because the native soils along the route tend to be buff and gray colored, which is lighter, but not strikingly so, than the soft gray-greens and beiges of the grasslands during much of the year. Depending on the timing of pipeline construction, if the construction scar is visible in the spring when the grasslands are a more vivid green, this linear color contrast may be stronger. Nevertheless, the requirements of both the Class III and Class IV objectives would be

4-129 December 2008

achievable. The pipeline would attract very little, if any, attention and would clearly not dominate the view of the casual observer except during active construction.

Standard trench construction is proposed for the two VRM Class II areas: the Frenchman Creek and Rock Creek Canyon areas, including the Bitter Creek WSA. It is expected that the visual effects in these areas would be essentially the same as for most of the rest of the Alternative A1A route. The terrain and surface conditions would, for the most part, be amenable to successful reclamation in a reasonable time frame. Consequently, there would be moderate adverse visual effects in the short term, but the standards of the Class II area would be readily achieved upon completion of successful reclamation of the ROW. That is, the existing landscape character would be maintained and the pipeline would not attract the attention of the casual observer (**Table 4-55**).

Five pump stations are proposed for Alternative A1A. All five are proposed for VRM Class IV areas. Pump Station 9, proposed for Milepost 1.2, would be located in a wheat field on state owned land. It would be approximately 1.0 mile from the nearest residence, a middle-ground viewing distance. There are no major traffic arteries in the vicinity. Pump Station 9 would be located on state owned land; the other 4 pump stations in this alternative would be located on privately owned land. Pump Station 10, proposed for Milepost 50.1 would be located on open grassland several miles from any residence or major road. Pump Station 11 is proposed for grassland at Milepost 92.2, approximately 3.6 miles from the nearest residence and even farther from a major road. Pump Station 12 would be located on agricultural land at Milepost 146.5. This pump station would be approximately 9 miles from State Highway 16, the nearest major highway, but it would be just 1,800 feet from the nearest residence. The residence does have a substantial windbreak row of trees to screen the view of Pump Station 12. Pump Station 13 is proposed for Milepost 195.2, approximately 6 miles north of US Highway 6, the nearest major highway. It would be located on agricultural land approximately 1,500 feet from the nearest residence. This residence would have direct views of the pump station.

All five pump stations should readily meet the requirements of VRM Class IV, which permit activities to "dominate the view and be the major focus of viewer attention."

Operation

In the longer term, after successful reclamation, there would be little, if any, discernible visible contrast between the pipeline ROW and the surrounding landscape. It is anticipated that reclamation would be successfully completed within approximately 5 to 10 years after construction is completed as the soil and moisture conditions throughout the Alternative A1A route are conducive to reestablishing native grasses.

The visual effects of construction of pump stations described above would be essentially the long-term effects as well. Once completed, the pump stations would continue largely unchanged for the life of the project.

4.3.10.5 Impact Assessment – Route B

Construction

Visual effects of construction of the pipeline would be essentially as described above. There would be a very short-term period of approximately 6 months during active construction when heavy equipment would be present and active on any given segment of the ROW. Activities would be somewhat similar to the large scale farming activities that occur in many parts of the Alternative B route, with large tractors and dozers progressing along the route. Upon completion of the active construction, there would be a readily identifiable linear feature in the landscape, although the visual contrast would be moderate because the native soils along the route tend to be buff and gray colored, which is lighter, but not strikingly so, than the soft gray-greens and beiges of the grasslands during much of the year. Depending on the timing of pipeline construction, if the construction scar is visible in the spring when the grasslands are a more vivid green, this linear color contrast may be stronger. Nevertheless, the requirements of both the Class III and Class IV objectives would be met. The pipeline would attract very little, if any, attention and would clearly not dominate the view of the casual observer.

4-130 December 2008

Directional drilling is proposed for the crossings of the Milk, Missouri and Yellowstone rivers. At the Milk River, the drilling would commence above US Highway 2 and would pass under the highway, the railroad, and the river. Consequently, there would be essentially no adverse visual effects through this VRM Class II area. Similarly, directional drilling of the Missouri River would avoid any disturbance or scarring of the moderately steep slopes on the south side of the river. For the Yellowstone River, the directional drilling would cross from the flats north of the river under both the railroad and the river and would emerge on the plateau above the river to the south. Finally, it is expected that Interstate Highway 94 would be directionally drilled, which would avoid visual disturbance of most of that Class II area as well.

Standard trench construction is proposed for the remaining four VRM Class II areas, US Highway 12 and the three areas not associated with a river, a highway, or a railroad. It is expected that the visual effects in these areas would be essentially the same as for most of the rest of the Alternative B route. The terrain and surface conditions would, for the most part, be amenable to successful reclamation in a reasonable time frame. Consequently, there would be moderate adverse visual effects in the short term, but the standards of the Class II area would be readily achieved upon completion of successful reclamation of the ROW. That is, the existing landscape character would be maintained and the pipeline would not attract the attention of the casual observer (**Table 4-55**).

Seven pump stations are proposed for Alternative B. Five of the seven – Pump Stations 9, 10, 13, 14, and 15 – are proposed for VRM Class IV areas, and two would be in Class III areas. Pump Station 11 is proposed for Milepost 97.9, which is located approximately 1 mile from State Highways 24 and 9 miles south of the Missouri River. Terrain in the area would prevent travelers on Montana State Highway 24, a lightly traveled road, from seeing the pump station. Pump Station 12 is proposed for Milepost 148.5 approximately 2 miles southeast of the community of Circle. It would be within about 500 feet of Montana State Highway 200S, a fairly busy rural highway. In all cases, the pump stations would be painted in colors selected from the BLM palette to make them blend as much as possible with the surrounding landscape. Pump Stations 9, 10, 13, 14, and 15 would readily meet the standards of VRM Class IV. Pump Station 11 would satisfy the requirements of VRM Class III as it would be effectively screened from most viewers by terrain.

Operation

In the longer term, after successful reclamation, there would be little, if any, discernible visible contrast between the pipeline ROW and the surrounding landscape. It is anticipated that reclamation would be successfully completed within approximately 5 to 10 years after construction is completed as the soil and moisture conditions throughout the Alternative B route are conducive to reestablishing native grasses.

The visual effects of construction of the pump stations described above would be essentially the long-term effects as well. Once completed, the pump stations would continue largely unchanged for the life of the Project.

4.3.10.6 Summary of Route-Specific Visual Resources Impacts

Route-specific impacts for visual resources are summarized in **Table 4-59**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

4-131 December 2008

Table 4-59 Summary of Route-Specific Visual Resources Impacts

		Route Alternatives						
Resource	Route A	Route A1A	Route B					
Miles of Pipe	Miles of Pipe							
Steele City Segment	919.7	951.3	850.7					
Portion in Montana	180.7	205.5	282.7					
Visual								
Visual sensitivity – residential viewpoints	Route A would pass within 0.75 mile of 53 residences; 27 have some degree of vegetative or structural screening. There are no residential clusters within 0.75 mile.	Route A1A would pass within 0.75 mile of 62 individual residences and approximately 72 residences in two community clusters. At least 33 individual units have some degree of vegetative or structural visual screening and the Froid community cluster would provide some internal structural screening.	Route B would pass within 0.75 mile of 70 residences; 33 have some degree of vegetative or terrain screening. There is one residential cluster within 0.75 mile.					
Visual sensitivity – recreation/ transportation viewpoints	Route A would not cross any recreation areas or major rivers. Route A would cross US Highway 2, State Highways 24, 13, and 16; it would parallel US Highway 2 for approximately 5 miles.	Route A1A would not cross any recreation areas or major rivers. Route A1A would cross State Highways 24 and 13, and would cross State Highway 16 three times.	Route B would not cross any formal recreation areas; it would cross two branches of the Lewis and Clark Trail. It would cross the Milk, Missouri, and Yellowstone Rivers. Route B would cross Interstate Highway 94; US Highways 2 and 12; State Highways 24, 117, 13, 200, 200S, and 7. It would parallel State Highways 24 and 200S for several miles each.					
Special areas	Route A would cross the Bitter Creek WSA.	Route A1A would cross the Bitter Creek WSA and a water supply canal associated with the the Medicine Lake NWR.	Route B would not cross any special areas.					
VRM classes	VRM classes crossed by Route A include: Class II: 19.3 percent; Class III: 5.6 percent; and Class IV: 75.2 percent.	VRM classes crossed by Route A1A include: Class II: 14.6 percent; Class III: 6.5 percent; and Class IV: 78.9 percent.	VRM classes crossed by Route B include: Class II: 14.3 percent; Class III: 14.8 percent; and Class IV: 70.9 percent.					

References

Bureau of Land Management (BLM). 1986. BLM Manual Section 8400: Visual Resource Management System. U.S. Department of the Interior, Bureau of Land Management, Washington, D.C.

Fenneman, N. M. 1931. Physiography of the Western United States. McGraw-Hill Book Company, New York.

4-132 December 2008

4.3.11 Transportation

4.3.11.1 Baseline Data and Description of Routes – All Routes

Airports and Aeronautical Hazards (MFSA-2, Section 3.7(9)(g))

Public air fields and air strips were examined in relation to all three route alternatives. Aerial photo and topographic analysis review was conducted to identify any public or unregistered airfields along the alternative routes. There are no impacts on public air transportation with any of the proposed routes. There may be other unregistered private airfields existing within the Project area, however, these were not identified due to their size. **Attachment A, Mapbook 1** shows all known airfields as well as other transportation infrastructure in the areas surrounding the three routes.

There are no aeronautical hazards associated with the construction, operation, or maintenance of the pipeline. Transmission lines that will service the pump stations will be permitted separately and will address this issue as applicable.

Roadways and Railways (MFSA-2 Section 3.7(1)(d&e))

Roadway and railway impacts are anticipated for all alternatives. Roadways were broken into categories for assessment.

- Major roads (limited access highways, US Highway without limited access, and state and secondary highways); and
- Minor roads (local roads or city streets).

Major roads are networks that serve large scale transportation needs. They act as a major connection to major municipal locations. These roadways are primarily established and maintained for interstate travel and commerce. Minor roads are those transportation corridors having less volume and use than major roads. They are mainly established for local travel within the state. BNSF is the only railroad operator that has railway crossed by the routes. All three alternatives cross at least one BNSF railway.

Route A would cross US Highway 2, Montana State Highways 13, 24, and 6, as well as the BNSF railway. **Table 4-60**, summarizes the roadway and railway crossings that would occur under Route A. Specific crossing locations of major roadways or railways are listed in **Table 4-61**, below.

Route A1A would cross Montana State Highways 13, 16, and 24 as well as the BNSF railway. This route does not cross any US Highways or Interstate Highways. **Table 4-62** summarizes the roadway and railway crossings that would occur under Route A1A. Specific crossing locations of major roadways or railways are listed in **Table 4-63**, below.

Route B would cross Interstate Highway 94, US Highways 2 and 12, Montana State Highways 13, 24, 117, 200, and 247. Montana State Highway 13 is considered a scenic byway by the BLM. The BNSF spur from Glendive, Montana, to Circle, Montana, that is crossed in out-of-service (BNSF 2006) **Table 4-64**, summarizes the roadway and railway crossings that would occur under Route B. Specific crossing locations of major roadways or railways are listed in **Table 4-65**, below. A summary comparison of roads and railroads crossed by each alternative is provided in **Table 4-66**.

4-133 December 2008

Table 4-60 Roadways and Railroads Crossed by Route A in Montana

Road Class	Count
Local neighborhood road, rural road, city	57
Primary road	1
Private road for service vehicles (logging)	6
Railroad feature (main, spur, or yard)	1
Secondary road	3
Vehicular trail (four-wheel drive)	27
Total Crossings	95
Major roads ¹	5
Minor roads	89
Railways	1

¹ Denotes no interstate highways.

Table 4-61 Location of Major Roads and Railroads Crossed by Route A in Montana

Location (Milepost)	Road Name	
59.97	Montana State Highway 24	
110.71	Montana State Highway 13	
156.62	Montana State Highway 16	
168.10	BNSF Railway	
172.67	US Highway 2	

Table 4-62 Roadways and Railroads Crossed by Route A1A in Montana

Road Class	Count
Four-wheel drive trail	10
Local road or city street	69
State and secondary highway	5
Railway	5
Total Crossings	89
Major Roads ¹	5
Minor Roads	79
Railways	5

Denotes no interstate highways.

4-134 December 2008

Table 4-63 Location of Major Roads and Railroads Crossed by Route A1A in Montana

Location (Milepost)	Road Name
60.96	Montana State Highway 24
109.66	Montana State Highway 13 Scenic Byway
155.79	BNSF Railway
156.50	Montana State Highway 16
164.66	Montana State Highway 16
167.03	BNSF Railway
172.76	BNSF Railway
175.98	BNSF Railway
178.99	BNSF Railway
180.26	Montana State Highway 16

Table 4-64 Roadways and Railroads Crossed by Route B

Road Class	Count
Local neighborhood road, rural road, city	98
Scenic byway	1
Primary road	2
Private road for service vehicles (logging)	7
Railroad feature (main, spur, or yard)	7
Secondary road	5
Total Crossings	120
Major roads ¹	10
Minor roads	113
Railway	7

¹ Includes Interstate Highway 94.

4-135 December 2008

Table 4-65 Location of Major Roads and Railroads Crossed by Route B in Montana

Location (Milepost)	Road Name	
69.68	Montana State Highway 24	
82.30	US Highway 2	
82.40	BNSF Railway	
83.74	Montana State Highway 117	
145.98	Montana State Highway 13 Scenic Byway	
146.87	Montana State Highway 200	
147.73	Montana State Highway 200	
147.77	BNSF Railway	
154.18	BNSF Railway	
163.23	BNSF Railway	
193.04	Interstate Highway 94	
196.01	BNSF Railway	
243.92	BNSF Railway	
244.50	US Highway 12	
248.34	Montana State Highway 7	
269.03	Montana State Highway 247	

Table 4-66 Summary Comparison

Road Class	Route A Count	Route A1A Count	Route B Count
Local neighborhood road, rural road, city	57	69	98
Scenic byways	0	0	1
Primary road	1	0	2
Private road for service vehicles (logging)	6	0	7
Railroad feature (main, spur, or yard)	1	5	7
Secondary road	3	5	5
Vehicular trail (4WD)	27	10	10
Total Crossings	95	89	130
Major roads	5 ¹	5 ¹	10 ²
Minor roads	89	79	113
Railroads	1	5	7

Denotes no interstate highway.

4-136 December 2008

Denotes one interstate highway.

4.3.11.2 Impact Assessment (MFSA-2, Section 3.7(1)(d&e))

Projects Listed in Montana Tentative Construction Program for 2008 to 2012

In the Project area there is one transportation project that has been outlined in the Montana DOT Tentative Construction Program for 2008 to 2012 that may occur during the time of the Steele City Phase of Construction planned for 2011 to 2012 (Montana DOT 2008). Routes A and A1A are not expected to cross any Montana DOT construction projects. Route B may cross a bridge replacement project that is located near Highway 504 in Prairie County. This project is scheduled to occur in 2012.

Consultation with Montana Department of Transportation (MFSA-2, Section 3.7(9)(e))

Montana DOT was consulted regarding highway crossings and encroachment on highway ROWs. Through consultation with the Glendive, Montana, DOT office, the Manual on Uniform Traffic Control Devices was referenced as a suitable guideline. This is the only guideline the Project needs to reference for traffic control (Montana DOT 2008a). Consultation also was conducted with program and policy analysis for Montana DOT. In this consultation, the Project was encouraged to obtain all necessary road crossing and utility permits prior to construction (Montana DOT 2008b).

The Project CMRP states construction across paved roads and highways will be in accordance with the requirements of the road crossing permits and approvals obtained by Keystone. In general, all major paved roads and primary gravel roads will be crossed by boring beneath the road.

4.3.11.3 Access Roads (Circular MFSA-2, Section 3.7(7))

The location of access roads for each of the routes was determined by using U.S. Census Bureau (USCB) TIGER data and/or aerial interpretation. Existing (established) roads will be used for ROW access to the maximum extent practicable. Please see **Attachment A**, **Mapbook 1** for the location of all access roads for each route alternative. The majority of the access roads that were identified within the Project study area are used for agriculture and/or livestock purposes, and consists of dirt or graveled roads. Since many of these roads are private, and not maintained; they may or may not require improvements. The majority of these roads will only be used during construction, but a small number could potentially be used for maintenance and monitoring during operation of the pipeline. The tables in **Attachment N** provide the general location (Milepost where the road intersects the ROW), ownership, and length (miles) of each access road for each route alternative. A summary of the ownership (distance crossed for all access roads per route) is shown below in **Table 4-67**.

Table 4-67	Summary of Ov	wnership Crossed by	v Access Road for	Construction
I UDIC T UI	Outilitially of O	Wilcibilip Clobbca by	y Access Iteaa iei	

Ownership Type	Route A	Route A1A	Route B
Federal miles	14.93	14.98	23.06
State miles	6.96	7.23	2.94
Tribal miles	17.79	0.01	0.00
Private miles	25.72	59.25	85.50
Total	65.4	81.47	111.5

4-137 December 2008

Routes A, A1A, and B

Access roads that were identified for Route A would cross approximately 15 miles of federal land, 7 miles of state land, 18 miles of tribal land, and 11 miles of private property. A total of 36 access roads have been identified for Route A. Although two roads cross the Bitter Creek ACEC, it was confirmed with the BLM Malta Field Office that it would be possible to utilize certain existing roads in this area with the understanding that there would be certain restrictions attached to the use of the roads by the BLM.

Access roads that were identified for Route A1A would cross approximately 14 miles of federal land, 7 miles of state land, 1 mile of Tribal land, and 16 miles of private property. A total of 49 roads have been identified for Route A1A.

Access roads that were identified for Route B would cross approximately 23 miles of federal land, 3 miles of state land, and 86 miles of private property. Alternative B does not cross any Tribal lands. A total of 52 roads have been identified for Route B.

4.3.11.4 Summary of Route-Specific Transportation Impacts

Route-specific impacts for transportation are summarized in **Table 4-68**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

Table 4-68 Summary of Route-Specific Transportation Impacts

		Route Alternatives	
Resource	Route A	Route A1A	Route B
Miles of Pipe			
Steele City Segment	919.7	951.3	850.7
Portion in Montana	180.7	205.5	282.7
Transportation			
Airports	No public airports impacted.	Same as Route A.	Same as Route A.
Roadways and Railways	Route A would cross US Highway 2, Montana State Highways 13, 24, and 16, and the BNSF railway.	Route A1A would cross Montana State Highways 13, 16, 24 and the BNSF railway.	Route B would cross Interstate Highway 94, US Highways 2 and 12; Montana State Highways 13, 24, 117, 200, and 247. Montana State Highway 13 is considered a scenic byway by the BLM. The BNSF spur from Glendive, Montana, to Circle, Montana, which is crossed in out-of-service (BNSF 2006).

4-138 December 2008

Table 4-68 Summary of Route-Specific Transportation Impacts

	Route Alternatives			
Resource	Route A	Route A1A	Route B	
Miles of Pipe		1		
Steele City Segment	919.7	951.3	850.7	
Portion in Montana	180.7	205.5	282.7	
Access roads	Route A would cross approximately 15 miles of federal land, 7 miles of state land, 18 miles of tribal land, and 11 miles of private property. A total of 36 roads have been identified for Route A.	Route A1A would cross approximately 14 miles of federal land, 7 miles of state land, 1 mile of Tribal land, and 16 miles of private property. A total of 49 roads have been identified for Route A1A.	Route B would cross approximately 23 miles of federal land, 3 miles of state land, and 86 miles of private property. Route B does not cross any Tribal lands. A total of 52 roads have been identified for Route B.	

References

Burlington Northern Santa Fe (BNSF) Railway Company. 2006. Montana Operating Division System Maintenance and Planning. Map created January 1, 2006. Website: http://www.bnsf.com/tools/reference/division-maps/div-mt.pdf. (Accessed August 26, 2008.)

Montana Department of Transportation, Glendive Office. 2008a. Personal communication. J. Frank (Montana DOT) to K. Arndt (ENSR). October 14, 2008.

, Helena Office. 2008b.	Personal communication.	J. Frank (Montana	DOT) to K.	Arndt (ENSR)
October 15, 2008.				

_____. 2008c. Federal and State Tentative Construction Projects 2008-2012. Map created January 2008. Website: http://www.mdt.mt.gov/travinfo/docs/ tcp montana map.pdf. (Accessed August 26, 2008.)

4.3.12 Socioeconomics and Environmental Justice

4.3.12.1 Baseline Data and Description of Routes – All Routes

A list of communities that may be affected by the three routes and their respective Year 2000 population statistics are shown in **Table 4-69**. This list identifies all communities within 0.5 to 2 miles of the routes in Montana (Circular MFSA-2, Section 3.4 (6)).

Population, Employment, and Income (Circular MFSA-2, Section 3.4 (6)(7)(c,e,h))

Population

Counties affected by both Route A and Route A1A also had declining populations from 1990 to 2000. Phillips County had the most significant decline for Route A, while Sheridan County recorded the most significant decline for Route A1A at -24.2 percent.

Route B traverses predominantly rural and sparsely populated areas, with population densities ranging from 0.7 to 3.8 people per square mile for the majority of the route. Populations in the affected counties have declined from 1990 to 2000. Prairie County recorded the largest decline at 13.3 percent. The least significant

4-139 December 2008

decline was Dawson County at 4.7 percent. The City of Glendive lies within the boundaries of Dawson County. With a population of 4,729 in 2000, Glendive is the largest city within a county affected by Route B in Montana.

Table 4-69 Affected Communities Along the Alternative Routes

State/Community	County	Relative Proximity to Project (miles)	Population (2000) ¹	
Route A				
Nashua	Valley	2	325	
Bainville	Roosevelt	2	153	
Route A1A				
Nashua	Valley	2	325	
Reserve	Sheridan	0.5	37	
Medicine Lake	Sheridan	2	269	
Froid	Roosevelt	2	195	
Route B				
Nashua	Valley	2	325	
Circle	McCone	2	644	
Baker	Fallon	2	1,695	

¹ USCB 2000b.

Table 4-70 summarizes the current population as well as population trends in the counties crossed by the proposed routes.

Table 4-70 Socioeconomic Conditions in Affected Counties Along the Project

	Popu	lation ¹	% Change in Population	Population Density (per square mile) ¹	
State/County	1990	2000	1990 to 2000	2000	
Route A					
Phillips	5,163	4,601	-10.9	0.9	
Valley	8,239	7,765	-5.8	1.6	
Roosevelt	10,999	10,496	-4.6	4.5	
Route A1A			·		
Phillips	5,163	4,601	-10.9	0.9	
Valley	8,239	7,765	-5.8	1.6	
Daniels	2,266	2,017	-11	1.4	
Sheridan	4,732	3,447	-27.2	2.4	
Roosevelt	10,999	10,496	-4.6	4.5	

4-140 December 2008

Table 4-70 Socioeconomic Conditions in Affected Counties Along the Project

	Popul	ation ¹	% Change in Population	Population Density (per square mile) ¹
State/County	1990	2000	1990 to 2000	2000
Route B				
Phillips	5,163	4,601	-10.9	0.9
Valley	8,239	7,765	-5.8	1.6
McCone	2,276	1,977	-13.1	0.7
Dawson	9,505	9,059	-4.7	3.8
Prairie	1,383	1,199	-13.3	0.7
Fallon	3,103	2,837	-8.6	1.8

¹ USCB 2000b.

Employment and Income (Circular MFSA-2, Section 3.4 (7)(c,e)))

Employment, local industry, and income trends in the counties crossed by the routes are summarized in **Table 4-71**.

All of the affected counties have per capita personal incomes that are lower than the state average. Phillips County has the lowest per capita personal income of the six affected Montana counties along Route B, while Valley County had the highest. Fallon County was the only affected county that had a median household income higher than the Montana state average. McCone County had the lowest median household income.

Major industries, by employment, in the counties along Route B are consistently agriculture, government, and retail trade. Health care and social assistance also is a major industry in Dawson County. Counties with larger population centers, such as Dawson and Valley counties, have the largest labor forces, while the least populated counties, such as McCone and Prairie, have the smallest labor forces, both under 1,000 labor force participants. The unemployment rates for the affected counties were all below the state average of 3.8 percent. Phillips and Prairie counties both had the highest unemployment rates at 3.6 percent as of August 2008.

Major industries in counties affected by Routes A and A1A are agriculture, government, and retail trade, as well as, in Roosevelt County, health care and social assistance. Roosevelt and Valley counties recorded the largest labor forces, while Daniels County, at 771 labor force participants, recorded the smallest. Roosevelt County recorded the lowest per capita personal income for both Route A and Route A1A. Roosevelt County also had the lowest median household income for both counties, as well as the highest unemployment rate, at 3.6 percentage points above the Montana state average.

The amount of skilled and semi-skilled labor in eastern Montana, and their corresponding average median wage is shown in **Table 4-72**. Counties within the eastern Montana region, employ 55 percent more skilled labor than they do semi-skilled labor. Additionally, skilled laborers earn an average median wage that is 71.5 percent greater than the average median wage of semi-skilled laborers.

4-141 December 2008

Table 4-71 Employment and Income Conditions in Affected Counties¹ Along the KXL Pipeline Project

	1 10,0						
	Labor Force (Aug 2008) ¹	Unemployment Rate % (Aug 2008) ¹	Industry ²	Employees ²	Annual Wages (\$1000) ²	Per Capita Personal Income (\$) ³	Median Household Income (\$) ³
Route A	•		•				
Phillips	2,035	3.6	Agriculture	1,116	\$4,215	\$15,058	\$31,742
			Government	447	\$17,772		
			Retail trade	225	\$2,884		
Valley	3,737	3.2	Agriculture	1,544	\$3,506	\$16,246	\$34,514
			Government	777	\$35,220		
			Retail trade	450	\$7,306		
Roosevelt	3,812	7.4	Government	1,857	\$78,448	\$11,347	\$27,067
			Agriculture	1,378	\$2,559		
			Health care and social assistance	477	\$12,993		
Route A1A							
Phillips	2,035	3.6	Agriculture	1,116	\$4,215	\$15,058	\$31,742
			Government	447	\$17,772		
			Retail trade	225	\$2,884		
Valley	3,737	3.2	Agriculture	1,544	\$3,506	\$16,246	\$34,514
			Government	777	\$35,220		
			Retail trade	450	\$7,306		
Daniels	771	3.5	Agriculture	883	\$1,618	\$16,055	\$29,052
			Government	180	\$6,599		
			Retail trade	85	\$665		
Sheridan	1,734	2.7	Agriculture	1244	\$2,249	\$16,038	\$31,791
			Government	374	\$17,074		
			Retail trade	228	\$2,571		
Roosevelt	3,812	7.4	Government	1,857	\$78,448	\$11,347	\$27,067
			Agriculture	1,378	\$2,559		
			Health care and social assistance	477	\$12,993		

4-142 December 2008

Table 4-71 Employment and Income Conditions in Affected Counties¹ Along the KXL Pipeline Project

	Labor Force (Aug 2008) ¹	Unemployment Rate % (Aug 2008) ¹	Industry ²	Employees ²	Annual Wages (\$1000) ²	Per Capita Personal Income (\$) ³	Median Household Income (\$) ³
Route B							
Phillips	2,035	3.6	Agriculture	1,116	\$4,215	\$15,058	\$31,742
			Government	447	\$17,772		
			Retail trade	225	\$2,884		
Valley	3,737	3.2	Agriculture	1,544	\$3,506	\$16,246	\$34,514
			Government	777	\$35,220		
			Retail trade	450	\$7,306		
McCone	986	2.3	Agriculture	827	\$2,583	\$15,162	\$29,746
			Government	188	\$5,722		
			Retail trade	92	\$954		
Dawson	4,131	3.3	Agriculture	1,058	\$3,259	\$15,368	\$35,740
			Government	789	\$31,496		
			Health care and social assistance	705	\$22,279		
Prairie	532	3.6	Agriculture	387	\$1,886	\$14,422	\$31,221
			Government	178	\$6,794		
			Retail trade	43	\$453		
Fallon	1,842	2.2	Agriculture	738	\$1,706	\$16,014	\$37,822
			Mining	337	\$29,001		
			Government	283	\$10,740		

¹ U.S. Bureau of Labor Statistics 2008.

4-143 December 2008

² U.S. Bureau of Economic Analysis 2006.

³ USCB 2000b.

Table 4-72 Semi-skilled and Skilled Labor in Eastern Montana¹

Spread Number	Total Number of Jobs	Average Median Wage		
Semi-skilled labor	20,810	\$21,336		
Skilled labor	32,280	\$36,587		

Ockert. 2008. Includes data for potentially affected counties as well as Carter, Custer, Garfield, Powder River, Richland, Rosebud, Treasure, and Wibaux counties.

4.3.12.2 Housing Supply (Circular MFSA-2, Section 3.4 (7)(h))

The most pertinent component of local housing markets for the purposes of the Project is the inventory of short-term accommodations. Such accommodations include recreational vehicle spaces, motel and hotel rooms, and campgrounds. In some instances, recreational cabins and seasonal housing for migratory workers also may be available. **Table 4-73** has detailed lodging information for the counties crossed in Montana.

Table 4-73 Housing Assessment for Counties Along the Project

State/County	Total Housing Units (2000) ¹	Total Rental Units (2000) ¹	Rental Vacancy Rate (%) (2000) ¹	Hotel/Motel Rooms ^{2,3,4,5,6}	Recreational Vehicle Sites ⁷	Building Permits (2006) ⁸			
Route A									
Phillips	2,502	632	14.1	126	40	0			
Valley	4,847	826	7.9	253	44	1			
Roosevelt	4,044	1,375	9.2	155	0	3			
Route A Totals	11,393	2,833	10.4(avg)	534	84	4			
Route A1A	Route A1A								
Phillips	2,502	632	14.1	126	40	0			
Valley	4,847	826	7.9	253	44	1			
Daniels	1,154	219	11.9	40	0	2			
Sheridan	2,167	429	19.8	104	0	0			
Roosevelt	4,044	1,375	9.2	155	0	3			
Route A1A Totals	14,714	3,481	12.58(avg)	678	84	6			
Route B									
Phillips	2,502	632	14.1	126	40	0			
Valley	4,847	826	7.9	253	44	1			
McCone	1,087	240	25.8	14	0	0			
Dawson	4,168	1,076	12.5	277	94	3			

4-144 December 2008

Table 4-73 Housing Assessment for Counties Along the Project

State/County	Total Housing Units (2000) ¹	Total Rental Units (2000) ¹	Rental Vacancy Rate (%) (2000) ¹	Hotel/Motel Rooms ^{2,3,4,5,6}	Recreational Vehicle Sites ⁷	Building Permits (2006) ⁸
Prairie	718	143	15.4	0	9	0
Fallon	1,410	333	22.5	91	18	0
Route B Totals	14,732	3,250	16.37 (avg)	761	205	4

¹ USCB 2000a

Counties along Route B tend to have very low housing supply and a low level of new development. The lowest rental housing supply and growth occur in McCone and Prairie counties. Dawson County has the highest supply of total rental units than any other county.

Most of the counties have a very limited supply of short-term housing. In some counties (i.e., Prairie County) there are less than 145 total rental units in addition to an extreme scarcity of recreational vehicle spaces and hotel/motel rooms. The greatest supply of short-term accommodations was in the counties with larger population centers, such as Valley and Dawson counties. Arranging housing for Project workers in the more sparsely populated counties will be challenging.

Counties along Route A and Route A1A also have very low housing supply and a low level of new development. Phillips County had the lowest number of total rental units along Route A, while Daniels County registered the lowest number of total rental units along Route A1A. Recreational vehicle sites and other short-term accommodations are very sparse as well.

4.3.12.3 Public Services and Facilities (Circular MFSA-2, Section 3.4 (7)(f,g,h))

Table 4-74 outlines selected public services and facilities serving the area, including critical access facilities for each county, which are within approximately 50 miles of the proposed routes. While schools are not expected to be utilized by the construction crews, they are included in **Table 4-74**, along with county tax revenue for county school districts, to assist in giving a more detailed representation of the counties potentially affected. Additionally, **Table 4-75** provides the 2002 Operations Budget for significant public services supplied by the municipalities potentially affected.

4-145 December 2008

² Travelpost.com 2008.

³ AAA Colorado 2008.

Tripadvisor.com 2008.

Ockert 2008.

⁶ Personal communication.

Delorme 2004.

⁸ USCB 2000b.

Table 4-74 Existing Public Services and Facilities Along the Pipeline Route

State/County	Police/Sheriff Departments ¹	Fire Departments ¹	Nearest Medical Facilities ²	Schools ³	Local/ Countywide School Revenue (2006) ⁴
Route A	1		1	I	I
Phillips	1	2	Phillips County Hospital (Malta)	1 district, with 5 elementary schools, 7 middle schools, and 4 high schools	\$2,680,878
Valley	4	3	Frances Mahon Deaconess Hospital (Glasgow)	8 districts, with 15 elementary schools, 18 middle schools, 8 high schools	\$5,034,286
Roosevelt	1	5	Poplar Community Hospital (Poplar); Roosevelt Memorial Medical Center (Culbertson)	1 district, with 10 elementary schools, 8 middle schools, and 6 high schools	\$5,355,576
Route A1A					
Phillips	1	2	Phillips County Hospital (Malta)	1 district, with 5 elementary schools, 7 middle schools, and 4 high schools	\$2,680,878
Valley	4	3	Frances Mahon Deaconess Hospital (Glasgow)	8 districts, with 15 elementary schools, 18 middle schools, and 8 high schools	\$5,034,286
Daniels	1	3	Daniels Memorial Healthcare Center (Scobey)	1 district, with 3 elementary schools, 3 middle schools, and 3 high schools	\$1,178,922
Sheridan	2	3	Sheridan Memorial Hospital (Plentywood)	1 district, with 4 elementary schools, 4 middle schools, and 4 high schools	\$1,502,283
Roosevelt	1	5	Roosevelt Memorial Medical Center (Culbertson); Poplar Community Hospital (Poplar)	1 district, with 10 elementary schools, 8 middle schools, and 6 high schools	\$5,355,576

4-146 December 2008

Table 4-74 Existing Public Services and Facilities Along the Pipeline Route

State/County	Police/Sheriff Departments ¹	Fire Departments ¹	Nearest Medical Facilities ²	Schools ³	Local/ Countywide School Revenue (2006) ⁴
Route B					
Phillips	1	2	Phillips County Hospital (Malta)	1 district, with 5 elementary schools, 7 middle schools, and 4 high schools	\$2,680,878
Valley	4	3	Frances Mahon Deaconess Hospital (Glasgow)	8 districts, with 15 elementary schools, 18 middle schools, and 8 high schools	\$5,034,286
McCone	2	1	McCone County Health Center (Circle)	1 district, with 2 elementary schools, 2 middle schools, and 1 high school	\$1,123,672
Dawson	2	4	Glendive Medical Center (Glendive)	1 district, with 4 elementary schools, 4 middle schools, and 2 high schools	\$5,298,317
Prairie	2	1	Prairie Community Health Center (Terry)	2 districts, with 3 elementary schools, 3 middle schools, and 1 high school	\$486,653
Fallon	2	2	Fallon Medical Complex (Baker)	1 district, with 2 elementary schools, 3 middle schools, and 2 high schools	N/A

¹ Capital Impact 2008.

N/A = Not Available.

4-147 December 2008

² HomeTownLocator 2008.

³ Great Schools 2008.

⁴ Montana Department of Revenue 2006.

Table 4-75 2002 Operations Budget for Public Services

City/Town	Police Protection ¹	Fire Protection ¹	Regular Highways ¹	Solid Waste Management ¹	Housing and Community Development ¹
Route A					
Malta	\$151,000	\$24,000	\$87,000	\$275,000	\$294,000
Glasgow	\$587,000	\$51,000	\$538,000	\$228,000	\$14,000
Nashua	\$8,000	\$3,000	\$27,000	\$8,000	NA
Poplar	\$128,000	\$14,000	\$68,000	\$232,000	\$35,000
Culbertson	\$14,000	\$7,000	\$12,000	\$39,000	NA
Bainville ²	\$5,000	NA	\$18,000	\$22,000	\$10,000
Route A1A					
Malta	\$151,000	\$24,000	\$87,000	\$275,000	\$294,000
Glasgow	\$587,000	\$51,000	\$538,000	\$228,000	\$14,000
Nashua	\$8,000	\$3,000	\$27,000	\$8,000	NA
Plentywood	\$192,000	\$29,000	\$82,000	\$133,000	NA
Scobey ²	\$145,000	\$10,000	\$125,000	\$66,000	\$1,000
Medicine Lake	\$8,000	\$3,000	\$15,000	\$21,000	NA
Froid	\$5,000	\$4,000	\$3,000	\$28,000	\$16,000
Poplar	\$128,000	\$14,000	\$68,000	\$232,000	\$35,000
Culbertson	\$14,000	\$7,000	\$12,000	\$39,000	NA
Bainville	\$5,000	NA	\$18,000	\$22,000	\$10,000
Route B					
Malta	\$151,000	\$24,000	\$87,000	\$275,000	\$294,000
Glasgow ²	\$587,000	\$51,000	\$538,000	\$228,000	\$14,000
Nashua	\$8,000	\$3,000	\$27,000	\$8,000	NA
Circle	\$80,000	\$4,000	\$28,000	\$74,000	\$64,000
Glendive ²	\$704,000	\$280,000	\$406,000	\$764,000	\$28,000
Terry	\$40,000	\$6,000	\$22,000	\$91,000	\$240,000
Baker	\$168,000	\$28,000	\$120,000	\$159,000	NA

¹ City-Data 2008.

4-148 December 2008

² 2006 Operations Budget.

In general, the availability of public services and their associated funding are functions of the size and population of the county and the number of larger communities in the county. There are multiple law enforcement providers, including the respective state patrols, county sheriffs, and local police departments. In many instances, mutual aid/cooperative agreements among agencies allow members of one agency to provide support or backup to other agencies in emergency situations.

A network of fire departments and districts provide fire protection and suppression services across the region. Many of the fire districts across the region are staffed by volunteers and are housed in stations located in the larger communities.

For each county affected there is at least one acute care facility either within the county crossed or in a neighboring county, providing emergency medical care and in several cases also serving as the base for local emergency medical response and transport services.

4.3.12.4 Fiscal Benefits (Circular MFSA-2, Section 3.4 (7)(h))

Employing a cost approach, states generally assess the value of pipelines to facilitate consistent valuation over all the counties crossed within the state. The resultant value is assigned to affected counties and taxing jurisdictions and property taxes are assessed accordingly. The effective property tax rates are then calculated using state property tax levies for pipelines, county property tax levies on pipelines, or a combination of the two. **Table 4-76** lists the various property tax mill levy values as well as the effective tax rates for each county.

Table 4-76 Property Mill Levies and Tax Rates for the Project

State/County	Property Tax			
Route A				
Phillips	\$5,652,324			
Valley	\$11,952,553			
Roosevelt	\$17,167,302			
Total Route A	\$34,772,179			
Route A1A				
Phillips	\$5,723,342			
Valley	\$10,317,130			
Daniels	\$11,716,901			
Sheridan	\$8,938,948			
Roosevelt	\$5,689,121			
Total Route A1A	\$42,385,442			
Route B				
Phillips	\$6,373,781			
Valley	\$12,788,963			
McCone	\$15,849,656			
Dawson	\$11,039,339			
Prairie	\$5,434,242			
Fallon	\$9,387,828			
Total Route B	\$60,873,809			

Source: TransCanada Pipeline.

4-149 December 2008

Taxes levied by various state, county, or local taxing jurisdictions may include taxes on gross receipts from the sales of goods and services and corporate income taxes. Federal agencies also assess fees for use of public lands for activities such as pipeline and transmission line ROWs. These taxes and fees vary by region and have not been identified.

4.3.12.5 Environmental Justice (Circular MFSA-2, Section 3.4 (7)(d))

Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations (59 Federal Register 7629) requires that impacts on minority or low-income populations be taken into account when preparing environmental and socioeconomic analyses of projects or programs that are proposed, funded, or licensed by federal agencies. The Environmental Justice Guidance under NEPA prepared by the CEQ Guidance (1997) is commonly used in implementing Order 12898 in preparing NEPA documents. The State of Montana does not have a separate Environmental Justice Policy beyond the NEPA requirements.

The purpose of the Order is to avoid the disproportionate placement of any adverse environmental, economic, social, or health impacts from federal actions and policies on minority populations, low-income populations, and Indian tribes and to allow all portions of the population an opportunity to participate in the development of, compliance with, and enforcement of federal laws, regulations, and policies affecting human health of the environment regardless of race, color, national origin, or income. The provisions of the Order apply to programs involving Native Americans and Hispanic communities. These requirements will be addressed by:

1) ensuring broad distribution of public information on the Project through public scoping meetings; and
2) conducting government-to-government consultation with Native American groups either residing in or with historical ties to the area. Details regarding public scoping meeting dates and locations can be found in Section 5.3.

Tables 4-77 and **4-78** provide 2000 USCB statistics on race, ethnicity, and income status in affected counties and communities. Affected counties are those counties potentially crossed, affected communities in the proximity of the routes include those communities crossed by the routes (within 0.5 mile) as well as communities located within 2 miles of the routes. The sections below discuss the minority populations and low income populations potentially affected.

Minority Populations

The Council on Environmental Quality (CEQ) Guidance defines the term "minority population" to include people who identify themselves during the census as Black or African American, Asian or Pacific Islander, Native American or Alaskan Native, or Hispanic. Hispanic origin refers to ethnicity and language, not race, and may include people whose heritage is Puerto Rican, Cuban, Mexican, and Central or South American. For the purpose of this evaluation, all people who identified themselves as Hispanic are included as a minority population.

In accordance with the CEQ Guidance, minority populations should be identified where either: 1) the minority population in an affected area (e.g., a county or community) exceeds 50 percent; or 2) the minority population percentage of the affected area is meaningfully greater (1.5 times) than the minority population percentage in the general population of the surrounding area (e.g., the state, county, or other appropriate unit of geographical analysis) as shown in **Figure 4-1**. The surrounding area used for comparison of affected counties/communities were the state populations.

Based upon review of the 2000 USCB data, there are minority populations located in a few counties crossed and several communities in the proximity of the proposed routes. As described below, in some cases, there are minority populations occurring in portions of the counties crossed by the proposed routes that are "meaningfully greater" than their corresponding minority populations in the general population.

4-150 December 2008

Table 4-77 Environmental Justice Statistics in Affected Counties¹

			Racial/	Ethnic Catego	ries (% of to	tal populatio	n, 2000) ²			
State/County ³	Total Population (2000)	White	Black	Native American or Alaskan Native	Asian or Pacific Islander	Hispanic⁴	Other	Two or More Races	Median Family Income (2004) ⁵	Families With Income Below the Poverty Level ⁶ (%) (2004)
Montana		90.6	0.3	6.2	0.6	2	0.6	1.7	40,487	10.5
Route A										
Phillips	4,601	89.4	0.2	7.6	0.3	1.2	0.4	2.1	\$37,259	13.8 *
Valley	7,675	88.1	0.1	9.4	0.2	0.8	0.3	1.8	\$39,044	9.5
Roosevelt*	10,620	40.9	0	55.8	0.4	1.2	0.3	2.5	\$27,833	27.6 *
Route A1A										
Phillips	4,601	89.4	0.2	7.6	0.3	1.2	0.4	2.1	\$37,259	13.8 *
Valley	7,675	88.1	0.1	9.4	0.2	0.8	0.3	1.8	\$39,044	9.5
Daniels	2,017	96	0	1.3	0.3	1.6	0.6	1.7	\$35,722	13.4 *
Sheridan	4,105	97	0.1	1.2	0.3	1.1	0.2	1.2	\$35,345	10.6 *
Roosevelt*	10,620	40.9	0	55.8	0.4	1.2	0.3	2.5	\$27,833	27.6 *
Route B										
Phillips	4,601	89.4	0.2	7.6	0.3	1.2	0.4	2.1	\$37,259	13.8 *
Valley	7,675	88.1	0.1	9.4	0.2	0.8	0.3	1.8	\$39,044	9.5
McCone	1,977	97.0	0.3	1.1	0.3	1	0	1.4	\$35,887	14.1 *
Dawson	9,059	97.4	0.3	1.2	0.1	0.9	0.3	0.6	\$38,455	11.7 *
Prairie	1,199	98.0	0	0.5	0.2	0.7	0.2	1.2	\$32,292	13.3 *
Fallon	2,837	98.6	0.1	0.3	0.4	0.4	0.1	0.5	\$38,636	9.5

4-151 December 2008

Table 4-77 Environmental Justice Statistics in Affected Counties¹

			Racial/Ethnic Categories (% of total population, 2000) ²							
				Native					Median	Families With
	Total			American	Asian or			Two or	Family	Income Below the
	Population			or Alaskan	Pacific			More	Income	Poverty Level ^⁵
State/County ³	(2000)	White	Black	Native	Islander	Hispanic⁴	Other	Races	(2004) ⁵	(%) (2004)

- Affected areas are those counties where new pipeline facilities or surface disturbing activities associated with pipeline installation are proposed.
- ² Minority populations defined as "non-white" (black, Native American or Alaskan Native, Asian Pacific Islander, or Hispanic).
- Counties are listed geographically from north to south (or east to west) as proposed Project crosses the area.
- ⁴ Persons of Hispanic origin may be of any race, and for census-gathering purposes, Hispanic is a self-identified category. In this table individuals may have reported themselves as only Hispanic or in combination with one or more of the other races listed. This may result in the sum of percentages for all ethnic categories to be greater than 100 percent for any one county.
- The median family income is defined here for a family of three. The poverty threshold is defined as the average threshold for a family of three and is not adjusted for regional, state, or local variations in the cost of living.
- The percent of families with income below the poverty threshold in 2000, as defined by the USCB for federal statistical purposes, based on a family of three. Counties with a higher percent of the population below the poverty level than that occurring in the respective state are identified with an asterisk (*).
- * Denotes minotirty population or poverty level that is significantly greater than the state average (1.5 times the state average or greater).

Source: USCB 2000a.

4-152 December 2008

Table 4-78 Social Statistics in Affected Communities¹

			Racial/E	Ethnic Categor	ries (% of To	tal Populatio	n 200 3)²			
State/Community ³	Proximity to Route (within x miles)	White	Black	Native American or Alaskan Native	Asian or Pacific Islander	Hispanic⁴	Other	Two or More Races	Median Family Income (1999) ⁵	Families With Income Below the Poverty Level ⁶ (%) (2004)
Montana		90.6	0.3	6.2	0.6	2	0.6	1.7	40,487	10.5
Route A										
Nashua	2	92	0.3	5.5	0.3	2.2	0.3	1.5	35,000	1
Bainville	2	89.5	0	5.2	0	0.7	0	5.2	29,643	16.7
Route A1A										
Nashua	2	92	0.3	5.5	0.3	2.2	0.3	1.5	35,000	1
Reserve	0.5	97.3	0	2.7	0	2.7	0	0	30,000	41.7*
Froid	2	90.8	0	5.6	0	1.5	1.5	2.1	31,250	11.8
Medicine Lake	2	92.2	0	3.7	0.8	0	0	3.3	35,694	7.2
Route B										
Nashua	2	92	0.3	5.5	0.3	2.2	0.3	1.5	35,000	1
Circle	2	96.9	0.8	0.9	0	1.1	0	1.4	36,354	16.2
Baker	2	98.1	0.2	0.5	0.4	0.2	0.1	0.6	42,375	7.7

4-153 December 2008

Table 4-78 Social Statistics in Affected Communities¹

		Racial/Ethnic Categories (% of Total Population 2003) ²								
	Proximity			Native						Families With
	to Route			American	Asian or			Two or		Income Below
	(within x			or Alaskan	Pacific			More	Median Family	the Poverty
State/Commun	ity ³ miles)	White	Black	Native	Islander	Hispanic⁴	Other	Races	Income (1999) ⁵	Level ⁶ (%) (2004)

Affected areas are those communities within 0.5 mile or 2 miles of new pipeline facilities or surface disturbing activities associated with pipeline refurbishment are proposed.

Source: USCB 2000a.

4-154 December 2008

² Minority populations defined as "non-white" (Black, Native American or Alaskan Native, Asian Pacific Islander, or Hispanic).


³ Communities are listed geographically from north to south (or east to west) as the proposed Project crosses the area.


⁴ Persons of Hispanic origin may be of any race, and for census-gathering purposes, Hispanic is a self-identified category. In this table individuals may have reported themselves as only Hispanic or a combination with one ore more of the other races listed. This may result in the sum of percentages for all ethnic categories to be greater than 100 percent for any one country.

The median family income is defined here for a family of three. The poverty threshold is defined as the average threshold for a family of three and is not adjusted for regional, state, or local variations in the cost of living.

The percent of families with income below the poverty threshold in 2000, as defined by the USCB for federal statistical purposes, based on a family of three. Communities with a higher percent of the population below the poverty level than that occurring in the respective state are identified with an asterisk (*).

^{*} Denotes minotirty population or poverty level that is significantly greater than the state average (1.5 times the state average or greater).





Route A travels through the Fort Peck Indian Reservation, which is home to two separate Indian Nations, the Sioux and the Assiniboine. Route A travels through an area with a higher minority population (Native American) than Route B or A1A. The communities of Nashua and banville are located within 2 miles of Route A; both Nashua and Bainville have a similar racial makeup as the State of Montana.

Route A1A avoids traveling directly through the Fort Peck Indian Reservation, following the northern border of the Reservation from west to east before turning south. Based on county-level census data, only Roosevelt County has a meaningfully larger minority population than the state (as over half of the residents of the county are Native American). None of the communities within 0.5 or 2 mile have significantly larger minority populations than the State of Montana.

Route B traverses six counties in Montana. None of the counties along Route B were determined to have "meaningfully greater" minority populations as compared to the State of Montana. In addition, none of the affected communities along Route B as listed in **Table 4-77** have a meaningfully greater minority population compared to Montana.

Low-Income Populations

Low income populations were identified along the proposed routes by comparing the percent of the population below the poverty level (according to 2000 USCB data) in the affected counties and communities to the percent of the population below the poverty level in the State of Montana. If the percent in the affected county or community was greater than the percent in the state, the affected county or community was determined to be a low-income population. The percentage of families with incomes below the poverty level for the affected counties and communities are identified on **Tables 4-77** and **4-78**. Counties and communities with a poverty level greater than the state or county are discussed below; a county was considered to have a "significantly" greater low-income community if its low-income population was 1.5 times greater than that of the state. Based on CEQ Guidance low-income populations reside within the study area. **Figure 4-2** displays the poverty rates of affected counties as well as neighboring counties.

Four counties along Route B (Philips, McCone, Dawson, and Prairie) have a greater percentage of families living below the poverty level than the state on average; however none of these are significantly greater than the state. The Town of Circle, located within McCone County and within 2 miles from the Route B has 16.2 percent of its families living below the poverty level (as compared with 14.1 percent in the county and 10.5 percent in the state). This is a significantly greater percentage than that of the state.

Both Philips County and Roosevelt County along Route A have a higher percentage of families living below the poverty level than the State of Montana; Valley County has a fewer percentage of families living below the poverty level. Roosevelt County has nearly 28 percent of families living below the poverty level, a significantly greater percentage than the State of Montana. The community of Bainville (Roosevelt County) is located within 2 miles of Route A and has significantly more families living below the poverty level than Montana.

The counties of Phillips, Daniels, Sheridan, and Roosevelt along Route A1A each have a higher percentage of families living below the poverty level than the State of Montana; Valley County has a fewer percentage of families living below the poverty level. Roosevelt County has nearly 28 percent of families living below the poverty level, a significantly greater percentage than the State of Montana. Reserve (Sheridan County) is located within 0.5 mile of Route A1A and has a significant percentage of families living below the poverty level. The community of Froid (Roosevelt County) is located within 2 miles of Route A1A and has a greater number of families living below the poverty level than Montana, but the difference is not considered to be significant.

4-157 December 2008

4.3.12.6 Environmental Justice – Impact Assessment

The environmental justice demographic analysis revealed significant low income populations residing along Route B and significant minority and low income populations along Routes A and A1A. Public participation is a goal of the NEPA process; this participation is especially important when low-income populations, minority populations or tribal populations have the potential to be affected by a Project. Therefore, Keystone has been engaged in public consultation since the Project was first announced in July 2008. As explained in detail in Chapter 5, Keystone is committed to ongoing and regular correspondence, communication, and consultation with all stakeholders. Keystone shares information about the Project and provides opportunities for identification and resolution of questions, issues, and concerns through a number of channels, including press releases, the Project website, e-mail, toll free telephone numbers, one-on-one discussions between landowners and land agents, and direct mailings. To date, Keystone's public participation program included meetings with community leaders and open houses. Public participation and consultation activities will continue throughout the life of the Project.

Route B does not traverse any Native American lands. Route A travels directly through the Fort Peck Indian Reservation, making this option less desirable. Route A1A avoids traveling directly through the Indian Reservation; however, this route is not as direct as Route B with respect to the overall Project.

Both short-term and long-term benefits will stem from increases in employment opportunities for the areas surrounding the Project route. Increased spending in the affected areas also will benefit community businesses that will provide materials and services for the construction and operation of the pipeline/pumping stations. In addition, increases in state and local property tax revenues will provide additional monies to local governments, some of which may be used to support local social programs for minority and/or low income groups.

While portions of the pipeline routes are located in areas of significant minority populations and with families living below the poverty level, the Project also is located in areas with relatively few families living below the poverty level.

4.3.12.7 Socioeconomics – Impact Assessment (Circular MFSA-2, Sections 3.4(7)(a), 3.7(3)(5))

Issues

- Compensation to landowners for conveyance of easements and restrictions and damage to land and property;
- Construction workforce demands on local infrastructure;
- Fiscal benefits from goods and services purchased locally and associated tax revenue generated; and
- Tax revenues generated by the pipeline.

Construction (Circular MFSA-2, Section 3.4 (7)(a))

Compensation for Damages to Land Use and Property

The Project will be constructed in predominantly rural, agricultural areas, where land uses such as ranching and farming are the main economic engines. Keystone will acquire pipeline easements from landowners and will provide landowners with monetary compensation for the conveyance of those easements. Construction activities will create the potential for damage to land and property, including drainage tiles, irrigation systems, fences, and crop productivity. Keystone will restore damaged or disturbed lands and also will repair or restore drain tiles, irrigation systems, fences, and other items and features that are damaged or temporarily disturbed during construction. Mitigation measures for damage to land and property during construction are discussed in detail in the CMRP. Monetary compensation for damages would be agreed to in advance in the easement agreements and/or negotiated on a case-by-case basis with the individual landowner. Land use would return to its previous function, such as ranching and farming, once construction was completed.

4-158 December 2008

Demands on Local Infrastructure (Circular MFSA-2, Section 3.7 (3)and (5))

Construction of the Project in Montana is proposed to be completed in four spreads (see **Table 4-79**). Keystone anticipates that it will require approximately 6 months to complete each spread. Work on the Project in Montana is proposed to commence in 2011 and to be completed by the end of 2012. Approximately 500 to 600 construction personnel (Keystone employees, contractor employees, construction inspection staff, and environmental inspection staff) are expected to be associated with each spread for a total workforce of approximately 2,000 to 2,900 construction personnel. Additionally, construction of pump stations and delivery facilities will require an additional 20 to 30 workers per station for a total of approximately 1,280 to 1,580 workers at the peak, since all pump stations will not be constructed simultaneously. Construction of pump stations and delivery stations is to commence in 2011 and be completed by the end of 2012.

Table 4-79	Construction Spreads Associated with the Project
-------------------	--

Spread Number	Location According to Map	Approximate Distance within Construction Spread (miles)
Spread 1	Phillips and Valley counties	81.18
Spread 2	McCone and Dawson counties	82.02
Spread 3	Dawson, Prairie, and Fallon counties	83.73
Spread 4	Fallon County	35.00

Keystone proposes to hire temporary construction staff from the local population where possible. It is estimated that approximately 10 to 15 percent of the total construction workforce could be hired locally, with the remaining portion (85 to 90 percent or more) consisting of non-local personnel. Keystone estimates that long-term operation of the pipeline will require a total of approximately four to eight permanent employees in Montana.

The construction period will be relatively short in any given area and most non-local workers will not be accompanied by their families during their work tenure. Consequently, it is expected that most workers will use temporary housing, such as hotels/motels, recreational vehicle parks, and campgrounds. Some workers are likely to rent furnished apartments and homes, due to the constrained availability of other accommodations, though this is generally less preferable because landlords and property management companies prefer extended term commitments. Most of the temporary workers will seek housing in the more populated, service-oriented towns located within a reasonable commuting distance to the work site. As the more convenient options fill, workers will seek alternatives, driving farther, looking at smaller communities, even using campgrounds in nearby state parks, which typically have limits on the length of occupancy. Furthermore, some individuals may desire to relocate as the active construction area in each spread moves along the pipeline route. The net effect of these factors is that the temporary housing demand will be dynamic.

In the more rural areas it will be more difficult for local housing markets to fill these temporary housing needs due to the more limited availability of temporary housing in close proximity to construction work sites. Construction workers in these areas are likely to drive farther to find housing in nearby small towns or rely more heavily on recreational vehicle parks and campgrounds. Conversely, in the portions of the route through more populated areas, the local housing markets will be much more likely to absorb the temporary housing needs of construction workers as they will be more likely to find hotels/motels in towns and cities in close proximity to construction work sites.

Because of the remote areas in Montana, Keystone considered the potential need to set up construction camps. In-depth discussions were held with several pipeline construction contractors regarding the use of construction camps. Feedback from the pipeline contractors was that their personnel would not stay in the

4-159 December 2008

construction camps, and that lodging such as motels and recreational parks would be preferred. Based on this information, as well as the Housing/Lodging Inventory, it was determined that construction camps will not be established.

Impacts to primary and secondary schools are projected to be minimal. It is projected that very few, if any, construction workers would bring school-aged children to the area.

Other construction-related impacts on local services may include increased demand for permits for vehicle load and width limits and local police assistance during construction at road crossings to facilitate traffic flow (for more information on roads see Section 4.3.11). In more rural sections of the proposed route, response times to highway or construction-related accidents may be lengthy, given communication, dispatch, and travel time considerations. In these areas, it may be necessary to provide on-site first responder services; however, Keystone will work with the local law enforcement, fire departments, and emergency medical services to determine the best course of action and coordinate for effective emergency response. Plans associated with these issues will be addressed in the ERP once the final design has been completed. The degree of impact will vary from community to community, depending on the number of non-local workers and accompanying family members that temporarily reside in each community, the duration of their stay, and the size of the community. Although these factors are too indeterminate and variable to accurately predict the magnitude of impact, the effects will be short-term and, therefore, are not expected to be significant.

Short-term Fiscal Benefits

Taxes that may apply, other than property taxes levied by various state, county, or local taxing jurisdictions, include taxes on gross receipts from the sales of goods and services. These taxes and fees vary by region or locality and will be received only during the construction period (approximately 6 months).

Operation (Circular MFSA-2, Section 3.7 (5))

Demands on Local Infrastructure

The limited number of permanent employees associated with the Project will result in negligible long-term impacts on public services.

Long-term Fiscal Benefits

In the operation phase, the pipeline will increase the tax base in the states, counties, and communities crossed. Keystone has estimated a total of \$34,772,179 and \$42,385,442 in property taxes will be paid to counties along Route A and Route A1a, respectively. Additionally, Keystone has estimated that a total of approximately \$60,873,809 million will be paid in property taxes during the first year of pipeline operation for Route B.

Keystone will employ multiple safeguards to prevent a pipeline release. The chance of a spill occurring is very low and if a spill occurred, the volume is likely to be relatively small. In the unlikely event of a pipeline release, Keystone would initiate its ERP and emergency response teams would contain and clean up the spill. To minimize impacts to the public, appropriate remedial measures will be implemented to meet federal and state standards designed to ensure protection of human health and environmental quality. Additional information on potential impacts to public health and safety resulting from a crude oil spill is provided in the Risk Assessment (Attachment D).

Environmental Justice

Risk analyses need to be conducted for all locations identified as having significant minority populations and low income populations.

4-160 December 2008

4.3.12.8 Summary of Route-Specific Socioeconomics and Environmental Justice Impacts

Route-specific impacts for socioeconomics and environmental justice are summarized in **Table 4-80**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

Table 4-80 Summary of Route-Specific Socioeconomics and Environmental Justice Impacts

		Route Alternatives	
Resource	Route A	Route A1A	Route B
Miles of Pipe			
Steele City Segment	919.7	951.3	850.7
Portion in Montana	180.7	205.5	282.7
Socioeconomics			
Affected communities	One community falls within 0.5 mile of Route A.	Three communities fall within 0.5 mile of Route A1A.	Three communities fall within 0.5 mile of Route B.
Total population in affected counties	Route A counties have a total population of 18,261 per Bureau of the Census data, year 2000.	Route A1A counties have a total population of 23,725 per Bureau of the Census data, year 2000.	Route B counties have a total population of 27,438 per Bureau of the Census data, year 2000.
Housing supply	8,891 total housing units and 2,201 total rental housing units are in the counties affected by Route A.	12,212 total housing units and 2,849 total rental housing units are in the counties affected by Route A1A.	14,732 total housing units and 3,250 total rental housing units are in the counties affected by Route B.
Public services	A total of five police/sheriff departments, 8 fire departments, and three hospitals are in the counties affected by Route A.	A total of eight police/sheriff departments, 14 fire departments, and five hospitals are in the counties affected by Route A1A.	A total of 13 police/sheriff departments, 13 fire departments, and six hospitals are in the counties affected by Route B.
Fiscal relationship	A total of \$34,772,179 in property tax will be dispersed among the affected counties along Route A.	A total of \$42,385,442 in property tax will be dispersed among the affected counties along Route A1A.	A total of \$60,873,809 in property tax will be dispersed among the affected counties along Route B.
Environmental Just	ice		
Minority populations	Along Route A, one county, Roosevelt, had a minority population that was significantly greater than the state average.	Along Route A1A, one county, Roosevelt, had a minority population that was significantly greater than the state average.	None of the affected counties along Route B had a minority population that was significantly greater than the state average.
Low income populations	Along Route A, two counties, Phillips and Roosevelt, had a poverty level that was significantly greater than the state average.	Along Route A1A, three counties, Daniels, Sheridan, and Roosevelt, had a poverty level that was significantly greater than the state average.	Along Route B, four counties, Phillips, McCone, Dawson, and Prairie, had a poverty level that was significantly greater than the state average.

4-161 December 2008

References

AAA. 2008. AAA Travel. Website: http://www.aaacolorado.com/travel/. (Accessed September 2008.)

Capital Impact. 2008. Law Enforcement Agencies and Fire Departments in Montana. Website: http://www.capitolimpact.com/gw/statepage.asp?state=mt&stfips=30&stname=Montana. (Accessed September 2008.)

City-Data. 2008. Website: http://www.city-data.com/. (Accessed November 2008.)

Delorme. 2004. Montana Atlas & Gazetteer. P.O. Box 298, Yarmouth, Maine 04096.

Great Schools. 2008. Website: http://www.greatschools.net/. (Accessed September 2008.)

HomeTownLocator. 2008. Montana Counties. Website: http://montana.hometownlocator.com/counties/. (Accessed September 2008.)

Montana Department of Revenue. 2005-2006 Biennial Reports. Website: http://mt.gov/revenue/ publicationsreports/ biennialreports/2005-2006biennialreport.pdf. (Accessed July 21, 2008.)

Ockert, S. 2008. Department of Commerce, Census and Economic Information Center, Montana. Email Communication with S. Graber, ENSR. September 17, 2008.

Travelpost.com. 2008. Hotel Directory. Website: http://www.travelpost.com/hotels.aspx. (Accessed September 2008.)

Tripadvisor.com. 2008. Website: http://www.tripadvisor.com/. (Accessed September 2008.)

- U.S. Census Bureau (USCB). 2000a. American Fact Finder. Website: http://factfinder.census.gov. (Accessed September 2008.)
- . 2000b. State and County Quick Facts. Website: http://quickfacts.census.gov/ qfd/index.html. (Accessed September 2008.)
- U.S. Bureau of Economic Analysis (USBEA). 2006. Local Area Personal Income. Website: http://www.bea.gov/bea/regional/reis/default.cfm#step3. (Accessed September 2008.)
- U.S. Bureau of Labor Statistics (USBLS). 2008. Local Area Unemployment Statistics. Website: http://data.bls.gov/PDQ/outside.jsp?survey=la. (Accessed September 2008.)

4.3.13 Noise and Electrical Effects (Circular MFSA-2, Section 3.7(19)(a)(e), and Section 3.8(1)(h))

4.3.13.1 Baseline Data and Description of Routes – All Routes

The existing noise environment is characterized by determining ambient noise levels, identifying existing noise sources, identifying noise sensitive receptors in the vicinity of Project noise sources, and evaluating local terrain features that may affect noise transmission.

All the alternative routes occur primarily in rural agricultural areas (refer to Section 3.1.2, Land Use, for more information). Because of the primarily agricultural and rural land uses, existing ambient noise levels along the routes are quite low. It is estimated that the L_{dn} dBA range between 40 dBA (rural residential) and 45 dBA (agricultural cropland) (USEPA 1978). Ambient (background) noise levels occur from roadway traffic, farm machinery on a seasonal basis, pets, and various other household noises. Pipeline areas along major

4-162 December 2008

highways and Interstates may experience higher ambient noise levels of approximately 68 to 80 dBA (USEPA 1978), (see Section 4.3.11, for the roads that the three routes cross).

Structures located within 500 feet of the construction ROW, by route, are summarized in **Table 4-81**. There are no residences located within 500 feet of the property boundary of pump stations on any route.

Table 4-81 Structures/Residences within 500 Feet of Facilities Along Alternative Routes in Montana

	Route A	Route A1A	Route B
Number of structures/residences	57	43	11

4.3.13.2 Impact Assessment

Issues

- Increased noise to nearby residential and commercial areas from pipeline construction activities.
- Increased noise to nearby residential and commercial areas as a result of pump station operation.

Construction

Residences within 500 feet of a route will experience short-term inconvenience from construction equipment noise for a period of 1 week to 30 days. During construction, Keystone will be required to comply with any local construction noise requirements. In addition, Keystone has agreed to limit construction activities primarily to daylight hours.

Operation

During operation of the pipeline, the noise impact associated with the electrically driven pump stations will be limited to the vicinity of the facilities. Areas similar to the alternative routes have background noise levels in the 35-dBA range (Keystone 2007).

Currently no state laws exist in Montana regulating pump stations; however, noise mitigation measures will be applied if needed to meet specific county or city noise regulations. The pump stations will be constructed in a manner to minimize potential impacts from noise.

The construction activities, primarily for any new station, will be performed with standard heavy equipment, such as track-excavator, backhoe, bulldozer, dump trucks, cement truck, and boring equipment. Elevated noise levels generated during construction will be temporary, and not all of the equipment presented herein is used in each phase of construction. Further, equipment used is not generally operated continuously, nor is the equipment always operated simultaneously. As such, no adverse or long-term noise impacts from construction are anticipated. Noise abatement techniques can be implemented during the construction phase of the Project, if needed and/or required to mitigate for construction-related noise disturbances to nearby residences, businesses, and recreation areas.

Based on construction noise analyses conducted for other proposed pipeline Projects (ERT 1987), noise levels of 60 dBA or above would extend up to 12,000 feet perpendicular from the centerline of the pipeline. These levels would occur sporadically over the construction period. Because of the short duration, and the generally rural alignment of the ROW, these noise levels should not be disruptive to other activities in the vicinity.

4-163 December 2008

The principal measures proposed by Keystone to mitigate impacts in existing residential areas include requiring effective mufflers on construction equipment and ensuring that construction proceeds quickly through such areas and limiting the hours during which activities with high-decibel noise levels could be conducted. Landowners within 500 feet of the ROW will be given advanced notice prior to construction. Noise will be minimized when in the immediate vicinity of herds of livestock or poultry operations that are particularly sensitive to noise. If an individual landowner is concerned with noise levels associated with weekend construction, mitigation of those concerns may be discussed with Keystone. Keystone will set up a toll-free telephone line for landowners to report any construction noise-related issues.

During permitting activities for the Project, Keystone will determine whether state, county, or local noise regulations exist for a given location.

4.3.13.3 Induced Electrical Currents and Electric or Magnetic Effects (Circular 3.7 (19)(c)(e))

There are neither induced current nor electric or magnetic field impacts associated with the construction, operation or maintenance of a pipeline (aside from cathodic protection, which will be buried with the pipe). Transmission lines that will service the pump stations will be permitted separately and will address these issues as applicable.

4.3.13.4 Radio and Television Interference (Circular 3.7 (19) (f))

There are no radio or television interference impacts associated with the construction, operation, or maintenance of pipeline. Transmission lines that will service the pump stations will be permitted separately and will address these issues as applicable.

4.3.13.5 Summary of Route-Specific Noise Impacts

Route-specific impacts for noise are summarized in **Table 4-82**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

Table 4-82 Summary of Route-Specific Noise Impacts

	Route Alternatives						
Resource	Route A	Route A1A	Route B				
Miles of Pipe							
Steele City Segment	919.7	951.3	850.7				
Portion in Montana	180.7	205.5	282.7				
Noise and Electrica	l Effects						
Temporary noise impacts from construction and operation	There are no residences within 500 feet of any of the pump stations along Route A. Operational noise impacts from the electrically-driven pumps are projected to be minor.	There are no residences within 500 feet of any of the pump stations along Route A1A. Operational noise impacts from the electrically-driven pumps are projected to be minor.	There are no residences within 500 feet of any of the pump stations along Route B. Operational noise impacts from the electrically-driven pumps are projected to be minor.				

4-164 December 2008

References

- ERT. 1987. Draft Environmental Impact Report/Environmental Impact Statement for the Angeles Pipeline Project. California State Clearing House Number 85112707.
- Keystone Pipeline, L.P. 2007. Submitted to U.S. Department of State by Keystone XL, L.P. Application for Presidential Permit. April 4.
- U.S. Environmental Protection Agency (USEPA). 1978. Protective Noise Levels. Condensed Version of USEPA Levels Document. Based on Information of Levels of Environmental Noise Requisite to Protect Public Health and Welfare with Adequate Margin of Safety, EPA/ONAC 550/9-74-004. March 1974.

4.3.14 Air Quality

4.3.14.1 Baseline Data and Description

The climate and air quality section in this document describes the regional climate and meteorological conditions that influence transport and dispersion of air pollutants and discusses the existing levels of criteria air pollutants in the region. Applicable federal and state (Montana) air quality regulatory programs are discussed. This section also presents a summary of the emissions from the proposed facilities to be located in Montana.

Construction emissions will occur during the construction of the proposed pipeline. Operational emissions will be limited to the proposed pump stations to be located along the pipeline. The proposed pump stations are to be electrically driven, with electricity to be provided from local electric utilities. The pump stations will not include a source of backup power supply; therefore, operational emissions from each of the pump stations will consist only of fugitive emissions. Air quality impacts from the construction and operation of Keystone's facilities are summarized in Section 4.3.14.7.

The climate data presented here are representative of the region where pipeline construction emissions could impact air quality. Historical climate data from meteorological stations along the proposed pipeline ROW for Circle and Bredette, Montana, are found in **Table 4-83**.

4.3.14.2 Air Quality Regulatory Requirements

Project facilities will be subject to the following federal and state air quality regulations implementing the Federal Clean Air Act (CAA) of 1970 and its amendments. The CAA, 42 USC 7401 et seq. as amended in 1977 and 1990 is the basic federal statute governing air pollution. The provisions of the CAA that potentially are relevant to this Project are listed below and discussed in the following subsections:

- National Ambient Air Quality Standards (NAAQS);
- Prevention of Significant Deterioration (PSD);
- Non-attainment New Source Review (NNSR); and
- Greenhouse Gases (GHG).

4-165 December 2008

Table 4-83 Climate Data in the Vicinity of the Keystone XL Project

Circle, Montana Location ¹	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average max. temperature (°F)	26.0	33.1	43.2	57.7	68.8	78.2	86.9	85.8	73.4	59.7	42.0	30.2	57.1
Average min. temperature (°F)	3.8	10.6	19.4	31.1	41.5	50.3	55.8	53.9	42.8	31.9	19.0	8.2	30.7
Average total precipitation (in.)	0.44	0.31	0.60	1.27	2.04	2.61	1.94	1.27	1.28	0.82	0.37	0.45	13.40
Average total snow fall (in.)	5.6	3.4	3.6	2.2	0.4	0.0	0.0	0.0	0.1	0.9	2.6	5.1	23.9
Average snow depth (in.)	4	4	1	0	0	0	0	0	0	0	0	2	1
Bredette, Montana Location ²	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average max. temperature (°F)	20.2	26.9	37.9	55.0	67.4	76.4	83.9	83.0	70.7	57.3	37.5	25.3	53.4
Average min. temperature (°F)	0.5	6.9	16.9	30.0	40.8	49.5	54.5	52.9	42.7	31.8	17.4	6.1	29.2
Average total precipitation (in.)	0.36	0.24	0.48	0.88	1.86	2.71	2.07	1.49	1.12	0.66	0.34	0.32	12.53
Average Total snow fall (in.)	5.5	3.8	4.7	2.8	1.0	0.0	0.0	0.0	0.2	1.7	4.1	5.1	28.8
Average snow depth (in.)	5	5	3	0	0	0	0	0	0	0	1	2	1

Source: Western Regional Climate Center (WRCC), Circle, Montana, Station 241758, http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?mt1758.

4-166 December 2008

Source: WRCC, Bredette, Montana, Station 241088, http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?mt1088.

4.3.14.3 National Ambient Air Quality Standards

The United States Environmental Protection Agency (USEPA) promulgated air quality standards for six common air pollutants (also called criteria pollutants):

- Ozone (O₃);
- Nitrogen dioxide (commonly called NO₂);
- Carbon monoxide (CO);
- Sulfur dioxide (SO₂);
- Lead (Pb); and
- Particulate matter based on a particle size of 10 microns or less (PM₁₀), and particulate matter with an aerodynamic diameter less than or equal to 2.5 microns (PM_{2.5}).

These standards include primary standards designed to protect health, and secondary standards to protect public welfare, predominately visibility. These NAAQS reflect the relationship between pollutant concentrations and health and welfare effects and therefore, are supported by sound scientific evidence.

Each state is required to implement and enforce the NAAQS under a process called State Implementation Plans (SIPs), which are approved by the USEPA. Generally the SIPs are comprised of air quality rules that are applicable to stationary sources that may emit criteria or hazardous air pollutants. The CAA as amended in 1990 assigned new NAAQS attainment deadlines of 3 to 20 years, and categorized non-attainment as marginal, moderate, serious, severe, or extreme, depending upon the degree of violation of the NAAQS. The 1-hour and 8-hour CO standard, 3-hour and 24-hour SO₂ standard, and 24-hour PM₁₀ standard shall not be exceeded more than once per year. The NAAQS that are based on annual pollutant averaging periods are not to be exceeded.

The NAAQS and Montana Ambient Air Quality Standards (MAAQS) and PSD Increments for Class I and Class II areas are listed in **Table 4-84**. In order to compare the standards, all levels that were stated in parts per million (ppm) or parts per billion were converted to micrograms per cubic meter (µg/m³).

Table 4-84 Ambient Air Quality Standards

Pollutant	Averaging Period	NAAQS (μg/m³)	MAAQS	PSD Class I Increment (µg/m³)	PSD Class II Increment (µg/m³)
NO ₂	1-Hour		0.30 ppm		
	Annual	100	0.05 ppm	2.5	25
СО	1-Hour	40,000	23 ppm	N/A	N/A
	8-Hour	10,000	9 ppm	N/A	N/A
SO ₂	1-Hour		0.50 ppm		
	3-Hour	1300		25	512
	24-Hour	365	0.10 ppm	5	91
	Annual	80	0.02 ppm	2	20
PM ₁₀	24-Hour	150	150 μg/m³	8	30
	Annual	¹	50 μg/m³	4	17

4-167 December 2008

Table 4-84 Ambient Air Quality Standards

Pollutant	Averaging Period	NAAQS (μg/m³)	MAAQS	PSD Class I Increment (µg/m³)	PSD Class II Increment (µg/m³)
PM _{2.5}	24-Hour ² Annual ³	35 15		N/A N/A	N/A N/A
Settled Particulate Matter	30-Day		10 gm/m ²		
Visibility	Annual		3x10 ⁻⁵ / m		
O ₃	8-Hour ⁴	147		N/A	N/A
H ₂ S	1-Hour	-	0.05 ppm	N/A	N/A
Fluoride in forage	Monthly grazing season		50 μg/g 35 μg/g		
Pb	90-Day quarterly	 1.5	1.5 μg/m ³ 	N/A N/A	N/A N/A

The PM₁₀ annual NAAQS has been revoked; however, state regulations still include the annual PM₁₀ standard.

Source: USEPA 2008, http://www.epa.gov/air/criteria.html, http://www.deq.mt.gov/dir/legal/Chapters/CH08-02.pdf.

4.3.14.4 Prevention of Significant Deterioration

PSD regulations are designed to prevent significant deterioration of air quality in areas that are classified as attainment or unclassified. PSD review regulations apply to proposed new or modified sources in those areas that have the potential to emit criteria pollutants in excess of predetermined de minimis values (40 CFR Part 52.21). Increments for criteria pollutants are based on the PSD classification of the area. Class I areas are assigned to federally protected wilderness areas, such as national parks, and allow the lowest increment of permissible deterioration. This essentially precludes development near these areas. Class II areas are designed to allow for moderate, controlled growth, and Class III areas allow for heavy industrial use.

Under the PSD program, a major source is defined in 40 CFR 52, "A source is a 'major stationary source' or major emitting facility if:

- It can be classified in one of the 28 named source categories listed in Section 169 of the CAA and it emits or has the potential to emit 100 tons per year (tpy) or more of any pollutant regulated by the Act; or
- 2. It is any other stationary source that emits or has the potential to emit 250 tpy or more of any pollutants regulated by the CAA" (USEPA 1990).

The Project will not have stationary sources that are included as one of the 28 named source types listed in Section 169 of the Act; therefore, 250 tpy is the threshold for major source status. Potential emissions from operation of the pipeline will be well below the 250 tpy that is required for PSD permitting and below the

4-168 December 2008

² Based on the 3-year average of the 98th percentile concentration within an area.

Based on the 3-year average of weighted annual mean.

The fourth highest 8-hour concentration in each year, averaged over 3 consecutive years, must not exceed 0.075 ppm.

100 ton/year threshold that requires evaluation of ozone impacts under PDS (40 CFR 52.21(i)(5)(i)); therefore, PSD review does not apply.

The proposed alternatives do not intersect a designated Federal Class I area; therefore, all alternatives would be designated as a PSD Class II area under state and federal air quality regulations.

4.3.14.5 Non-attainment New Source Review

NNSR is required for major stationary sources locating or expanding in non-attainment areas. The areas potentially impacted by the proposed Project are in attainment for all criteria pollutants; therefore, NNSR does not apply.

4.3.14.6 Greenhouse Gases

Carbon dioxide (CO_2) CH_4 , and nitrous oxide (N_2O) are all naturally occurring GHGs whose concentrations in the atmosphere have increased as a result of human activities since the dawn of the industrial revolution. GHGs in general and CO_2 in particular, have become an issue of intense public debate and much recent litigation. In Massachusetts v. EPA, the US Supreme Court held that CO_2 satisfies the definition of "air pollutant" and that the USEPA has authority to regulate emissions of CO_2 and other GHGs from new motor vehicles under the CAA (Massachusetts v. EPA 2007). It is important to note that the Court did not rule that CO_2 and other GHGs were subject to regulation under the CAA, nor did the Court require creation of any standards or emission control requirements for GHGs.

 CO_2 , CH4, and N_2O are not criteria pollutants for which NAAQS are set, nor are they regulated under New Source Performance Standards, Maximum Achievable Control Technology, or any other CAA regulatory emission standards or limitations. Therefore, although CO_2 is an air pollutant, it is not a regulated air pollutant for CAA regulatory and permitting purposes. No regulatory limitations or other CAA emission standards apply to CO_2 , CH4, or N_2O .

4.3.14.7 Impact Assessment

Issues

- Fugitive dust generation from pipeline construction equipment and unpaved road traffic;
- Combustion emissions from construction equipment; and
- Fugitive emissions from pump stations and associated piping and maintenance pigging operations.

Construction

Construction of Route B would result in intermittent and short-term fugitive emissions. These emissions would include fugitive dust from soil disruption and combustion emissions from construction equipment and construction worker commuter vehicles.

The quantity of fugitive dust emissions would depend on the moisture content and texture of the soils that would be disturbed, along with the frequency and duration of precipitation events. The majority of pipeline construction activities will pass by a specific location within a 30-day period; therefore, fugitive dust emissions during construction would be restricted to the brief construction period along each segment of the proposed pipeline route, with construction impacts diminishing once construction activities end and after disturbed areas are reclaimed. Fugitive particulate emissions from roadways consist of heavier particles and tend to settle out of the atmosphere within a few hundred yards. Therefore, fugitive particulate emissions would be limited to the immediate vicinity of the Project and the surrounding region would not be significantly impacted.

Construction equipment would result in temporary increases in combustion emissions and local airborne particulate matter concentrations. The combustion emissions from construction equipment would be minimized

4-169 December 2008

because engines must be built to meet federal standards for mobile sources established by the USEPA mobile source emissions regulations. In addition, the USEPA is requiring the sulfur content of non-road diesel to be reduced from 500 parts per million by weight (ppmw) to 15 ppmw by mid-2010, reducing SO₂ and particulate emissions from diesel combustion. CO₂ is a naturally occurring gas whose presence in the atmosphere is necessary for all life. Areas near the construction of the pipeline may briefly experience slightly higher CO₂ concentrations as a result of construction vehicular traffic. Increased concentrations of CO₂, if measureable, would not cause localized adverse human health or ecological impacts. If dust control plans are required by state agencies, they will be filed prior to land disturbance activities.

Keystone will limit dust impacts in residential and commercial areas adjacent to pipeline construction by utilizing dust minimization techniques (primarily watering disturbed surfaces) in accordance with the CMRP (**Attachment C**). Wind-generated dust after construction will be controlled utilizing land surface reclamation measures outlined in the CMRP.

Operation

It is anticipated that seven pump stations will be constructed along the preferred alternative. All pipeline pumps located at the pump stations will be electrically driven. The pump stations may include a source of backup power supply; however, this will not consist of an emergency generator engine or other combustion sources. Therefore, the pump stations will not have combustion emissions, and operational emissions from each of the pump stations will exclusively consist of fugitive emissions. Since there will be a relatively small number of piping components at each of the pump stations, only negligible amounts of fugitive emissions will occur from crude oil pipeline connections and pumping equipment at the pump stations.

4.3.14.8 Description of Alternative Routes (A and A1A)

Air quality impacts along the alternative routes will generally be the same as the air quality impacts along Route B. Route A would have approximately four pump stations due to the shorter distance traversing Montana. Route A1A would have approximately five pump stations. Due to the shorter distances of the routes, emissions as a result of pipeline construction would be lower than the emissions from the Route B due to the decreased mileage in Montana.

Route A would cross the Fort Peck Reservation in Montana. The Fort Peck Reservation is designated as a Native American Indian Class I area by the USEPA; therefore, the USEPA would have jurisdiction for the portions of Route A, that cross tribal lands. The USEPA does not currently have a federal fugitive dust control plan regulation in place; however, the USEPA would need to be contacted to determine the fugitive dust control procedures that would be necessary during construction.

4.3.14.9 Summary of Route-Specific Air Impacts

Route-specific impacts for air are summarized in **Table 4-85**. Identified impacts will be substantially mitigated as discussed within this application and further outlined in the CMRP for all Routes. Based strictly on the relative lengths of the routes within the State of Montana and not taking into consideration the overall effect through Montana, South Dakota, and Nebraska, Route B has the greatest impacts. However, when the full Steele City Segment impacts are considered, frequently the additional length of Routes A and A1A would result in greater impacts.

4-170 December 2008

Table 4-85 Summary of Route-Specific Air Impacts

		Route Alternatives						
Resource	Route A	Route A1A	Route B					
Miles of Pipe	Miles of Pipe							
Steele City Segment	919.7	951.3	850.7					
Portion in Montana	180.7	205.5	282.7					
Air Quality								
Climate data	Climate will be same across the three routes.	Same as A.	Same as A.					
Ambient air quality	Ambient air quality standards are a state standard, so the same will apply across the three routes.	Same as A.	Same as A.					
Prevention of significant deterioration	PSD regulations will not apply as emissions do not trigger thresholds. The only difference would be that Route A crosses Tribal Land, so USEPA would have jurisdiction of any air quality permitting if it were to occur on Tribal lands, which is not anticipated.	PSD regulations will not apply as emissions don't trigger thresholds. The only difference would be that Route A1A crosses Tribal land, so USEPA would have jurisdiction of any air quality permitting if it were to occur on Tribal lands, which is not anticipated.	PSD regulations will not apply as emissions do not trigger thresholds. Only difference would be that Route A crosses Tribal land, so USEPA would have jurisdiction of any air quality permitting if it were to occur on Tribal lands, which is not anticipated.					
Non-attainment new source review	The entire state of Montana is considered in attainment of ambient air quality standards, so the same will apply across the three route alternatives.	Same as A.	Same as A.					
Greenhouse gases	GHG language provided will be the same across the three route alternatives.	GHG language provided will be the same across the three route alternatives.	GHG language provided will be the same across the three route alternatives.					

References

Massachusetts v. EPA. 2007. Supreme Court of the United States. 2006. Massachusetts et al. v. Environmental Protection Agency et al. No. 05-1120. Argued November 29, 2006 - Decided April 2, 2007. Website: www.supremecourtus.gov/opinions/06pdf/05-1120.pdf. (Accessed 2008).

U.S. Environmental Protection Agency. 1990. DRAFT. "New Source Review Workshop Manual," Office of Air Quality Planning and Standards, October 1990.

. 2008. National Ambient Air Quality Standards. Website: http://www.epa.gov/air/criteria.html.

4.3.15 Cumulative Impacts

Cumulative impacts are defined in the CEQ regulations 40 CFR 1508.7 as "...the impact on the environment that results from the incremental impact of the action when added to other past, present, and reasonably foreseeable actions regardless of what agency... or person undertakes such other actions." These actions include current and projected area development (e.g., oil and gas); management activities and authorizations

4-171 December 2008

on public lands (e.g., range conversion and forestry programs); land use trends; and applicable industrial/infrastructure components (e.g., utility corridors).

Foreseeable construction projects were screened to determine whether they will overlap in time and space with the Project and thus could interact to cause cumulative impacts. Cumulative construction projects primarily include locations where Keystone XL would be co-located with existing utility corridors and locations associated with new power line construction.

4.3.15.1 Power Lines

The construction of the electrical transmission and distribution power lines necessary for the Project will occur during the same timeframe and in the same general area as the Project. Construction activities will be of short duration in any single location. Most power lines will be co-located with other ROWs (i.e., roadways, pipeline corridors, and existing power lines) or located along field edges or section lines to reduce the overall amount of habitat fragmentation and interference with agricultural operations. The amount of land associated with the power line ROWs represents a small fraction of available native vegetation in the region. As a consequence, these power lines do not represent a substantial cumulative disturbance to the environment.

4.3.15.2 Northern Border

The Northern Border Pipeline has been in-service since 1982, and the existing ROW has been reclaimed. Routine maintenance and refurbishment activities along the existing Northern Border Pipeline ROW will have minimal cumulative impacts on resources when combined with adjacent, new pipeline construction. The Project will be adjacent to the Northern Border Pipeline for approximately 19 miles within the US, starting at Milepost 0. In this area, any sites required for work on the Northern Border pipeline will be relatively infrequent, isolated, located in small, discrete areas, and work will involve small crews for short-time periods. Consequently, cumulative impacts from maintenance activities along the existing Northern Border Pipeline system are considered to be negligible. **Figure 1-5** diagrams construction disturbance and permanent easements in locations adjacent to existing pipelines.

4.4 Comparison of Alternatives (Circular MFSA-2, Section 3.9)

In accordance with Circular MFSA-2, Section 3.9(1)(a), **Table 4-86** provides a comparison of summary statistics for the alternative routes evaluated for the Steele City Segment from the Montana border to Steele City, Nebraska. Also in accordance with Circular MFSA-2, Section 3.9(1)(a), **Table 4-87** provides a comparison of the most important impacts related to pipeline construction and operation for each of the alternative facility locations within the State of Montana. These impacts are reflective of the baseline studies and impact zone summaries for each technical resource area, pursuant to Sections 3.7 and 3.8 (Circular MFSA-2). It is very important to note that, although Route B is the longest route within the State of **Montana**, it is the shortest overall route between Morgan, Montana, and Steele City, Nebraska by over 100 miles, resulting in the following overall benefits:

- Reduced environmental footprint and impacts;
- Reduced landowner impacts;
- Least impact to population centers;
- Reduced overall construction costs; and
- Reduced overall operating costs.

In accordance with Circular MFSA-2, Section 3.9(1)(b), **Table 4-87** also provides a description of the degree to which the most important adverse impacts can be mitigated along all three routes.

4-172 December 2008

In accordance with Circular MFSA-2, Section 3.9(1)(c), **Table 4-88** provides a relative ranking of the three alternative routes. Again, it is **important to note** that, based strictly on the relative lengths of the routes within the State of Montana, and not taking into consideration the overall effects through Montana, South Dakota, and Nebraska, Route B has greater impacts on certain resources. However, while Route B is longer through the State of Montana, it has less impact to wetlands, agricultural land, perennial stream crossings, public/tribal lands, developed lands, and does not cross a national wildlife refuge or a Native American reservation.

Table 4-86 Alternative Routes Summary Statistics from Morgan, Montana to Steele City, Nebraska (Circular MFSA-2, Section 3.9(1)(a))

Parameter	Route A	Route A1A	Route B
Total Miles of Pipe	919.7	951.3	850.3
Montana – Ownership Mile	es Crossed		
Federal	17.5	17.4	42.6
State	14.3	35.2	19.1
Tribal	89.6	1.0	0.0
Private	59.2	151.8	220.6
Subtotal	180.6	205.4	282.3
North Dakota – Ownership	Miles Crossed		
Federal	3.8	30.2	0.0
State	4.0	0.1	0.0
Tribal	0.0	0.0	0.0
Private	269.1	229.2	0.0
Subtotal	276.9	259.5	0.0
South Dakota – Ownership	Miles Crossed		
Federal	30.2	2.8	0.0
State	0.1	5.0	20.9
Tribal	0.0	0.0	0.0
Private	229.2	275.9	291.9
Subtotal	259.5	283.7	312.8
Nebraska – Ownership Mil	es Crossed		
Federal	0.0	0.0	0.0
State	0.0	0.0	0.0
Tribal	0.0	0.0	0.0
Private	202.5	202.5	255.1
Subtotal	202.5	202.5	255.1
Number of perennial streams/rivers crossed ¹	58	63	41

4-173 December 2008

Table 4-86 Alternative Routes Summary Statistics from Morgan, Montana to Steele City, Nebraska (Circular MFSA-2, Section 3.9(1)(a))

Parameter	Route A	Route A1A	Route B				
Land Use (in Acres) ²							
Rangeland/Grassland	2,745	2,831	5,802				
Agricultural land	9,365	9,730	5,446				
Developed	6.7	6.7	3.3				
Forest	15	15	22				
Wetland	99.7	66.1	34.3				
Barren	9.1	9.1	27.7				
Total	12,240.5	12,657.9	11,335.3				
Total Capital Cost (Steele City Segment) ³	\$3,494,747,675	\$3,581,427,961	\$3,218,560,494				
Δ	\$276,187,181	\$362,867,467	0				

Perennial streams/rivers include NHD Features called "Artificial Path", determined to be perennial through desktop analysis. These are likely canals and ditches.

- Note 1 Route A1A is 100.6 miles longer than Route B; Route A is 69 miles longer than Route B.

 Route A1A would cost \$362,867,467 more than Route B; Route A would cost \$276,187,181 more than Route B.
- Note 2 No estimate was prepared for annual operating costs, because they also would be proportional to the route alternative lengths. Therefore, levelized annual costs were not calculated for each alternative.
- Note 3 When comparing the route alternatives, capital cost estimates were derived using 'rules of thumb' unit prices for pipe, pipeline construction, pump stations, and power supply for screening purposes. The costs were estimated by assuming that pipeline unit length costs would be the same for each route alternative and were extrapolated based on the overall length of each alternative from Morgan, Montana to Steele City, Nebraska. Unit prices for each pump station were assumed to be the same and total costs were extrapolated based on the number of pump stations required on each alternate. Power infrastructure costs were based on the average cost per pump station. All other 'rule of thumb' costs were prorated based on route mileage.

4-174 December 2008

² In acres, based on National Land Cover Database.

³ The values shown here for Routes A1A and B are based on unit price costs supplied by TransCanada in 2007. Route A estimates are based on a ratio of costs from A1A and miles of pipe.

Table 4-87 Comparison of the Most Important Impacts for the Alternative Facility Locations in Montana (Circular MFSA-2, Section 3.9(1)(a) and (b))

	F	Route Alternatives		Degree to Which Most Important	
Resource Route A		Route A1A	Route B	Adverse Impacts can be Mitigated	
Land Use					
Tribal lands	Route A crosses 89.6 miles of tribal lands.	Route A1A crosses 1.0 mile of tribal lands.	Route B does not cross tribal lands.	The impacts to the Project schedule cannot be mitigated to cross Tribal lands.	
	Because of the extensive statutory procedural requirements associated with the granting of ROW on tribal lands, selection of Route A would jeopardize the project schedule.	Because of the extensive statutory procedural requirements associated with the granting of ROW on tribal lands, selection of Route A would jeopardize the project schedule.			
Developed land	Route A crosses approximately 2.74 miles, primarily associated with existing ROW and minor components of industrial and residential use types.	Route A1A crosses approximately 2.86 miles, primarily associated with existing ROW and minor components of commercial, industrial, and residential use types.	Route B crosses approximately 3.29 miles, primarily associated with existing ROW and minor components of commercial, industrial, residential, and special use types.	The measures in the CMRP will mitigate the impacts identified.	
Recreation and special interest areas	Recreation and special use areas crossed by Route A include the Bitter Creek ACEC, BLM WSA, and Fort Peck Indian Reservation. It is likely the BLM would preclude or heavily condition routing through an ACEC and WSA.	Recreation and special use areas crossed by Route A1A include the Bitter Creek ACEC, BLM WSA, and Medicine Lake NWR. It is likely the BLM would preclude or heavily condition routing through an ACEC and WSA. The USFWS has a policy that precludes new ROWs through NWRs.	Recreation and special use areas crossed by Route B include the Phillips County USFWS Wetland Easement and Lewis and Clark National Historic Trail.	For Route B, both crossings of the Lewis and Clark Trail can be mitigated through the use of HDD methods. Project schedule requirements could not be mitigated if crossing the ACEC and the WSA.	

4-175 December 2008

Table 4-87 Comparison of the Most Important Impacts for the Alternative Facility Locations in Montana (Circular MFSA-2, Section 3.9(1)(a) and (b))

	F	Route Alternatives		Degree to Which Most Important
Resource	Route A	Route A1A	Route B	Adverse Impacts can be Mitigated
Wildlife and Fisher	ries			
Greater sage grouse and sharp- tailed grouse	Route A crosses 8 known greater sage-grouse leks and/or their associated buffer zones.	Route A1A crosses 8 known greater sage-grouse leks and/or their associated buffer zones.	Route B crosses 24 known greater sage-grouse leks and/or their associated buffer zones.	Impacts can be mitigated through negotiated construction windows and buffer zones, as well as adherence to the CMRP to restore habitat.
Aquatic resources	Route A does not cross any Class I or II fisheries.	Route A1A does not cross any Class I or II fisheries.	Route B crosses one Class I fishery at the Yellowstone River and one Class II fishery at the Missouri River.	Both of these rivers will be directionally drilled. There will be no impact to these resources.
Special Status Spe	ecies			
Special status species	A total of 59 special status wildlife species could potentially occur within suitable habitat along Route A. Of the 59, three (black-footed ferret, whooping crane, and the piping plover) are federally listed under the ESA; 37 are identified as BLM species of concern; and 22 are Montana species of concern. Surveys would ultimately determine species presence and development of mitigation to avoid impacts.	A total of 47 special status wildlife species could potentially occur within suitable habitat along Route A1A. Of the 47, three (black-footed ferret, whooping crane, and the piping plover) are federally listed under the ESA; 12 are identified as BLM species of concern; and 22 are Montana species of concern. Surveys would ultimately determine species presence and development of mitigation to avoid impacts.	A total of 65 special status wildlife species could potentially occur within suitable habitat along Route B. Of the 65, five (blackfooted ferret, whooping crane, interior least tern, piping plover, and the pallid sturgeon) are federally listed under the ESA; 51 are identified as BLM species of concern; and 14 are Montana species of concern. Surveys would ultimately determine species presence and development of mitigation to avoid impacts.	Impacts can be mitigated through negotiated construction windows and buffer zones, as well as adherence to the CMRP to restore habitat.

4-176 December 2008

Table 4-87 Comparison of the Most Important Impacts for the Alternative Facility Locations in Montana (Circular MFSA-2, Section 3.9(1)(a) and (b))

	F	Degree to Which Most Important			
Resource	Route A	Route A1A	Route B	Adverse Impacts can be Mitigated	
Water Resources					
Perennial waterbodies crossed	Route A crosses five perennial streams.	Route A1A crosses 10 perennial streams.	Route B crosses 13 perennial streams.	Impacts will be mitigated by implementation of the procedures in the CMRP.	
Wetlands crossed (miles)	Route A crosses 0.86 mile of wetlands.	Route A1A crosses 2.50 miles of wetlands.	Route B crosses 5.27 miles of wetlands.	Impacts will be mitigated by implementation of the procedures in the CMRP.	
Surface water protection areas	Route A crosses one surface water protection area within 1 mile and zero within 5 miles.	Route A1A crosses zero surface water protection areas within 1 mile; two within 1 to 3 miles; and one additional within 3 to 5 miles.	Route B crosses one surface water protection area within 1 mile; three within 1 to 3 miles; and two additional within 3 to 5 miles.	Mitigative measures through pipeline design are found in Section 1.5 that are in accordance with 49 CFR, Part 195, and implementation of the ERP.	
Geology					
Landslides	Route A crosses 90.0 miles of low incidence and low susceptibility areas; 80.0 miles of low incidence and high susceptibility areas; 11.0 miles of moderate incidence and low susceptibility areas; and 2.5 miles where slopes exceed 15 percent on Cretaceous shale bedrock.	Route A1A crosses 125.0 miles of low incidence and low susceptibility areas; 70.0 miles of low incidence and high susceptibility areas; 10.0 miles of moderate incidence and low susceptibility areas; and 2.0 miles where slopes exceed 15 percent on Cretaceous shale bedrock.	Route B crosses 175.0 miles of low incidence and low susceptibility areas; 82.0 miles of low incidence and high susceptibility areas; less than 26.0 miles of moderate incidence and high susceptibility areas; and 4.0 miles where slopes exceed 15 percent on Cretaceous shale bedrock.	Impacts will be mitigated by adherence to the measures in the CMRP and the measures described in (Chapter 1.0, Section 1.4.10).	

4-177 December 2008

Table 4-87 Comparison of the Most Important Impacts for the Alternative Facility Locations in Montana (Circular MFSA-2, Section 3.9(1)(a) and (b))

	F	Degree to Which Most Important			
Resource	Route A	Route A1A	Route B	Adverse Impacts can be Mitigated	
Cultural					
Previously recorded eligible sites	Ten eligible for the NRHP.	Seven eligible for the NRHP.	Thirteen eligible for the NRHP.	After surveys are completed and DOS and SHPO determine site eligibility, sites will be avoided where possible, or data recovery will mitigate impacts.	
Socioeconomics					
Economic benefits to counties	A total of \$34,772,179 in property tax will be disbursed amont the affected counties along Route A.	A total of \$42,385,442 in property tax will be disbursed among the affected counties along Route A1A.	An estimated total of \$60,873,809 in property tax will be disbursed annually among the affected counties along Route B.	N/A	
Environmental Jus	tice		1		
Minority and Low Income populations	Along Route A, one county, Roosevelt, had a minority population that was significantly greater than the state average.	Along Route A1A, one county, Roosevelt, had a minority population that was significantly greater than the state average.	None of the affected counties along Route B had a minority population that was significantly greater than the state average.	Mitigative measures include local hiring, where possible, and equitable easement negotiations for all landowners.	

Note: Although Route B is the longest route within the State of Montana, it is the shortest route, overall, to Steele City, Nebraska.

4-178 December 2008

Table 4-88 Ranking of Alternative Facility Locations (Circular MFSA-2, Section 3.9(1)(c)¹

	Route Alternatives ²		
Resource	Route A	Route A1A	Route B
Levelized annual costs, including environmental costs and mitigation costs ³	2	3	1
Reliability ⁴	2	2	2
Land use and ownership considerations	3	2	1
Socioeconomic considerations	3	2	1
Earth resources	2	2	2
Engineering considerations	2	2	2
Visual resources	2	2	2
Biological resources	1	2	3
Historic, archaeologic, and paleontologic resources	2	1	3
Recreation	2	3	1
Water resources	1	2	3
Noise, radio, and television interference and electrical effects ⁵	2	2	2

An indication of the relative differences among the alternatives is provided above in **Tables 4-86** and **4-87**.

NOTE: Based strictly on the relative lengths of the routes within the State of Montana, and not taking into consideration the overall effects through Montana, South Dakota, and Nebraska, Route B has greater impacts on certain biological, historic, archaeological, and paleontologic resources. However, while it is longer through the State of Montana, Route B has less impact to wetlands, agricultural land, perennial stream crossings, public/tribal lands, developed lands, and does not cross a national wildlife refuge or a Native American reservation.

4-179 December 2008

² A "1" indicates most favorable; a "3" indicates least favorable.

Levelized annual costs were calculated only for Route B, and are provided in the "Confidential" non-public version of the application. Levelized annual costs were not calculated for Routes A and A1A; however, they would be greater due to the greater lengths of these routes.

⁴ Because all three routes would be constructed in accordance with all required regulations, standards, and specifications for liquid pipelines, all three routes would provide equally reliable service.

⁵ There are no residences within 500 feet of any pump station on any of the alternative routes, so effects are not expected to be an issue

4.5 Selection of Preferred Facility Location (Circular MFSA-2, Section 3.10)

4.5.1 Keystone's Selection Criteria (Circular MFSA-2, Section 3.10(1)(a))

In accordance with Circular MFSA-2, Section 3.10(1), Keystone has selected Route B as its preferred facility location. Keystone took many criteria into consideration when evaluating the various routing alternatives that it considered and in selecting a preferred route, including all of the criteria and constraints required in the Circular MFSA-2. Keystone's selection criteria included the following:

- Length;
- Environmental constraints;
- Population density;
- Land issues:
- Land use:
- Regulatory issues; and
- Construction issues.

A variety of information (existing agency and publicly available data), maps, and ground and aerial reconnaissance were utilized to determine and evaluate the above criteria as defined below:

4.5.1.1 Assumptions

- Several assumptions were made that influenced the selected route for the Steele City Segment of the Project:
- Starting point U.S./Canadian border near Morgan, Montana.

4.5.1.2 Length

One of the criteria examined when selecting a pipeline route is total length and associated environmental footprint and costs. Minimizing the length of a pipeline route is a major goal during the planning process, but may not always be the most cost effective option. Routing a pipeline to avoid environmentally sensitive and densely populated areas, as well as crossing locations for large waterbodies, also are important factors in determining a pipeline route. The cost of mitigation of environmental issues, geotechnical issues, land acquisition issues, and constructability issues may outweigh the cost of additional length of pipeline route. Potential schedule issues related to extensive permitting processes may also result in a preference for a longer route.

4.5.1.3 Environmental Constraints

The methodology employed to conduct the environmental constraints study utilizes a "fatal flaw" approach, seeking to determine what, if any, environmental, land-use/planning, or physiographic issues represent impediments to pipeline construction within the study area. The data used for this analysis were generally based on publicly available information, especially existing GIS databases, and previous experience/knowledge of the area. The approach for this analysis was to gather and assess data related to:

- Wetland resource areas;
- Waterbodies and associated riparian habitat/floodplain;
- Land use and public lands, including park land and wildlife management areas;

4-180 December 2008

- Location of critical habitat for special status species (threatened, endangered, and species of concern); and
- Other species of concern.

Supplemental investigations would further address the features noted above, as well as:

- Waterbody classifications;
- Wellhead protection areas and aguifers;
- Listed Contaminated Sites:
- Cultural Resources/Native American Lands; and
- HCAs as designated by OPS.

The most significant environmental constraints affecting the routing analysis were the Bitter Creek WSA (located along Route Option A), Medicine Lake NWR (located along Route Option A1A), the USACE lands on Route Option B, and the expansive number of "prairie pothole" wetland complexes along the eastern portion of Route Option A. Other environmental features within the study area, particularly large waterbodies and extensive floodplain areas, were considered.

4.5.1.4 Population Density

The project area's population density is relatively low along all three route options, with the majority of the land use being agriculture and rangeland/grassland. The largest urban areas (counties with a population greater than 10 per square mile) in the project area are in southeastern South Dakota and eastern Nebraska. In general, population densities are greater along Route Options A and A1A than they are along Route Option B.

4.5.1.5 Land Issues

Each route option was examined for any potential land acquisition problems. The majority of the Project traverses agricultural areas, grasslands, and rangelands, so issues related to urban sprawl are not expected; however, the timing of construction in relation to crop harvest should be considered.

4.5.1.6 Land Use

Large Scale Avoidance Areas: the pipeline was routed around the following land use categories to the extent practical:

- a) National Parks, National Monuments, State Parks with developed recreation facilities;
- b) Indian Reservations, Tribal Lands; and
- Other publicly owned lands including BLM, USFWS, State Lands, National Park Service (NPS), USACE. etc.

Small Scale Avoidance Areas: the following areas also were avoided to the extent practical (100 to 500 feet from the route):

- d) Residences and farmsteads;
- e) Rural schools and recreational areas;
- f) Towns and suburban developments;
- g) Municipal sewage ponds;
- h) Industrial facilities (e.g. rail yards, warehouses), except when in industrial corridors;

4-181 December 2008

- i) Cemeteries: and
- j) Well heads and irrigation pivot points.

Co-location Areas-Large and Small Scale: to the extent practical, the pipeline was co-located with the following existing facilities:

- k) Existing pipelines; and
- Electrical transmission lines.

4.5.1.7 Regulatory

Regulatory processes that are incompatible with the Project schedule are important route selection criteria. For example, on Route Option A, the regulatory and statutory processes for acquiring ROW on the Fort Peck Indian Reservation would jeopardize Keystone's ability to achieve the Project schedule.

4.5.1.8 Construction Issues

Each route option was examined for any potential construction problems or challenges that would affect the overall Project budget and schedule. Road, railroad, utility, and major waterbody crossings were documented and considered. Also considered were large wetland areas and the number of HDDs expected. Other factors considered were terrain, erosion control, and restoration.

4.5.2 Application of Preferred Location Criteria (Circular MFSA-2, Section 3.10(1)(b))

The preferred location criteria listed in Section 3.1(2) were considered to the extent they are applicable to pipeline routing. Initially, Keystone considered co-locating with the existing Northern Border Pipeline ROW (i.e., Route A), but regulatory constraints along this route would jeopardize the Project schedule, which is not acceptable to Keystone or its customers. Logged areas versus timbered areas were not considerations because neither exists along the alternative routes. Geologically stable areas were certainly considered during the selection process, as were the remainder of the location criteria listed in Sections 3.1(2) and 3.1(1) (by reference). However, because a considerable length of the project (almost 70 percent) will be constructed outside of the State of Montana, many of the same criteria, as well as several others, had to be considered in the other states crossed. Overall, a quantitative weighting analysis is not appropriate for pipeline projects. Based on consideration of all of the criteria discussed above, Route B was determined to be the preferred route.

4.5.3 Relative Importance of Categories (Circular MFSA-2, Section 3.10(1)(c))

Keystone did not weight the importance of the categories listed in **Table 4.4-3** because a weighting approach is not appropriate for the pipeline routing process.

4.5.4 Avoidance Areas (Circular MFSA-2, Section 3.10(1)(d))

All of the areas specified in Section 3.2(1)(d)(i)(iii) were mapped and considered for all three routes, and were avoided with each route alternative, with the exception of Route A1A, which crosses a supply canal associated with the Medicine Lake NWR.

4.5.5 Other Areas (Circular MFSA-2, Section 3.10(1)(e))

All of the areas specified in Section 3.2(1)(d)(iv) through (f) were mapped and considered in the routing of all three routes. All of these areas were avoided with each route alternative. All of the areas specified in Sections 3.4(1) through (3) were mapped (where data were available) and were avoided to the extent possible. Where those areas were not avoidable, mitigation of significant adverse impact is possible. For the

4-182 December 2008

preferred route (Route B), siting the facility through those areas that could not be avoided will result in less cumulative adverse environmental impact and economic costs (including the costs of reasonable mitigation measures), than siting the facility in any other alternative location.

4.5.6 Conclusion

Keystone evaluated the various routing alternatives described in this application using the criteria discussed above. Various data resources were utilized in the assessment and included the following:

- Recent aerial photography obtained from the US Department of Agriculture;
- USGS Topographic Quadrangle maps;
- State Gazetteers:
- SSURGO Database;
- National Land Cover Database; and
- GIS layers containing public data obtained from various county, state, and federal government websites; commercial background data provided by ESRI; and internal existing utility data.

These data were utilized to identify the following information in the selection of the route by accomplishing the following:

- Maximizing co-location opportunities with other existing pipelines, electric transmission lines, railways, roadways and other utilities;
- Identification of preferred topography, land use areas, etc; and
- Identification of major constraint areas such as national and state parks and forests, wildlife
 management areas, wetlands areas, waterbodies, difficult or unstable terrain, high density
 development, etc.

Extensive aerial and ground reconnaissance were then conducted across the various alternatives to finalize the route options. While Route B was longer through Montana, the overall impacts across the entire Steele City Segment must be considered. As a result, Route B was selected as the preferred alternative for several reasons, including the following previously mentioned benefits:

- Reduced environmental footprint and impacts;
- Reduced landowner impacts;
- Least impact to population centers;
- Reduced overall construction costs; and
- Reduced overall operating costs.

For the foregoing reasons, Keystone submits that selection of Route B as the preferred alternative is appropriate.

4-183 December 2008