

STATEMENT OF ENERGY PERFORMANCE

DLI-Bozeman Job Service
121 N Willson
Bozeman

Date: 9/7/2018
Year Built: 1973

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Star Score:	48	61	63	69
Gross Floor Area:	8,974	8,974	8,974	8,974 Sq. Ft.
Heating Degree Days	7,094	7,500	8,220	8,315
Cooling Degree Days	591	314	297	340
Reported Annual Energy Use:				
Site Energy Use:	483.31	384.66	381.74	359.21 MBTU
Site EUI:	53,856	42,864	42,538	40,028 BTU/ft ²
Electricity:	70,184	59,433	57,471	50,489 kWh
Max Electric Demand:	39	27	26	25 kW
Natural Gas:	2,438	1,819	1,856	1,869 Therms
Reported Annual Energy Cost:				
Electricity Cost:	\$7,171	\$6,668	\$6,630	\$6,350
Electric Demand Cost:	\$2,663	\$2,384	\$2,336	\$2,313
Natural Gas Cost:	\$2,713	\$1,673	\$1,703	\$1,535
Energy Cost/ft ²	\$1.101	\$0.929	\$0.929	\$0.879
Weather Normalized Energy Use:				
Site Energy Use:	495.24	387.22	365.64	341.34 MBTU
Site EUI:	55,186	43,149	40,745	38,036 BTU/ft ²
Electricity:	69,281	59,605	57,745	50,489 kWh
Natural Gas:	2,589	1,839	1,686	1,691 Therms
National Median Energy Use:				
Site Energy Use:	475.96	451.25	455.71	472.63 MBTU
Site EUI:	53,038	50,284	50,781	52,666 BTU/ft ²
Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):				
Direct Emissions:	13	9.7	9.9	9.9
Indirect Emissions:	21	18	17	15
Total Emissions:	34	27	27	25
National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):				
Total Emissions:	33.3	32.1	32.2	32.8
% Difference from National Median:				
Site EUI:	1.54	-14.76	-16.23	-24.00
Total Emissions:	1.50	-14.95	-16.46	-24.09
Adjusted Energy Based on Current Year:				
Site Energy Use:	472.96	385.88	383.79	359.21 MBTU
Site EUI:	52,703	43,000	42,767	40,028 BTU/ft ²
% Difference Adjusted Site Energy Use				
2012 to Baseline	-18.41			
2013 to Baseline	-18.85			
Current to Baseline	-24.05			
Current to 2013	-6.40			