

STATEMENT OF ENERGY PERFORMANCE

DLI-Kalispell Job Service
715 Front St
Helena

Date: 9/7/2018
Year Built: 1956

	Baseline:	2012	12/31/2013	Current:
	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Star Score:	47	54	51	65
Gross Floor Area:	8,366	8,366	8,366	8,366 Sq. Ft.
Heating Degree Days	7,475	7,505	7,807	8,158
Cooling Degree Days	371	203	287	313
Reported Annual Energy Use:				
Site Energy Use:	498.14	422.60	472.42	435.16 MBTU
Site EUI:	59,543	50,514	56,469	52,016 BTU/ft ²
Electricity:	93,618	88,733	87,852	65,867 kWh
Max Electric Demand:	35	31	32	27 kW
Natural Gas:	1,787	1,198	1,727	2,104 Therms
Reported Annual Energy Cost:				
Electricity Cost:	\$6,366	\$5,458	\$5,518	\$4,494
Electric Demand Cost:	\$0	\$0	\$0	\$0
Natural Gas Cost:	\$2,051	\$1,203	\$1,602	\$1,691
Energy Cost/ft ²	\$1.006	\$0.796	\$0.851	\$0.739
Weather Normalized Energy Use:				
Site Energy Use:	507.91	439.91	468.59	421.46 MBTU
Site EUI:	60,711	52,584	56,011	50,378 BTU/ft ²
Electricity:	92,120	88,582	87,489	64,424 kWh
Natural Gas:	1,936	1,377	1,701	2,017 Therms
National Median Energy Use:				
Site Energy Use:	484.82	448.50	483.55	536.14 MBTU
Site EUI:	57,951	53,610	57,799	64,086 BTU/ft ²
Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):				
Direct Emissions:	9.5	6.4	9.2	11.2
Indirect Emissions:	28	26	26	20
Total Emissions:	37	33	35	31
National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):				
Total Emissions:	36.3	34.8	36.1	37.9
% Difference from National Median:				
Site EUI:	2.75	-5.78	-2.30	-18.83
Total Emissions:	2.75	-6.03	-2.22	-18.73
Adjusted Energy Based on Current Year:				
Site Energy Use:	495.49	428.43	473.72	435.16 MBTU
Site EUI:	59,226	51,211	56,624	52,016 BTU/ft ²
% Difference Adjusted Site Energy Use				
2012 to Baseline	-13.53			
2013 to Baseline	-4.39			
Current to Baseline	-12.17			
Current to 2013	-8.14			