

STATEMENT OF ENERGY PERFORMANCE

DMA-Billings MIRF
5043 Neibauer Lane
Billings

Date: 9/7/2018
Year Built: 1988

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	11/30/2012	12/31/2013	11/30/2012
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	6,865	6,865	6,865	6,865 Sq. Ft.
Heating Degree Days	6,634	6,093	6,939	5,988
Cooling Degree Days	841	945	777	945

Reported Annual Energy Use:

Site Energy Use:	346.38	63.58	N/A	63.58 MBTU
Site EUI:	50,456	9,262	N/A	9,262 BTU/ft ²
Electricity:	8,929	4,200	5,000	5,040 kWh
Max Electric Demand:	0	6	5	6 kW
Natural Gas:	3,159	464	0	464 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$1,660	\$1,436	\$1,498	\$1,519
Electric Demand Cost:	\$0	\$618	\$624	\$633
Natural Gas Cost:	\$2,309	\$418	\$0	\$418
Energy Cost/ft ²	\$0.578	\$0.282	N/A	\$0.282

Weather Normalized Energy Use:

Site Energy Use:	346.38	77.59	N/A	77.59 MBTU
Site EUI:	50,456	11,302	N/A	11,302 BTU/ft ²
Electricity:	8,929	4,200	5,000	5,040 kWh
Natural Gas:	3,159	604	0	604 Therms

National Median Energy Use:

Site Energy Use:	509.05	275.20	275.20	402.33 MBTU
Site EUI:	74,151	40,087	40,087	58,605 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	16.8	2.5	0	2.5
Indirect Emissions:	3	1	2	2
Total Emissions:	19	4	N/A	4

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	28.6	19.7	19.7	25.1
------------------	------	------	------	------

% Difference from National Median:

Site EUI:	-31.96	-76.89	N/A	-84.20
Total Emissions:	-32.17	-79.70	N/A	-84.06

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A