

STATEMENT OF ENERGY PERFORMANCE

DMA-Butte Armory
600 Gilman St
Butte

Date: 9/7/2018
Year Built: 1980

| | Baseline: | 2012 | 12/31/2013 | Current: |
|---------------------|------------------|-------------|-------------------|-----------------|
| Energy Date: | 12/31/2007 | 12/31/2012 | 12/31/2013 | 12/31/2017 |
| Energy Star Score: | N/A | N/A | N/A | N/A |
| Gross Floor Area: | 16,667 | 16,667 | 16,667 | 16,667 Sq. Ft. |
| Heating Degree Days | 6,778 | 7,046 | 7,351 | 7,862 |
| Cooling Degree Days | 730 | 517 | 579 | 731 |

Reported Annual Energy Use:

| | | | | |
|----------------------|---------|--------|---------|----------------------------|
| Site Energy Use: | 1466.43 | 999.51 | 1003.56 | 1042.48 MBTU |
| Site EUI: | 87,984 | 59,970 | 60,212 | 62,547 BTU/ft ² |
| Electricity: | 99,990 | 83,725 | 80,965 | 91,229 kWh |
| Max Electric Demand: | 35 | 34 | 43 | 31 kW |
| Natural Gas: | 11,253 | 7,138 | 7,273 | 7,312 Therms |

Reported Annual Energy Cost:

| | | | | |
|-----------------------------|----------|---------|---------|----------|
| Electricity Cost: | \$8,901 | \$8,310 | \$9,277 | \$10,207 |
| Electric Demand Cost: | \$2,553 | \$2,312 | \$3,196 | \$2,975 |
| Natural Gas Cost: | \$11,689 | \$6,122 | \$6,305 | \$5,733 |
| Energy Cost/ft ² | \$1.235 | \$0.866 | \$0.935 | \$0.956 |

Weather Normalized Energy Use:

| | | | | |
|------------------|---------|---------|---------|----------------------------|
| Site Energy Use: | 1553.02 | 1038.36 | 1017.92 | 1042.48 MBTU |
| Site EUI: | 93,179 | 62,301 | 61,074 | 62,547 BTU/ft ² |
| Electricity: | 102,404 | 84,733 | 81,564 | 91,229 kWh |
| Natural Gas: | 12,036 | 7,493 | 7,396 | 7,312 Therms |

National Median Energy Use:

| | | | | |
|------------------|---------|---------|---------|----------------------------|
| Site Energy Use: | 1021.12 | 1041.73 | 1054.27 | 946.19 MBTU |
| Site EUI: | 61,266 | 62,503 | 63,255 | 56,770 BTU/ft ² |

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

| | | | | |
|---------------------|------|------|------|------|
| Direct Emissions: | 59.8 | 37.9 | 38.6 | 38.8 |
| Indirect Emissions: | 30 | 25 | 24 | 27 |
| Total Emissions: | 90 | 63 | 63 | 66 |

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

| | | | | |
|------------------|------|------|------|------|
| Total Emissions: | 62.3 | 65.5 | 65.9 | 59.9 |
|------------------|------|------|------|------|

% Difference from National Median:

| | | | | |
|------------------|-------|-------|-------|-------|
| Site EUI: | 43.61 | -4.05 | -4.81 | 10.18 |
| Total Emissions: | 43.66 | -4.12 | -4.86 | 10.18 |

Adjusted Energy Based on Current Year:

| | | | | | |
|------------------|-----|-----|-----|-----|---------------------|
| Site Energy Use: | N/A | N/A | N/A | N/A | MBTU |
| Site EUI: | N/A | N/A | N/A | N/A | BTU/ft ² |

% Difference Adjusted Site Energy Use

| | |
|---------------------|-----|
| 2012 to Baseline | N/A |
| 2013 to Baseline | N/A |
| Current to Baseline | N/A |
| Current to 2013 | N/A |