

# STATEMENT OF ENERGY PERFORMANCE

DMA-Culbertson Armory  
819 6th Avenue East  
Culbertson

Date: 9/7/2018  
Year Built: 1980

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	11/30/2012	12/31/2013	11/30/2012
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	15,252	15,252	15,252	15,252 Sq. Ft.
Heating Degree Days	8,521	8,077	9,468	7,743
Cooling Degree Days	632	551	382	551

## Reported Annual Energy Use:

Site Energy Use:	154.23	189.61	N/A	189.61 MBTU
Site EUI:	10,112	12,432	N/A	12,432 BTU/ft <sup>2</sup>
Electricity:	45,204	55,571	0	55,571 kWh
Max Electric Demand:	46	41	0	41 kW
Natural Gas:	0	0	0	0 Therms

## Reported Annual Energy Cost:

Electricity Cost:	\$4,225	\$5,536	\$0	\$5,536
Electric Demand Cost:	\$1,946	\$2,229	\$0	\$2,229
Natural Gas Cost:	\$0	\$0	\$0	\$0
Energy Cost/ft <sup>2</sup>	\$0.277	N/A	N/A	\$0.363

## Weather Normalized Energy Use:

Site Energy Use:	154.23	189.61	N/A	189.61 MBTU
Site EUI:	10,112	12,432	N/A	12,432 BTU/ft <sup>2</sup>
Electricity:	45,204	55,571	0	55,571 kWh
Natural Gas:	0	0	0	0 Therms

## National Median Energy Use:

Site Energy Use:	486.28	730.06	730.06	486.28 MBTU
Site EUI:	31,883	47,867	47,867	31,883 BTU/ft <sup>2</sup>

## Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	0	0	0	0
Indirect Emissions:	13	17	0	17
Total Emissions:	13	17	N/A	17

## National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	42.4	53.7	53.7	42.4
------------------	------	------	------	------

## % Difference from National Median:

Site EUI:	-68.28	-74.03	N/A	-61.01
Total Emissions:	-68.40	-69.27	N/A	-61.08

## Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft <sup>2</sup>

## % Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A