

# STATEMENT OF ENERGY PERFORMANCE

DMA-Gallatin Readiness Center  
350 Airport Road  
Belgrade

Date: 9/7/2018  
Year Built: 2003

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2013	N/A	12/31/2013	12/31/2017
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	50,132	50,132	50,132	50,132 Sq. Ft.
Heating Degree Days	8,220	7,500	8,220	8,315
Cooling Degree Days	297	314	297	340

## Reported Annual Energy Use:

Site Energy Use:	2255.76	N/A	2255.76	2164.62 MBTU
Site EUI:	44,996	N/A	44,996	43,178 BTU/ft <sup>2</sup>
Electricity:	239,342	0	239,342	212,249 kWh
Max Electric Demand:	93	0	93	109 kW
Natural Gas:	14,391	0	14,391	14,404 Therms

## Reported Annual Energy Cost:

Electricity Cost:	\$25,763	\$0	\$25,763	\$25,138
Electric Demand Cost:	\$8,099	\$0	\$8,099	\$8,450
Natural Gas Cost:	\$11,890	\$0	\$11,890	\$10,781
Energy Cost/ft <sup>2</sup>	\$0.751	N/A	\$0.751	\$0.716

## Weather Normalized Energy Use:

Site Energy Use:	2118.90	N/A	2118.90	2053.11 MBTU
Site EUI:	42,266	N/A	42,266	40,954 BTU/ft <sup>2</sup>
Electricity:	237,879	0	237,879	212,249 kWh
Natural Gas:	13,073	0	13,073	13,289 Therms

## National Median Energy Use:

Site Energy Use:	2658.35	2009.62	2658.35	2736.46 MBTU
Site EUI:	53,027	40,087	53,027	54,585 BTU/ft <sup>2</sup>

## Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	76.4	0	76.4	76.5
Indirect Emissions:	71	0	71	63
Total Emissions:	148	N/A	148	140

## National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	173.9	144.2	173.9	176.5
------------------	-------	-------	-------	-------

## % Difference from National Median:

Site EUI:	-15.14	N/A	-15.14	-20.90
Total Emissions:	-15.12	N/A	-15.12	-20.91

## Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft <sup>2</sup>

## % Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A