

STATEMENT OF ENERGY PERFORMANCE

DMA-Helena AASF Cold Storage
3333 Skyway Drive
Helena

Date: 9/7/2018
Year Built: 1960

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	58,450	58,450	58,450	58,450 Sq. Ft.
Heating Degree Days	6,778	7,046	7,351	7,862
Cooling Degree Days	730	517	579	731

Reported Annual Energy Use:

Site Energy Use:	205.08	157.87	131.74	101.27 MBTU
Site EUI:	3,509	2,701	2,254	1,733 BTU/ft ²
Electricity:	60,104	46,270	38,610	29,679 kWh
Max Electric Demand:	31	26	27	28 kW
Natural Gas:	0	0	0	0 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$6,208	\$5,784	\$5,376	\$4,748
Electric Demand Cost:	\$2,349	\$2,426	\$2,419	\$2,339
Natural Gas Cost:	\$0	\$0	\$0	\$0
Energy Cost/ft ²	\$0.106	\$0.099	\$0.092	\$0.081

Weather Normalized Energy Use:

Site Energy Use:	209.18	160.98	131.74	101.27 MBTU
Site EUI:	3,579	2,754	2,254	1,733 BTU/ft ²
Electricity:	61,306	47,181	38,610	29,679 kWh
Natural Gas:	0	0	0	0 Therms

National Median Energy Use:

Site Energy Use:	1103.82	1103.82	1103.82	1103.82 MBTU
Site EUI:	18,885	18,885	18,885	18,885 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	0	0	0	0
Indirect Emissions:	18	14	12	9
Total Emissions:	18	14	12	9

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	96.2	96.2	96.2	96.2
------------------	------	------	------	------

% Difference from National Median:

Site EUI:	-81.42	-85.70	-88.07	-90.83
Total Emissions:	-81.39	-85.65	-88.05	-90.85

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A