

STATEMENT OF ENERGY PERFORMANCE

DMA-Helena OMS
2177 Williams Street
Helena

Date: 9/7/2018
Year Built: 1971

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	19,272	19,272	19,272	19,272 Sq. Ft.
Heating Degree Days	6,778	7,046	7,351	7,862
Cooling Degree Days	730	517	579	731

Reported Annual Energy Use:

Site Energy Use:	1697.93	1432.68	1557.54	1733.99 MBTU
Site EUI:	88,104	74,340	80,819	89,974 BTU/ft ²
Electricity:	131,500	84,489	87,002	100,826 kWh
Max Electric Demand:	60	38	37	39 kW
Natural Gas:	12,493	11,444	12,607	13,900 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$14,012	\$9,596	\$10,352	\$12,106
Electric Demand Cost:	\$5,679	\$3,542	\$3,842	\$4,120
Natural Gas Cost:	\$13,252	\$9,591	\$10,361	\$10,258
Energy Cost/ft ²	\$1.415	\$0.996	\$1.075	\$1.160

Weather Normalized Energy Use:

Site Energy Use:	1816.60	1512.39	1582.22	1677.84 MBTU
Site EUI:	94,261	78,476	82,099	87,061 BTU/ft ²
Electricity:	132,970	85,851	87,203	98,838 kWh
Natural Gas:	13,629	12,195	12,847	13,406 Therms

National Median Energy Use:

Site Energy Use:	1234.60	1331.74	1349.63	1336.43 MBTU
Site EUI:	64,062	69,102	70,031	69,346 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	66.4	60.8	67	73.8
Indirect Emissions:	39	25	26	30
Total Emissions:	105	86	93	104

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	76.7	79.8	80.4	80
------------------	------	------	------	----

% Difference from National Median:

Site EUI:	37.53	7.58	15.40	29.75
Total Emissions:	37.42	7.64	15.42	29.75

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A