

# STATEMENT OF ENERGY PERFORMANCE

DMA-Limestone Hills Building  
0  
Townsend

Date: 9/7/2018  
Year Built: 1970

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	7,200	7,200	7,200	7,200 Sq. Ft.
Heating Degree Days	6,778	7,046	7,351	7,862
Cooling Degree Days	730	517	579	731

## Reported Annual Energy Use:

Site Energy Use:	81.73	80.28	85.44	82.25 MBTU
Site EUI:	11,351	11,150	11,866	11,424 BTU/ft <sup>2</sup>
Electricity:	23,953	23,529	25,040	24,108 kWh
Max Electric Demand:	69	12	12	11 kW
Natural Gas:	0	0	0	0 Therms

## Reported Annual Energy Cost:

Electricity Cost:	\$3,706	\$2,548	\$2,818	\$2,831
Electric Demand Cost:	\$2,013	\$789	\$828	\$855
Natural Gas Cost:	\$0	\$0	\$0	\$0
Energy Cost/ft <sup>2</sup>	\$0.515	\$0.354	\$0.391	\$0.393

## Weather Normalized Energy Use:

Site Energy Use:	79.71	80.28	85.44	82.25 MBTU
Site EUI:	11,071	11,150	11,866	11,424 BTU/ft <sup>2</sup>
Electricity:	23,363	23,529	25,040	24,108 kWh
Natural Gas:	0	0	0	0 Therms

## National Median Energy Use:

Site Energy Use:	135.97	135.97	135.97	135.97 MBTU
Site EUI:	18,885	18,885	18,885	18,885 BTU/ft <sup>2</sup>

## Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	0	0	0	0
Indirect Emissions:	7	7	7	7
Total Emissions:	7	7	7	7

## National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	11.8	11.8	11.8	11.8
------------------	------	------	------	------

## % Difference from National Median:

Site EUI:	-39.89	-40.96	-37.17	-39.51
Total Emissions:	-39.83	-40.68	-37.29	-38.98

## Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft <sup>2</sup>

## % Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A