

STATEMENT OF ENERGY PERFORMANCE

DMA-Missoula MTNG Tank Building
 1 Fort Missoula Road
 Missoula

Date: 9/7/2018
 Year Built: 1989

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	8,654	8,654	8,654	8,654 Sq. Ft.
Heating Degree Days	6,934	6,992	7,448	7,738
Cooling Degree Days	646	396	565	528

Reported Annual Energy Use:

Site Energy Use:	186.97	105.65	50.34	60.63 MBTU
Site EUI:	21,605	12,208	5,817	7,006 BTU/ft ²
Electricity:	11,700	4,428	4,084	3,101 kWh
Max Electric Demand:	11	7	8	6 kW
Natural Gas:	1,471	905	364	500 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$1,171	\$612	\$645	\$509
Electric Demand Cost:	\$331	\$191	\$233	\$177
Natural Gas Cost:	\$1,859	\$1,207	\$686	\$721
Energy Cost/ft ²	\$0.350	\$0.210	\$0.154	\$0.142

Weather Normalized Energy Use:

Site Energy Use:	194.09	139.53	50.34	60.63 MBTU
Site EUI:	22,428	16,123	5,817	7,006 BTU/ft ²
Electricity:	11,439	4,428	4,084	3,101 kWh
Natural Gas:	1,551	1,244	364	501 Therms

National Median Energy Use:

Site Energy Use:	588.97	644.86	546.46	618.61 MBTU
Site EUI:	68,057	74,516	63,146	71,483 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	7.8	4.8	1.9	2.7
Indirect Emissions:	4	1	1	1
Total Emissions:	11	6	3	4

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	35.6	37.4	34.2	36.5
------------------	------	------	------	------

% Difference from National Median:

Site EUI:	-68.25	-83.62	-90.79	-90.20
Total Emissions:	-68.26	-83.69	-90.94	-90.14

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A