

STATEMENT OF ENERGY PERFORMANCE

DOC Training Center
442 Golf Course Rd
Deer Lodge

Date: 9/7/2018
Year Built: 1963

	Baseline:	2012	12/31/2013	Current:	
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017	
Energy Star Score:	N/A	N/A	N/A	N/A	
Gross Floor Area:	8,691	8,691	8,691	8,691	Sq. Ft.
Heating Degree Days	6,778	7,046	7,351	7,862	
Cooling Degree Days	730	517	579	731	

Reported Annual Energy Use:

Site Energy Use:	747.58	743.75	717.35	662.20	MBTU
Site EUI:	86,018	85,577	82,540	76,194	BTU/ft ²
Electricity:	24,314	35,117	33,002	36,724	kWh
Max Electric Demand:	14	16	16	14	kW
Natural Gas:	6,646	6,239	6,048	5,369	Therms

Reported Annual Energy Cost:

Electricity Cost:	\$2,772	\$3,991	\$4,141	\$4,313
Electric Demand Cost:	\$1,151	\$1,414	\$1,491	\$1,348
Natural Gas Cost:	\$7,086	\$5,204	\$5,059	\$4,118
Energy Cost/ft ²	\$1.134	\$1.058	\$1.059	\$0.970

Weather Normalized Energy Use:

Site Energy Use:	814.98	784.67	740.52	661.94	MBTU
Site EUI:	93,772	90,285	85,205	76,164	BTU/ft ²
Electricity:	25,468	35,661	33,191	36,724	kWh
Natural Gas:	7,281	6,630	6,273	5,366	Therms

National Median Energy Use:

Site Energy Use:	770.83	720.06	723.99	694.40	MBTU
Site EUI:	88,693	82,851	83,303	79,899	BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	35.3	33.1	32.1	28.5
Indirect Emissions:	7	10	10	11
Total Emissions:	43	44	42	39

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	43.9	42.2	42.3	41.4
------------------	------	------	------	------

% Difference from National Median:

Site EUI:	-3.02	3.29	-0.92	-4.64
Total Emissions:	-3.19	3.32	-0.95	-4.83

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A