

STATEMENT OF ENERGY PERFORMANCE

FWP-Billings HQ
2300 Lake Elmo Dr
Billings

Date: 9/7/2018
Year Built: 1990

	Baseline:	2012	12/31/2013	Current:	
Energy Date:	12/31/2007	10/31/2012	12/31/2013	10/31/2012	
Energy Star Score:	N/A	N/A	N/A	N/A	
Gross Floor Area:	21,437	21,437	21,437	21,437	Sq. Ft.
Heating Degree Days	6,634	6,093	6,939	6,124	
Cooling Degree Days	841	945	777	945	

Reported Annual Energy Use:

Site Energy Use:	997.19	1003.35	N/A	1003.35	MBTU
Site EUI:	46,517	46,804	N/A	46,804	BTU/ft ²
Electricity:	141,870	129,160	127,659	129,563	kWh
Max Electric Demand:	48	37	37	37	kW
Natural Gas:	5,131	5,613	0	5,613	Therms

Reported Annual Energy Cost:

Electricity Cost:	\$12,753	\$12,334	\$12,752	\$12,254
Electric Demand Cost:	\$3,755	\$3,149	\$3,218	\$3,103
Natural Gas Cost:	\$4,312	\$3,609	\$0	\$3,609
Energy Cost/ft ²	\$0.796	\$0.740	N/A	\$0.740

Weather Normalized Energy Use:

Site Energy Use:	1002.84	1052.62	N/A	1052.62	MBTU
Site EUI:	46,781	49,103	N/A	49,103	BTU/ft ²
Electricity:	141,233	129,160	127,615	129,563	kWh
Natural Gas:	5,210	6,106	0	6,106	Therms

National Median Energy Use:

Site Energy Use:	1007.50	859.34	859.34	1050.91	MBTU
Site EUI:	46,998	40,087	40,087	49,023	BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	27.3	29.8	0	29.8
Indirect Emissions:	42	38	38	39
Total Emissions:	69	68	N/A	68

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	70.1	61.7	61.7	71.6
------------------	------	------	------	------

% Difference from National Median:

Site EUI:	-1.02	16.76	N/A	-4.53
Total Emissions:	-1.00	10.70	N/A	-4.61

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A