

STATEMENT OF ENERGY PERFORMANCE

FWP-First Peoples Visitor Center
I-15, Ulm exit, 3.5m NW Vaughn Rd
Great Falls

Date: 9/7/2018
Year Built: 1999

	Baseline:	2012	12/31/2013	Current:	
	12/31/2007	12/31/2012	12/31/2013	12/31/2017	
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017	
Energy Star Score:	N/A	N/A	N/A	N/A	
Gross Floor Area:	6,009	6,009	6,009	6,009	Sq. Ft.
Heating Degree Days	7,085	6,724	7,320	7,640	
Cooling Degree Days	637	547	468	540	
Reported Annual Energy Use:					
Site Energy Use:	140.93	117.05	119.42	127.77	MBTU
Site EUI:	23,454	19,480	19,874	21,263	BTU/ft ²
Electricity:	41,306	34,306	35,001	37,447	kWh
Max Electric Demand:	0	30	0	0	kW
Natural Gas:	0	0	0	0	Therms
Reported Annual Energy Cost:					
Electricity Cost:	\$5,143	\$4,608	\$4,703	\$5,123	
Electric Demand Cost:	\$0	\$1,891	\$0	\$0	
Natural Gas Cost:	\$0	\$0	\$0	\$0	
Energy Cost/ft ²	\$0.856	\$0.767	\$0.783	\$0.853	
Weather Normalized Energy Use:					
Site Energy Use:	136.89	112.06	113.47	122.76	MBTU
Site EUI:	22,780	18,649	18,883	20,430	BTU/ft ²
Electricity:	40,119	32,844	33,255	35,980	kWh
Natural Gas:	0	0	0	0	Therms
National Median Energy Use:					
Site Energy Use:	240.38	240.38	240.38	240.38	MBTU
Site EUI:	40,003	40,003	40,003	40,003	BTU/ft ²
Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):					
Direct Emissions:	0	0	0	0	
Indirect Emissions:	12	10	10	11	
Total Emissions:	12	10	10	11	
National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):					
Total Emissions:	20.9	20.9	20.9	20.9	
% Difference from National Median:					
Site EUI:	-41.37	-51.30	-50.32	-46.85	
Total Emissions:	-41.15	-51.20	-50.24	-46.89	
Adjusted Energy Based on Current Year:					
Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²
% Difference Adjusted Site Energy Use					
2012 to Baseline	N/A				
2013 to Baseline	N/A				
Current to Baseline	N/A				
Current to 2013	N/A				