

# STATEMENT OF ENERGY PERFORMANCE

FWP-Helena Section Warehouse  
930 Custer Ave  
Helena

Date: 9/7/2018  
Year Built: 1960

	<b>Baseline:</b>	<b>2012</b>	<b>12/31/2013</b>	<b>Current:</b>	
	12/31/2007	12/31/2012	12/31/2013	12/31/2017	
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017	
Energy Star Score:	N/A	N/A	N/A	N/A	
Gross Floor Area:	8,672	8,672	8,672	8,672	Sq. Ft.
Heating Degree Days	6,778	7,046	7,351	7,862	
Cooling Degree Days	730	517	579	731	
<b>Reported Annual Energy Use:</b>					
Site Energy Use:	11.46	10.35	12.18	12.95	MBTU
Site EUI:	1,321	1,193	1,404	1,493	BTU/ft <sup>2</sup>
Electricity:	3,358	3,033	3,568	3,794	kWh
Max Electric Demand:	0	0	0	0	kW
Natural Gas:	0	0	0	0	Therms
<b>Reported Annual Energy Cost:</b>					
Electricity Cost:	\$411	\$406	\$481	\$535	
Electric Demand Cost:	\$0	\$0	\$0	\$0	
Natural Gas Cost:	\$0	\$0	\$0	\$0	
Energy Cost/ft <sup>2</sup>	\$0.047	\$0.047	\$0.056	\$0.062	
<b>Weather Normalized Energy Use:</b>					
Site Energy Use:	12.10	10.68	12.18	12.95	MBTU
Site EUI:	1,396	1,232	1,404	1,493	BTU/ft <sup>2</sup>
Electricity:	3,548	3,132	3,568	3,794	kWh
Natural Gas:	0	0	0	0	Therms
<b>National Median Energy Use:</b>					
Site Energy Use:	163.77	163.77	163.77	163.77	MBTU
Site EUI:	18,885	18,885	18,885	18,885	BTU/ft <sup>2</sup>
<b>Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):</b>					
Direct Emissions:	0	0	0	0	
Indirect Emissions:	1	1	1	1	
Total Emissions:	1	1	1	1	
<b>National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):</b>					
Total Emissions:	14.3	14.3	14.3	14.3	
<b>% Difference from National Median:</b>					
Site EUI:	-93.00	-93.68	-92.57	-92.09	
Total Emissions:	-93.01	-93.71	-92.31	-92.31	
<b>Adjusted Energy Based on Current Year:</b>					
Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft <sup>2</sup>
<b>% Difference Adjusted Site Energy Use</b>					
2012 to Baseline	N/A				
2013 to Baseline	N/A				
Current to Baseline	N/A				
Current to 2013	N/A				