

STATEMENT OF ENERGY PERFORMANCE

FWP-Kalispell HQ
490 N Meridian
Kalispell

Date: 9/7/2018
Year Built: 1990

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	24,517	24,517	24,517	24,517 Sq. Ft.
Heating Degree Days	7,475	7,505	7,807	8,158
Cooling Degree Days	371	203	287	313

Reported Annual Energy Use:

Site Energy Use:	1987.64	1705.66	1713.60	1678.41 MBTU
Site EUI:	81,072	69,570	69,894	68,459 BTU/ft ²
Electricity:	241,473	196,320	186,973	183,138 kWh
Max Electric Demand:	83	70	68	70 kW
Natural Gas:	11,637	10,358	10,756	10,535 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$15,256	\$11,210	\$10,978	\$11,584
Electric Demand Cost:	\$2,367	\$1,495	\$1,551	\$1,598
Natural Gas Cost:	\$12,384	\$8,617	\$8,936	\$7,948
Energy Cost/ft ²	\$1.127	\$0.809	\$0.812	\$0.797

Weather Normalized Energy Use:

Site Energy Use:	2062.66	1753.37	1702.59	1667.22 MBTU
Site EUI:	84,132	71,516	69,445	68,003 BTU/ft ²
Electricity:	241,473	196,320	184,031	178,660 kWh
Natural Gas:	12,388	10,835	10,747	10,576 Therms

National Median Energy Use:

Site Energy Use:	1606.99	1642.27	1676.78	1676.77 MBTU
Site EUI:	65,546	66,985	68,393	68,392 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	61.8	55	57.1	56
Indirect Emissions:	72	58	56	54
Total Emissions:	134	113	113	110

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	108	109.2	110.3	110.3
------------------	-----	-------	-------	-------

% Difference from National Median:

Site EUI:	23.69	3.86	2.20	0.10
Total Emissions:	23.70	3.85	2.18	0.09

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A