

STATEMENT OF ENERGY PERFORMANCE

FWP-Missoula HQ
3201 Spurgin Road
Missoula

Date: 9/7/2018
Year Built: 1981

	Baseline:	2012	12/31/2013	Current:	
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017	
Energy Star Score:	N/A	N/A	N/A	N/A	
Gross Floor Area:	22,177	22,177	22,177	22,177	Sq. Ft.
Heating Degree Days	6,934	6,992	7,448	7,738	
Cooling Degree Days	646	396	565	528	

Reported Annual Energy Use:

Site Energy Use:	851.92	731.69	789.59	951.80	MBTU
Site EUI:	38,415	32,993	35,604	42,918	BTU/ft ²
Electricity:	118,229	123,885	149,749	182,525	kWh
Max Electric Demand:	0	0	0	0	kW
Natural Gas:	4,485	3,090	2,786	3,290	Therms

Reported Annual Energy Cost:

Electricity Cost:	\$10,701	\$12,268	\$15,563	\$19,513
Electric Demand Cost:	\$0	\$0	\$0	\$0
Natural Gas Cost:	\$5,192	\$3,230	\$2,890	\$2,896
Energy Cost/ft ²	\$0.717	\$0.699	\$0.832	\$1.010

Weather Normalized Energy Use:

Site Energy Use:	877.47	749.32	769.52	901.14	MBTU
Site EUI:	39,567	33,788	34,699	40,634	BTU/ft ²
Electricity:	118,229	123,885	149,749	180,167	kWh
Natural Gas:	4,741	3,266	2,586	2,864	Therms

National Median Energy Use:

Site Energy Use:	1053.85	960.62	907.16	901.94	MBTU
Site EUI:	47,520	43,316	40,905	40,670	BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	23.8	16.4	14.8	17.5
Indirect Emissions:	35	37	45	54
Total Emissions:	59	53	59	72

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	72.9	69.9	68.1	68
------------------	------	------	------	----

% Difference from National Median:

Site EUI:	-19.16	-23.83	-12.96	5.53
Total Emissions:	-19.07	-23.89	-12.92	5.44

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A