

STATEMENT OF ENERGY PERFORMANCE

MDT-Butte
3751 Wynne Avenue
Butte

Date: 9/7/2018
Year Built: 1967

| | Baseline: | 2012 | 12/31/2013 | Current: |
|---------------------|------------------|-------------|-------------------|-----------------|
| Energy Date: | 12/31/2007 | 12/31/2012 | 12/31/2013 | 12/31/2017 |
| Energy Star Score: | N/A | N/A | N/A | N/A |
| Gross Floor Area: | 44,034 | 44,034 | 44,034 | 45,326 Sq. Ft. |
| Heating Degree Days | 6,778 | 7,046 | 7,351 | 7,862 |
| Cooling Degree Days | 730 | 517 | 579 | 731 |

Reported Annual Energy Use:

| | | | | |
|----------------------|---------|---------|---------|----------------------------|
| Site Energy Use: | 4636.75 | 3792.36 | 3789.95 | 3782.52 MBTU |
| Site EUI: | 105,299 | 86,123 | 86,069 | 83,451 BTU/ft ² |
| Electricity: | 459,230 | 395,619 | 358,745 | 376,619 kWh |
| Max Electric Demand: | 0 | 0 | 0 | 0 kW |
| Natural Gas: | 30,699 | 24,425 | 25,659 | 24,975 Therms |

Reported Annual Energy Cost:

| | | | | |
|-----------------------------|----------|----------|----------|----------|
| Electricity Cost: | \$40,922 | \$40,316 | \$38,194 | \$42,331 |
| Electric Demand Cost: | \$0 | \$0 | \$0 | \$0 |
| Natural Gas Cost: | \$31,435 | \$19,626 | \$20,256 | \$18,804 |
| Energy Cost/ft ² | \$1.643 | \$1.361 | \$1.327 | \$1.349 |

Weather Normalized Energy Use:

| | | | | |
|------------------|---------|---------|---------|----------------------------|
| Site Energy Use: | 4952.80 | 3953.45 | 3851.49 | 3691.81 MBTU |
| Site EUI: | 112,477 | 89,782 | 87,466 | 81,450 BTU/ft ² |
| Electricity: | 465,313 | 398,090 | 359,747 | 376,619 kWh |
| Natural Gas: | 33,652 | 25,952 | 26,240 | 24,068 Therms |

National Median Energy Use:

| | | | | |
|------------------|---------|---------|---------|----------------------------|
| Site Energy Use: | 2394.97 | 2349.84 | 2433.79 | 2460.52 MBTU |
| Site EUI: | 54,389 | 53,364 | 55,271 | 54,285 BTU/ft ² |

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

| | | | | |
|---------------------|-------|-------|-------|-------|
| Direct Emissions: | 163.1 | 129.7 | 136.3 | 132.7 |
| Indirect Emissions: | 137 | 118 | 107 | 112 |
| Total Emissions: | 300 | 247 | 243 | 245 |

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

| | | | | |
|------------------|-------|-------|-----|-------|
| Total Emissions: | 154.7 | 153.3 | 156 | 159.1 |
|------------------|-------|-------|-----|-------|

% Difference from National Median:

| | | | | |
|------------------|-------|-------|-------|-------|
| Site EUI: | 93.60 | 61.39 | 55.72 | 53.73 |
| Total Emissions: | 93.67 | 61.32 | 55.71 | 53.74 |

Adjusted Energy Based on Current Year:

| | | | | | |
|------------------|-----|-----|-----|-----|---------------------|
| Site Energy Use: | N/A | N/A | N/A | N/A | MBTU |
| Site EUI: | N/A | N/A | N/A | N/A | BTU/ft ² |

% Difference Adjusted Site Energy Use

| | |
|---------------------|-----|
| 2012 to Baseline | N/A |
| 2013 to Baseline | N/A |
| Current to Baseline | N/A |
| Current to 2013 | N/A |