

# STATEMENT OF ENERGY PERFORMANCE

MDT-DeBorgia Shop  
Riverside Pit  
De Borgia

Date: 9/7/2018  
Year Built: 2005

	<b>Baseline:</b>	<b>2012</b>	<b>12/31/2013</b>	<b>Current:</b>	
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017	
Energy Star Score:	N/A	N/A	N/A	N/A	
Gross Floor Area:	7,225	7,225	7,225	7,225	Sq. Ft.
Heating Degree Days	6,934	6,992	7,448	7,738	
Cooling Degree Days	646	396	565	528	
<b>Reported Annual Energy Use:</b>					
Site Energy Use:	104.71	84.63	90.59	86.73	MBTU
Site EUI:	14,492	11,713	12,538	12,004	BTU/ft <sup>2</sup>
Electricity:	30,687	24,802	26,550	25,418	kWh
Max Electric Demand:	13	12	12	12	kW
Natural Gas:	0	0	0	0	Therms
<b>Reported Annual Energy Cost:</b>					
Electricity Cost:	\$3,116	\$2,879	\$3,192	\$3,253	
Electric Demand Cost:	\$1,101	\$1,024	\$1,128	\$1,172	
Natural Gas Cost:	\$0	\$0	\$0	\$0	
Energy Cost/ft <sup>2</sup>	\$0.431	\$0.398	\$0.442	\$0.450	
<b>Weather Normalized Energy Use:</b>					
Site Energy Use:	107.24	86.78	87.66	83.59	MBTU
Site EUI:	14,843	12,011	12,133	11,570	BTU/ft <sup>2</sup>
Electricity:	31,430	25,434	25,692	24,500	kWh
Natural Gas:	0	0	0	0	Therms
<b>National Median Energy Use:</b>					
Site Energy Use:	250.01	250.01	250.01	250.01	MBTU
Site EUI:	34,603	34,603	34,603	34,603	BTU/ft <sup>2</sup>
<b>Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):</b>					
Direct Emissions:	0	0	0	0	
Indirect Emissions:	9	7	8	8	
Total Emissions:	9	7	8	8	
<b>National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):</b>					
Total Emissions:	21.8	21.8	21.8	21.8	
<b>% Difference from National Median:</b>					
Site EUI:	-58.12	-66.15	-63.77	-65.31	
Total Emissions:	-58.26	-66.06	-63.76	-65.14	
<b>Adjusted Energy Based on Current Year:</b>					
Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft <sup>2</sup>
<b>% Difference Adjusted Site Energy Use</b>					
2012 to Baseline	N/A				
2013 to Baseline	N/A				
Current to Baseline	N/A				
Current to 2013	N/A				