

STATEMENT OF ENERGY PERFORMANCE

MDT-Dutton Equipment Storage
1326 16 Road NE
Dutton

Date: 9/7/2018
Year Built: 2007

	Baseline:	2012	12/31/2013	Current:	
Energy Date:	7/31/2008	12/31/2012	12/31/2013	12/31/2017	
Energy Star Score:	N/A	N/A	N/A	N/A	
Gross Floor Area:	5,400	10,822	10,822	10,822	Sq. Ft.
Heating Degree Days	7,638	6,724	7,320	7,640	
Cooling Degree Days	351	547	468	540	
Reported Annual Energy Use:					
Site Energy Use:	48.35	55.96	54.83	46.18	MBTU
Site EUI:	8,954	5,171	5,067	4,267	BTU/ft ²
Electricity:	14,171	16,401	16,070	13,534	kWh
Max Electric Demand:	0	0	0	0	kW
Natural Gas:	0	0	0	0	Therms
Reported Annual Energy Cost:					
Electricity Cost:	\$1,491	\$1,814	\$1,856	\$1,730	
Electric Demand Cost:	\$0	\$0	\$0	\$0	
Natural Gas Cost:	\$0	\$0	\$0	\$0	
Energy Cost/ft ²	\$0.276	\$0.168	\$0.171	\$0.160	
Weather Normalized Energy Use:					
Site Energy Use:	48.49	55.96	54.83	46.63	MBTU
Site EUI:	8,980	5,171	5,067	4,309	BTU/ft ²
Electricity:	14,212	16,401	16,070	13,667	kWh
Natural Gas:	0	0	0	0	Therms
National Median Energy Use:					
Site Energy Use:	186.86	374.48	374.48	374.48	MBTU
Site EUI:	34,603	34,603	34,603	34,603	BTU/ft ²
Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):					
Direct Emissions:	0	0	0	0	
Indirect Emissions:	4	5	5	4	
Total Emissions:	4	5	5	4	
National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):					
Total Emissions:	16.3	32.6	32.6	32.6	
% Difference from National Median:					
Site EUI:	-74.12	-85.06	-85.36	-87.67	
Total Emissions:	-74.23	-84.97	-85.28	-87.73	
Adjusted Energy Based on Current Year:					
Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²
% Difference Adjusted Site Energy Use					
2012 to Baseline	N/A				
2013 to Baseline	N/A				
Current to Baseline	N/A				
Current to 2013	N/A				