

STATEMENT OF ENERGY PERFORMANCE

MDT-Ennis Equipment Storage
291 MT 287
Ennis

Date: 9/7/2018
Year Built: 2005

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	5,422	5,422	5,422	5,422 Sq. Ft.
Heating Degree Days	7,094	7,500	8,220	8,315
Cooling Degree Days	591	314	297	340

Reported Annual Energy Use:

Site Energy Use:	61.71	43.31	45.48	40.35 MBTU
Site EUI:	11,381	7,988	8,388	7,441 BTU/ft ²
Electricity:	18,085	12,694	13,330	11,825 kWh
Max Electric Demand:	0	0	0	0 kW
Natural Gas:	0	0	0	0 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$1,831	\$1,424	\$1,596	\$1,519
Electric Demand Cost:	\$0	\$0	\$0	\$0
Natural Gas Cost:	\$0	\$0	\$0	\$0
Energy Cost/ft ²	\$0.338	\$0.263	\$0.294	\$0.280

Weather Normalized Energy Use:

Site Energy Use:	63.18	43.78	43.02	38.42 MBTU
Site EUI:	11,652	8,075	7,934	7,086 BTU/ft ²
Electricity:	18,516	12,833	12,609	11,261 kWh
Natural Gas:	0	0	0	0 Therms

National Median Energy Use:

Site Energy Use:	187.62	187.62	187.62	187.62 MBTU
Site EUI:	34,603	34,603	34,603	34,603 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	0	0	0	0
Indirect Emissions:	5	4	4	4
Total Emissions:	5	4	4	4

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	16.3	16.3	16.3	16.3
------------------	------	------	------	------

% Difference from National Median:

Site EUI:	-67.11	-76.92	-75.76	-78.50
Total Emissions:	-66.87	-76.69	-75.46	-78.53

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A