

STATEMENT OF ENERGY PERFORMANCE

MDT-Glasgow Office
54083 HWY-2 W
Glasgow

Date: 9/7/2018
Year Built: 1960

	Baseline:	2012	12/31/2013	Current:
Energy Date:	1/31/2009	11/30/2012	12/31/2013	11/30/2012
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	12,375	23,465	23,465	23,465 Sq. Ft.
Heating Degree Days	8,952	7,796	8,826	7,532
Cooling Degree Days	470	654	517	654

Reported Annual Energy Use:

Site Energy Use:	619.16	425.95	N/A	425.95 MBTU
Site EUI:	50,033	18,152	N/A	18,152 BTU/ft ²
Electricity:	3,463	8,881	15,427	8,689 kWh
Max Electric Demand:	0	0	0	0 kW
Natural Gas:	6,073	3,963	0	3,963 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$434	\$1,024	\$1,847	\$1,000
Electric Demand Cost:	\$0	\$0	\$0	\$0
Natural Gas Cost:	\$5,633	\$2,732	\$0	\$2,732
Energy Cost/ft ²	\$0.490	\$0.159	N/A	\$0.159

Weather Normalized Energy Use:

Site Energy Use:	577.37	503.24	N/A	503.24 MBTU
Site EUI:	46,656	21,446	N/A	21,446 BTU/ft ²
Electricity:	3,337	8,881	15,427	8,689 kWh
Natural Gas:	5,660	4,736	0	4,736 Therms

National Median Energy Use:

Site Energy Use:	1019.71	940.63	940.63	1787.66 MBTU
Site EUI:	82,401	40,087	40,087	76,184 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	32.3	21	0	21
Indirect Emissions:	1	3	5	3
Total Emissions:	33	24	N/A	24

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	54.8	67.5	67.5	99.2
------------------	------	------	------	------

% Difference from National Median:

Site EUI:	-39.28	-54.72	N/A	-76.17
Total Emissions:	-39.23	-65.04	N/A	-76.21

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A