

STATEMENT OF ENERGY PERFORMANCE

MDT-Havre Office
1649 US-2 NW
Havre

Date: 9/7/2018
Year Built: 1953

	Baseline:	2012	12/31/2013	Current:	
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017	
Energy Star Score:	N/A	N/A	N/A	N/A	
Gross Floor Area:	34,268	34,268	34,268	34,268	Sq. Ft.
Heating Degree Days	7,661	7,622	8,182	7,985	
Cooling Degree Days	610	559	427	602	

Reported Annual Energy Use:

Site Energy Use:	1821.07	1380.53	1706.03	1727.46	MBTU
Site EUI:	53,142	40,286	49,785	50,410	BTU/ft ²
Electricity:	166,126	105,716	114,274	111,890	kWh
Max Electric Demand:	0	0	0	0	kW
Natural Gas:	12,543	10,198	13,161	13,457	Therms

Reported Annual Energy Cost:

Electricity Cost:	\$16,057	\$11,646	\$12,935	\$13,613
Electric Demand Cost:	\$0	\$0	\$0	\$0
Natural Gas Cost:	\$13,706	\$9,227	\$11,439	\$10,472
Energy Cost/ft ²	\$0.869	\$0.609	\$0.711	\$0.703

Weather Normalized Energy Use:

Site Energy Use:	1935.28	1492.14	1650.82	1729.06	MBTU
Site EUI:	56,475	43,543	48,174	50,457	BTU/ft ²
Electricity:	166,126	107,725	113,329	112,360	kWh
Natural Gas:	13,685	11,246	12,641	13,457	Therms

National Median Energy Use:

Site Energy Use:	1918.36	2029.68	2109.87	2129.25	MBTU
Site EUI:	55,981	59,229	61,570	62,135	BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	66.6	54.2	69.9	71.5
Indirect Emissions:	49	31	34	33
Total Emissions:	116	86	104	105

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	122.2	125.8	128.5	129.1
------------------	-------	-------	-------	-------

% Difference from National Median:

Site EUI:	-5.07	-31.98	-19.14	-18.87
Total Emissions:	-5.07	-31.96	-19.14	-18.90

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A