

STATEMENT OF ENERGY PERFORMANCE

MDT-Kalispell Office
85 5th Avenue EN
Kalispell

Date: 9/7/2018
Year Built: 1999

	Baseline:	2012	12/31/2013	Current:	
Energy Date:	4/30/2012	12/31/2012	12/31/2013	12/31/2017	
Energy Star Score:	N/A	N/A	N/A	N/A	
Gross Floor Area:	42,108	42,108	42,108	42,108	Sq. Ft.
Heating Degree Days	7,641	7,505	7,807	8,158	
Cooling Degree Days	105	203	287	313	
Reported Annual Energy Use:					
Site Energy Use:	1724.23	1672.16	1835.53	1952.11	MBTU
Site EUI:	40,948	39,711	43,591	46,360	BTU/ft ²
Electricity:	114,165	107,355	108,653	108,558	kWh
Max Electric Demand:	0	0	0	0	kW
Natural Gas:	13,347	13,059	14,648	15,817	Therms
Reported Annual Energy Cost:					
Electricity Cost:	\$7,459	\$7,229	\$7,525	\$7,568	
Electric Demand Cost:	\$0	\$0	\$0	\$0	
Natural Gas Cost:	\$12,515	\$11,448	\$12,575	\$12,091	
Energy Cost/ft ²	\$0.474	\$0.444	\$0.477	\$0.467	
Weather Normalized Energy Use:					
Site Energy Use:	1823.93	1803.96	1817.68	1861.24	MBTU
Site EUI:	43,315	42,841	43,167	44,202	BTU/ft ²
Electricity:	114,165	108,540	108,653	108,558	kWh
Natural Gas:	14,344	14,336	14,470	14,908	Therms
National Median Energy Use:					
Site Energy Use:	2600.82	2622.61	2678.47	2719.95	MBTU
Site EUI:	61,765	62,283	63,610	64,595	BTU/ft ²
Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):					
Direct Emissions:	70.9	69.4	77.8	84	
Indirect Emissions:	34	32	32	32	
Total Emissions:	105	101	110	116	
National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):					
Total Emissions:	158.1	158.8	160.7	162	
% Difference from National Median:					
Site EUI:	-33.70	-36.24	-31.47	-28.23	
Total Emissions:	-33.71	-36.21	-31.49	-28.21	
Adjusted Energy Based on Current Year:					
Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²
% Difference Adjusted Site Energy Use					
2012 to Baseline	N/A				
2013 to Baseline	N/A				
Current to Baseline	N/A				
Current to 2013	N/A				