

STATEMENT OF ENERGY PERFORMANCE

MDT-Lodge Grass Office and Shop
1/2 Mile East of Lodge Grass Interchange
Lodge Grass

Date: 9/7/2018
Year Built: 1981

| | Baseline: | 2012 | 12/31/2013 | Current: |
|---------------------|------------------|-------------|-------------------|-----------------|
| Energy Date: | 12/31/2007 | 11/30/2012 | 12/31/2013 | 11/30/2012 |
| Energy Star Score: | N/A | N/A | N/A | N/A |
| Gross Floor Area: | 3,200 | 3,200 | 3,200 | 3,200 Sq. Ft. |
| Heating Degree Days | 6,634 | 6,093 | 6,939 | 5,988 |
| Cooling Degree Days | 841 | 945 | 777 | 945 |

Reported Annual Energy Use:

| | | | | |
|----------------------|--------|--------|-----|----------------------------|
| Site Energy Use: | 66.67 | 60.53 | N/A | 60.53 MBTU |
| Site EUI: | 20,834 | 18,917 | N/A | 18,917 BTU/ft ² |
| Electricity: | 19,539 | 17,741 | 0 | 17,741 kWh |
| Max Electric Demand: | 0 | 0 | 0 | 0 kW |
| Natural Gas: | 0 | 0 | 0 | 0 Therms |

Reported Annual Energy Cost:

| | | | | |
|-----------------------------|---------|---------|-----|---------|
| Electricity Cost: | \$2,010 | \$1,714 | \$0 | \$1,714 |
| Electric Demand Cost: | \$0 | \$0 | \$0 | \$0 |
| Natural Gas Cost: | \$0 | \$0 | \$0 | \$0 |
| Energy Cost/ft ² | \$0.628 | \$0.536 | N/A | \$0.536 |

Weather Normalized Energy Use:

| | | | | |
|------------------|--------|--------|-----|----------------------------|
| Site Energy Use: | 67.11 | 65.16 | N/A | 65.16 MBTU |
| Site EUI: | 20,972 | 20,364 | N/A | 20,364 BTU/ft ² |
| Electricity: | 19,669 | 19,099 | 0 | 19,099 kWh |
| Natural Gas: | 0 | 0 | 0 | 0 Therms |

National Median Energy Use:

| | | | | |
|------------------|--------|--------|--------|----------------------------|
| Site Energy Use: | 58.28 | 58.28 | 58.28 | 58.28 MBTU |
| Site EUI: | 18,212 | 18,212 | 18,212 | 18,212 BTU/ft ² |

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

| | | | | |
|---------------------|---|---|-----|---|
| Direct Emissions: | 0 | 0 | 0 | 0 |
| Indirect Emissions: | 6 | 5 | 0 | 5 |
| Total Emissions: | 6 | 5 | N/A | 5 |

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

| | | | | |
|------------------|-----|-----|-----|-----|
| Total Emissions: | 5.1 | 5.1 | 5.1 | 5.1 |
|------------------|-----|-----|-----|-----|

% Difference from National Median:

| | | | | |
|------------------|-------|------|-----|------|
| Site EUI: | 14.40 | 3.87 | N/A | 3.87 |
| Total Emissions: | 13.73 | 3.92 | N/A | 3.92 |

Adjusted Energy Based on Current Year:

| | | | | |
|------------------|--------|--------|-----|----------------------------|
| Site Energy Use: | 66.67 | 60.53 | N/A | 60.53 MBTU |
| Site EUI: | 20,834 | 18,917 | N/A | 18,917 BTU/ft ² |

% Difference Adjusted Site Energy Use

| | |
|---------------------|-------|
| 2012 to Baseline | -9.20 |
| 2013 to Baseline | N/A |
| Current to Baseline | -9.20 |
| Current to 2013 | N/A |