

STATEMENT OF ENERGY PERFORMANCE

MDT-Wolf Point
200 E. HWY 25
Wolf Point

Date: 9/7/2018
Year Built: 1989

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	10/31/2012	12/31/2013	10/31/2012
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	28,750	28,750	28,750	28,750 Sq. Ft.
Heating Degree Days	8,307	7,943	9,105	7,643
Cooling Degree Days	701	593	412	593

Reported Annual Energy Use:

Site Energy Use:	1767.03	1434.41	N/A	1434.41 MBTU
Site EUI:	61,462	49,892	N/A	49,892 BTU/ft ²
Electricity:	117,430	123,589	0	123,589 kWh
Max Electric Demand:	0	0	0	0 kW
Natural Gas:	13,664	10,127	0	10,127 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$7,947	\$10,282	\$0	\$10,282
Electric Demand Cost:	\$0	\$0	\$0	\$0
Natural Gas Cost:	\$11,314	\$7,034	\$0	\$7,034
Energy Cost/ft ²	\$0.670	\$0.602	N/A	\$0.602

Weather Normalized Energy Use:

Site Energy Use:	1859.53	1704.43	N/A	1704.43 MBTU
Site EUI:	64,679	59,285	N/A	59,285 BTU/ft ²
Electricity:	117,430	130,390	0	130,390 kWh
Natural Gas:	14,589	12,595	0	12,595 Therms

National Median Energy Use:

Site Energy Use:	1773.97	1152.49	1152.49	1640.56 MBTU
Site EUI:	61,703	40,087	40,087	57,063 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	72.6	53.8	0	53.8
Indirect Emissions:	66	70	0	70
Total Emissions:	139	124	N/A	124

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	139.6	132.4	132.4	141.5
------------------	-------	-------	-------	-------

% Difference from National Median:

Site EUI:	-0.39	24.46	N/A	-12.57
Total Emissions:	-0.43	-6.57	N/A	-12.58

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A