



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 8**

1595 Wynkoop Street
DENVER, CO 80202-1129
Phone 800-227-8917
<http://www.epa.gov/region08>

Ref: 8EPR-EP

Mr. George Mathieus
Administrator
Planning, Prevention and Assistance Division
Montana Department of Environmental Quality
P.O. Box 200901
Helena, MT 59620-0901

Re: TMDL Approvals for the Little Blackfoot River
Watershed Total Maximum Daily Loads and
Framework Water Quality Improvement Plan

Dear Mr. Mathieus:

We have completed our review of the total maximum daily loads (TMDLs) as submitted by your office for the waterbodies listed in the enclosure to this letter. In accordance with the Clean Water Act (33 U.S.C. 1251 *et. seq.*), we approve all aspects of the TMDLs as developed for the water quality limited waterbodies as described in Section 303(d)(1). Based on our review, we feel the separate elements of the TMDLs listed in the enclosed table adequately address the pollutants of concern as given in the table, taking into consideration seasonal variation and a margin of safety.

Thank you for submitting these TMDLs for our review and approval. If you have any questions, the most knowledgeable person on my staff is Jason Gildea and he may be reached at 406-457-5028.

Sincerely,

Carol L. Campbell
Assistant Regional Administrator
Office of Ecosystems Protection
and Remediation

Enclosures



Printed on Recycled Paper

cc: Claudia Massman, Attorney
Montana Department of Environmental Quality
P.O. Box 200901
Helena, MT 59620-0901

Dean Yashan
Montana Department of Environmental Quality
P.O. Box 200901
Helena, MT 59620-0901

Robert Ray
Montana Department of Environmental Quality
P.O. Box 200901
Helena, MT 59620-0901

Michael Pipp
Montana Department of Environmental Quality
P.O. Box 200901
Helena, MT 59620-0901

Carrie Greeley
Montana Department of Environmental Quality
P.O. Box 200901
Helena, MT 59620-0901

Peter Ismert
U.S. Environmental Protection Agency
1595 Wynkoop Street
Denver, Colorado 80202

Enclosure 1 –Little Blackfoot TMDLs and Framework for Water Quality Restoration Plan - TMDL Summary Table.

Waterbody & Stream Description	Waterbody ID	CFL	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action	TMDL Endpoints ²		WLA			Load Allocations ³		TMDL ¹	MOS
						Indicator	Threshold Values	WLA ¹	WLA Permitted Facilities (Permit Number)	WLA abandoned mines	Source	LA ¹		
AMERICAN GULCH CREEK, headwaters to mouth (Dog Creek)	MT76G004_079	>2010	Arsenic	Arsenic	TMDL	Human health standard	10ug/L	NA	NA	Am: 0.039 Total: 0.039	Naturally occurring	0.007	0.046	Implicit
CARPENTER CREEK, headwaters to Basin Creek	MT76G004_091	NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NA	Other anthropogenic substrate alterations	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NA	Physical substrate habitat alterations	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA
CARPENTER CREEK, Basin Creek to mouth (Little Blackfoot River)	MT76G004_092	NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NA	Other anthropogenic substrate alterations	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NA	Physical substrate habitat alterations	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA
		>2010	Total Phosphorus	Total Phosphorus	TMDL	TP Concentration	0.030mg/L	NA	NA	NA	All nonpoint	0.49	0.49	Implicit
DOG CREEK, headwaters to Meadow Creek	MT76G004_071	1988	Sedimentation/Siltation	Sediment	TMDL	Riffle fine sed <6mm via pebble ct	B3/C3≤8, B4/C4≤21, B/C/E4≤23, E3/E4≤25, E4≤30	NA	NA	NA	Roads Streambanks Upland	0.4 0.8 100	101 (23% reduction)	Implicit
						Riffle fine sed <2mm via pebble ct	B3/C3≤5, B4/C4≤7, B/C/E4≤10, E3/E4≤10, E4≤15							
						Riffle and pool fine sed <6mm via grid toss	B/C: ≤9% E: ≤21%							
						W/D	B≤15, C bankfull width<30ft: ≤23 and >30ft≤35, E≤8							
						Entrenchment Ratio	B>1.4, C>3.2, E>3.7							

Enclosure 1 –Little Blackfoot TMDLs and Framework for Water Quality Restoration Plan - TMDL Summary Table.

Waterbody & Stream Description	Waterbody ID	CFL	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action	TMDL Endpoints ²		WLA			Load Allocations ³		TMDL ¹	MOS
						Indicator	Threshold Values	WLA ¹	WLA Permitted Facilities (Permit Number)	WLA abandoned mines	Source	LA ¹		
						Residual pool depth	By bankfull width: <15ft: ≥0.9ft; 15-30ft: ≥1.4ft, >30ft: ≥1.4ft							
						Pools/mile	By bankfull width: <15ft: ≥90; 15-30ft: ≥52, >30ft: ≥15							
						Large woody debris/mile	By bankfull width: <15ft: ≥222; 15-30ft: ≥186, >30ft: ≥122							
						% Understory Shrub Cover	≥40% unless mostly conifers, then ≥10%							
						Macroinvertebrate Indices	Mtn MMI ≥63; Valley MMI ≥48; O/E ≥0.80							
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment TMDL	NA	NA	NA	NA	NA	NA	NA	NA	NA
		2000	Arsenic	Arsenic	TMDL	Human health standard	10ug/L	NA	NA	UpD: 0.044 Am: 0.046 Total: 0.09	Naturally occurring	0.008	0.097	Implicit
		2000	Lead	Lead	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	3.18ug/L	NA	NA	UpD: 0.029 Am: 0.024 Total: 0.053	Naturally occurring	0.001	0.055	Implicit
		2000	Zinc	Zinc	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₄	119.82ug/L	NA	NA	UpD: 0.905 Am: 0.771 Total: 1.676	Naturally occurring	0.026	1.702	Implicit
		>2010	Cadmium	Cadmium	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₅	0.27ug/L	NA	NA	UpD: 0.002 Am: 0.002 Total: 0.004	Naturally occurring	0	0.044	Implicit
		>2010	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₆	9.33ug/L	NA	NA	UpD: 0.070 Am: 0.060 Total: 0.13	Naturally occurring	0.003	0.133	Implicit

Enclosure 1 –Little Blackfoot TMDLs and Framework for Water Quality Restoration Plan - TMDL Summary Table.

Waterbody & Stream Description	Waterbody ID	CFL	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action	TMDL Endpoints ²		WLA			Load Allocations ³		TMDL ₁	MOS
						Indicator	Threshold Values	WLA ¹	WLA Permitted Facilities (Permit Number)	WLA abandoned mines	Source	LA ¹		
DOG CREEK, Meadow Creek to mouth (Little Blackfoot River)	MT76G004_072	1988	Sedimentation/Siltation	Sediment	TMDL	Same as Upper Dog Creek	Same as Upper Dog Creek	1.4	Constr. SW MTR103849	NA	Roads Streambanks Upland	1.5 197 1,876	2,076 (14% reduction)	Implicit
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs	NA	NA	NA	NA	NA	NA	NA	NA	NA
		2000	Nitrate/Nitrite		Investigated - No Action	NA	NA	NA	NA	NA	NA	NA	NA	NA
		>2010	Total Phosphorus	Total Phosphorus	TMDL	TP Concentration	0.030mg/L	NA	NA	NA	All nonpoint	4.19	4.19	Implicit
		>2010	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₆	9.33ug/L	NA	NA	UpD: 0.626 LwD: 0.133 Total: 0.759	Naturally occurring	0.028	0.787	Implicit
		>2010	Lead	Lead	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₆	3.18ug/L	NA	NA	UpD: 0.235 LwD: 0.055 Total: 0.29	Naturally occurring	0.014	0.304	Implicit
ELLISTON CREEK, headwaters to mouth (Little Blackfoot River)	MT76G004_040	>2010	Sedimentation/Siltation	Sediment	TMDL	Same as Upper Dog Creek	Same as Upper Dog Creek	NA	NA	NA	Roads Streambanks Upland	0.4 2.8 85	88 (27% reduction)	Implicit
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs	NA	NA	NA	NA	NA	NA	NA	NA	NA
LITTLE BLACKFOOT RIVER, Dog Creek to mouth (Clark Fork River)	MT76G004_010	1988	Sedimentation/Siltation	Sediment	TMDL	Same as Upper Dog Creek	Same as Upper Dog Creek	180	Composite Constr SW MTR100000 SuctionDr edge MTG370318	NA	Roads Streambanks Upland	36 2,123 9,891	12,068 (19% reduction)	Implicit
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NA	Low flow alterations	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA
		2000	Copper		Investigated - No Action	NA	NA	NA	NA	NA	NA	NA	NA	NA

Enclosure 1 –Little Blackfoot TMDLs and Framework for Water Quality Restoration Plan - TMDL Summary Table.

Waterbody & Stream Description	Waterbody ID	CFL	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action	TMDL Endpoints ²		WLA			Load Allocations ³		TMDL ¹	MOS	
						Indicator	Threshold Values	WLA ¹	WLA Permitted Facilities (Permit Number)	WLA abandoned mines	Source	LA ¹			
		2000	Lead	Lead	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	3.18ug/L	0	SuctionDr edge MTG3703 18	UpL: 0.357 LwL: 1.118 Total: 1.475	Naturally occurring	0.03	1.505	Implicit	
		>2010	Arsenic	Arsenic	TMDL	Human health standard	10ug/L	0	SuctionDr edge MTG3703 18	UpL: 1.939 LwL: 0.843 Total: 2.782	Naturally occurring	0.361	3.143	Implicit	
		1988	Nitrate/Nitrite		Investigated - No Action	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		>2010	Total Phosphorus	Total Phosphorus	TMDL	TP Concentration	0.030mg/L	NA	NA	NA	All nonpoint	13.95	13.95	Implicit	
LITTLE BLACKFOOT RIVER, the headwaters to Dog Creek	MT76G004_020	1988	Sedimentation/Siltation	Sediment	TMDL	Same as Upper Dog Creek	Same as Upper Dog Creek	NA	NA	NA	Roads Streambanks Upland	2.9 235 3,575	3,813 (12% reduction)	Implicit	
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment TMDL	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		1990	Arsenic	Arsenic	TMDL	Human health standard	10ug/L	NA	NA	Ont: 0.291 Tel: 0.035 UpL: 1.400 Total: 1.726	Naturally occurring	0.212	1.939	Implicit	
		1990	Cyanide	Cyanide	TMDL	Chronic aquatic life criteria	5.2ug/L	NA	NA	Ont: 0.073 Tel: 0.059 UpL: 0.523 Total: 0.655	Naturally occurring	0.353	1.008	Implicit	
		>2010	Cadmium	Cadmium	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	0.27ug/L	NA	NA	Ont: 0.003 Tel: 0.003 UpL: 0.027 Total: 0.033	Naturally occurring	0.006	0.039	Implicit	
		>2010	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	9.33ug/L	NA	NA	Ont: 0.083 Tel: 0.105 UpL: 0.994 Total: 1.182	Naturally occurring	0.071	1.252	Implicit	

Enclosure 1 –Little Blackfoot TMDLs and Framework for Water Quality Restoration Plan - TMDL Summary Table.

Waterbody & Stream Description	Waterbody ID	CFL	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action	TMDL Endpoints ²		WLA			Load Allocations ³		TMDL ¹	MOS	
						Indicator	Threshold Values	WLA ¹	WLA Permitted Facilities (Permit Number)	WLA abandoned mines	Source	LA ¹			
		>2010	Lead	Lead	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	3.18ug/L	NA	NA	Ont: 0.016 Tel: 0.025 UpL: 0.281 Total: 0.322	Naturally occurring	0.035	0.357	Implicit	
MONARCH CREEK, headwaters to mouth (Ontario Creek)	MT76G004_060	1988	Arsenic	NA	Investigated - No Action	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		1988	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	9.33ug/L	NA	NA	Mon: 0.019 Total: 0.019	Naturally occurring	0.004	0.023	Implicit	
		1988	Lead	Lead	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	3.18ug/L	NA	NA	Mon: 0.002 Total: 0.002	Naturally occurring	0.002	0.004	Implicit	
		1988	Mercury	Mercury	TMDL	Human health standard	0.05ug/L	NA	NA	Mon: 0.0002 Total: 0.0002	Naturally occurring	0.0002	0.0004	Implicit	
		1988	pH	Metals (surrogate)	Addressed by metals TMDLs (surrogate)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		1988	Selenium	NA	Investigated - No Action	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
O'KEEFE CREEK, headwaters to mouth (Telegraph Creek)	MT76G004_054	>2010	Cadmium	Cadmium	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	0.27ug/:	NA	NA	Sally: 0.0003 O'Ke: 0.0001 Total: 0.0004	Naturally occurring	0.0001	0.0005	Implicit	
		>2010	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	9.33ug/L	NA	NA	Sally: 0.009 O'Ke: 0.004 Total: 0.013	Naturally occurring	0.001	0.014	Implicit	
		>2010	Zinc	Zinc	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	119.82ug/L	NA	NA	Sally: 0.118 O'Ke: 0.050 Total: 0.168	Naturally occurring	0.008	0.176	Implicit	
ONTARIO CREEK, headwaters to mouth (Little Blackfoot River)	MT76G004_130	>2010	Cadmium	Cadmium	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	0.27ug/L	NA	NA	Un: 0.0001 Mon: 0.0002 Ont: 0.0017 Total: 0.002	Naturally occurring	0.0009	0.003	Implicit	
		>2010	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	9.33ug/L	NA	NA	Un: 0.002 Mon: 0.015 Ont: 0.019 Total: 0.036	Naturally occurring	0.047	0.083	Implicit	

Enclosure 1 –Little Blackfoot TMDLs and Framework for Water Quality Restoration Plan - TMDL Summary Table.

Waterbody & Stream Description	Waterbody ID	CFL	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action	TMDL Endpoints ²		WLA			Load Allocations ³		TMDL ¹	MOS
						Indicator	Threshold Values	WLA ¹	WLA Permitted Facilities (Permit Number)	WLA abandoned mines	Source	LA ¹		
		>2010	Lead	Lead	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	3.18ug/L	NA	NA	Un: 0.0004 Mon: 0.003 Ont: 0.007 Total: 0.01	Naturally occurring	0.006	0.016	Implicit
SALLY ANN CREEK, headwaters to mouth (O'Keefe Creek)	MT76G004_055	>2010	Cadmium	Cadmium	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	0.27ug/L	NA	NA	Main: 0.0001 Tele: 0.0001 Total: 0.0002	Naturally occurring	0.0001	0.0003	Implicit
		>2010	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	9.33ug/L	NA	NA	Main: 0.003 Tele: 0.004 Total: 0.008	Naturally occurring	0.001	0.009	Implicit
		>2010	Zinc	Zinc	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	119.82ug/L	NA	NA	Main: 0.047 Tele: 0.057 Total: 0.104	Naturally occurring	0.013	0.118	Implicit
SNOWSHOE CREEK, headwaters to mouth (Little Blackfoot River)	MT76G004_080	1988	Sedimentation/Siltation	Sediment	TMDL	Same as Upper Dog Creek	Same as Upper Dog Creek	NA	NA	NA	Roads Streambanks Upland	0.627267	295 (23% reduction)	Implicit
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NA	Low flow alterations	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA
		2006	Nitrate/Nitrite	Nitrate/Nitrite	TMDL	Nitrate/Nitrite Concentration	0.100mg/L	NA	NA	NA	All nonpoint	4.38	4.38	Implicit
SPOTTED DOG CREEK, forest boundary to mouth (Little Blackfoot River)	MT76G004_032	1990	Sedimentation/Siltation	Sediment	TMDL	Same as Upper Dog Creek	Same as Upper Dog Creek	NA	NA	NA	Roads Streambanks Upland	0.8461336	1,383 (22% reduction)	Implicit
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs	NA	NA	NA	NA	NA	NA	NA	NA	NA
		2006	Total Phosphorus	Total Phosphorus	TMDL	TP Concentration	0.030mg/L	NA	NA	NA	All nonpoint	1.59	1.59	Implicit
TELEGRAPH CREEK, Hahn Creek to mouth	MT76G004_052	1988	Lead	Lead	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	3.18ug/L	NA	NA	UpT: 0.01 Total: 0.01	Naturally occurring	0.015	0.025	Implicit

Enclosure 1 –Little Blackfoot TMDLs and Framework for Water Quality Restoration Plan - TMDL Summary Table.

Waterbody & Stream Description	Waterbody ID	CFL	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action	TMDL Endpoints ²		WLA			Load Allocations ³		TMDL ¹	MOS
						Indicator	Threshold Values	WLA ¹	WLA Permitted Facilities (Permit Number)	WLA abandoned mines	Source	LA ¹		
(Little Blackfoot River)		1988	Mercury	Mercury	TMDL	Human health standard	0.05ug/L	NA	NA	UpT: 0.0005 Total: 0.0005	Naturally occurring	0.001	0.0012	Implicit
		>2010	Cadmium	Cadmium	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	0.27ug/L	NA	NA	UpT: 0.001 Total: 0.001	Naturally occurring	0.002	0.003	Implicit
		>2010	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	9.33ug/L	NA	NA	UpT: 0.042 Total: 0.042	Naturally occurring	0.063	0.105	Implicit
		>2010	Zinc	Zinc	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	119.82ug/L	NA	NA	UpT: 0.544 Total: 0.544	Naturally occurring	0.808	1.353	Implicit
TELEGRAPH CREEK, headwaters to Hahn Creek	MT76G004_051	1988	Sedimentation/Siltation	Sediment	TMDL	Same as Upper Dog Creek	Same as Upper Dog Creek	NA	NA	NA	Roads Streambanks Upland	1.1 22 128	151 (16% reduction)	Implicit
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment TMDL	NA	NA	NA	NA	NA	NA	NA	NA	NA
		1988	Arsenic	Arsenic	TMDL	Human health standard	10ug/L	NA	NA	Head: 0.005 Mid: 0.047 O'Ke: 0.043 Total: 0.095	Naturally occurring	0.008	0.103	Implicit
		1988	Beryllium	Beryllium	TMDL	Human health standard	4ug/L	NA	NA	Head: 0.002 Mid: 0.019 O'Ke: 0.017 Total: 0.038	Naturally occurring	0.003	0.041	Implicit
		1988	Cadmium	Cadmium	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	0.27ug/L	NA	NA	Head: 0.000 Mid: 0.001 O'Ke: 0.000 Total: 0.001	Naturally occurring	0	0.001	Implicit
		1988	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	9.33ug/L	NA	NA	Head: 0.002 Mid: 0.023 O'Ke: 0.014 Total: 0.039	Naturally occurring	0.003	0.042	Implicit
		1988	Iron		Investigated - No Action	NA	NA	NA	NA	NA	NA	NA	NA	NA

Enclosure 1 –Little Blackfoot TMDLs and Framework for Water Quality Restoration Plan - TMDL Summary Table.

Waterbody & Stream Description	Waterbody ID	CFL	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action	TMDL Endpoints ²		WLA			Load Allocations ³		TMDL ¹	MOS
						Indicator	Threshold Values	WLA ¹	WLA Permitted Facilities (Permit Number)	WLA abandoned mines	Source	LA ¹		
		1988	Zinc	Zinc	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	119.82ug/L	NA	NA	Head: 0.031 Mid: 0.310 O'Ke: 0.176 Total: 0.517	Naturally occurring	0.027	0.544	Implicit
		>2010	Lead	Lead	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	3.18ug/L	NA	NA	Head: 0.000 Mid: 0.005 O'Ke: 0.003 Total: 0.008	Naturally occurring	0.001	0.01	Implicit
THREEMILE CREEK, Quigley Ranch Reservoir to mouth (Little Blackfoot River)	MT76G004_112	>2010	Sedimentation/Siltation	Sediment	TMDL	Same as Upper Dog Creek	Same as Upper Dog Creek	NA	NA	NA	Roads Streambanks Upland	5.140373	418 (44% reduction)	Implicit
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs	NA	NA	NA	NA	NA	NA	NA	NA	NA
		NA	Low flow alterations	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA
		>2010	Total Phosphorus	Total Phosphorus	TMDL	TP Concentration	0.030mg/L	NA	NA	NA	All nonpoint	1.06	1.06	Implicit
		>2010	Total Nitrogen	Total Nitrogen	TMDL	TN Concentration	0.300mg/L	NA	NA	NA	All nonpoint	10.59	10.59	Implicit
TROUT CREEK, headwaters to the mouth (Little Blackfoot River)	MT76G004_120	>2010	Sedimentation/Siltation	Sediment	TMDL	Same as Upper Dog Creek	Same as Upper Dog Creek	NA	NA	NA	Roads Streambanks Upland	6.784325	416 (24% reduction)	Implicit
UN-NAMED CREEK, headwaters to mouth (Ontario Creek), T8N R6W S27	MT76G006_010	2000	Arsenic	Arsenic	TMDL	Human health standard	10ug/L	NA	NA	Un: 0.003 Total: 0.003	Naturally occurring	0.001	0.004	Implicit
		2000	Cadmium	Cadmium	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	0.27ug/L	NA	NA	Un: 0.0001 Total: 0.0001	Naturally occurring	0	0.0001	Implicit
		2000	Copper	Copper	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	9.33ug/L	NA	NA	Un: 0.001 Total: 0.001	Naturally occurring	0.001	0.002	Implicit
		2000	Lead	Lead	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	3.18ug/L	NA	NA	Un: 0.0003 Total: 0.0003	Naturally occurring	0.0001	0.0004	Implicit

Enclosure 1 –Little Blackfoot TMDLs and Framework for Water Quality Restoration Plan - TMDL Summary Table.

Waterbody & Stream Description	Waterbody ID	CFL	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action	TMDL Endpoints ²		WLA			Load Allocations ³		TMDL ¹	MOS
						Indicator	Threshold Values	WLA ¹	WLA Permitted Facilities (Permit Number)	WLA abandoned mines	Source	LA ¹		
		2000	Mercury	Mercury	TMDL	Human health standard	0.05ug/L	NA	NA	Un: 0.00001 Total: 0.00001	Naturally occurring	0.00001	0.00002	Implicit
		2000	pH	Metals (surrogate)	Addressed by metals TMDLs (surrogate)	NA	NA	NA	NA	NA	NA	NA	NA	NA
		2000	Zinc	Zinc	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	119.82ug/L	NA	NA	Un: 0.02 Total: 0.02	Naturally occurring	0.002	0.022	Implicit
		>2010	Iron	Iron	TMDL	Chronic aquatic life criteria at hardness = 100 mg/L CaCO ₃	1000ug/L	NA	NA	Un: 0.325 Total: 0.325	Naturally occurring	0.053	0.378	Implicit
WOODSON GULCH, headwaters to mouth (Carpenter Creek)	MT76G004_100	NA	Physical substrate habitat alterations	NA	Addressed via restoration plan	NA	NA	NA	NA	NA	NA	NA	NA	NA

ENCLOSURE 2

EPA REGION VIII TMDL REVIEW

TMDL Document Info:

Document Name:	Little Blackfoot River Watershed Total Maximum Daily Loads and Framework Water Quality Improvement Plan
Submitted by:	Montana Department of Environmental Quality
Date Received:	December 28, 2011
Review Date:	December 28, 2011
Reviewer:	Jason Gildea
Rough Draft / Public Notice / Final Draft?	Final
Notes:	

Reviewers Final Recommendation(s) to EPA Administrator (used for final draft review only):

- Approve
- Partial Approval
- Disapprove
- Insufficient Information

Approval Notes to Administrator: [Based on the review presented below, I recommend approval of the TMDLs submitted in this document.](#)

This document provides a standard format for EPA Region 8 to provide comments to state TMDL programs on TMDL documents submitted to EPA for either formal or informal review. All TMDL documents are evaluated against the minimum submission requirements and TMDL elements identified in the following 8 sections:

1. Problem Description
 - 1.1. TMDL Document Submittal Letter
 - 1.2. Identification of the Waterbody, Impairments, and Study Boundaries
 - 1.3. Water Quality Standards
2. Water Quality Target
3. Pollutant Source Analysis
4. TMDL Technical Analysis
 - 4.1. Data Set Description
 - 4.2. Waste Load Allocations (WLA)
 - 4.3. Load Allocations (LA)
 - 4.4. Margin of Safety (MOS)
 - 4.5. Seasonality and variations in assimilative capacity
5. Public Participation
6. Monitoring Strategy
7. Restoration Strategy
8. Daily Loading Expression

Under Section 303(d) of the Clean Water Act, waterbodies that are not attaining one or more water quality standard (WQS) are considered “impaired.” When the cause of the impairment is determined to be a pollutant, a TMDL analysis is required to assess the appropriate maximum allowable pollutant loading rate. A TMDL document consists of a technical analysis conducted to: (1) assess the maximum pollutant loading rate that a waterbody is able to assimilate while maintaining water quality standards; and (2) allocate that assimilative capacity among the known sources of that pollutant. A well written TMDL document will describe a path forward that may be used by those who implement the TMDL recommendations to attain and maintain WQS.

Each of the following eight sections describe the rationale that EPA Region 8 staff uses when reviewing TMDL documents. Also included in each section is a list of EPA’s minimum submission requirements relative to that section, a brief summary of the EPA reviewer’s findings, and the reviewer’s comments and/or suggestions. Use of the verb “must” in the minimum submission requirements denotes information that is required to be submitted because it relates to elements of the TMDL required by the CWA and by regulation. Use of the term “should” below denotes information that is generally necessary for EPA to determine if a submitted TMDL is approvable.

This review template is intended to ensure compliance with the Clean Water Act and that the reviewed documents are technically sound and the conclusions are technically defensible.

1.0 Problem Description

A TMDL document needs to provide a clear explanation of the problem it is intended to address. Included in that description should be a definitive portrayal of the physical boundaries to which the TMDL applies, as well as a clear description of the impairments that the TMDL intends to address and the associated pollutant(s) causing those impairments. While the existence of one or more impairment and stressor may be known, it is important that a comprehensive evaluation of the water quality be conducted prior to development of the TMDL to ensure that all water quality problems and associated stressors are identified. Typically, this step is conducted prior to the 303(d) listing of a waterbody through the monitoring and assessment program. The designated uses and water quality criteria for the waterbody should be examined against available data to provide an evaluation of the water quality relative to all applicable water quality standards. If, as part of this exercise, additional WQS problems are discovered and additional stressor pollutants are identified, consideration should be given to concurrently evaluating TMDLs for those additional pollutants. If it is determined that insufficient data is available to make such an evaluation, this should be noted in the TMDL document.

1.1 TMDL Document Submittal Letter

When a TMDL document is submitted to EPA requesting formal comments or a final review and approval, the submittal package should include a letter identifying the document being submitted and the purpose of the submission.

Minimum Submission Requirements.

- A TMDL submittal letter should be included with each TMDL document submitted to EPA requesting a formal review.
- The submittal letter should specify whether the TMDL document is being submitted for initial review and comments, public review and comments, or final review and approval.
- Each TMDL document submitted to EPA for final review and approval should be accompanied by a submittal letter that explicitly states that the submittal is a final TMDL submitted under Section 303(d) of the Clean Water

Act for EPA review and approval. This clearly establishes the State's/Tribe's intent to submit, and EPA's duty to review, the TMDL under the statute. The submittal letter should contain such identifying information as the name and location of the waterbody and the pollutant(s) of concern, which matches similar identifying information in the TMDL document for which a review is being requested.

Recommendation:

Approve Partial Approval Disapprove Insufficient Information

Summary and Comments: [This document was submitted to EPA for review on December 28, 2011. An adequate cover letter was included.](#)

1.2 Identification of the Waterbody, Impairments, and Study Boundaries

The TMDL document should provide an unambiguous description of the waterbody to which the TMDL is intended to apply and the impairments the TMDL is intended to address. The document should also clearly delineate the physical boundaries of the waterbody and the geographical extent of the watershed area studied. Any additional information needed to tie the TMDL document back to a current 303(d) listing should also be included.

Minimum Submission Requirements:

- The TMDL document should clearly identify the pollutant and waterbody segment(s) for which the TMDL is being established. If the TMDL document is submitted to fulfill a TMDL development requirement for a waterbody on the state's current EPA approved 303(d) list, the TMDL document submittal should clearly identify the waterbody and associated impairment(s) as they appear on the State's/Tribe's current EPA approved 303(d) list, including a full waterbody description, assessment unit/waterbody ID, and the priority ranking of the waterbody. This information is necessary to ensure that the administrative record and the national TMDL tracking database properly link the TMDL document to the 303(d) listed waterbody and impairment(s).
- One or more maps should be included in the TMDL document showing the general location of the waterbody and, to the maximum extent practical, any other features necessary and/or relevant to the understanding of the TMDL analysis, including but not limited to: watershed boundaries, locations of major pollutant sources, major tributaries included in the analysis, location of sampling points, location of discharge gauges, land use patterns, and the location of nearby waterbodies used to provide surrogate information or reference conditions. Clear and concise descriptions of all key features and their relationship to the waterbody and water quality data should be provided for all key and/or relevant features not represented on the map
- If information is available, the waterbody segment to which the TMDL applies should be identified/geo-referenced using the National Hydrography Dataset (NHD). If the boundaries of the TMDL do not correspond to the Waterbody ID(s) (WBID), Entity_ID information or reach code (RCH_Code) information should be provided. If NHD data is not available for the waterbody, an alternative geographical referencing system that unambiguously identifies the physical boundaries to which the TMDL applies may be substituted.

Recommendation:

Approve Partial Approval Disapprove Insufficient Information

Summary and Comments: [The waterbody/pollutant combinations addressed in the Little Blackfoot River Watershed TMDL document are summarized in Table 1 \(appended to the end of this document\) and are clearly described in the subject document. The number of TMDLs developed and the pollutants for which they were developed are summarized below:](#)

Little Blackfoot River Watershed TMDLs

Number of TMDLs:	62
Number of Waterbody/Pollutant Combinations addressed by TMDLs:	64
Number of Sediment TMDLs:	10
Number of Nutrient TMDLs:	7
Number of Metals TMDLs:	45

The waterbodies addressed by the sediment, nutrient, and metals TMDLs are listed in Tables 2, 3, and 4 respectively (these tables are appended to the end of this document).

At this time, TMDLs were not completed for 6 waterbody-pollutant combinations (WBPCs) in the Little Blackfoot TMDL Planning Area. These include metals (4) and nutrients (2) impairments. The 6 impairments will be addressed by DEQ through the reassessment and delisting process.

TMDLs were completed to address 31 WBPCs from the court ordered list of impairments (per the second amended judgment, dated September 27, 2011, referred to herein as the “2014 List”). Six WBPCs from the 2014 List are proposed for reassessment and delisting. Thirty-one new impairments were identified during the TMDL process (i.e., do not currently appear on a 303d list), and TMDLs were completed for all 31. These are noted as a cycle first listed of “>2010” in Table 1.

2.0 Water Quality Standards

TMDL documents should provide a complete description of the water quality standards for the waterbodies addressed, including a listing of the designated uses and an indication of whether the uses are being met, not being met, or not assessed. If a designated use was not assessed as part of the TMDL analysis (or not otherwise recently assessed), the documents should provide a reason for the lack of assessment (e.g., sufficient data was not available at this time to assess whether or not this designated use was being met).

Water quality criteria (WQC) are established as a component of water quality standard at levels considered necessary to protect the designated uses assigned to that waterbody. WQC identify quantifiable targets and/or qualitative water quality goals which, if attained and maintained, are intended to ensure that the designated uses for the waterbody are protected. TMDLs result in maintaining and attaining water quality standards by determining the appropriate maximum pollutant loading rate to meet water quality criteria, either directly, or through a surrogate measurable target. The TMDL document should include a description of all applicable water quality criteria for the impaired designated uses and address whether or not the criteria are being attained, not attained, or not evaluated as part of the analysis. If the criteria were not evaluated as part of the analysis, a reason should be cited (e.g. insufficient data were available to determine if this water quality criterion is being attained).

Minimum Submission Requirements:

- The TMDL must include a description of the applicable State/Tribal water quality standard, including the designated use(s) of the waterbody, the applicable numeric or narrative water quality criterion, and the anti-degradation policy. (40 C.F.R. §130.7(c)(1)).
- The purpose of a TMDL analysis is to determine the assimilative capacity of the waterbody that corresponds to the existing water quality standards for that waterbody, and to allocate that assimilative capacity between the significant sources. Therefore, all TMDL documents must be written to meet the existing water quality standards for that waterbody (CWA §303(d)(1)(C)).

Note: In some circumstances, the load reductions determined to be necessary by the TMDL analysis may prove to be infeasible and may possibly indicate that the existing water quality standards and/or assessment methodologies may be erroneous. However, the TMDL must still be determined based on existing water quality standards. Adjustments to water quality standards and/or assessment methodologies may be evaluated separately, after the completion of the TMDL.

- The TMDL document should describe the relationship between the pollutant of concern and the water quality standard the pollutant load is intended to meet. This information is necessary for EPA to evaluate whether or not attainment of the prescribed pollutant loadings will result in attainment of the water quality standard in question.
- If a standard includes multiple criteria for the pollutant of concern, the document should demonstrate that the TMDL value will result in attainment of all related criteria for the pollutant. For example, both acute and chronic values (if present in the WQS) should be addressed in the document, including consideration of magnitude, frequency and duration requirements.

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information

Summary and Comments:

The Little Blackfoot Watershed TMDL document includes a description of all applicable water quality standards associated with sediment and temperature whether or not the criteria are being attained, not attained, or not evaluated. Standards are discussed in Section 3.0.

3.0 Water Quality Targets

TMDL analyses establish numeric targets that are used to determine whether water quality standards are being achieved. Quantified water quality targets or endpoints should be provided to evaluate each listed pollutant/water body combination addressed by the TMDL, and should represent achievement of applicable water quality standards and support of associated beneficial uses. For pollutants with numeric water quality standards, the numeric criteria are generally used as the water quality target. For pollutants with narrative standards, the narrative standard should be translated into a measurable value. At a minimum, one target is required for each pollutant/water body combination. It is generally desirable, however, to include several targets that represent achievement of the standard and support of beneficial uses (e.g., for a sediment impairment issue it may be appropriate to include a variety of targets representing water column sediment such as TSS, embeddness, stream morphology, up-slope conditions and a measure of biota).

Minimum Submission Requirements:

- The TMDL should identify a numeric water quality target(s) for each waterbody pollutant combination. The TMDL target is a quantitative value used to measure whether or not the applicable water quality standard is attained.

Generally, the pollutant of concern and the numeric water quality target are, respectively, the chemical causing the impairment and the numeric criteria for that chemical (e.g., chromium) contained in the water quality standard. Occasionally, the pollutant of concern is different from the parameter that is the subject of the numeric water quality target (e.g., when the pollutant of concern is phosphorus and the numeric water quality target is expressed as a numerical dissolved oxygen criterion). In such cases, the TMDL should explain the linkage between the pollutant(s) of concern, and express the quantitative relationship between the TMDL target and pollutant of concern. In all cases, TMDL targets must represent the attainment of current water quality standards.

- When a numeric TMDL target is established to ensure the attainment of a narrative water quality criterion, the methodology used to determine the numeric target, and the link between the pollutant of concern and the narrative water quality criterion should all be described in the TMDL document. Any additional information supporting the numeric target and linkage should also be included in the document.

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information

Summary and Comments:

Sediment

Sediment targets are presented in Section 5.4 of the document. A suite of targets have been established to represent Montana's narrative sediment standards. The targets include Percentage of fine surface sediment in riffles < 6mm and <2mm (reach average via pebble count method); Percentage of fine surface sediment <6mm in riffles and pool tails (reach average via grid toss method); Bankfull width/depth ratio (median of channel x-sec measurements); Entrenchment ratio (median of channel x-sec measurements);

Residual pool depth (reach average); Pools/mile; LWD/mile; Percent of streambank with understory shrub cover; and Macroinvertebrate indices (MMI and O/E).

Nutrients

DEQ draft numeric criteria for nutrients and chlorophyll a were directly applied as water quality targets (Section 6.4.1)

Metals

Surface water quality standards for metals were directly applied as water quality targets (Section 7.4).

4.0 Pollutant Source Analysis

A TMDL analysis is conducted when a pollutant load is known or suspected to be exceeding the loading capacity of the waterbody. Logically then, a TMDL analysis should consider all sources of the pollutant of concern in some manner. The detail provided in the source assessment step drives the rigor of the pollutant load allocation. In other words, it is only possible to specifically allocate quantifiable loads or load reductions to each significant source (or source category) when the relative load contribution from each source has been estimated. Therefore, the pollutant load from each significant source (or source category) should be identified and quantified to the maximum practical extent. This may be accomplished using site-specific monitoring data, modeling, or application of other assessment techniques. If insufficient time or resources are available to accomplish this step, a phased/adaptive management approach can be employed so long as the approach is clearly defined in the document.

Minimum Submission Requirements:

- The TMDL should include an identification of all potentially significant point and nonpoint sources of the pollutant of concern, including the geographical location of the source(s) and the quantity of the loading, e.g., lbs/per day. This information is necessary for EPA to evaluate the WLA, LA and MOS components of the TMDL.
- The level of detail provided in the source assessment should be commensurate with the nature of the watershed and the nature of the pollutant being studied. Where it is possible to separate natural background from nonpoint sources, the TMDL should include a description of both the natural background loads and the nonpoint source loads.
- Natural background loads should not be assumed to be the difference between the sum of known and quantified anthropogenic sources and the existing *in situ* loads (e.g. measured in stream) unless it can be demonstrated that all significant anthropogenic sources of the pollutant of concern have been identified, characterized, and properly quantified.
- The sampling data relied upon to discover, characterize, and quantify the pollutant sources should be included in the document (e.g. a data appendix) along with a description of how the data were analyzed to characterize and quantify the pollutant sources. A discussion of the known deficiencies and/or gaps in the data set and their potential implications should also be included.

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information

Summary and Comments:

Sediment

The sediment source assessment is presented in Section 5.7. Potentially significant sediment sources considered include streambank erosion, upland erosion, roads, and storm water permitted point sources. Streambank erosion was quantified through direct measurements on selected streams, and then modeled in SWAT based on those measurements. Appendix C provides more details. Upland erosion was quantified by using the SWAT modeling tool (see Appendix D). Sediment loading from roads was derived from modeling with WEPP and GIS analyses, which were then incorporated into the SWAT model (see Appendix E). Sediment from stormwater point sources was estimated based on site size, rainfall, and permit limits.

Nutrients

The nutrient source assessment is presented in Section 6.5. Potentially significant nutrient sources considered include agriculture (pasture and rangeland), forest (and wetlands), residential development, and septic systems. Loads from each of the sources were quantified through the use of the SWAT model.

Metals

Mining is the predominant metals pollutant source in the Little Blackfoot watershed. The document provides a history of mining operations in the region, and summarizes the known and suspected mining related sources. A summary of available metals data and sources per stream is provided in Section 7.5. Upstream and downstream data are presented for each stream to identify background pollutant loading.

4.1 TMDL Technical Analysis

TMDL determinations should be supported by a robust data set and an appropriate level of technical analysis. This applies to all of the components of a TMDL document. It is vitally important that the technical basis for all conclusions be articulated in a manner that is easily understandable and readily apparent to the reader.

A TMDL analysis determines the maximum pollutant loading rate that may be allowed to a waterbody without violating water quality standards. The TMDL analysis should demonstrate an understanding of the relationship between the rate of pollutant loading into the waterbody and the resultant water quality impacts. This stressor → response relationship between the pollutant and impairment and between the selected targets, sources, TMDLs, and load allocations needs to be clearly articulated and supported by an appropriate level of technical analysis. Every effort should be made to be as detailed as possible, and to base all conclusions on the best available scientific principles.

The pollutant loading allocation is at the heart of the TMDL analysis. TMDLs apportion responsibility for taking actions by allocating the available assimilative capacity among the various point, nonpoint, and natural pollutant sources. Allocations may be expressed in a variety of ways, such as by individual discharger, by tributary watershed, by source or land use category, by land parcel, or other appropriate scale or division of responsibility.

The pollutant loading allocation that will result in achievement of the water quality target is expressed in the form of the standard TMDL equation:

$$TMDL = \sum LAs + \sum WLAs + MOS$$

Where:

TMDL = Total Pollutant Loading Capacity of the waterbody

LAs = Pollutant Load Allocations

WLAs = Pollutant Wasteload Allocations

MOS = The portion of the Load Capacity allocated to the Margin of safety.

Minimum Submission Requirements:

- A TMDL must identify the loading capacity of a waterbody for the applicable pollutant, taking into consideration temporal variations in that capacity. EPA regulations define loading capacity as the greatest amount of a pollutant that a water can receive without violating water quality standards (40 C.F.R. §130.2(f)).
- The total loading capacity of the waterbody should be clearly demonstrated to equate back to the pollutant load allocations through a balanced TMDL equation. In instances where numerous LA, WLA and seasonal TMDL capacities make expression in the form of an equation cumbersome, a table may be substituted as long as it is clear that the total TMDL capacity equates to the sum of the allocations.
- The TMDL document should describe the methodology and technical analysis used to establish and quantify the cause-and-effect relationship between the numeric target and the identified pollutant sources. In many instances, this method will be a water quality model.
- It is necessary for EPA staff to be aware of any assumptions used in the technical analysis to understand and evaluate the methodology used to derive the TMDL value and associated loading allocations. Therefore, the TMDL document should contain a description of any important assumptions (including the basis for those assumptions) made in developing the TMDL, including but not limited to:

- (1) the spatial extent of the watershed in which the impaired waterbody is located and the spatial extent of the TMDL technical analysis;
 - (2) the distribution of land use in the watershed (e.g., urban, forested, agriculture);
 - (3) a presentation of relevant information affecting the characterization of the pollutant of concern and its allocation to sources such as population characteristics, wildlife resources, industrial activities etc...;
 - (4) present and future growth trends, if taken into consideration in determining the TMDL and preparing the TMDL document (e.g., the TMDL could include the design capacity of an existing or planned wastewater treatment facility);
 - (5) an explanation and analytical basis for expressing the TMDL through surrogate measures, if applicable. Surrogate measures are parameters such as percent fines and turbidity for sediment impairments; chlorophyll *a* and phosphorus loadings for excess algae; length of riparian buffer; or number of acres of best management practices.
- The TMDL document should contain documentation supporting the TMDL analysis, including an inventory of the data set used, a description of the methodology used to analyze the data, a discussion of strengths and weaknesses in the analytical process, and the results from any water quality modeling used. This information is necessary for EPA to review the loading capacity determination, and the associated load, wasteload, and margin of safety allocations.
- TMDLs must take critical conditions (e.g., stream flow, loading, and water quality parameters, seasonality, etc...) into account as part of the analysis of loading capacity (40 C.F.R. §130.7(c)(1)). TMDLs should define applicable critical conditions and describe the approach used to determine both point and nonpoint source loadings under such critical conditions. In particular, the document should discuss the approach used to compute and allocate nonpoint source loadings, e.g., meteorological conditions and land use distribution.
- Where both nonpoint sources and NPDES permitted point sources are included in the TMDL loading allocation, and attainment of the TMDL target depends on reductions in the nonpoint source loads, the TMDL document must include a demonstration that nonpoint source loading reductions needed to implement the load allocations are actually practicable [40 CFR 130.2(i) and 122.44(d)].

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information

Summary and Comments:

An adequate technical analysis has been completed. Summary information is presented in the main body of the document and supporting analyses/data are presented in appendices.

4.1.1 Data Set Description

TMDL documents should include a thorough description and summary of all available water quality data that are relevant to the water quality assessment and TMDL analysis. An inventory of the data used for the TMDL analysis should be provided to document, for the record, the data used in decision making. This also provides the reader with the opportunity to independently review the data. The TMDL analysis should make use of all readily available data for the waterbody under analysis unless the TMDL writer determines that the data are not relevant or appropriate. For relevant data that were known but rejected, an explanation of why the data were not utilized should be provided (e.g., samples exceeded holding times, data collected prior to a specific date were not considered timely, etc...).

Minimum Submission Requirements:

- TMDL documents should include a thorough description and summary of all available water quality data that are relevant to the water quality assessment and TMDL analysis such that the water quality impairments are clearly defined and linked to the impaired beneficial uses and appropriate water quality criteria.

- The TMDL document submitted should be accompanied by the data set utilized during the TMDL analysis. If possible, it is preferred that the data set be provided in an electronic format and referenced in the document. If electronic submission of the data is not possible, the data set may be included as an appendix to the document.

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information

Summary and Comments: [The data and technical analyses for all three pollutants addressed are summarized in the main body of the document and presented in the appendices.](#)

4.1.2 Waste Load Allocations (WLA):

Waste Load Allocations represent point source pollutant loads to the waterbody. Point source loads are typically better understood and more easily monitored and quantified than nonpoint source loads. Whenever practical, each point source should be given a separate waste load allocation. All NPDES permitted dischargers that discharge the pollutant under analysis directly to the waterbody should be identified and given separate waste load allocations. The finalized WLAs are required to be incorporated into future NPDES permit renewals.

Minimum Submission Requirements:

- EPA regulations require that a TMDL include WLAs for all significant and/or NPDES permitted point sources of the pollutant. TMDLs must identify the portion of the loading capacity allocated to individual existing and/or future point source(s) (40 C.F.R. §130.2(h), 40 C.F.R. §130.2(i)). In some cases, WLAs may cover more than one discharger, e.g., if the source is contained within a general permit. If no allocations are to be made to point sources, then the TMDL should include a value of zero for the WLA.
- All NPDES permitted dischargers given WLA as part of the TMDL should be identified in the TMDL, including the specific NPDES permit numbers, their geographical locations, and their associated waste load allocations.

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information No-action

Summary and Comments:

[Sediment](#)

[Nonpoint sources make up the majority of sediment related sources in the Planning Area. However, WLAs are assigned to the point sources in lower Dog Creek and the lower Little Blackfoot River \(stormwater construction permits\).](#)

[Nutrients](#)

[There are no nutrient point sources to the nutrient impaired streams.](#)

[Metals](#)

[Abandoned mining loads were given wasteload allocations per USEPA guidance.](#)

4.1.3 Load Allocations (LA):

Load allocations include the nonpoint source, natural, and background loads. These types of loads are typically more difficult to quantify than point source loads, and may include a significant degree of uncertainty. Often it is necessary to group these loads into larger categories and estimate the loading rates based on limited monitoring data and/or modeling results. The background load represents a composite of all upstream pollutant loads into the waterbody. In addition to the upstream nonpoint and upstream natural load, the background load often includes upstream point source loads that are not given specific waste load allocations in this particular TMDL analysis. In instances where nonpoint source loading rates are particularly difficult to quantify, a performance-based allocation approach, in which a detailed monitoring plan and adaptive management strategy are employed for the application of BMPs, may be appropriate.

Minimum Submission Requirements:

- EPA regulations require that TMDL expressions include LAs which identify the portion of the loading capacity attributed to nonpoint sources and to natural background. Load allocations may range from reasonably accurate estimates to gross allotments (40 C.F.R. §130.2(g)). Load allocations may be included for both existing and future nonpoint source loads. Where possible, load allocations should be described separately for natural background and nonpoint sources.
- Load allocations assigned to natural background loads should not be assumed to be the difference between the sum of known and quantified anthropogenic sources and the existing *in situ* loads (e.g., measured in stream) unless it can be demonstrated that all significant anthropogenic sources of the pollutant of concern have been identified and given proper load or waste load allocations.

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information

Summary and Comments:

[Sediment](#)

Load allocations are provided for each of the significant anthropogenic sources and natural background. They are presented as % reductions and as daily loads in tons per year.

[Nutrients](#)

Load allocations are provided as one lumped value for nonpoint sources per watershed using a load duration curve approach. Follow up monitoring and modeling is proposed to refine the loads into more discrete categories.

[Metals](#)

Where possible, DEQ presents load allocations to background/natural conditions based on monitoring data obtained upstream of known mining sources. However, background conditions could not be obtained for all streams because of the pervasive nature of mining in the basin.

4.1.4 Margin of Safety (MOS):

Natural systems are inherently complex. Any mathematical relationship used to quantify the stressor → response relationship between pollutant loading rates and the resultant water quality impacts, no matter

how rigorous, will include some level of uncertainty and error. To compensate for this uncertainty and ensure water quality standards will be attained, a margin of safety is required as a component of each TMDL. The MOS may take the form of an explicit load allocation (e.g., 10 lbs/day), or may be implicitly built into the TMDL analysis through the use of conservative assumptions and values for the various factors that determine the TMDL pollutant load → water quality effect relationship. Whether explicit or implicit, the MOS should be supported by an appropriate level of discussion that addresses the level of uncertainty in the various components of the TMDL technical analysis, the assumptions used in that analysis, and the relative effect of those assumptions on the final TMDL. The discussion should demonstrate that the MOS used is sufficient to ensure that the water quality standards would be attained if the TMDL pollutant loading rates are met. In cases where there is substantial uncertainty regarding the linkage between the proposed allocations and achievement of water quality standards, it may be necessary to employ a phased or adaptive management approach (e.g., establish a monitoring plan to determine if the proposed allocations are, in fact, leading to the desired water quality improvements).

Minimum Submission Requirements:

- TMDLs must include a margin of safety (MOS) to account for any lack of knowledge concerning the relationship between load and wasteload allocations and water quality (CWA §303(d)(1)(C), 40 C.F.R. §130.7(c)(1)). EPA's 1991 TMDL Guidance explains that the MOS may be implicit (i.e., incorporated into the TMDL through conservative assumptions in the analysis) or explicit (i.e., expressed in the TMDL as loadings set aside for the MOS).
- If the MOS is implicit, the conservative assumptions in the analysis that account for the MOS should be identified and described. The document should discuss why the assumptions are considered conservative and the effect of the assumption on the final TMDL value determined.
- If the MOS is explicit, the loading set aside for the MOS should be identified. The document should discuss how the explicit MOS chosen is related to the uncertainty and/or potential error in the linkage analysis between the WQS, the TMDL target, and the TMDL loading rate.
- If, rather than an explicit or implicit MOS, the TMDL relies upon a phased approach to deal with large and/or unquantifiable uncertainties in the linkage analysis, the document should include a description of the planned phases for the TMDL as well as a monitoring plan and adaptive management strategy.

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information

Summary and Comments:

For all three pollutant groups, DEQ uses an implicit margin of safety through conservative assumptions and the use of an adaptive management strategy.

4.1.5 Seasonality and variations in assimilative capacity:

The TMDL relationship is a factor of both the loading rate of the pollutant to the waterbody and the amount of pollutant the waterbody can assimilate and still attain water quality standards. Water quality standards often vary based on seasonal considerations. Therefore, it is appropriate that the TMDL analysis consider seasonal variations, such as critical flow periods (high flow, low flow), when establishing TMDLs, targets, and allocations.

Minimum Submission Requirements:

- The statute and regulations require that a TMDL be established with consideration of seasonal variations. The TMDL must describe the method chosen for including seasonal variability as a factor. (CWA §303(d)(1)(C), 40 C.F.R. §130.7(c)(1)).

Recommendation:

Approve Partial Approval Disapprove Insufficient Information

Summary and Comments:

Sediment

The annual approach is appropriate for the situation, and, the daily approach that is presented in Appendix D addresses natural variations that occur throughout the year.

Nutrients

Targets and TMDLs are focused on a critical growing season period. Also, nutrient TMDLs are presented as equations that take into account flow and seasonality of the loads.

Metals

Metals TMDLs are presented as equations that take into account flow and seasonality of the loads.

5.0 Monitoring Strategy

TMDLs may have significant uncertainty associated with the selection of appropriate numeric targets and estimates of source loadings and assimilative capacity. In these cases, a phased TMDL approach may be necessary. For Phased TMDLs, it is EPA's expectation that a monitoring plan will be included as a component of the TMDL document to articulate the means by which the TMDL will be evaluated in the field, and to provide for future supplemental data that will address any uncertainties that may exist when the document is prepared.

Minimum Submission Requirements:

- When a TMDL involves both NPDES permitted point source(s) and nonpoint source(s) allocations, and attainment of the TMDL target depends on reductions in the nonpoint source loads, the TMDL document should include a monitoring plan that describes the additional data to be collected to determine if the load reductions provided for in the TMDL are occurring.
- Under certain circumstances, a phased TMDL approach may be utilized when limited existing data are relied upon to develop a TMDL, and the State believes that the use of additional data or data based on better analytical techniques would likely increase the accuracy of the TMDL load calculation and merit development of a second phase TMDL. EPA recommends that a phased TMDL document or its implementation plan include a monitoring plan and a scheduled timeframe for revision of the TMDL. These elements would not be an intrinsic part of the TMDL and would not be approved by EPA, but may be necessary to support a rationale for approving the TMDL. http://www.epa.gov/owow/tmdl/tmdl_clarification_letter.pdf

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information

Summary and Comments: [A conceptual monitoring strategy is provided in Section 10.0.](#)

6.0 Restoration Strategy

The overall purpose of the TMDL analysis is to determine what actions are necessary to ensure that the pollutant load in a waterbody does not result in water quality impairment. Adding additional detail regarding the proposed approach for the restoration of water quality is not currently a regulatory requirement, but is considered a value added component of a TMDL document. During the TMDL analytical process, information is often gained that may serve to point restoration efforts in the right direction and help ensure that resources are spent in the most efficient manner possible. For example, watershed models used to analyze the linkage between the pollutant loading rates and resultant water quality impacts might also be used to conduct "what if" scenarios to help direct BMP installations to locations that provide the greatest pollutant reductions. Once a TMDL has been written and approved, it is often the responsibility of other water quality programs to see that it is implemented. The level of quality and detail provided in the restoration strategy will greatly influence the future success in achieving the needed pollutant load reductions.

Minimum Submission Requirements:

- EPA is not required to and does not approve TMDL implementation plans. However, in cases where a WLA is dependent upon the achievement of a LA, "reasonable assurance" is required to demonstrate the necessary LA called for in the document is practicable). A discussion of the BMPs (or other load reduction measures) that are to be relied upon to achieve the LA(s), and programs and funding sources that will be relied upon to implement

the load reductions called for in the document, may be included in the implementation/restoration section of the TMDL document to support a demonstration of “reasonable assurance”.

Recommendation:

Approve Partial Approval Disapprove Insufficient Information No-action

Summary and Comments: [A conceptual restoration strategy is presented in Section 9.0. Because there are no permanent permitted point sources, a documentation of reasonable assurance is not necessary.](#)

7.0 Daily Loading Expression

The goal of a TMDL analysis is to determine what actions are necessary to attain and maintain WQS. The appropriate averaging period that corresponds to this goal will vary depending on the pollutant and the nature of the waterbody under analysis. When selecting an appropriate averaging period for a TMDL analysis, primary concern should be given to the nature of the pollutant in question and the achievement of the underlying WQS. However, recent federal appeals court decisions have pointed out that the title TMDL implies a “daily” loading rate. While the most appropriate averaging period to be used for developing a TMDL analysis may vary according to the pollutant, a daily loading rate can provide a more practical indication of whether or not the overall needed load reductions are being achieved. When limited monitoring resources are available, a daily loading target that takes into account the natural variability of the system can serve as a useful indicator for whether or not the overall load reductions are likely to be met. Therefore, a daily expression of the required pollutant loading rate is a required element in all TMDLs, in addition to any other load averaging periods that may have been used to conduct the TMDL analysis. The level of effort spent to develop the daily load indicator should be based on the overall utility it can provide as an indicator for the total load reductions needed.

Minimum Submission Requirements:

The document should include an expression of the TMDL in terms of a daily load. However, the TMDL may also be expressed in temporal terms other than daily (e.g., an annual or monthly load). If the document expresses the TMDL in additional “non-daily” terms the document should explain why it is appropriate or advantageous to express the TMDL in the additional unit of measurement chosen.

Recommendation:

Approve Partial Approval Disapprove Insufficient Information

Summary and Comments:

[Sediment](#)

[The sediment TMDLs are presented as tons/day in Appendix D.](#)

[Nutrients](#)

[Nutrient TMDLs are presented as an equation using the target times flow, which results in daily loads.](#)

[Metals](#)

[Metals TMDLs are presented as an equation using the target times flow, which results in daily loads.](#)

8.0 Public Participation

EPA regulations require that the establishment of TMDLs be conducted in a process open to the public, and that the public be afforded an opportunity to participate. To meaningfully participate in the TMDL process it is necessary that stakeholders, including members of the general public, be able to understand the problem and the proposed solution. TMDL documents should include language that explains the issues to the general public in understandable terms, as well as provides additional detailed technical information for the scientific community. Notifications or solicitations for comments regarding the TMDL should be made available to the general public, widely circulated, and clearly identify the product as a TMDL and the fact that it will be submitted to EPA for review. When the final TMDL is submitted to EPA for approval, a copy of the comments received by the state and the state responses to those comments should be included with the document.

Minimum Submission Requirements:

- The TMDL must include a description of the public participation process used during the development of the TMDL (40 C.F.R. §130.7(c)(1)(ii)).
- TMDLs submitted to EPA for review and approval should include a summary of significant comments and the State's/Tribe's responses to those comments.

Recommendation:

- Approve Partial Approval Disapprove Insufficient Information

Summary and Comments: [The public participation process is summarized in Section 11.0. The document was sent out for public comment on November 22, 2011. Three comments were received and are addressed in Section 9.2.](#)

Table 1. Stream Segments in the Little Blackfoot TMDL Planning Area Addressed in this document, First 303(d) Listing Cycle, and Causes of Impairment.

Waterbody & Stream Description	Waterbody ID	Cycle First Listed	Cause of Impairment	Pollutant for which TMDL has been prepared	DEQ Action
AMERICAN CREEK, headwaters to mouth (Dog Creek)	MT76G004_079	>2010	Arsenic	Arsenic	TMDL
CARPENTER CREEK, headwaters to Basin Creek	MT76G004_091	NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed via restoration plan
		NA	Other anthropogenic substrate alterations	NA	Addressed via restoration plan
		NA	Physical substrate habitat alterations	NA	Addressed via restoration plan
CARPENTER CREEK, Basin Creek to mouth (Little Blackfoot River)	MT76G004_092	NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed via restoration plan
		NA	Other anthropogenic substrate alterations	NA	Addressed via restoration plan
		NA	Physical substrate habitat alterations	NA	Addressed via restoration plan
		>2010	Total Phosphorus	Total Phosphorus	TMDL
DOG CREEK, headwaters to Meadow Creek	MT76G004_071	1988	Sedimentation/Siltation	Sediment	TMDL
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment TMDL
		2000	Arsenic	Arsenic	TMDL
		2000	Lead	Lead	TMDL
		2000	Zinc	Zinc	TMDL
		>2010	Cadmium	Cadmium	TMDL
		>2010	Copper	Copper	TMDL
DOG CREEK, Meadow Creek to mouth (Little Blackfoot River)	MT76G004_072	1988	Sedimentation/Siltation	Sediment	TMDL
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs
		2000	Nitrate/Nitrite		Investigated - No Action
		>2010	Total Phosphorus	Total Phosphorus	TMDL
		>2010	Copper	Copper	TMDL
		>2010	Lead	Lead	TMDL
ELLISTON CREEK, headwaters to mouth (Little	MT76G004_040	>2010	Sedimentation/Siltation	Sediment	TMDL

Waterbody & Stream Description	Waterbody ID	Cycle	Cause of Impairment	Pollutant for	DEQ Action
Blackfoot River)		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs
LITTLE BLACKFOOT RIVER, Dog Creek to mouth (Clark Fork River)	MT76G004_010	1988	Sedimentation/Siltation	Sediment	TMDL
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs
		NA	Low flow alterations	NA	Addressed via restoration plan
		2000	Copper		Investigated - No Action
		2000	Lead	Lead	TMDL
		>2010	Arsenic	Arsenic	TMDL
		1988	Nitrate/Nitrite		Investigated - No Action
		>2010	Total Phosphorus	Total Phosphorus	TMDL
LITTLE BLACKFOOT RIVER, the headwaters to Dog Creek	MT76G004_020	1988	Sedimentation/Siltation	Sediment	TMDL
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment TMDL
		1990	Arsenic	Arsenic	TMDL
		1990	Cyanide	Cyanide	TMDL
		>2010	Cadmium	Cadmium	TMDL
		>2010	Copper	Copper	TMDL
		>2010	Lead	Lead	TMDL
MONARCH CREEK, headwaters to mouth (Ontario Creek)	MT76G004_060	1988	Arsenic		Investigated - No Action
		1988	Copper	Copper	TMDL
		1988	Lead	Lead	TMDL
		1988	Mercury	Mercury	TMDL
		1988	pH	Metals (surrogate)	Addressed by metals TMDLs (surrogate)
		1988	Selenium		Investigated - No Action
O'KEEFE CREEK, headwaters to mouth (Telegraph Creek)	MT76G004_054	>2010	Cadmium	Cadmium	TMDL
		>2010	Copper	Copper	TMDL
		>2010	Zinc	Zinc	TMDL
ONTARIO CREEK, headwaters to mouth (Little Blackfoot River)	MT76G004_130	>2010	Cadmium	Cadmium	TMDL
		>2010	Copper	Copper	TMDL
		>2010	Lead	Lead	TMDL
SALLY ANN CREEK, headwaters to mouth (O'Keefe Creek)	MT76G004_055	>2010	Cadmium	Cadmium	TMDL
		>2010	Copper	Copper	TMDL
		>2010	Zinc	Zinc	TMDL
SNOWSHOE CREEK, headwaters to mouth (Little	MT76G004_080	1988	Sedimentation/Siltation	Sediment	TMDL

Waterbody & Stream Description	Waterbody ID	Cycle	Cause of Impairment	Pollutant for	DEQ Action
Blackfoot River)		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs
		NA	Low flow alterations	NA	Addressed via restoration plan
		2006	Nitrate/Nitrite	Nitrate/Nitrite	TMDL
SPOTTED DOG CREEK, forest boundary to mouth (Little Blackfoot River)	MT76G004_032	1990	Sedimentation/Siltation	Sediment	TMDL
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs
		2006	Total Phosphorus	Total Phosphorus	TMDL
TELEGRAPH CREEK, Hahn Creek to mouth (Little Blackfoot River)	MT76G004_052	1988	Lead	Lead	TMDL
		1988	Mercury	Mercury	TMDL
		>2010	Cadmium	Cadmium	TMDL
		>2010	Copper	Copper	TMDL
		>2010	Zinc	Zinc	TMDL
TELEGRAPH CREEK, headwaters to Hahn Creek	MT76G004_051	1988	Sedimentation/Siltation	Sediment	TMDL
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment TMDL
		1988	Arsenic	Arsenic	TMDL
		1988	Beryllium	Beryllium	TMDL
		1988	Cadmium	Cadmium	TMDL
		1988	Copper	Copper	TMDL
		1988	Iron		Investigated - No Action
		1988	Zinc	Zinc	TMDL
		>2010	Lead	Lead	TMDL
THREEMILE CREEK, Quigley Ranch Reservoir to mouth (Little Blackfoot River)	MT76G004_112	>2010	Sedimentation/Siltation	Sediment	TMDL
		NA	Alteration in stream-side or littoral vegetative covers	NA	Addressed by sediment and nutrient TMDLs
		NA	Low flow alterations	NA	Addressed via restoration plan
		>2010	Total Phosphorus	Total Phosphorus	TMDL
		>2010	Total Nitrogen	Total Nitrogen	TMDL
TROUT CREEK, headwaters to the mouth (Little Blackfoot River)	MT76G004_120	>2010	Sedimentation/Siltation	Sediment	TMDL
UN-NAMED CREEK, headwaters to mouth (Ontario Creek), T8N R6W S27	MT76G006_010	2000	Arsenic	Arsenic	TMDL
		2000	Cadmium	Cadmium	TMDL
		2000	Copper	Copper	TMDL

Waterbody & Stream Description	Waterbody ID	Cycle	Cause of Impairment	Pollutant for	DEQ Action
		2000	Lead	Lead	TMDL
		2000	Mercury	Mercury	TMDL
		2000	pH	Metals (surrogate)	Addressed by metals TMDLs (surrogate)
		2000	Zinc	Zinc	TMDL
		>2010	Iron	Iron	TMDL
WOODSON GULCH, headwaters to mouth (Carpenter Creek)	MT76G004_100	NA	Physical substrate habitat alterations	NA	Addressed via restoration plan

Table 2. Waterbody segments addressed by sediment TMDLs.

Stream Segment	Waterbody ID
DOG CREEK, headwaters to Meadow Creek	MT76G004_071
DOG CREEK, Meadow Creek to the mouth (Little Blackfoot River)	MT76G004_072
ELLISTON CREEK, headwaters to the mouth (Little Blackfoot River)	MT76G004_040
LITTLE BLACKFOOT RIVER, the headwaters to Dog Creek	MT76G004_020
LITTLE BLACKFOOT RIVER, Dog Creek to the mouth (Clark Fork River)	MT76G004_010
SNOWSHOE CREEK, headwaters to the mouth (Little Blackfoot River)	MT76G004_080
SPOTTED DOG CREEK, forest boundary to the mouth (Little Blackfoot River)	MT76G004_032
TELEGRAPH CREEK, headwaters to Hahn Creek	MT76G004_051
THREEMILE CREEK, Quigley Reservoir to the mouth (Little Blackfoot River)	MT76G004_112
TROUT CREEK, headwaters to the mouth (Little Blackfoot River)	MT76G004_120

Table 3. Waterbody segments addressed by nutrient TMDLs.

Waterbody Name	Segment ID
CARPENTER CREEK, Basin Creek to the mouth (Little Blackfoot River)	MT76G004_092
DOG CREEK, Meadow Creek to the mouth (Little Blackfoot River)	MT76G004_072
LITTLE BLACKFOOT RIVER, Dog Creek to the mouth (Clark Fork River)	MT76G004_010
SNOWSHOE CREEK, headwaters to the mouth (Little Blackfoot River)	MT76G004_080
SPOTTED DOG CREEK, forest boundary to the mouth (Little Blackfoot River)	MT76G004_032
THREEMILE CREEK, Quigley Reservoir to the mouth (Little Blackfoot River)	MT76G004_112

Table 4. Waterbody segments addressed by metals TMDLs.

Waterbody Name	Segment ID
AMERICAN GULCH CREEK, headwaters to mouth (Dog Creek)	MT76G004_079
DOG CREEK, headwaters to Meadow Creek	MT76G004_071
DOG CREEK, Meadow Creek to mouth (Little Blackfoot River)	MT76G004_072
LITTLE BLACKFOOT RIVER, headwaters to Dog Creek	MT76G004_020
LITTLE BLACKFOOT RIVER, Dog Creek to mouth (Clark Fork River)	MT76G004_010
MONARCH CREEK, headwaters to mouth (Ontario Creek)	MT76G004_060
O'KEEFE CREEK, headwaters to mouth (Telegraph Creek)	MT76004_054
ONTARIO CREEK, headwaters to mouth (Little Blackfoot River)	MT76G004_130
SALLY ANN CREEK, headwaters to mouth (O'Keefe Creek)	MT76G004_055
TELEGRAPH CREEK, headwaters to Hahn Creek	MT76G004_051
TELEGRAPH CREEK, Hahn Creek to mouth (Little Blackfoot River)	MT76G004_052
UN-NAMED CREEK, headwaters to mouth (Ontario Creek)	MT76G006_010