

STATEMENT OF ENERGY PERFORMANCE

DLI-Bozeman Job Service
121 North Willson
Bozeman, MT 59715

Date: 11/27/2023
Year Built: 1973
Parent: N/A

	Baseline:	2014	2017	2019	2020	2021	Current:
Energy Date:	12/31/2007	12/31/2014	12/31/2017	12/31/2019	12/31/2020	12/31/2021	12/31/2022
Energy Star Score:	63	72	82	86	90	92	89
Gross Floor Area:	8,974	8,974	8,974	8,974	8,974	8,974	8,974 Sq. Ft.
Heating Degree Days	7094	8250	8315	9230	7828	7620	8786
Cooling Degree Days	591	199	340	163	247	470	467
Reported Annual Energy Use:							
Site Energy Use:	483.3	408.6	359.2	365.7	318.6	300.1	360.3 MBTU
Site EUI:	53.9	45.5	40.0	40.7	35.5	33.4	40.2 kBTU/ft2
Electricity:	70,184	64,873	50,489	38,612	33,090	29,142	34,191 kWh
Max Electric Demand:	39.0	26.8	25.2	17.6	14.8	16.0	54.4 kW
Natural Gas:	2,438	1,873	1,869	2,339	2,057	2,007	2,437 Therms
Reported Annual Energy Cost:							
Electricity Cost:	\$7,171	\$7,339	\$6,308	\$4,954	\$4,152	\$3,909	\$5,028
Electric Demand Cost:	\$2,663	\$2,350	\$2,313	\$1,847	\$1,447	N/A	N/A
Natural Gas Cost:	\$2,713	\$1,877	\$1,532	\$1,729	\$1,571	\$1,852	\$2,456
Total Energy Cost:	\$9,883	\$9,216	\$7,840	\$6,683	\$5,723	\$5,761	\$7,484
Energy Cost/ft2	\$1.10	\$1.03	\$0.87	\$0.74	\$0.64	\$0.64	\$0.83
Weather Normalized Energy Use:							
Site Energy Use:	491.9	392.6	341.3	327.0	311.9	295.4	326.6 MBTU
Site EUI:	54.8	43.7	38.0	36.4	34.8	32.9	36.4 kBTU/ft2
Electricity:	68,292	65,317	50,489	38,612	33,090	29,142	34,191 kWh
Natural Gas:	2,589	1,697	1,691	1,952	1,990	1,960	2,099 Therms
National Median Energy Use:							
Site Energy Use:	581.4	559.8	603.3	682.7	664.9	690.7	722.6 kBTU
Site EUI:	64.8	62.4	67.2	76.1	74.1	77.0	80.5 kBTU/ft2
% Difference from National Median:							
Site EUI:	-16.9%	-27.0%	-40.5%	-46.4%	-52.1%	-56.6%	-50.1%
Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):							
Direct Emissions:	12.9	9.9	9.9	12.4	10.9	10.7	12.9
Indirect Emissions:	27.5	26.9	15.0	12.6	9.1	8.4	9.9
Total Emissions:	40.4	36.8	24.9	25.0	20.0	19.1	22.8
National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):							
Total Emissions:	48.6	50.4	41.9	46.7	41.7	44.0	45.8
Adjusted Energy Based on Current Year:							
Site Energy Use:	506.6	426.8	368.2	372.3	335.1	311.4	360.3 kBTU
Site EUI:	56.4	47.6	41.0	41.5	37.3	34.7	40.2 kBTU/ft2
% Difference Adjusted Site Energy Use							
2014 to Baseline	-15.74%			Note: N/A has meanings as follows:			
2017 to Baseline	-27.32%			Energy Star Score: Not available for this type of property			
2019 to Baseline	-26.50%			Adjusted Energy Use: Not available for this property			
2020 to Baseline	-33.85%			Most other data: Not available due to insufficient or missing data			
2021 to Baseline	-38.53%						
Current to Baseline	-28.87%						
2021 to 2022	15.72%						