

STATEMENT OF ENERGY PERFORMANCE

DMA-Billings MIRF
5043 Neibauer Lane
Billings MT 59107

Date: 8/24/2021
Year Built: 1988
Parent: N/A

	Baseline:	2012	2015	2017	2018	2019	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2015	12/31/2017	12/31/2018	12/31/2019	12/31/2020
Energy Star Score:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Gross Floor Area:	6,865	6,865	6,865	6,865	6,865	6,865	6,865 Sq. Ft.
Heating Degree Days	6634	6093	6079	6901	7387	7662	6596
Cooling Degree Days	841	945	723	844	517	748	702
Reported Annual Energy Use:							
Site Energy Use:	346.4	66.4	25.0	247.1	182.6	234.4	181.1 MBTU
Site EUI:	50,456	9,677	3,648	35,987	26,600	34,140	26,378 BTU/ft2
Electricity:	8,929	4,200	3,320	7,480	5,320	5,000	5,360 kWh
Max Electric Demand:	14.4	5.9	8.0	6.7	7.6	7.8	7.8 kW
Natural Gas:	3,159	521	137	2,215	1,645	2,173	1,628 Therms
Reported Annual Energy Cost:							
Electricity Cost:	\$1,660	\$1,436	\$1,051	\$1,199	\$666	\$766	\$992
Electric Demand Cost:	\$794	\$618	\$495	\$633	\$639	\$697	\$686
Natural Gas Cost:	\$2,376	\$576	\$408	\$1,717	\$1,327	\$1,644	\$1,288
Total Energy Cost:	\$4,036	\$2,012	\$1,460	\$2,916	\$1,993	\$2,410	\$2,280
Energy Cost/ft2	\$0.588	\$0.293	\$0.213	\$0.425	\$0.290	\$0.351	\$0.332
Weather Normalized Energy Use:							
Site Energy Use:	346.4	76.4	25.0	228.7	167.3	193.8	186.2 MBTU
Site EUI:	50,456	11,126	3,648	33,313	24,377	28,231	27,128 BTU/ft2
Electricity:	8,929	4,200	3,320	7,480	5,320	5,000	5,360 kWh
Natural Gas:	3,159	621	137	2,032	1,492	1,767	1,679 Therms
National Median Energy Use:							
Site Energy Use:	509.1	429.3	332.8	497.9	500.7	520.5	499.6 MBTU
Site EUI:	74,151	62,538	48,479	72,533	72,938	75,823	72,773 BTU/ft2
% Difference from National Median:							
Site EUI:	-31.96%	-84.53%	-92.47%	-50.39%	-63.53%	-54.97%	-63.75%
Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):							
Direct Emissions:	16.8	2.8	0.7	11.8	8.7	11.5	8.6
Indirect Emissions:	2.6	1.5	1.0	2.2	1.6	1.5	1.6
Total Emissions:	19.4	4.0	1.7	13.9	10.3	13.0	10.2
National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):							
Total Emissions:	28.5	25.8	22.6	28.1	28.2	28.9	28.2
Adjusted Energy Based on Current Year:							
Site Energy Use:	N/A	N/A	N/A	N/A	N/A	N/A	N/A MBTU
Site EUI:	N/A	N/A	N/A	N/A	N/A	N/A	N/A BTU/ft2
% Difference Adjusted Site Energy Use							
2012 to Baseline	N/A	Note: N/A has meanings as follows:					
2015 to Baseline	N/A	Energy Star Score: Not available for this type of property					
2017 to Baseline	N/A	Adjusted Energy Use: Not available for this property					
2018 to Baseline	N/A	Most other data: Not available due to insufficient or missing data					
2019 to Baseline	N/A						
Current to Baseline	N/A						
2019 to 2020	N/A						