

STATEMENT OF ENERGY PERFORMANCE

DOC Training Center
 442 Golf Course Rd
 Deer Lodge MT 59722

Date: 8/24/2021
 Year Built: 1963
 Parent: N/A

	Baseline:	2012	2015	2017	2018	2019	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2015	12/31/2017	12/31/2018	12/31/2019	2/29/2020
Energy Star Score:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Gross Floor Area:	8,691	8,691	8,691	8,691	8,691	8,691	8,691 Sq. Ft.
Heating Degree Days	6778	7046	6715	7862	7820	8591	7768
Cooling Degree Days	730	517	551	731	432	398	398

Reported Annual Energy Use:

Site Energy Use:	747.6	743.8	640.1	662.2	698.0	772.9	734.2 MBTU
Site EUI:	86,018	85,577	73,654	76,194	80,314	88,935	84,482 BTU/ft2
Electricity:	24,314	35,117	34,418	36,724	32,535	32,082	29,749 kWh
Max Electric Demand:	14.0	16.0	13.8	14.4	14.2	10.6	10.6 kW
Natural Gas:	6,646	6,239	5,227	5,369	5,870	6,635	6,327 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$2,772	\$3,991	\$4,247	\$4,281	\$3,735	\$3,691	\$3,459
Electric Demand Cost:	\$1,151	\$1,414	\$1,374	\$1,348	\$1,112	\$1,090	\$1,022
Natural Gas Cost:	\$7,086	\$5,204	\$4,171	\$4,108	\$4,234	\$4,585	\$4,393
Total Energy Cost:	\$9,858	\$9,195	\$8,418	\$8,389	\$7,969	\$8,277	\$7,852
Energy Cost/ft2	\$1.134	\$1.058	\$0.969	\$0.965	\$0.917	\$0.952	\$0.903

Weather Normalized Energy Use:

Site Energy Use:	815.0	784.7	690.1	661.9	680.1	716.6	724.5 MBTU
Site EUI:	93,772	90,285	79,401	76,164	78,258	82,457	83,366 BTU/ft2
Electricity:	25,468	35,661	35,409	36,724	32,360	32,082	29,749 kWh
Natural Gas:	7,281	6,630	5,693	5,366	5,697	6,072	6,230 Therms

National Median Energy Use:

Site Energy Use:	770.8	720.1	699.5	694.4	722.0	739.0	742.3 MBTU
Site EUI:	88,693	82,851	80,487	79,899	83,076	85,027	85,416 BTU/ft2

% Difference from National Median:

Site EUI:	-3.02%	3.29%	-8.49%	-4.64%	-3.33%	4.60%	-1.09%
-----------	--------	-------	--------	--------	--------	-------	--------

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	35.3	33.1	27.8	28.5	31.2	35.2	33.6
Indirect Emissions:	7.1	11.6	10.0	10.7	9.5	9.4	8.7
Total Emissions:	42.4	43.4	37.8	39.2	40.7	44.6	42.3

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	43.7	42.0	41.3	41.1	42.1	42.6	42.8
------------------	------	------	------	------	------	------	------

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	N/A	N/A	N/A MBTU
Site EUI:	N/A	N/A	N/A	N/A	N/A	N/A	N/A BTU/ft2

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2015 to Baseline	N/A
2017 to Baseline	N/A
2018 to Baseline	N/A
2019 to Baseline	N/A
Current to Baseline	N/A
2019 to 2020	N/A

Note: N/A has meanings as follows:

Energy Star Score: Not available for this type of property

Adjusted Energy Use: Not available for this property

Most other data: Not available due to insufficient or missing data