

STATEMENT OF ENERGY PERFORMANCE

Warm Springs Pumphouse
 58 Garnet Way
 Warm Springs MT 59756

Date: 8/24/2021
 Year Built: 1957
 Parent: Warm Springs State Hospital

	Baseline:	2012	2015	2017	2018	2019	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2015	12/31/2017	12/31/2018	12/31/2019	3/31/2020
Energy Star Score:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Gross Floor Area:	240	240	240	240	240	240	240 Sq. Ft.
Heating Degree Days	6778	7046	6715	7862	7820	8591	7327
Cooling Degree Days	730	517	551	731	432	398	398

Reported Annual Energy Use:

Site Energy Use:	18.3	68.1	67.7	73.6	78.3	72.6	71.8 MBTU
Site EUI:	76,103	283,709	281,893	306,755	326,071	302,413	299,271 BTU/ft2
Electricity:	N/A	N/A	N/A	N/A	N/A	N/A	N/A kWh
Max Electric Demand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A kW
Natural Gas:	183	681	677	736	783	726	718 Therms

Reported Annual Energy Cost:

Electricity Cost:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Electric Demand Cost:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Natural Gas Cost:	\$379	\$722	\$706	\$689	\$704	\$651	\$642
Total Energy Cost:	\$379	\$722	\$706	\$689	\$704	\$651	\$642
Energy Cost/ft2	\$1.579	\$3.008	\$2.943	\$2.871	\$2.935	\$2.714	\$2.674

Weather Normalized Energy Use:

Site Energy Use:	18.3	72.5	74.9	71.9	76.3	65.4	73.9 MBTU
Site EUI:	76,103	301,915	312,071	299,644	318,035	272,405	307,910 BTU/ft2
Electricity:	N/A	N/A	N/A	N/A	N/A	N/A	N/A kWh
Natural Gas:	183	725	749	719	763	654	739 Therms

National Median Energy Use:

Site Energy Use:	20.4	20.4	20.4	20.4	20.4	20.4	20.4 MBTU
Site EUI:	85,022	85,022	85,022	85,022	85,022	85,022	85,022 BTU/ft2

% Difference from National Median:

Site EUI:	-10.49%	233.69%	231.55%	260.80%	283.52%	255.69%	251.99%
-----------	---------	---------	---------	---------	---------	---------	---------

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	1.0	3.6	3.6	3.9	4.2	3.9	3.8
Indirect Emissions:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total Emissions:	1.0	3.6	3.6	3.9	4.2	3.9	3.8

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	1.1	1.1	1.1	1.1	1.1	1.1	1.1
------------------	-----	-----	-----	-----	-----	-----	-----

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	N/A	N/A	N/A MBTU
Site EUI:	N/A	N/A	N/A	N/A	N/A	N/A	N/A BTU/ft2

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2015 to Baseline	N/A
2017 to Baseline	N/A
2018 to Baseline	N/A
2019 to Baseline	N/A
Current to Baseline	N/A
2019 to 2020	N/A

Note: N/A has meanings as follows:

Energy Star Score: Not available for this type of property

Adjusted Energy Use: Not available for this property

Most other data: Not available due to insufficient or missing data