

STATEMENT OF ENERGY PERFORMANCE

MDT-Seeley Section
 105 Double Arrow Road
 Seeley Lake MT 59868

Date: 8/24/2021
 Year Built: 1996
 Parent: N/A

	Baseline:	2012	2015	2017	2018	2019	Current:
Energy Date:	12/31/2008	12/31/2012	12/31/2015	12/31/2017	12/31/2018	12/31/2019	12/31/2020
Energy Star Score:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Gross Floor Area:	5,336	5,336	5,336	5,336	5,336	5,336	5,336 Sq. Ft.
Heating Degree Days	7632	6992	7000	7738	7416	8111	7235
Cooling Degree Days	367	396	388	528	279	288	337

Reported Annual Energy Use:

Site Energy Use:	49.9	37.8	66.9	68.9	57.6	77.6	71.7 MBTU
Site EUI:	9,346	7,076	12,537	12,920	10,787	14,549	13,431 BTU/ft2
Electricity:	14,616	11,066	19,606	20,205	16,870	22,753	21,004 kWh
Max Electric Demand:	0.0	0.0	0.0	0.0	0.0	0.0	0.0 kW
Natural Gas:	N/A	N/A	N/A	N/A	N/A	N/A	N/A Therms

Reported Annual Energy Cost:

Electricity Cost:	\$1,212	\$1,084	\$1,717	\$1,811	\$1,605	\$2,035	\$1,903
Electric Demand Cost:	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Natural Gas Cost:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total Energy Cost:	\$1,212	\$1,084	\$1,717	\$1,811	\$1,605	\$2,035	\$1,903
Energy Cost/ft2	\$0.227	\$0.203	\$0.322	\$0.339	\$0.301	\$0.381	\$0.357

Weather Normalized Energy Use:

Site Energy Use:	48.4	38.5	67.7	66.2	56.6	70.7	72.4 MBTU
Site EUI:	9,071	7,224	12,693	12,409	10,605	13,248	13,568 BTU/ft2
Electricity:	14,187	11,297	19,851	19,406	16,586	20,719	21,219 kWh
Natural Gas:	N/A	N/A	N/A	N/A	N/A	N/A	N/A Therms

National Median Energy Use:

Site Energy Use:	184.6	184.6	184.6	184.6	184.6	184.6	184.6 MBTU
Site EUI:	34,603	34,603	34,603	34,603	34,603	34,603	34,603 BTU/ft2

% Difference from National Median:

Site EUI:	-72.99%	-79.55%	-63.77%	-62.66%	-68.83%	-57.96%	-61.19%
-----------	---------	---------	---------	---------	---------	---------	---------

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Indirect Emissions:	4.3	4.4	5.7	5.9	4.9	6.6	6.1
Total Emissions:	4.3	3.2	5.7	5.9	4.9	6.6	6.1

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	15.8	15.8	15.8	15.8	15.8	15.8	15.8
------------------	------	------	------	------	------	------	------

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	N/A	N/A	N/A MBTU
Site EUI:	N/A	N/A	N/A	N/A	N/A	N/A	N/A BTU/ft2

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2015 to Baseline	N/A
2017 to Baseline	N/A
2018 to Baseline	N/A
2019 to Baseline	N/A
Current to Baseline	N/A
2019 to 2020	N/A

Note: N/A has meanings as follows:

Energy Star Score: Not available for this type of property

Adjusted Energy Use: Not available for this property

Most other data: Not available due to insufficient or missing data