

STATEMENT OF ENERGY PERFORMANCE

MLEA School/Administration
2260 Sierra Road East
Helena, MT 59602

Date: 11/27/2023
Year Built: 1920
Parent: MT Law Enforcement Academy

	Baseline:	2014	2017	2019	2020	2021	Current:
Energy Date:	12/31/2007	12/31/2014	12/31/2017	12/31/2019	12/31/2020	12/31/2021	12/31/2022
Energy Star Score:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Gross Floor Area:	12,770	12,770	12,770	12,770	12,770	12,770	12,770 Sq. Ft.
Heating Degree Days	6778	7428	7862	8591	6940	6908	7804
Cooling Degree Days	730	469	731	398	506	792	720
Reported Annual Energy Use:							
Site Energy Use:	876.0	891.1	942.0	1030.8	882.1	896.7	1013.7 MBTU
Site EUI:	68.6	69.8	73.8	80.7	69.1	70.2	79.4 kBTU/ft2
Electricity:	N/A	N/A	N/A	N/A	N/A	N/A	N/A kWh
Max Electric Demand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A kW
Natural Gas:	8,760	8,911	9,420	10,308	8,821	8,967	10,137 Therms
Reported Annual Energy Cost:							
Electricity Cost:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Electric Demand Cost:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Natural Gas Cost:	\$9,221	\$7,981	\$6,920	\$6,883	\$6,039	\$7,625	\$9,551
Total Energy Cost:	\$9,221	\$7,981	\$6,920	\$6,883	\$6,039	\$7,625	\$9,551
Energy Cost/ft2	\$0.72	\$0.62	\$0.54	\$0.54	\$0.47	\$0.60	\$0.75
Weather Normalized Energy Use:							
Site Energy Use:	969.0	898.2	919.7	920.7	952.4	975.0	1002.7 MBTU
Site EUI:	75.9	70.3	72.0	72.1	74.6	76.3	78.5 kBTU/ft2
Electricity:	N/A	N/A	N/A	N/A	N/A	N/A	N/A kWh
Natural Gas:	9,691	8,982	9,197	9,207	9,524	9,750	10,027 Therms
National Median Energy Use:							
Site Energy Use:	1342.1	1342.1	1342.1	1342.1	1342.1	1342.1	1342.1 kBTU
Site EUI:	105.1	105.1	105.1	105.1	105.1	105.1	105.1 kBTU/ft2
% Difference from National Median:							
Site EUI:	-34.7%	-33.6%	-29.8%	-23.2%	-34.3%	-33.2%	-24.5%
Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):							
Direct Emissions:	46.5	47.3	50.0	54.7	46.9	47.6	53.8
Indirect Emissions:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total Emissions:	46.5	47.3	50.0	54.7	46.9	47.6	53.8
National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):							
Total Emissions:	71.2	71.3	71.3	71.3	71.3	71.3	71.3
Adjusted Energy Based on Current Year:							
Site Energy Use:	N/A	N/A	N/A	N/A	N/A	N/A	N/A kBTU
Site EUI:	N/A	N/A	N/A	N/A	N/A	N/A	N/A kBTU/ft2
% Difference Adjusted Site Energy Use							
2014 to Baseline	N/A	Note: N/A has meanings as follows: Energy Star Score: Not available for this type of property Adjusted Energy Use: Not available for this property Most other data: Not available due to insufficient or missing data					
2017 to Baseline	N/A						
2019 to Baseline	N/A						
2020 to Baseline	N/A						
2021 to Baseline	N/A						
Current to Baseline	N/A						
2021 to 2022	N/A						