

**Facility Summary in Cascade County in the City of Belt**

**Location:** BELT PUBLIC SCHOOLS DIST 29 UST  
 1 Church St  
 Belt, MT 59412 Cascade

System Facility ID:07-04613

**Facility Code:** 18537  
**Last Inspected On:** 05/05/2023  
**Operating Permit Renewal Date:** 08/04/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** School Dist 29 Belt (406) 277-3351

**Operator Contact:** Joe Gaylord jgaylord@beltschool.com

**Owner/Operator:** School Dist 29 Belt (406) 277-3351

April Wells, UST Class B Operator  
 Joe Gaylord, UST Class A Operator

awells@beltschool.com  
 jgaylord@beltschool.com

|                    |                  |                           |            |                                 |            |                                      |                              |                                 |                                    |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | S3               | <b>Tank Age</b>           | 38         | <b>Tank Installed Date</b>      | 10/01/1988 | <b>Tank Material</b>                 | Cathodically Protected Steel | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Positive Shutoff |
| <b>Tag Number</b>  | 422              | <b>Spill Test Date</b>    | 04/21/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                              | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                 | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Galvanic         |
| <b>Product</b>     | Heating Oil      | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 05/05/2023 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2   | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 05/05/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                              | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 04/21/2022 |                                 |            | <b>ATG Type</b>                      | Incon/TS-1000                |                                 |                                    |                       |                  |

**Facility Summary in Cascade County in the City of Belt**

**Location:** BELT VALLEY GROCERY  
65 Castner St  
Belt, MT 59412 Cascade

System Facility ID:07-13653

**Facility Code:** 19054  
**Last Inspected On:** 08/06/2025  
**Operating Permit Renewal Date:** 11/29/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Harry L Throckmorton

**(406) 277-3523**

**Operator Contact:** Reed Throckmorton

**rthrock77@gmail.com**

**Owner/Operator:** Harry L Throckmorton

**(406) 277-3523**

Reed Throckmorton, UST Class A Operator

rthrock77@gmail.com

Reed Throckmorton, UST Class B Operator

rthrock77@gmail.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 31         | <b>Tank Installed Date</b>      | 10/01/1995 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 4468             | <b>Spill Test Date</b>    | 08/06/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 08/06/2025 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 08/06/2025 | <b>Line Tightness Test Date</b> | 08/06/2025 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 08/06/2025 |                                 |            | <b>ATG Type</b>                      | OPW/EECO 1500                 |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 31         | <b>Tank Installed Date</b>      | 10/01/1995 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 4469             | <b>Spill Test Date</b>    | 08/06/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 08/06/2025 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 08/06/2025 | <b>Line Tightness Test Date</b> | 08/06/2025 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 08/06/2025 |                                 |            | <b>ATG Type</b>                      | OPW/EECO 1500                 |                                 |                                    |                       |                |

**Facility Summary in Cascade County in the City of Belt**

**Location:** MALMSTROM AFB A 10  
US Hwy 87/89  
Belt, MT 59412 Cascade

System Facility ID:07-08984

**Facility Code:** 18745  
**Last Inspected On:** 06/13/2024  
**Operating Permit Renewal Date:** 10/07/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 115              | <b>Spill Test Date</b>    | 05/08/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/08/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/08/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Belt**

**Location:** MALMSTROM AFB A 11  
 US Hwy 87/89  
 Belt, MT 59412 Cascade

System Facility ID:07-08985

**Facility Code:** 18746  
**Last Inspected On:** 06/13/2024  
**Operating Permit Renewal Date:** 09/25/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 116              | <b>Spill Test Date</b>    | 07/17/2020 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/03/2022 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/03/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Belt**

**Location:** MALMSTROM AFB A 2  
 US Hwy 87/89  
 Belt, MT 59412 Cascade

System Facility ID:07-08976

**Facility Code:** 18739  
**Last Inspected On:** 06/13/2024  
**Operating Permit Renewal Date:** 10/07/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;James Leigland;William Smith (406) 731-6239;(406) 731-7128;(406) 899-3635 candace.ellsworth@us.af.mil;jim@leigland.com;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

- |  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| James Leigland, UST Class A Operator           | jim@leigland.com            |
| James Leigland, UST Class B Operator           | jim@leigland.com            |
| Mark Johnson, UST Class B Global Operator      |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 06/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 109              | <b>Spill Test Date</b>    | 07/17/2020 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/05/2022 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/05/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Black Eagle**

**Location:** BLACK EAGLE SERVICE CENTER  
1501 N River Rd  
Black Eagle, MT 59414 Cascade

System Facility ID:07-01190

**Facility Code:** 18380  
**Last Inspected On:** 07/30/2025  
**Operating Permit Renewal Date:** 01/28/2029

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Eric Larson;Northwestern Energy Butte;Northwestern Energy Butte (406) 565-6871;(406) 655-2521;(406) 655-2521 eric.larson@northwestern.com;eric.larson@northwestern.com;eric.larson@northwestern.com

**Operator Contact:** Jeremy Salle jeremy.salle@northwestern.com

**Owner/Operator:** Eric Larson,Northwestern Energy Butte (406) 565-6871 eric.larson@northwestern.com

**Owner/Operator:** Northwestern Energy Butte (406) 565-6871 eric.larson@northwestern.com

Cody Liles, UST Class B Operator codyliles99@gmail.com  
Colton Coffing, UST Class B Operator eric.larson@northwestern.com  
Jeremy Salle, UST Class A Operator jeremy.salle@northwestern.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 12/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1676             | <b>Spill Test Date</b>    | 08/19/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                  | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 05/16/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 2086             | <b>ATG Test Date</b>      | 05/16/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 05/16/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300           |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 12/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1677             | <b>Spill Test Date</b>    | 05/16/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                  | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 2086             | <b>ATG Test Date</b>      | 05/16/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 05/16/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300           |                                 |                               |                       |                  |

**Facility Summary in Cascade County in the City of Black Eagle**

**Location:** MOUNTAIN VIEW CO-OP  
1105 Smelter Ave NE  
Black Eagle, MT 59414 Cascade

System Facility ID:60-15312

**Facility Code:** 31011  
**Last Inspected On:** 03/17/2025  
**Operating Permit Renewal Date:** 03/19/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Mountain View Coop Black Eagle

ddouglas@mountainviewcoop.com

**Operator Contact:** David Douglas

ddouglas@mountainviewcoop.com

**Owner/Operator:** Mountain View Coop Black Eagle

ddouglas@mountainviewcoop.com

David Douglas, UST Class A Operator  
David Douglas, UST Class B Global Operator  
Foster Sensibaugh, UST Class B Global Operator

ddouglas@mountainviewcoop.com  
ddouglas@mountainviewcoop.com  
fsensibaugh@mountainviewcoop.com

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 10/10/2017 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5773             | <b>Spill Test Date</b>    | 03/13/2025 | <b>Piping Installed Date</b>    | 09/17/2017 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 01/20/2022 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 30000            | <b>ATG Test Date</b>      | 03/13/2025 | <b>Line Tightness Test Date</b> | 06/01/2018 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 03/13/2025 |                                 |            | <b>ATG Type</b>                      | Incon/TS-5000 EVO                  |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 10/10/2017 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5774             | <b>Spill Test Date</b>    | 03/13/2025 | <b>Piping Installed Date</b>    | 09/17/2017 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 01/20/2022 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 03/13/2025 | <b>Line Tightness Test Date</b> | 06/01/2018 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |

|                    |                     |                           |            |                                 |            |                                      |   |                                 |   |                       |                                |
|--------------------|---------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|---|-----------------------|--------------------------------|
|                    |                     | <b>Overfill Test Date</b> | 03/13/2025 |                                 |            | <b>ATG Type</b>                      | Incon/TS-5000 EVO   |                                 |   |                       |                                |
| <b>Tank Code</b>   | 03                  | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 10/10/2017 | <b>Tank Material</b>                 | Steel Clad  | <b>Piping Material</b>          | Flexible Plastic                              | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5775                | <b>Spill Test Date</b>    | 03/13/2025 | <b>Piping Installed Date</b>    | 09/17/2017 | <b>Tank Construction</b>             | Double-Walled   | <b>Piping Construction</b>      | Double Walled                                 | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 01/20/2022 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                                 | <b>Piping Type</b>              | Pressurized                                   | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel              | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring                            | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring            | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 10000               | <b>ATG Test Date</b>      | 03/13/2025 | <b>Line Tightness Test Date</b> | 06/01/2018 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | ELLD 0.2                                      | <b>Energy Act</b>     | Yes                            |
|                    |                     | <b>Overfill Test Date</b> | 03/13/2025 |                                 |            | <b>ATG Type</b>                      | Incon/TS-5000 EVO   |                                 |   |                       |                                |
| <b>Tank Code</b>   | 04                  | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 10/10/2017 | <b>Tank Material</b>                 | Steel Clad  | <b>Piping Material</b>          | Flexible Plastic                              | <b>Overfill Types</b> | Positive Shutoff               |
| <b>Tag Number</b>  | 5776                | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    | 09/17/2017 | <b>Tank Construction</b>             | Double-Walled   | <b>Piping Construction</b>      | Double Walled                                 | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Other               | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                                 | <b>Piping Type</b>              | Pressurized                                   | <b>CP Met Types</b>   |                                |
| <b>Product</b>     | DEF (Not Regulated) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | ELLD Line Tightness Testing;Not Listed        | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 5000                | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring;Not Listed | <b>Energy Act</b>     | Yes                            |
|                    |                     | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Incon/TS-550 EVO  |                                 |   |                       |                                |
| <b>Tank Code</b>   | 05                  | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 10/10/2017 | <b>Tank Material</b>                 | Steel Clad  | <b>Piping Material</b>          | Flexible Plastic                              | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5777                | <b>Spill Test Date</b>    | 03/13/2025 | <b>Piping Installed Date</b>    | 09/17/2017 | <b>Tank Construction</b>             | Double-Walled   | <b>Piping Construction</b>      | Double Walled                                 | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 01/20/2022 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                                 | <b>Piping Type</b>              | Pressurized                                   | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel              | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring                            | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring            | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 12000               | <b>ATG Test Date</b>      | 03/13/2025 | <b>Line Tightness Test Date</b> | 06/01/2018 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | ELLD 0.2                                      | <b>Energy Act</b>     | Yes                            |
|                    |                     | <b>Overfill Test Date</b> | 03/13/2025 |                                 |            | <b>ATG Type</b>                      | Incon/TS-5000 EVO   |                                 |   |                       |                                |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 10/10/2017 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5778             | <b>Spill Test Date</b>    | 03/13/2025 | <b>Piping Installed Date</b>    | 09/17/2017 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 01/20/2022 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 03/13/2025 | <b>Line Tightness Test Date</b> | 06/01/2018 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 03/13/2025 |                                 |            | <b>ATG Type</b>                      | Incon/TS-5000 EVO                  |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 10/10/2017 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5779             | <b>Spill Test Date</b>    | 03/13/2025 | <b>Piping Installed Date</b>    | 09/17/2017 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 01/20/2022 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 03/13/2025 | <b>Line Tightness Test Date</b> | 06/01/2018 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 03/13/2025 |                                 |            | <b>ATG Type</b>                      | Incon/TS-5000 EVO                  |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Black Eagle**

**Location:** MOUNTAIN VIEW COOP BLACK EAGLE  
2200 Old Havre Hwy  
Black Eagle, MT 59414-1043 Cascade

System Facility ID:07-04232

**Facility Code:** 18509  
**Last Inspected On:** 07/22/2025  
**Operating Permit Renewal Date:** 08/04/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Mountain View Coop Black Eagle

**ddouglas@mountainviewcoop.com**

**Operator Contact:** William (Ralph) Floyd;Mountain View Coop Great Falls

**(406) 401-6025**

**rfloyd@mvc.ag**

**Owner/Operator:** Mountain View Coop Black Eagle

**ddouglas@mountainviewcoop.com**

William (Ralph) Floyd, UST Class A Operator

**rfloyd@mvc.ag**

William (Ralph) Floyd, UST Class B Operator

**rfloyd@mvc.ag**

|                    |                  |                           |            |                                 |            |                                      |   |                                 |           |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-----------|-----------------------|------------------|
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 12/02/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | No Piping | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1015             | <b>Spill Test Date</b>    | 05/12/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              |           | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   |           | <b>Vapor Recovery</b> | Yes              |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 07/22/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |           | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/22/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |           |                       |                  |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 12/02/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | No Piping | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1016             | <b>Spill Test Date</b>    | 07/22/2025 | <b>Piping Installed Date</b>    | 09/19/2007 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              |           | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel, Dyed     | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   |           | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 07/22/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |           | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/22/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |           |                       |                  |
| <b>Tank Code</b>   | 09               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 12/02/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | No Piping | <b>Overfill Types</b> | High Level Alarm |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |             |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------|-----------------------|------------------|
| <b>Tag Number</b>  | 1017             | <b>Spill Test Date</b>    | 05/12/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              |             | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   |             | <b>Vapor Recovery</b> | Yes              |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 07/22/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |             | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/22/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |             |                       |                  |
| <b>Tank Code</b>   | 10               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 12/02/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | No Piping   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1018             | <b>Spill Test Date</b>    | 07/22/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              |             | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel, Dyed     | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   |             | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 07/22/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |             | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/22/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |             |                       |                  |
| <b>Tank Code</b>   | 11               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 12/02/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | No Piping   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1019             | <b>Spill Test Date</b>    | 05/12/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              | Pressurized | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   |             | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 07/22/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |             | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/22/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |             |                       |                  |
| <b>Tank Code</b>   | 12               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 12/02/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | No Piping   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1020             | <b>Spill Test Date</b>    | 05/12/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              | Pressurized | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   |             | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 07/22/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |             | <b>Energy Act</b>     | No               |

|  |  |                           |            |  |  |                 |  |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|--|--|--|--|--|
|  |  | <b>Overfill Test Date</b> | 07/22/2025 |  |  | <b>ATG Type</b> | Gilbarco-Veeder<br>Root/TLS-<br>350/Gilbarco EMC |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|--|--|--|--|--|

## Facility Summary in Cascade County in the City of Black Eagle

**Location:** MOUNTAIN VIEW COOP GREAT FALLS  
1000 Smelter Ave NE  
Black Eagle, MT 59414-1018 Cascade

System Facility ID:07-00004

**Facility Code:** 18320  
**Last Inspected On:** 09/29/2023  
**Operating Permit Renewal Date:** 09/29/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Mountain View Coop Black Eagle

ddouglas@mountainviewcoop.com

**Operator Contact:** David Douglas;Kila Moore

(406) 453-5900

ddouglas@mountainviewcoop.com

**Owner/Operator:** Mountain View Coop Black Eagle

ddouglas@mountainviewcoop.com

David Douglas, UST Class A Operator

ddouglas@mountainviewcoop.com

David Douglas, UST Class B Global Operator

ddouglas@mountainviewcoop.com

Gary Boysun, UST Class B Operator

Jasmin Nguyen, UST Class B Global Operator

jasmin\_nguyen5@hotmail.com

Jasmin Nguyen, UST Class B Operator

jasmin\_nguyen5@hotmail.com

John Malley, UST Class B Operator

jmalley@mountainviewcoop.com

Kila Moore, UST Class A Operator

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 14               | <b>Tank Age</b>           | 4          | <b>Tank Installed Date</b>      | 07/23/2022 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 6115             | <b>Spill Test Date</b>    | 08/10/2022 | <b>Piping Installed Date</b>    | 07/23/2022 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |               |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | Yes           |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 02/23/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | Yes           |
|                    |                  | <b>Overfill Test Date</b> | 08/07/2022 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |               |
| <b>Tank Code</b>   | 15               | <b>Tank Age</b>           | 4          | <b>Tank Installed Date</b>      | 07/23/2022 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 6116             | <b>Spill Test Date</b>    | 08/10/2022 | <b>Piping Installed Date</b>    | 07/23/2022 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |               |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes           |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|---------------|
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 02/23/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes           |
|                    |                  | <b>Overfill Test Date</b> | 08/07/2022 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |               |
| <b>Tank Code</b>   | 16               | <b>Tank Age</b>           | 4          | <b>Tank Installed Date</b>      | 07/23/2022 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 6117             | <b>Spill Test Date</b>    | 08/10/2022 | <b>Piping Installed Date</b>    | 07/23/2022 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |               |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes           |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 02/23/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes           |
|                    |                  | <b>Overfill Test Date</b> | 08/07/2022 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |               |
| <b>Tank Code</b>   | 17               | <b>Tank Age</b>           | 4          | <b>Tank Installed Date</b>      | 07/23/2022 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 6118             | <b>Spill Test Date</b>    | 08/10/2022 | <b>Piping Installed Date</b>    | 07/23/2022 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |               |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes           |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 02/23/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes           |
|                    |                  | <b>Overfill Test Date</b> | 08/07/2022 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |               |
| <b>Tank Code</b>   | 18               | <b>Tank Age</b>           | 4          | <b>Tank Installed Date</b>      | 07/23/2022 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 6119             | <b>Spill Test Date</b>    | 08/10/2022 | <b>Piping Installed Date</b>    | 07/23/2022 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |               |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 02/23/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes           |
|                    |                  | <b>Overfill Test Date</b> | 08/07/2022 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |               |
| <b>Tank Code</b>   | 19               | <b>Tank Age</b>           | 4          | <b>Tank Installed Date</b>      | 07/23/2022 | <b>Tank Material</b>                 | Steel Clad                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 6120             | <b>Spill Test Date</b>    | 08/10/2022 | <b>Piping Installed Date</b>    | 07/23/2022 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |               |

|                 |              |                           |            |                                 |  |                                      |                                    |                                 |                                    |                       |     |
|-----------------|--------------|---------------------------|------------|---------------------------------|--|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|-----|
| <b>Product</b>  | Diesel, Dyed | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |  | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No  |
| <b>Capacity</b> | 8000         | <b>ATG Test Date</b>      | 02/23/2023 | <b>Line Tightness Test Date</b> |  | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes |
|                 |              | <b>Overfill Test Date</b> | 08/07/2022 |                                 |  | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |     |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** 468 MARKET  
130 1st St N  
Cascade, MT 59421-8353 Cascade

System Facility ID:07-04148

**Facility Code:** 18505  
**Last Inspected On:** 07/18/2025  
**Operating Permit Renewal Date:** 09/20/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** DTK Foods Inc

468market@468market.com

**Operator Contact:** Irene Strandell;Wesley Seabolt

(406) 468-2252;(406) 781-2060

strandellhouse@prodigy.net;wes492@yahoo.com

**Owner/Operator:** DTK Foods Inc

468market@468market.com

Irene Strandell, UST Class A Operator  
Irene Strandell, UST Class B Operator  
Wesley Seabolt, UST Class A Operator  
Wesley Seabolt, UST Class B Global Operator

strandellhouse@prodigy.net  
strandellhouse@prodigy.net  
wes492@yahoo.com  
wes492@yahoo.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 05/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1490             | <b>Spill Test Date</b>    | 11/03/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 05/06/2025 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 03/19/2026 | <b>Line Tightness Test Date</b> | 05/06/2025 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 04/02/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco/EMC Basic            |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 05/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1491             | <b>Spill Test Date</b>    | 11/03/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 05/06/2025 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 03/19/2026 | <b>Line Tightness Test Date</b> | 05/06/2025 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 04/02/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco/EMC Basic            |                                 |                                    |                       |                  |

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 05/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1492             | <b>Spill Test Date</b>    | 11/03/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 05/06/2025 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel, Dyed     | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 5000             | <b>ATG Test Date</b>      | 03/19/2026 | <b>Line Tightness Test Date</b> | 05/06/2025 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 04/02/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco/EMC Basic            |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 05/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1493             | <b>Spill Test Date</b>    | 11/03/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 05/06/2025 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 03/19/2026 | <b>Line Tightness Test Date</b> | 05/06/2025 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 04/02/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco/EMC Basic            |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 05/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1494             | <b>Spill Test Date</b>    | 04/02/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 05/06/2025 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 5000             | <b>ATG Test Date</b>      | 03/19/2026 | <b>Line Tightness Test Date</b> | 05/06/2025 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 04/02/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco/EMC Basic            |                                 |                                    |                       |                  |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** MALMSTROM AFB G 3  
I-15  
Cascade, MT 59421 Cascade

System Facility ID:07-09043

**Facility Code:** 18748  
**Last Inspected On:** 04/18/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 06/21/1989 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 118              | <b>Spill Test Date</b>    | 04/18/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/18/2024 | <b>Line Tightness Test Date</b> | 06/25/2020 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/18/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** MALMSTROM AFB G 4  
I-15  
Cascade, MT 59421 Cascade

System Facility ID:07-09044

**Facility Code:** 18749  
**Last Inspected On:** 04/18/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 119              | <b>Spill Test Date</b>    | 04/18/2024 | <b>Piping Installed Date</b>    | 11/16/2016 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/18/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/18/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** MALMSTROM AFB G 5  
I-15  
Cascade, MT 59421 Cascade

System Facility ID:07-09045

**Facility Code:** 18750  
**Last Inspected On:** 04/18/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 120              | <b>Spill Test Date</b>    | 04/18/2024 | <b>Piping Installed Date</b>    | 05/17/2017 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/18/2024 | <b>Line Tightness Test Date</b> | 05/17/2017 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/18/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** MALMSTROM AFB I 1  
Hwy 330  
Cascade, MT 59421 Cascade

System Facility ID:07-09063

**Facility Code:** 18755  
**Last Inspected On:** 05/16/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                  |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|----------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 64         | <b>Tank Installed Date</b>      | 06/02/1962 | <b>Tank Material</b>                 | Cathodically Protected Steel     | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 125              | <b>Spill Test Date</b>    | 05/16/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                      | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Impressed Current              |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 05/13/2021 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 10/24/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/16/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450PLUS |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** MALMSTROM AFB I 3  
Road 330  
Cascade, MT 59421 Cascade

System Facility ID:07-09065

**Facility Code:** 18757  
**Last Inspected On:** 04/19/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 10/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 127              | <b>Spill Test Date</b>    | 04/19/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/19/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/19/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** MALMSTROM AFB I 4  
Road 330  
Cascade, MT 59421 Cascade

System Facility ID:07-09066

**Facility Code:** 18758  
**Last Inspected On:** 04/19/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 10/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 128              | <b>Spill Test Date</b>    | 04/19/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/19/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/19/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** MALMSTROM AFB I 5  
Road 330  
Cascade, MT 59421 Cascade

System Facility ID:07-09067

**Facility Code:** 18759  
**Last Inspected On:** 04/19/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 10/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 129              | <b>Spill Test Date</b>    | 04/19/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/19/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/19/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** MALMSTROM AFB I 6  
I-15  
Cascade, MT 59421 Cascade

System Facility ID:07-09068

**Facility Code:** 18760  
**Last Inspected On:** 04/19/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 130              | <b>Spill Test Date</b>    | 04/19/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/19/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/19/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Cascade**

**Location:** OLSON FARM  
430 Klock Rd  
Cascade, MT 59421-8014 Cascade

System Facility ID:07-04520

**Facility Code:** 18528  
**Last Inspected On:** 01/09/2024  
**Operating Permit Renewal Date:** 03/07/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Cory Olson;Orin Olson (406) 468-2457 cory\_olson@hotmail.com

**Operator Contact:** Cory Olson cory\_olson@hotmail.com

**Owner/Operator:** Cory Olson cory\_olson@hotmail.com

**Owner/Operator:** Orin Olson cory\_olson@hotmail.com

Cory Olson, UST Class A Operator cory\_olson@hotmail.com

Cory Olson, UST Class B Operator cory\_olson@hotmail.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                    |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 04/01/1999 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 4053             | <b>Spill Test Date</b>    | 05/10/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 01/09/2024 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 01/09/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 01/09/2024 | <b>Line Tightness Test Date</b> | 01/09/2024 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 05/10/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |               |

**Facility Summary in Cascade County in the City of Fort Shaw**

**Location:** MALMSTROM AFB H 6  
 MT Hwy 21  
 Fort Shaw, MT 59443 Cascade

System Facility ID:07-09057

**Facility Code:** 18753  
**Last Inspected On:** 04/04/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 09/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 123              | <b>Spill Test Date</b>    | 04/04/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/04/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/04/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Fort Shaw**

**Location:** MALMSTROM AFB I 8  
 MT Hwy 21  
 Fort Shaw, MT 59443 Cascade

System Facility ID:07-10840

**Facility Code:** 18856  
**Last Inspected On:** 04/22/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ

**(406) 731-6188**

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith

**(406) 731-6239;(406) 731-7128**

**candace.ellsworth@us.af.mil;william.smith@us.af.mil**

**Owner/Operator:** 341 CES CEANQ

**(406) 731-6188**

Candace Ellsworth, UST Class A Operator  
 Candace Ellsworth, UST Class B Global Operator  
 Curtis Hester, UST Class A Operator  
 Curtis Hester, UST Class B Global Operator  
 Kyle Topp, UST Class B Operator  
 William Hoffmeister, UST Class B Operator  
 William Smith, UST Class A Operator  
 William Smith, UST Class B Global Operator

candace.ellsworth@us.af.mil  
 candace.ellsworth@us.af.mil  
  
 kyle.topp@us.af.mil  
 william.hoffmeister@malmstrom.af.mil  
 william.smith@us.af.mil  
 william.smith@us.af.mil

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 09/26/1989 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 152              | <b>Spill Test Date</b>    | 04/22/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/22/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/22/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Fort Shaw**

**Location:** MALMSTROM AFB I 9  
 MT Hwy 21  
 Fort Shaw, MT 59443 Cascade

System Facility ID:07-09071

**Facility Code:** 18763  
**Last Inspected On:** 04/22/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 10/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 132              | <b>Spill Test Date</b>    | 04/22/2024 | <b>Piping Installed Date</b>    | 11/16/2016 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/22/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/22/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** 15TH STREET SERVICE  
1501 10th Ave S  
Great Falls, MT 59405-2625 Cascade

System Facility ID:07-07573

**Facility Code:** 18672  
**Last Inspected On:** 12/04/2023  
**Operating Permit Renewal Date:** 03/27/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Gary Maki (406) 453-2070 dgmaki@msn.com

**Operator Contact:** Gary Maki (406) 453-2070 dgmaki@msn.com

**Owner/Operator:** Gary Maki (406) 453-2070 dgmaki@msn.com

Gary Maki, UST Class A Operator

dgmaki@msn.com

Gary Maki, UST Class B Operator

dgmaki@msn.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |             |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 01/16/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Steel       | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3824             | <b>Spill Test Date</b>    | 12/04/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized | <b>CP Met Types</b>   |                                |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 12/04/2023 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2    | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 12/04/2023 | <b>Line Tightness Test Date</b> | 12/13/2011 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |             | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 12/04/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |             |                       |                                |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 01/16/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Steel       | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3825             | <b>Spill Test Date</b>    | 12/04/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized | <b>CP Met Types</b>   |                                |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 12/04/2023 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2    | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 12/04/2023 | <b>Line Tightness Test Date</b> | 12/13/2011 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |             | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 12/04/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |             |                       |                                |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |             |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 01/16/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Steel       | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3826             | <b>Spill Test Date</b>    | 12/04/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized | <b>CP Met Types</b>   |                                |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 12/04/2023 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2    | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 12/04/2023 | <b>Line Tightness Test Date</b> | 12/13/2011 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |             | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 12/04/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |             |                       |                                |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 01/16/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Steel       | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3827             | <b>Spill Test Date</b>    | 12/04/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized | <b>CP Met Types</b>   |                                |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 12/04/2023 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2    | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 12/04/2023 | <b>Line Tightness Test Date</b> | 12/13/2011 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |             | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 12/04/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |             |                       |                                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** BENEFIS HEALTH CARE EAST CAMPUS UST  
1101 26th St S  
Great Falls, MT 59405-5161 Cascade

System Facility ID:07-06552

**Facility Code:** 18631  
**Last Inspected On:** 09/06/2023  
**Operating Permit Renewal Date:** 09/08/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Benefis Healthcare (406) 455-5135

**Operator Contact:** Nicholas Manning;Benefis Healthcare;Paul Carlson;Benefis Healthcare (406) 531-4837;(406) 455-5135;(406) 870-1113;(406) 455-5135 nicholasmanning@benefis.org;paulcarlson@benefis.org

**Owner/Operator:** Benefis Healthcare (406) 455-5135

Nicholas Manning, UST Class A Operator  
Nicholas Manning, UST Class B Operator  
Paul Carlson, UST Class A Operator  
Paul Carlson, UST Class B Operator

nicholasmanning@benefis.org  
nicholasmanning@benefis.org  
paulcarlson@benefis.org  
paulcarlson@benefis.org

|                    |                               |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                                |
|--------------------|-------------------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | S3                            | <b>Tank Age</b>           | 25         | <b>Tank Installed Date</b>      | 03/30/2001 | <b>Tank Material</b>                 | Concrete                      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> |                                |
| <b>Tag Number</b>  | 4584                          | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                 | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | Yes                            |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                   | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |                                |
| <b>Product</b>     | Diesel                        | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 12/12/2005 | <b>Primary Tank Leak Detection</b>   |                               | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 20000                         | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                               | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      |                               |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 04                            | <b>Tank Age</b>           | 18         | <b>Tank Installed Date</b>      | 08/22/2008 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Steel                              | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5190                          | <b>Spill Test Date</b>    | 11/15/2023 | <b>Piping Installed Date</b>    | 06/17/2008 | <b>Tank Construction</b>             | Double-Walled                 | <b>Piping Construction</b>      | None                               | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                  | <b>Piping Type</b>              | Safe Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Jet Fuel (Jet-A, Jet-A1, JP5) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   |                                    | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 2500                          | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                               | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300           |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** BENEFIS HEALTH CARE WEST CAMPUS  
500 15th Ave S  
Great Falls, MT 59405-4304 Cascade

System Facility ID:07-03298

**Facility Code:** 18480  
**Last Inspected On:** 10/02/2023  
**Operating Permit Renewal Date:** 09/08/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Benefis Healthcare (406) 455-5135

**Operator Contact:** Nicholas Manning;Benefis Healthcare;Paul Carlson;Benefis Healthcare (406) 531-4837;(406) 455-5135;(406) 870-1113;(406) 455-5135 nicholasmanning@benefis.org;paulcarlson@benefis.org

**Owner/Operator:** Benefis Healthcare (406) 455-5135

Nicholas Manning, UST Class A Operator  
Nicholas Manning, UST Class B Operator  
Paul Carlson, UST Class A Operator  
Paul Carlson, UST Class B Operator

nicholasmanning@benefis.org  
nicholasmanning@benefis.org  
paulcarlson@benefis.org  
paulcarlson@benefis.org

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 30         | <b>Tank Installed Date</b>      | 07/01/1996 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 3401             | <b>Spill Test Date</b>    | 09/05/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                   | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 2000             | <b>ATG Test Date</b>      | 01/08/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 09/05/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS       |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 05/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 4003             | <b>Spill Test Date</b>    | 09/05/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                   | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 01/08/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 09/05/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS       |                                 |                                    |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** BEST OIL DISTRIBUTING INC  
5401 River Dr N  
Great Falls, MT 59405-1081 Cascade

System Facility ID:07-05852

**Facility Code:** 18596  
**Last Inspected On:** 03/19/2024  
**Operating Permit Renewal Date:** 04/11/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Best Oil Distributing Inc (406) 453-0971

**Operator Contact:** Seth Schimerowski (406) 564-8856 Schimer66@hotmail.com

**Owner/Operator:** Best Oil Distributing Inc (406) 453-0971

Seth Schimerowski, UST Class A Operator Schimer66@hotmail.com  
Seth Schimerowski, UST Class B Operator Schimer66@hotmail.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 45         | <b>Tank Installed Date</b>      | 05/01/1981 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1254             | <b>Spill Test Date</b>    | 10/16/2023 | <b>Piping Installed Date</b>    | 07/27/2007 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 02/22/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 02/22/2024 | <b>Line Tightness Test Date</b> | 06/04/2003 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 02/22/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 45         | <b>Tank Installed Date</b>      | 05/01/1981 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1255             | <b>Spill Test Date</b>    | 10/09/2023 | <b>Piping Installed Date</b>    | 07/27/2007 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 02/22/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 02/22/2024 | <b>Line Tightness Test Date</b> | 05/03/2002 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 02/22/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 45         | <b>Tank Installed Date</b>      | 05/01/1981 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tag Number</b>  | 1256             | <b>Spill Test Date</b>    | 10/09/2023 | <b>Piping Installed Date</b>    | 07/27/2007 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 02/22/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 02/22/2024 | <b>Line Tightness Test Date</b> | 07/01/2001 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 02/22/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 45         | <b>Tank Installed Date</b>      | 05/01/1981 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1257             | <b>Spill Test Date</b>    | 10/09/2023 | <b>Piping Installed Date</b>    | 07/27/2007 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 02/22/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 02/22/2024 | <b>Line Tightness Test Date</b> | 05/29/2003 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 02/22/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 04/01/1998 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1258             | <b>Spill Test Date</b>    | 10/16/2023 | <b>Piping Installed Date</b>    | 07/27/2007 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 02/22/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 02/22/2024 | <b>Line Tightness Test Date</b> | 07/20/2001 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 02/22/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 04/01/1998 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1259             | <b>Spill Test Date</b>    | 10/09/2023 | <b>Piping Installed Date</b>    | 07/27/2007 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 02/22/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 02/22/2024 | <b>Line Tightness Test Date</b> | 09/24/2004 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |

|  |  |                           |            |  |  |                 |  |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|--|--|--|--|--|
|  |  | <b>Overfill Test Date</b> | 02/22/2024 |  |  | <b>ATG Type</b> | Gilbarco-Veeder<br>Root/TLS-<br>350/Gilbarco EMC |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|--|--|--|--|--|

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** BISON FORD  
500 10th Ave S  
Great Falls, MT 59405-4047 Cascade

System Facility ID:07-00077

**Facility Code:** 18324  
**Last Inspected On:** 06/26/2024  
**Operating Permit Renewal Date:** 11/05/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Bison Motors (406) 727-2552

**Operator Contact:** Ryan Christensen

rchristensen@bisonford.com

**Owner/Operator:** Bison Motors (406) 727-2552

Ryan Christensen, UST Class A Operator  
Ryan Christensen, UST Class B Operator

rchristensen@bisonford.com  
rchristensen@bisonford.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                            |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|----------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 38         | <b>Tank Installed Date</b>      | 08/05/1988 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic           | <b>Overfill Types</b> |                |
| <b>Tag Number</b>  | 3908             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled              | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                  | <b>Piping Type</b>              | U.S. Suction               | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Oil, Waste       | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | 3-Year Line Tightness Test | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 3000             | <b>ATG Test Date</b>      | 06/26/2024 | <b>Line Tightness Test Date</b> | 06/26/2024 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                            | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | OPW/Other                     |                                 |                            |                       |                |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 38         | <b>Tank Installed Date</b>      | 08/05/1988 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic           | <b>Overfill Types</b> |                |
| <b>Tag Number</b>  | 4303             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled              | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                  | <b>Piping Type</b>              | U.S. Suction               | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Oil, Waste       | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | 3-Year Line Tightness Test | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 1000             | <b>ATG Test Date</b>      | 06/26/2024 | <b>Line Tightness Test Date</b> | 06/26/2024 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                            | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      |                               |                                 |                            |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** BRAKE TIME 253722  
1225 Central Ave W  
Great Falls, MT 59404-3968 Cascade

System Facility ID:07-05777

**Facility Code:** 18586  
**Last Inspected On:** 01/07/2025  
**Operating Permit Renewal Date:** 03/08/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Central Ave Great falls LLC (832) 539-8190 licensing@btcmstores.com

**Operator Contact:** Chelsey Partridge;Holly Seymour;John Sumowski;Randal Liebnow;Theodore Bezel;Mini Mart Inc dba Loaf 'N Jug Pueblo (267) 799-8664;(406) 750-8563;(513) 964-1568 eglegaldept@eg-america.com;hseymour86@hotmail.com

**Owner/Operator:** Central Ave Great falls LLC (832) 539-8190 licensing@btcmstores.com

- Chelsey Partridge, UST Class A Operator
  - Chelsey Partridge, UST Class B Operator
  - Hiede Richardson, UST Class B Global Operator
  - Holly Seymour, UST Class A Operator
  - Holly Seymour, UST Class B Global Operator
  - John Sumowski, UST Class A Operator
  - Randal Liebnow, UST Class A Operator
  - Randal Liebnow, UST Class B Global Operator
  - Scott Huether, UST Class B Global Operator
  - Stevie Ulstad, UST Class B Operator
  - Theodore Bezel, UST Class A Operator
  - Theodore Bezel, UST Class B Global Operator
  - Theodore Bezel, UST Class B Operator
  - Toni Mullen, UST Class B Global Operator
- hiede.richardson@yahoo.com  
 hseymour86@hotmail.com  
 hseymour86@hotmail.com  
  
 mtscorpion1963@msn.com  
 crazyfroggie2003@yahoo.com  
 eglegaldept@eg-america.com

|                    |                  |                        |            |                                 |            |                                      |                                  |                                 |                                    |                       |                   |
|--------------------|------------------|------------------------|------------|---------------------------------|------------|--------------------------------------|----------------------------------|---------------------------------|------------------------------------|-----------------------|-------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>        | 54         | <b>Tank Installed Date</b>      | 04/26/1972 | <b>Tank Material</b>                 | Cathodically Protected Steel     | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 1630             | <b>Spill Test Date</b> | 08/28/2024 | <b>Piping Installed Date</b>    | 10/19/2016 | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>  |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector    | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>  | 08/28/2024 | <b>Tank/Piping CP Test Date</b> | 04/21/2022 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>   | 08/28/2024 | <b>Line Tightness Test Date</b> | 01/07/2011 | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | No                |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                    |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|-------------------|
|                    |                  | <b>Overfill Test Date</b> | 11/21/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                   |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 54         | <b>Tank Installed Date</b>      | 04/26/1972 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 1631             | <b>Spill Test Date</b>    | 08/28/2024 | <b>Piping Installed Date</b>    | 10/19/2016 | <b>Tank Construction</b>             | Lined Interior/Impressed Current          | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/28/2024 | <b>Tank/Piping CP Test Date</b> | 04/21/2022 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 08/28/2024 | <b>Line Tightness Test Date</b> | 01/07/2011 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 11/21/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                   |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 54         | <b>Tank Installed Date</b>      | 04/26/1972 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 1632             | <b>Spill Test Date</b>    | 08/28/2024 | <b>Piping Installed Date</b>    | 10/19/2016 | <b>Tank Construction</b>             | Lined Interior/Impressed Current          | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/28/2024 | <b>Tank/Piping CP Test Date</b> | 04/21/2022 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 08/28/2024 | <b>Line Tightness Test Date</b> | 01/07/2011 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 11/21/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                   |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** BRAKE TIME 253719  
3726 2nd Ave N  
Great Falls, MT 59401-3010 Cascade

System Facility ID:07-03920

**Facility Code:** 18493  
**Last Inspected On:** 01/07/2025  
**Operating Permit Renewal Date:** 03/06/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 2ND AVE GREAT FALLS MT LLC;Muhammad Akhtar (406) 727-7917;(832) 539-8190 akhatarmuhammad65@gmail.com

**Operator Contact:** Muhammad Akhtar;Theodore Bezel;Mini Mart Inc dba Loaf 'N Jug Pueblo (513) 964-1568;(832) 539-8190 akhatarmuhammad65@gmail.com;eglegaldept@eg-america.com

**Owner/Operator:** 2ND AVE GREAT FALLS MT LLC (406) 727-7917 akhatarmuhammad65@gmail.com

**Owner/Operator:** Muhammad Akhtar (406) 727-7917 akhatarmuhammad65@gmail.com

Muhammad Akhtar, UST Class A Operator  
Theodore Bezel, UST Class A Operator  
Theodore Bezel, UST Class B Global Operator  
Theodore Bezel, UST Class B Operator  
Timothy Osterman, UST Class B Global Operator  
Timothy Osterman, UST Class B Operator

akhatarmuhammad65@gmail.com  
eglegaldept@eg-america.com  
bigoproductions@msn.com  
bigoproductions@msn.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|--------------------------------|-----------------------|-------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 42         | <b>Tank Installed Date</b>      | 03/24/1984 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic               | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 1624             | <b>Spill Test Date</b>    | 12/19/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current          | <b>Piping Construction</b>      | Double Walled                  | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                    | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/05/2024 | <b>Tank/Piping CP Test Date</b> | 03/19/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                       | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 07/25/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Manual Interstitial Monitoring | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 12/19/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                |                       |                   |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 42         | <b>Tank Installed Date</b>      | 03/24/1984 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic               | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 1625             | <b>Spill Test Date</b>    | 12/19/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current          | <b>Piping Construction</b>      | Double Walled                  | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                    | <b>CP Met Types</b>   | Impressed Current |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|--------------------------------|-----------------------|-------------------|
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 08/05/2024 | <b>Tank/Piping CP Test Date</b> | 03/26/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                       | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 07/25/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Manual Interstitial Monitoring | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 12/19/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                |                       |                   |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 42         | <b>Tank Installed Date</b>      | 03/24/1984 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic               | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 1626             | <b>Spill Test Date</b>    | 12/19/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current          | <b>Piping Construction</b>      | Double Walled                  | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                    | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/05/2024 | <b>Tank/Piping CP Test Date</b> | 03/26/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                       | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 07/25/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Manual Interstitial Monitoring | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 12/19/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                |                       |                   |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** BRAKE TIME 253720  
900 1st Ave N  
Great Falls, MT 59401 Cascade

System Facility ID:07-05775

**Facility Code:** 18584  
**Last Inspected On:** 02/10/2025  
**Operating Permit Renewal Date:** 03/06/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 1ST AVE GREAT FALLS MT LLC (832) 539-8190

**Operator Contact:** John Sumowski;Omair Bashir;Randal Liebnow;Theodore Bezel;Mini Mart Inc dba Loaf 'N Jug Pueblo (513) 964-1568;(832) 539-8190 [eglegaldept@eg-america.com](mailto:eglegaldept@eg-america.com);[licensing@btcmstores.com](mailto:licensing@btcmstores.com)

**Owner/Operator:** 1ST AVE GREAT FALLS MT LLC (832) 539-8190

John Sumowski, UST Class A Operator  
Omair Bashir, UST Class A Operator  
Randal Liebnow, UST Class A Operator  
Scott Huether, UST Class B Global Operator  
Stevie Ulstad, UST Class B Global Operator  
Stevie Ulstad, UST Class B Operator  
Theodore Bezel, UST Class A Operator  
Theodore Bezel, UST Class B Global Operator  
Theodore Bezel, UST Class B Operator  
Timothy Osterman, UST Class B Global Operator

[licensing@btcmstores.com](mailto:licensing@btcmstores.com)  
[mtscorpion1963@msn.com](mailto:mtscorpion1963@msn.com)  
[crazyfroggie2003@yahoo.com](mailto:crazyfroggie2003@yahoo.com)  
[crazyfroggie2003@yahoo.com](mailto:crazyfroggie2003@yahoo.com)  
[eglegaldept@eg-america.com](mailto:eglegaldept@eg-america.com)  
[bigoproductions@msn.com](mailto:bigoproductions@msn.com)

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|--------------------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 43         | <b>Tank Installed Date</b>      | 04/27/1983 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic               | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 1627             | <b>Spill Test Date</b>    | 09/29/2024 | <b>Piping Installed Date</b>    | 10/23/1998 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                  | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                    | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 08/05/2024 | <b>Tank/Piping CP Test Date</b> | 01/27/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                       | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 09/29/2024 | <b>Line Tightness Test Date</b> | 08/01/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Manual Interstitial Monitoring | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 09/29/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                |                       |               |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 43         | <b>Tank Installed Date</b>      | 04/27/1983 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic               | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 1628             | <b>Spill Test Date</b>    | 09/29/2024 | <b>Piping Installed Date</b>    | 10/23/1998 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                  | <b>AST</b>            | No            |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|--------------------------------|-----------------------|---------------|
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                    | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/05/2024 | <b>Tank/Piping CP Test Date</b> | 01/27/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                       | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 01/27/2025 | <b>Line Tightness Test Date</b> | 08/01/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Manual Interstitial Monitoring | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 01/27/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                |                       |               |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 43         | <b>Tank Installed Date</b>      | 04/27/1983 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic               | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 1629             | <b>Spill Test Date</b>    | 01/27/2025 | <b>Piping Installed Date</b>    | 10/23/1998 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                  | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                    | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/05/2024 | <b>Tank/Piping CP Test Date</b> | 01/27/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                       | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 01/27/2024 | <b>Line Tightness Test Date</b> | 08/01/2019 | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.1                | <b>Secondary Pipe Detection</b> |                                | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 09/29/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                |                       |               |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** BRAKE TIME 253721  
601 Smelter Ave NW  
Great Falls, MT 59404 Cascade

System Facility ID:07-05776

**Facility Code:** 18585  
**Last Inspected On:** 02/10/2025  
**Operating Permit Renewal Date:** 03/06/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** SMELTER AVE GREAT FALL MT LLC (406) 727-8578 usmanbashir1254@gmail.com

**Operator Contact:** Theodore Bezel;Mini Mart Inc dba Loaf 'N Jug Pueblo (513) 964-1568 elegaldept@eg-america.com

**Owner/Operator:** SMELTER AVE GREAT FALL MT LLC (406) 727-8578 usmanbashir1254@gmail.com

Hiede Richardson, UST Class B Global Operator hiede.richardson@yahoo.com  
 Jennifer Coleman, UST Class B Global Operator  
 Scott Huether, UST Class B Global Operator mtscorpion1963@msn.com  
 Stevie Ulstad, UST Class B Operator crazyfroggie2003@yahoo.com  
 Theodore Bezel, UST Class A Operator elegaldept@eg-america.com  
 Theodore Bezel, UST Class B Global Operator  
 Theodore Bezel, UST Class B Operator  
 Timothy Osterman, UST Class B Global Operator bigoproductions@msn.com  
 Timothy Osterman, UST Class B Operator bigoproductions@msn.com  
 Toni Mullen, UST Class B Global Operator

|                    |                  |                           |            |                                 |            |                                      |   |                                 |  |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|--|-----------------------|---------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 43         | <b>Tank Installed Date</b>      | 04/27/1983 | <b>Tank Material</b>                 | STI - P3                                  | <b>Piping Material</b>          | Fiberglass Reinforced Plastic                | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 3638             | <b>Spill Test Date</b>    | 09/29/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Single Walled                                | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                                  | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 08/05/2024 | <b>Tank/Piping CP Test Date</b> | 01/25/2022 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring; ELLD 0.2 | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 08/05/2024 | <b>Line Tightness Test Date</b> | 11/13/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |  | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 01/27/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |  |                       |               |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 43         | <b>Tank Installed Date</b>      | 04/27/1983 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Fiberglass Reinforced Plastic                | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 3639             | <b>Spill Test Date</b>    | 01/27/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None   | <b>AST</b>            | No            |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |  |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|--|-----------------------|---------------|
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                                  | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 09/29/2024 | <b>Tank/Piping CP Test Date</b> | 01/25/2022 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring; ELLD 0.2 | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 08/05/2024 | <b>Line Tightness Test Date</b> | 11/13/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |  | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 01/27/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |  |                       |               |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 43         | <b>Tank Installed Date</b>      | 04/27/1983 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Fiberglass Reinforced Plastic                | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 3640             | <b>Spill Test Date</b>    | 09/29/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None   | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                                  | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/05/2024 | <b>Tank/Piping CP Test Date</b> | 01/25/2022 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring; ELLD 0.2 | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 01/18/2023 | <b>Line Tightness Test Date</b> | 11/13/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |  | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 01/27/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |  |                       |               |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** CARLS AUTOCARE INC  
2300 10th Ave S  
Great Falls, MT 59405-2968 Cascade

System Facility ID:07-00621

**Facility Code:** 18355  
**Last Inspected On:** 12/05/2023  
**Operating Permit Renewal Date:** 03/18/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Carl Halcro (406) 761-1342 carlsautocare@yahoo.com

**Operator Contact:** Carl Halcro (406) 761-1342 carlsautocare@yahoo.com

**Owner/Operator:** Carl Halcro (406) 761-1342 carlsautocare@yahoo.com

Carl Halcro, UST Class A Operator

carlsautocare@yahoo.com

Paul Halcro, UST Class B Operator

phalcro1@yahoo.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 40         | <b>Tank Installed Date</b>      | 01/27/1986 | <b>Tank Material</b>                 | Steel Clad                    | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1264             | <b>Spill Test Date</b>    | 12/05/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 03/28/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   |                  |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/04/2021 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 03/12/2024 | <b>Line Tightness Test Date</b> | 03/03/2021 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 12/04/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-4I, B, C      |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 40         | <b>Tank Installed Date</b>      | 01/27/1986 | <b>Tank Material</b>                 | Steel Clad                    | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1265             | <b>Spill Test Date</b>    | 12/05/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 03/28/2024 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   |                  |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/04/2021 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 03/12/2024 | <b>Line Tightness Test Date</b> | 03/03/2021 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 12/04/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-4I, B, C      |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 40         | <b>Tank Installed Date</b>      | 01/27/1986 | <b>Tank Material</b>                 | Steel Clad                    | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1266             | <b>Spill Test Date</b>    | 12/05/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |

|                    |                         |                           |            |                                 |            |                                      |                               |                                 |                             |                       |    |
|--------------------|-------------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|-----------------------------|-----------------------|----|
| <b>Tank Status</b> | <b>Currently in Use</b> | <b>MLLD Test Date</b>     | 03/28/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                 | <b>CP Met Types</b>   |    |
| <b>Product</b>     | Gasoline                | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/04/2021 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing | <b>Vapor Recovery</b> | No |
| <b>Capacity</b>    | 6000                    | <b>ATG Test Date</b>      | 03/12/2024 | <b>Line Tightness Test Date</b> | 03/03/2021 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                             | <b>Energy Act</b>     | No |
|                    |                         | <b>Overfill Test Date</b> | 12/04/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-4I, B, C      |                                 |                             |                       |    |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** CIRCLE K STORE 2746010  
1601 Fox Farm Rd  
Great Falls, MT 59404-3338 Cascade

System Facility ID:07-09914

**Facility Code:** 18792  
**Last Inspected On:** 08/11/2023  
**Operating Permit Renewal Date:** 12/04/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Rocky Mountain Oil LLC (602) 728-8000 NT-ESS@Circlek.com

**Operator Contact:** Veronica Rivera ESS-WestCoast@circlek.com

**Owner/Operator:** Rocky Mountain Oil LLC (602) 728-8000 NT-ESS@Circlek.com

Brad Lee, UST Class B Global Operator  
Jeff Reed, UST Class B Global Operator  
Veronica Rivera, UST Class A Operator  
brad.lee@holidaycompanies.com  
jeff.reed@holidaycompanies.com  
ESS-WestCoast@circlek.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                  |                       |                                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------|-----------------------|-----------------------------------|
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 06/16/1998 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | Ball Float Valve;High Level Alarm |
| <b>Tag Number</b>  | 1697             | <b>Spill Test Date</b>    | 06/26/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No                                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible                    |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/26/2023 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | Yes                               |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 06/26/2023 | <b>Line Tightness Test Date</b> | 04/11/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No                                |
|                    |                  | <b>Overfill Test Date</b> | 06/26/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                                   |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 06/16/1998 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | Ball Float Valve;High Level Alarm |
| <b>Tag Number</b>  | 1698             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No                                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible                    |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/30/2020 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | Yes                               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 03/10/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No                                |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                  |                       |                                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------|-----------------------|-----------------------------------|
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                                   |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 06/16/1998 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | Ball Float Valve;High Level Alarm |
| <b>Tag Number</b>  | 1699             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No                                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible                    |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 06/30/2020 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No                                |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 08/15/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No                                |
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                                   |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** CIRCLE K STORE 2746059  
601 Northwest Bypass  
Great Falls, MT 59404-2480 Cascade

System Facility ID:07-13729

**Facility Code:** 19059  
**Last Inspected On:** 06/26/2023  
**Operating Permit Renewal Date:** 12/04/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Rocky Mountain Oil LLC

**(602) 728-8000**

**NT-ESS@Circlek.com**

**Operator Contact:** Veronica Rivera

**ESS-WestCoast@circlek.com**

**Owner/Operator:** Rocky Mountain Oil LLC

**(602) 728-8000**

**NT-ESS@Circlek.com**

Brad Lee, UST Class B Operator  
Jeff Reed, UST Class B Global Operator  
Veronica Rivera, UST Class A Operator

brad.lee@holidaycompanies.com  
jeff.reed@holidaycompanies.com  
ESS-WestCoast@circlek.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 30         | <b>Tank Installed Date</b>      | 07/17/1996 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3359             | <b>Spill Test Date</b>    | 06/26/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/26/2023 | <b>Tank/Piping CP Test Date</b> | 11/06/2012 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | Yes                            |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 06/26/2023 | <b>Line Tightness Test Date</b> | 05/25/2017 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 06/26/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 30         | <b>Tank Installed Date</b>      | 07/17/1996 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3360             | <b>Spill Test Date</b>    | 06/26/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/26/2023 | <b>Tank/Piping CP Test Date</b> | 11/06/2012 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | Yes                            |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 06/26/2023 | <b>Line Tightness Test Date</b> | 05/21/2017 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                             |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|--------------------------------|
|                    |                  | <b>Overfill Test Date</b> | 06/26/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 30         | <b>Tank Installed Date</b>      | 07/17/1996 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3361             | <b>Spill Test Date</b>    | 06/26/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 06/26/2023 | <b>Tank/Piping CP Test Date</b> | 11/06/2012 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 06/26/2023 | <b>Line Tightness Test Date</b> | 05/17/2017 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 06/26/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** CIRCLE K STORE 2746273  
1020 15th St. N  
Great Falls, MT 59401-1238 Cascade

System Facility ID:07-08069

**Facility Code:** 18687  
**Last Inspected On:** 08/11/2023  
**Operating Permit Renewal Date:** 12/04/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Rocky Mountain Oil LLC

**(602) 728-8000**

**NT-ESS@Circlek.com**

**Operator Contact:** Veronica Rivera

**ESS-WestCoast@circlek.com**

**Owner/Operator:** Rocky Mountain Oil LLC

**(602) 728-8000**

**NT-ESS@Circlek.com**

Brad Lee, UST Class B Global Operator  
Jeff Reed, UST Class B Global Operator  
Veronica Rivera, UST Class A Operator

brad.lee@holidaycompanies.com  
jeff.reed@holidaycompanies.com  
ESS-WestCoast@circlek.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                    |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|-------------------|
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/15/1998 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 2995             | <b>Spill Test Date</b>    | 07/21/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                             | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/30/2020 | <b>Tank/Piping CP Test Date</b> | 09/16/2009 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 03/08/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 07/21/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                   |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/15/1998 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 2996             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                             | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/30/2020 | <b>Tank/Piping CP Test Date</b> | 09/16/2009 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 03/26/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                |

|                    |                  |                           |            |                                 |            |                                      |  |                                 |                                    |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--|---------------------------------|------------------------------------|-----------------------|-------------------|
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder<br>Root/TLS-<br>350/Gilbarco EMC |                                 |                                    |                       |                   |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/15/1998 | <b>Tank Material</b>                 | Steel Clad                                       | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 2997             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                                    | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                    | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/30/2020 | <b>Tank/Piping CP Test Date</b> | 09/16/2009 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                       | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 03/06/2020 | <b>Secondary Tank Leak Detection</b> |  | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder<br>Root/TLS-<br>350/Gilbarco EMC |                                 |                                    |                       |                   |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** CIRCLE K STORE 2746724  
2260 10th Ave S  
Great Falls, MT 59405 Cascade

System Facility ID:56-13975

**Facility Code:** 30637  
**Last Inspected On:** 11/06/2024  
**Operating Permit Renewal Date:** 03/30/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Rocky Mountain Oil LLC

**(602) 728-8000**

**NT-ESS@Circlek.com**

**Operator Contact:** Veronica Rivera

**ESS-WestCoast@circlek.com**

**Owner/Operator:** Rocky Mountain Oil LLC

**(602) 728-8000**

**NT-ESS@Circlek.com**

Brad Lee, UST Class B Global Operator  
Jeff Reed, UST Class B Global Operator  
Veronica Rivera, UST Class A Operator

brad.lee@holidaycompanies.com  
jeff.reed@holidaycompanies.com  
ESS-WestCoast@circlek.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                    |                       |                                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|-----------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 26         | <b>Tank Installed Date</b>      | 10/01/2000 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Ball Float Valve;High Level Alarm |
| <b>Tag Number</b>  | 4219             | <b>Spill Test Date</b>    | 11/06/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                             | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                    |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/25/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                                |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 06/25/2024 | <b>Line Tightness Test Date</b> | 07/20/2018 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring        | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                                |
|                    |                  | <b>Overfill Test Date</b> | 06/25/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                                   |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 26         | <b>Tank Installed Date</b>      | 10/01/2000 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Ball Float Valve;High Level Alarm |
| <b>Tag Number</b>  | 4220             | <b>Spill Test Date</b>    | 11/06/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                             | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                    |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/25/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                                |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 06/25/2024 | <b>Line Tightness Test Date</b> | 07/20/2018 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring        | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                                |

|  |  |                           |            |  |  |                 |  |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|--|--|--|--|--|
|  |  | <b>Overfill Test Date</b> | 06/25/2024 |  |  | <b>ATG Type</b> | Gilbarco-Veeder<br>Root/TLS-<br>350/Gilbarco EMC |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|--|--|--|--|--|

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** CIRCLE K STORE 2746730  
1428 3rd St NW  
Great Falls, MT 59404-1928 Cascade

System Facility ID:56-13970

**Facility Code:** 30632  
**Last Inspected On:** 11/06/2024  
**Operating Permit Renewal Date:** 03/30/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Rocky Mountain Oil LLC

**(602) 728-8000**

**NT-ESS@Circlek.com**

**Operator Contact:** Veronica Rivera

**ESS-WestCoast@circlek.com**

**Owner/Operator:** Rocky Mountain Oil LLC

**(602) 728-8000**

**NT-ESS@Circlek.com**

Brad Lee, UST Class B Global Operator  
Jeff Reed, UST Class B Global Operator  
Veronica Rivera, UST Class A Operator

brad.lee@holidaycompanies.com  
jeff.reed@holidaycompanies.com  
ESS-WestCoast@circlek.com

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|-----------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 26         | <b>Tank Installed Date</b>      | 07/07/2000 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Ball Float Valve;High Level Alarm |
| <b>Tag Number</b>  | 4203             | <b>Spill Test Date</b>    | 11/06/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                    |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/25/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2         | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                                |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 06/25/2024 | <b>Line Tightness Test Date</b> | 10/29/2018 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                                |
|                    |                  | <b>Overfill Test Date</b> | 06/25/2024 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450                |                                 |                                    |                       |                                   |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 26         | <b>Tank Installed Date</b>      | 07/07/2000 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Ball Float Valve;High Level Alarm |
| <b>Tag Number</b>  | 4204             | <b>Spill Test Date</b>    | 11/06/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                    |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/25/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2         | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                                |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 06/25/2024 | <b>Line Tightness Test Date</b> | 06/14/2018 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                                |

|  |                           |            |  |                 |                     |  |  |  |
|--|---------------------------|------------|--|-----------------|---------------------|--|--|--|
|  | <b>Overfill Test Date</b> | 06/25/2024 |  | <b>ATG Type</b> | Veeder Root/TLS-450 |  |  |  |
|--|---------------------------|------------|--|-----------------|---------------------|--|--|--|

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** CITY MOTOR CO INC  
3900 10th Ave S  
Great Falls, MT 59405-3648 Cascade

System Facility ID:07-05853

**Facility Code:** 18597  
**Last Inspected On:** 03/11/2026  
**Operating Permit Renewal Date:** 07/01/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** City Motors (406) 761-4900 johnk@citymotor.com

**Operator Contact:** Kelly Qunell kellyq@citymotor.com

**Owner/Operator:** City Motors (406) 761-4900 johnk@citymotor.com

Kelly Qunell, UST Class A Operator  
Kelly Qunell, UST Class B Operator

kellyq@citymotor.com  
kellyq@citymotor.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                               |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|-------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 09/01/1989 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 2365             | <b>Spill Test Date</b>    | 03/27/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/04/2020 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 3000             | <b>ATG Test Date</b>      | 03/27/2023 | <b>Line Tightness Test Date</b> | 02/04/2020 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 03/27/2023 |                                 |            | <b>ATG Type</b>                      | EMCO Electronics/EECO 1500    |                                 |                               |                       |                                |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 09/01/1989 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm               |
| <b>Tag Number</b>  | 2366             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                  | <b>Piping Type</b>              | U.S. Suction                  | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Oil, Waste       | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | 3-Year Line Tightness Test    | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 3000             | <b>ATG Test Date</b>      | 03/27/2023 | <b>Line Tightness Test Date</b> | 03/27/2023 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | EMCO Electronics/EECO 1500    |                                 |                               |                       |                                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** FEDERAL AVIATION ADMIN ARSR 4  
 Bootlegger Rdg  
 Great Falls, MT 59401 Cascade

System Facility ID:07-13710

**Facility Code:** 19056  
**Last Inspected On:** 02/06/2024  
**Operating Permit Renewal Date:** 06/15/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

---

**Owner Operator Contact:** Federal Aviation Admin Great Falls (406) 645-4755 joe.konesky@faa.gov

---

**Operator Contact:** Joe Konesky joe.konesky@faa.gov

---

**Owner/Operator:** Federal Aviation Admin Great Falls (406) 645-4755 joe.konesky@faa.gov

Joe Konesky, UST Class A Operator joe.konesky@faa.gov  
 Joe Konesky, UST Class B Global Operator joe.konesky@faa.gov

|                    |                  |                           |    |                                 |            |                                      |  |                                 |                                    |                       |     |
|--------------------|------------------|---------------------------|----|---------------------------------|------------|--------------------------------------|--|---------------------------------|------------------------------------|-----------------------|-----|
| <b>Tank Code</b>   | S1               | <b>Tank Age</b>           | 30 | <b>Tank Installed Date</b>      | 04/01/1996 | <b>Tank Material</b>                 | Unknown  | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> |     |
| <b>Tag Number</b>  | 4564             | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |  | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | Yes |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer;Continuous Interstitial Monitoring | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |     |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   |  | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No  |
| <b>Capacity</b>    | 2000             | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |  | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No  |
|                    |                  | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |  |                                 |                                    |                       |     |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** GAS N SHOP  
101 Smelter Ave NE  
Great Falls, MT 59404 Cascade

System Facility ID:07-05851

**Facility Code:** 18595  
**Last Inspected On:** 12/04/2023  
**Operating Permit Renewal Date:** 03/27/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Muhar LLC;Sandeep Muhar (406) 624-6912;(406) 750-0708 gasnshop133@gmail.com

**Operator Contact:** Gurinderbir Muhar;Harinder Singh (406) 868-2062;(408) 660-9884 gasnshop133@gmail.com;inder4030@yahoo.com

**Owner/Operator:** Muhar LLC (406) 624-6912

**Owner/Operator:** Sandeep Muhar (406) 624-6912

Frank Kruse, UST Class B Operator

wfkruse79@yahoo.com

Gurinderbir Muhar, UST Class A Operator

gasnshop133@gmail.com

Gurinderbir Muhar, UST Class B Global Operator

gasnshop133@gmail.com

Harinder Singh, UST Class A Operator

inder4030@yahoo.com

Sandeep Muhar, UST Class B Global Operator

gasnshop133@gmail.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 38         | <b>Tank Installed Date</b>      | 07/21/1988 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1251             | <b>Spill Test Date</b>    | 11/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 11/15/2023 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 11/15/2023 | <b>Line Tightness Test Date</b> | 02/28/2006 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 11/15/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 38         | <b>Tank Installed Date</b>      | 07/21/1988 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1252             | <b>Spill Test Date</b>    | 11/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 11/15/2023 | <b>Line Tightness Test Date</b> | 09/26/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
|                    |                  | <b>Overfill Test Date</b> | 11/15/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 38         | <b>Tank Installed Date</b>      | 07/21/1988 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1253             | <b>Spill Test Date</b>    | 11/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 11/15/2023 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 11/15/2023 | <b>Line Tightness Test Date</b> | 09/28/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 11/15/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** GAS N SHOP 2  
101 Truman Ave  
Great Falls, MT 59404-6210 Cascade

System Facility ID:07-00097

**Facility Code:** 18333  
**Last Inspected On:** 12/04/2023  
**Operating Permit Renewal Date:** 03/13/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Sandeep Muhar (406) 750-0708 gasnshop133@gmail.com

**Operator Contact:** Gurinderbir Muhar;Perry Joyce (406) 737-4561;(408) 660-9884 gasnshop133@gmail.com

**Owner/Operator:** Sandeep Muhar (406) 750-0708 gasnshop133@gmail.com

Gurinderbir Muhar, UST Class A Operator gasnshop133@gmail.com  
 Gurinderbir Muhar, UST Class B Global Operator gasnshop133@gmail.com  
 Kevin Joyce, UST Class B Global Operator kjshamrock13@gmail.com  
 Maureen Pettis, UST Class B Operator joycostroes.sp@gmail.com  
 Perry Joyce, UST Class A Operator  
 Sandeep Muhar, UST Class B Global Operator gasnshop133@gmail.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 36         | <b>Tank Installed Date</b>      | 03/04/1990 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 3545             | <b>Spill Test Date</b>    | 11/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 11/15/2023 | <b>Tank/Piping CP Test Date</b> | 02/14/2005 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 11/15/2023 | <b>Line Tightness Test Date</b> | 12/09/2020 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 11/15/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450           |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 36         | <b>Tank Installed Date</b>      | 03/04/1990 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve    |
| <b>Tag Number</b>  | 3546             | <b>Spill Test Date</b>    | 11/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 11/15/2023 | <b>Tank/Piping CP Test Date</b> | 02/14/2005 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No               |

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 11/15/2023 | <b>Line Tightness Test Date</b> | 12/09/2020 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 11/15/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450           |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 36         | <b>Tank Installed Date</b>      | 03/04/1990 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 3547             | <b>Spill Test Date</b>    | 11/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 11/15/2023 | <b>Tank/Piping CP Test Date</b> | 02/14/2005 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 11/15/2023 | <b>Line Tightness Test Date</b> | 12/09/2020 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 11/15/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450           |                                 |                                    |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** GENERAL DISTRIBUTING CO INC  
430 17th Ave NE  
Great Falls, MT 59404-1936 Cascade

System Facility ID:07-00081

**Facility Code:** 18325  
**Last Inspected On:** 11/12/2025  
**Operating Permit Renewal Date:** 11/12/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** General Distributing Co Inc

**Operator Contact:** Sean Kelley

**(406) 454-1351**

**skelley@gendco.com**

**Owner/Operator:** General Distributing Co Inc

Sean Kelley, UST Class A Operator  
Sean Kelley, UST Class B Global Operator

skelley@gendco.com  
skelley@gendco.com

|                    |                        |                           |    |                                 |            |                                      |                                      |                                 |                  |                       |               |
|--------------------|------------------------|---------------------------|----|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 01                     | <b>Tank Age</b>           | 48 | <b>Tank Installed Date</b>      | 02/14/1978 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 1206                   | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | None             | <b>AST</b>            | No            |
| <b>Tank Status</b> | Temporarily Out of Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                         | <b>Piping Type</b>              | Safe Suction     | <b>CP Met Types</b>   |               |
| <b>Product</b>     | Gasoline               | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Deferred         | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 2000                   | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No            |
|                    |                        | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |                                      |                                 |                  |                       |               |
| <b>Tank Code</b>   | 02                     | <b>Tank Age</b>           | 48 | <b>Tank Installed Date</b>      | 02/14/1978 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 1207                   | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | None             | <b>AST</b>            | No            |
| <b>Tank Status</b> | Temporarily Out of Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                         | <b>Piping Type</b>              | Safe Suction     | <b>CP Met Types</b>   |               |
| <b>Product</b>     | Gasoline               | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Deferred         | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 4000                   | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No            |
|                    |                        | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |                                      |                                 |                  |                       |               |
| <b>Tank Code</b>   | 03                     | <b>Tank Age</b>           | 48 | <b>Tank Installed Date</b>      | 02/14/1978 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | Flapper Valve |

|                    |                        |                           |  |                                 |  |                                      |                                      |                                 |              |                       |    |
|--------------------|------------------------|---------------------------|--|---------------------------------|--|--------------------------------------|--------------------------------------|---------------------------------|--------------|-----------------------|----|
| <b>Tag Number</b>  | 1208                   | <b>Spill Test Date</b>    |  | <b>Piping Installed Date</b>    |  | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | None         | <b>AST</b>            | No |
| <b>Tank Status</b> | Temporarily Out of Use | <b>MLLD Test Date</b>     |  | <b>Sump Tightness Test Date</b> |  | <b>Catastrophic L.D Type 3.0</b>     | Not Required                         | <b>Piping Type</b>              | Safe Suction | <b>CP Met Types</b>   |    |
| <b>Product</b>     | Diesel                 | <b>PLLD Test Date</b>     |  | <b>Tank/Piping CP Test Date</b> |  | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Deferred     | <b>Vapor Recovery</b> | No |
| <b>Capacity</b>    | 6000                   | <b>ATG Test Date</b>      |  | <b>Line Tightness Test Date</b> |  | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> |              | <b>Energy Act</b>     | No |
|                    |                        | <b>Overfill Test Date</b> |  |                                 |  | <b>ATG Type</b>                      |                                      |                                 |              |                       |    |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** GREAT FALLS INTERNATIONAL AIRPORT FUEL FARM 1  
1931 Airport Ct  
Great Falls, MT 59404-5599 Cascade

System Facility ID:07-10676

**Facility Code:** 18828  
**Last Inspected On:** 07/25/2025  
**Operating Permit Renewal Date:** 10/11/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls International Airport (406) 727-3404

**Operator Contact:** Mike Cunningham;Rod Hall (406) 727-3404;(406) 781-7242 mikefra1@msn.com;rod@flygtf.com

**Owner/Operator:** Great Falls International Airport (406) 727-3404

Mike Cunningham, UST Class A Operator  
Mike Cunningham, UST Class B Operator  
Rod Hall, UST Class A Operator  
Rod Hall, UST Class B Operator

mikefra1@msn.com  
mikefra1@msn.com  
rod@flygtf.com  
rod@flygtf.com

|                    |                               |                           |            |                                 |            |                                      |   |                                 |            |                       |                  |
|--------------------|-------------------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------|-----------------------|------------------|
| <b>Tank Code</b>   | 10                            | <b>Tank Age</b>           | 31         | <b>Tank Installed Date</b>      | 11/01/1995 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | No Piping  | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 3749                          | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None       | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              | Not Listed | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Jet Fuel (Jet-A, Jet-A1, JP5) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 08/31/2006 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   |            | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 20000                         | <b>ATG Test Date</b>      | 07/25/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |            | <b>Energy Act</b>     | No               |
|                    |                               | <b>Overfill Test Date</b> | 07/25/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |            |                       |                  |
| <b>Tank Code</b>   | 11                            | <b>Tank Age</b>           | 31         | <b>Tank Installed Date</b>      | 11/01/1995 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | No Piping  | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 3750                          | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None       | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              | Not Listed | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Aviation Gas                  | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 08/31/2006 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   |            | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 20000                         | <b>ATG Test Date</b>      | 07/25/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |            | <b>Energy Act</b>     | No               |

|  |  |                           |            |  |  |                 |  |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|--|--|--|--|--|
|  |  | <b>Overfill Test Date</b> | 07/25/2025 |  |  | <b>ATG Type</b> | Gilbarco-Veeder<br>Root/TLS-<br>350/Gilbarco EMC |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|--|--|--|--|--|

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** GREAT FALLS TRANSIT DISTRICT  
3905 N Star Blvd  
Great Falls, MT 59405-1036 Cascade

System Facility ID:07-05346

**Facility Code:** 18560  
**Last Inspected On:** 02/26/2025  
**Operating Permit Renewal Date:** 06/02/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls Transit District (406) 727-0386 nhanning@gftransit.com

**Operator Contact:** Nadine Hanning (406) 727-0382 nhanning@gftransit.com

**Owner/Operator:** Great Falls Transit District (406) 727-0386 nhanning@gftransit.com  
Nadine Hanning, UST Class A Operator nhanning@gftransit.com  
Shawn Mahoney, UST Class B Operator nhanning@gftransit.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 41         | <b>Tank Installed Date</b>      | 05/06/1985 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 1233             | <b>Spill Test Date</b>    | 02/26/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   |               |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 09/04/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 12380            | <b>ATG Test Date</b>      | 09/04/2024 | <b>Line Tightness Test Date</b> | 02/08/2022 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 02/26/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |               |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 41         | <b>Tank Installed Date</b>      | 05/06/1985 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> |               |
| <b>Tag Number</b>  | 1234             | <b>Spill Test Date</b>    | 02/09/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                              | <b>Piping Type</b>              | Gravity Feed                  | <b>CP Met Types</b>   |               |
| <b>Product</b>     | Oil, Waste       | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | 3-Year Line Tightness Test    | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 1000             | <b>ATG Test Date</b>      | 02/26/2025 | <b>Line Tightness Test Date</b> | 02/26/2025 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |               |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** H AND R #1  
3200 10th Ave S  
Great Falls, MT 59405 Cascade

System Facility ID:07-00092

**Facility Code:** 18331  
**Last Inspected On:** 08/06/2025  
**Operating Permit Renewal Date:** 11/20/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Singh Inc (406) 868-2062 inder4030@yahoo.com

**Operator Contact:** Harinder Singh;Rajinder Singh (406) 761-4791;(406) 868-2062 hrkinc101@gmail.com;inder4030@yahoo.com

**Owner/Operator:** Singh Inc (406) 868-2062 inder4030@yahoo.com

|  |                     |
|--|---------------------|
| Frank Kruse, UST Class B Global Operator | wfkruse79@yahoo.com |
| Frank Kruse, UST Class B Operator        | wfkruse79@yahoo.com |
| Harinder Singh, UST Class A Operator     | inder4030@yahoo.com |
| Rajinder Singh, UST Class A Operator     | hrkinc101@gmail.com |

|                    |                  |                           |            |                                 |            |                                      |                                  |                                 |                               |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|----------------------------------|---------------------------------|-------------------------------|-----------------------|-------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 56         | <b>Tank Installed Date</b>      | 12/31/1970 | <b>Tank Material</b>                 | Cathodically Protected Steel     | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 3839             | <b>Spill Test Date</b>    | 08/06/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 11/02/2022 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector    | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/06/2025 | <b>Tank/Piping CP Test Date</b> | 08/06/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.1       | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 08/06/2025 | <b>Line Tightness Test Date</b> | 11/02/2022 | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/06/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450PLUS |                                 |                               |                       |                   |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 56         | <b>Tank Installed Date</b>      | 12/31/1970 | <b>Tank Material</b>                 | Cathodically Protected Steel     | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 3840             | <b>Spill Test Date</b>    | 08/06/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 11/02/2022 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector    | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/06/2025 | <b>Tank/Piping CP Test Date</b> | 08/06/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.1       | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 08/06/2025 | <b>Line Tightness Test Date</b> | 11/02/2022 | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No                |

|                    |                     |                           |            |                                 |            |                                      |   |                                 |                                  |                       |                      |
|--------------------|---------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|----------------------------------|-----------------------|----------------------|
|                    |                     | <b>Overfill Test Date</b> | 08/06/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder<br>Root/TLS-<br>450PLUS |                                 |                                  |                       |                      |
| <b>Tank Code</b>   | 03                  | <b>Tank Age</b>           | 56         | <b>Tank Installed Date</b>      | 12/31/1970 | <b>Tank Material</b>                 | Cathodically<br>Protected Steel         | <b>Piping Material</b>          | Fiberglass<br>Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve        |
| <b>Tag Number</b>  | 4440                | <b>Spill Test Date</b>    | 08/06/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined<br>Interior/Impressed<br>Current  | <b>Piping Construction</b>      | None                             | <b>AST</b>            | No                   |
| <b>Tank Status</b> | Currently in<br>Use | <b>MLLD Test Date</b>     | 11/02/2022 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line<br>Leak Detector        | <b>Piping Type</b>              | Pressurized                      | <b>CP Met Types</b>   | Impressed<br>Current |
| <b>Product</b>     | Diesel              | <b>PLLD Test Date</b>     | 08/06/2025 | <b>Tank/Piping CP Test Date</b> | 08/06/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank<br>Gauging 0.1           | <b>Primary Pipe Detection</b>   | ELLD 0.2                         | <b>Vapor Recovery</b> | No                   |
| <b>Capacity</b>    | 10000               | <b>ATG Test Date</b>      | 08/06/2025 | <b>Line Tightness Test Date</b> | 11/02/2022 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                                  | <b>Energy Act</b>     | No                   |
|                    |                     | <b>Overfill Test Date</b> | 08/06/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder<br>Root/TLS-<br>450PLUS |                                 |                                  |                       |                      |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** H AND R #2  
1300 12th Ave S  
Great Falls, MT 59405 Cascade

System Facility ID:07-00082

**Facility Code:** 18326  
**Last Inspected On:** 02/21/2024  
**Operating Permit Renewal Date:** 05/29/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Singh Inc (406) 868-2062 inder4030@yahoo.com

**Operator Contact:** Harinder Singh;Rajinder Singh (406) 761-4791;(406) 868-2062 hrkinc101@gmail.com;inder4030@yahoo.com

**Owner/Operator:** Singh Inc (406) 868-2062 inder4030@yahoo.com

Frank Kruse, UST Class B Global Operator wfkruise79@yahoo.com  
 Frank Kruse, UST Class B Operator wfkruise79@yahoo.com  
 Harinder Singh, UST Class A Operator inder4030@yahoo.com  
 Rajinder Singh, UST Class A Operator hrkinc101@gmail.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                    |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 15         | <b>Tank Installed Date</b>      | 11/01/2011 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                 | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 5339             | <b>Spill Test Date</b>    | 04/13/2024 | <b>Piping Installed Date</b>    | 10/11/2011 | <b>Tank Construction</b>             | Double-Walled                                 | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 02/21/2024 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                 | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 09/06/2023 | <b>Tank/Piping CP Test Date</b> | 09/13/2010 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring            | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 09/06/2023 | <b>Line Tightness Test Date</b> | 12/07/2020 | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2                    | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes              |
|                    |                  | <b>Overfill Test Date</b> | 06/14/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco/TLS-350;Gilbarco-Veeder Root/TLS-350 |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 15         | <b>Tank Installed Date</b>      | 11/01/2011 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                 | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 5340             | <b>Spill Test Date</b>    | 02/21/2024 | <b>Piping Installed Date</b>    | 10/11/2011 | <b>Tank Construction</b>             | Double-Walled                                 | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 02/21/2024 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                 | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 09/06/2023 | <b>Tank/Piping CP Test Date</b> | 09/13/2010 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring            | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 09/06/2023 | <b>Line Tightness Test Date</b> | 12/05/2020 | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2                    | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes              |

|  |  |                           |            |  |  |                 |   |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|---|--|--|--|--|
|  |  | <b>Overfill Test Date</b> | 06/14/2024 |  |  | <b>ATG Type</b> | Gilbarco/TLS-350;Gilbarco-Veeder Root/TLS-350 |  |  |  |  |
|--|--|---------------------------|------------|--|--|-----------------|---|--|--|--|--|

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** H AND R #4  
5600 3rd Ave S  
Great Falls, MT 59405-1726 Cascade

System Facility ID:07-00090

**Facility Code:** 18330  
**Last Inspected On:** 02/28/2025  
**Operating Permit Renewal Date:** 05/29/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** H and R Inc

inder4030@yahoo.com

**Operator Contact:** Harinder Singh;Rajinder Singh

(406) 761-4791;(406) 868-2062

hrkinc101@gmail.com;inder4030@yahoo.com

**Owner/Operator:** H and R Inc

inder4030@yahoo.com

Frank Kruse, UST Class B Global Operator  
Frank Kruse, UST Class B Operator  
Harinder Singh, UST Class A Operator  
Rajinder Singh, UST Class A Operator

wfkruse79@yahoo.com  
wfkruse79@yahoo.com  
inder4030@yahoo.com  
hrkinc101@gmail.com

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 5          | <b>Tank Installed Date</b>      | 08/03/2021 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 6074             | <b>Spill Test Date</b>    | 02/25/2025 | <b>Piping Installed Date</b>    | 08/03/2021 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 02/25/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/26/2024 | <b>Tank/Piping CP Test Date</b> | 11/16/2021 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes           |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 02/25/2025 | <b>Line Tightness Test Date</b> | 11/24/2021 | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes           |
|                    |                  | <b>Overfill Test Date</b> | 02/25/2025 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |               |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 5          | <b>Tank Installed Date</b>      | 08/03/2021 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 6075             | <b>Spill Test Date</b>    | 02/25/2025 | <b>Piping Installed Date</b>    | 08/03/2021 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 02/25/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 03/26/2024 | <b>Tank/Piping CP Test Date</b> | 11/16/2021 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 7000             | <b>ATG Test Date</b>      | 02/25/2025 | <b>Line Tightness Test Date</b> | 11/24/2021 | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes           |
|                    |                  | <b>Overfill Test Date</b> | 02/25/2025 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |               |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 5          | <b>Tank Installed Date</b>      | 08/03/2021 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 6076             | <b>Spill Test Date</b>    | 02/25/2025 | <b>Piping Installed Date</b>    | 08/03/2021 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 02/25/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/26/2024 | <b>Tank/Piping CP Test Date</b> | 11/16/2021 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes           |
| <b>Capacity</b>    | 5000             | <b>ATG Test Date</b>      | 02/25/2025 | <b>Line Tightness Test Date</b> | 11/24/2021 | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes           |
|                    |                  | <b>Overfill Test Date</b> | 05/19/2025 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |               |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** H AND R 3 ON YOUR WAY  
1608 Fox Farm Rd  
Great Falls, MT 59404-3339 Cascade

System Facility ID:07-04945

**Facility Code:** 18550  
**Last Inspected On:** 05/24/2023  
**Operating Permit Renewal Date:** 09/03/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** H and R Inc

inder4030@yahoo.com

**Operator Contact:**

**Owner/Operator:** H and R Inc

inder4030@yahoo.com

|                    |                  |                           |    |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|----|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 58 | <b>Tank Installed Date</b>      | 01/01/1968 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1972             | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 07/17/2024 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 58 | <b>Tank Installed Date</b>      | 01/01/1968 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1973             | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 07/17/2024 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 29 | <b>Tank Installed Date</b>      | 11/03/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |

|                    |                  |                           |    |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|----|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tag Number</b>  | 1974             | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 07/17/2024 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 29 | <b>Tank Installed Date</b>      | 11/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1975             | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 02/21/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** HALL TRANSIT CO  
2620 Upper River Rd  
Great Falls, MT 59405-7231 Cascade

System Facility ID:07-06402

**Facility Code:** 18626  
**Last Inspected On:** 09/01/2023  
**Operating Permit Renewal Date:** 08/06/2023

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Hall Transit Co;Lynn Hall;Hall Transit Co (406) 452-0082;(406) 945-1363;(406) 452-0082 lynn.l.hall66@gmail.com

**Operator Contact:** Lynn Hall;Hall Transit Co (406) 945-1363;(406) 452-0082 lynn.l.hall66@gmail.com

**Owner/Operator:** Hall Transit Co (406) 452-0082

**Owner/Operator:** Lynn Hall,Hall Transit Co (406) 452-0082

Lynn Hall, UST Class A Operator  
Lynn Hall, UST Class B Operator

lynn.l.hall66@gmail.com  
lynn.l.hall66@gmail.com

|                    |                        |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 02                     | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 11/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1268                   | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Temporarily Out of Use | <b>MLLD Test Date</b>     | 07/14/2020 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   |                  |
| <b>Product</b>     | Diesel                 | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 07/14/2020 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 6000                   | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 07/14/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                        | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** KEITHS COUNTRY STORE  
1621 10th Ave S  
Great Falls, MT 59405 Cascade

System Facility ID:07-01418

**Facility Code:** 18394  
**Last Inspected On:** 09/25/2023  
**Operating Permit Renewal Date:** 12/02/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Keiths Country Store

**Operator Contact:** David Keith

(406) 727-7114

terionline@123mail.org

**Owner/Operator:** Keiths Country Store

Anna Dion, UST Class B Operator  
David Keith, UST Class A Operator  
David Keith, UST Class B Operator

amvd86@hotmail.com  
terionline@123mail.org  
terionline@123mail.org

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 04/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3988             | <b>Spill Test Date</b>    | 06/07/2021 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 06/07/2021 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.1;ELLD 0.2             | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 06/07/2021 | <b>Line Tightness Test Date</b> | 05/05/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 06/07/2021 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                                |
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 04/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3989             | <b>Spill Test Date</b>    | 06/07/2021 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/07/2021 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.1;ELLD 0.2             | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 06/07/2021 | <b>Line Tightness Test Date</b> | 04/27/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No                             |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|--------------------------------|
|                    |                  | <b>Overfill Test Date</b> | 06/07/2021 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                                |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 04/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 3990             | <b>Spill Test Date</b>    | 06/07/2021 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 06/07/2021 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.1;ELLD 0.2             | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 06/07/2021 | <b>Line Tightness Test Date</b> | 05/21/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 06/07/2021 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** KERNAGHANS SERVICE 8TH AVE N  
1507 8th Ave N  
Great Falls, MT 59401-1749 Cascade

System Facility ID:07-04508

**Facility Code:** 18524  
**Last Inspected On:** 09/15/2025  
**Operating Permit Renewal Date:** 10/26/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** James Kernaghan

**(406) 452-9505**

**Operator Contact:** Jeff Rearden

**Owner/Operator:** James Kernaghan

**(406) 452-9505**

Callie Rearden, UST Class B Operator  
Jeff Rearden, UST Class A Operator

piknpump@gmail.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 07/28/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1473             | <b>Spill Test Date</b>    | 07/25/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 07/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 7500             | <b>ATG Test Date</b>      | 07/25/2025 | <b>Line Tightness Test Date</b> | 04/17/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/25/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 07/28/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1474             | <b>Spill Test Date</b>    | 07/25/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 07/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 5000             | <b>ATG Test Date</b>      | 07/25/2025 | <b>Line Tightness Test Date</b> | 09/20/2018 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/25/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 07/28/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tag Number</b>  | 1475             | <b>Spill Test Date</b>    | 07/25/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 07/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 7500             | <b>ATG Test Date</b>      | 07/25/2025 | <b>Line Tightness Test Date</b> | 07/15/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/25/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 07/28/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1476             | <b>Spill Test Date</b>    | 11/26/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 07/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 07/25/2025 | <b>Line Tightness Test Date</b> | 04/12/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/25/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 07/28/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1477             | <b>Spill Test Date</b>    | 11/26/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 07/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.1                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 07/25/2025 | <b>Line Tightness Test Date</b> | 05/14/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/25/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 07/28/1989 | <b>Tank Material</b>                 | Steel Clad                                | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1478             | <b>Spill Test Date</b>    | 11/26/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 07/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.1                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 07/25/2025 | <b>Line Tightness Test Date</b> | 04/17/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
|                    |                  | <b>Overfill Test Date</b> | 07/25/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 09               | <b>Tank Age</b>           | 44         | <b>Tank Installed Date</b>      | 07/29/1982 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1479             | <b>Spill Test Date</b>    | 11/26/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel, Dyed     | <b>PLLD Test Date</b>     | 07/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.1                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 2500             | <b>ATG Test Date</b>      | 07/25/2025 | <b>Line Tightness Test Date</b> | 04/17/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/25/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** KERNAGHANS SERVICE 9TH AVE N  
1504 9th Ave N  
Great Falls, MT 59401-1301 Cascade

System Facility ID:07-04509

**Facility Code:** 18525  
**Last Inspected On:** 09/01/2023  
**Operating Permit Renewal Date:** 09/03/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** James Kernaghan

**(406) 452-9505**

**Operator Contact:** Jeff Rearden

**Owner/Operator:** James Kernaghan

**(406) 452-9505**

Callie Rearden, UST Class B Operator  
Jeff Rearden, UST Class A Operator

piknpump@gmail.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                  |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/23/1998 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1480             | <b>Spill Test Date</b>    | 10/18/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Galvanic         |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 10/18/2022 | <b>Tank/Piping CP Test Date</b> | 08/05/2020 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 2000             | <b>ATG Test Date</b>      | 10/18/2022 | <b>Line Tightness Test Date</b> | 11/09/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 10/18/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                  |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/23/1998 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1481             | <b>Spill Test Date</b>    | 12/06/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Galvanic         |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 10/18/2022 | <b>Tank/Piping CP Test Date</b> | 08/05/2020 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 1000             | <b>ATG Test Date</b>      | 10/18/2022 | <b>Line Tightness Test Date</b> | 11/09/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 10/18/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                  |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/23/1998 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                  |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------|-----------------------|------------------|
| <b>Tag Number</b>  | 1482             | <b>Spill Test Date</b>    | 10/18/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Galvanic         |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 10/18/2022 | <b>Tank/Piping CP Test Date</b> | 08/05/2020 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 2000             | <b>ATG Test Date</b>      | 10/18/2022 | <b>Line Tightness Test Date</b> | 11/09/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 10/18/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                  |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/23/1998 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1483             | <b>Spill Test Date</b>    | 12/06/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Galvanic         |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 10/18/2022 | <b>Tank/Piping CP Test Date</b> | 08/05/2020 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 3500             | <b>ATG Test Date</b>      | 10/18/2022 | <b>Line Tightness Test Date</b> | 11/12/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 10/18/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                  |
| <b>Tank Code</b>   | 09               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/23/1998 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1484             | <b>Spill Test Date</b>    | 12/06/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Galvanic         |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 10/18/2022 | <b>Tank/Piping CP Test Date</b> | 08/05/2020 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 1500             | <b>ATG Test Date</b>      | 10/18/2022 | <b>Line Tightness Test Date</b> | 11/13/2019 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 10/18/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** LOVES TRAVEL STOP GREAT FALLS #789  
3219 Airport Drive  
Great Falls, MT 59404 Cascade

System Facility ID:60-15349

**Facility Code:** 32433  
**Last Inspected On:** 03/28/2025  
**Operating Permit Renewal Date:** 06/06/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Loves Travel Stops and Country Stores Inc (281) 655-9425 environmental@loves.com

**Operator Contact:** Eric Bennett;Loves Travel Stops and Country Stores Inc;Ted Lowery (405) 779-3768;(281) 655-9425 environmental@loves.com;environmental@loves.com;environmental@loves.com

**Owner/Operator:** Loves Travel Stops and Country Stores Inc (281) 655-9425 environmental@loves.com

Eric Bennett, UST Class A Operator environmental@loves.com  
Eric Bennett, UST Class B Operator environmental@loves.com  
Ted Lowery, UST Class A Operator environmental@loves.com  
Victor Valdez, UST Class B Operator Victor.Valdez@loves.com

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 1                | <b>Tank Age</b>           | 5          | <b>Tank Installed Date</b>      | 11/18/2021 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 6003             | <b>Spill Test Date</b>    | 11/10/2025 | <b>Piping Installed Date</b>    | 11/18/2021 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 11/10/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes            |
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 11/10/2025 | <b>Line Tightness Test Date</b> | 11/10/2025 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 04/03/2026 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 2                | <b>Tank Age</b>           | 5          | <b>Tank Installed Date</b>      | 11/18/2021 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 6004             | <b>Spill Test Date</b>    | 11/10/2025 | <b>Piping Installed Date</b>    | 11/18/2021 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 11/10/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes            |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 11/10/2025 | <b>Line Tightness Test Date</b> | 11/10/2025 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 11/10/2025 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |                |

|                    |                     |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                |
|--------------------|---------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 3                   | <b>Tank Age</b>           | 5          | <b>Tank Installed Date</b>      | 11/18/2021 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 6005                | <b>Spill Test Date</b>    | 11/10/2025 | <b>Piping Installed Date</b>    | 11/18/2021 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 11/10/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline            | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes            |
| <b>Capacity</b>    | 8000                | <b>ATG Test Date</b>      | 11/10/2025 | <b>Line Tightness Test Date</b> | 11/10/2025 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | Yes            |
|                    |                     | <b>Overfill Test Date</b> | 11/10/2025 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 4                   | <b>Tank Age</b>           | 5          | <b>Tank Installed Date</b>      | 11/18/2021 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 6006                | <b>Spill Test Date</b>    | 11/10/2025 | <b>Piping Installed Date</b>    | 11/18/2021 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 11/10/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel              | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 30000               | <b>ATG Test Date</b>      | 11/10/2025 | <b>Line Tightness Test Date</b> | 11/10/2025 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | Yes            |
|                    |                     | <b>Overfill Test Date</b> | 11/10/2025 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 5                   | <b>Tank Age</b>           | 5          | <b>Tank Installed Date</b>      | 11/18/2021 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 6007                | <b>Spill Test Date</b>    | 11/10/2025 | <b>Piping Installed Date</b>    | 11/18/2021 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 11/10/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel              | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 30000               | <b>ATG Test Date</b>      | 11/10/2025 | <b>Line Tightness Test Date</b> | 11/10/2025 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | Yes            |
|                    |                     | <b>Overfill Test Date</b> | 11/10/2025 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 6                   | <b>Tank Age</b>           | 5          | <b>Tank Installed Date</b>      | 11/18/2021 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> |                |
| <b>Tag Number</b>  | 6008                | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    | 11/18/2021 | <b>Tank Construction</b>             |                                    | <b>Piping Construction</b>      |                                    | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     |                                    | <b>Piping Type</b>              |                                    | <b>CP Met Types</b>   |                |
| <b>Product</b>     | DEF (Not Regulated) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   |                                    | <b>Primary Pipe Detection</b>   |                                    | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 20000               | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No             |

|  | Overfill Test Date |  | ATG Type |  |  |
|--|--------------------|--|----------|--|--|
|--|--------------------|--|----------|--|--|

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** MCLAUGHLIN RESEARCH INSTITUTE  
1520 23rd St S  
Great Falls, MT 59405-4900 Cascade

System Facility ID:07-12790

**Facility Code:** 19013  
**Last Inspected On:** 03/19/2025  
**Operating Permit Renewal Date:** 07/16/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** McLaughlin Research Institute (406) 452-6208

**Operator Contact:** Leroy Bishop (406) 899-1600 [lrbishop@mclaughlinresearch.org](mailto:lrbishop@mclaughlinresearch.org)

**Owner/Operator:** McLaughlin Research Institute (406) 452-6208

Leroy Bishop, UST Class A Operator

[lrbishop@mclaughlinresearch.org](mailto:lrbishop@mclaughlinresearch.org)

Leroy Bishop, UST Class B Global Operator

[lrbishop@mclaughlinresearch.org](mailto:lrbishop@mclaughlinresearch.org)

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 33         | <b>Tank Installed Date</b>      | 05/23/1993 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 2977             | <b>Spill Test Date</b>    | 06/20/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                 | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                   | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | 3-Year Line Tightness Test         | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 1000             | <b>ATG Test Date</b>      | 09/03/2024 | <b>Line Tightness Test Date</b> | 06/20/2022 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 06/20/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco/EMC Basic            |                                 |                                    |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** MDOT GREAT FALLS  
200 Smelter Ave NE  
Great Falls, MT 59404-1900 Cascade

System Facility ID:07-04047

**Facility Code:** 18498  
**Last Inspected On:** 12/04/2023  
**Operating Permit Renewal Date:** 03/25/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** MDOT Helena (406) 444-6163 mmurolo@mt.gov

**Operator Contact:** Joe Radonich;Montana Dept of Transportation;Tracy Deeds;MDOT Helena;Walt Kerttula;Montana Dept of Transportation (406) 444-6151;(406) 444-7632;(406) 444-9204;(406) 444-7632;(406) 461-0769;(406) 444-6163 jradonich@mt.gov;jradonich@mt.gov;tdeeds@mt.gov;mmurolo@mt.gov;wkerttula@mt.gov;jradonich@mt.gov

**Owner/Operator:** MDOT Helena (406) 444-6163 mmurolo@mt.gov

Joe Radonich, UST Class A Operator jradonich@mt.gov  
 Joe Radonich, UST Class B Global Operator jradonich@mt.gov  
 Kelly Holbrook, UST Class B Global Operator kholbrook@mt.gov  
 Steven Rupnow, UST Class B Operator vrupnow@mt.gov  
 Tracy Deeds, UST Class A Operator mmurolo@mt.gov  
 Walt Kerttula, UST Class A Operator jradonich@mt.gov

|                    |                  |                           |            |                                 |            |                                      |                              |                                 |                               |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------|---------------------------------|-------------------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 36         | <b>Tank Installed Date</b>      | 11/01/1990 | <b>Tank Material</b>                 | Cathodically Protected Steel | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 3704             | <b>Spill Test Date</b>    | 12/04/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                              | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                 | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 12/04/2023 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2   | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 12/04/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                              | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 12/04/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco/EMC Basic           |                                 |                               |                       |               |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 04/01/1992 | <b>Tank Material</b>                 | Cathodically Protected Steel | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 3705             | <b>Spill Test Date</b>    | 12/04/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                              | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                 | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 12/04/2023 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2   | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 12/04/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                              | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No            |

|  |                           |            |  |  |  |  |  |  |
|--|---------------------------|------------|--|--|--|--|--|--|
|  | <b>Overfill Test Date</b> | 12/04/2023 |  |  |  |  |  |  |
|--|---------------------------|------------|--|--|--|--|--|--|

|  |  |  |                 |                       |  |  |  |  |
|--|--|--|-----------------|-----------------------|--|--|--|--|
|  |  |  | <b>ATG Type</b> | Gilbarco/EMC<br>Basic |  |  |  |  |
|--|--|--|-----------------|-----------------------|--|--|--|--|

|  |  |  |  |                       |  |  |  |  |
|--|--|--|--|-----------------------|--|--|--|--|
|  |  |  |  | Gilbarco/EMC<br>Basic |  |  |  |  |
|--|--|--|--|-----------------------|--|--|--|--|

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** MEADOWLARK COUNTRY CLUB  
300 Country Club Blvd  
Great Falls, MT 59404-3355 Cascade

System Facility ID:07-11234

**Facility Code:** 18876  
**Last Inspected On:** 10/31/2024  
**Operating Permit Renewal Date:** 03/01/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Meadowlark Country Club (406) 453-6531

**Operator Contact:** Tim Furan (406) 452-2922 timfuran@hotmail.com

**Owner/Operator:** Meadowlark Country Club (406) 453-6531

Tim Furan, UST Class A Operator  
Tim Furan, UST Class B Operator

timfuran@hotmail.com  
timfuran@hotmail.com

|                    |                  |                           |            |                                 |            |                                      |                              |                                 |                               |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------|---------------------------------|-------------------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 05/23/1991 | <b>Tank Material</b>                 | Cathodically Protected Steel | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 2317             | <b>Spill Test Date</b>    | 10/31/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                              | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                 | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 10/31/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2   | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 1000             | <b>ATG Test Date</b>      | 02/16/2026 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                              | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 10/31/2024 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300          |                                 |                               |                       |               |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 05/23/1991 | <b>Tank Material</b>                 | Cathodically Protected Steel | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 2318             | <b>Spill Test Date</b>    | 10/31/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                              | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                 | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 10/31/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2   | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 1000             | <b>ATG Test Date</b>      | 02/16/2026 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                              | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 10/31/2024 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300          |                                 |                               |                       |               |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** MONTANA AIR NATIONAL GUARD UST  
2800 Airport Ave B  
Great Falls, MT 59404-5570 Cascade

System Facility ID:07-02294

**Facility Code:** 18433  
**Last Inspected On:** 12/09/2025  
**Operating Permit Renewal Date:** 03/11/2020

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Montana Air National Guard (406) 791-0316

**Operator Contact:** Clint Tyler;Joe Kerkes;Joseph Leggett;Mark Payton (406) 231-0600 joseph.leggett@us.af.mil

**Owner/Operator:** Montana Air National Guard (406) 791-0316

Clint Tyler, UST Class A Operator  
Clint Tyler, UST Class B Operator  
Joe Kerkes, UST Class A Operator  
Joseph Leggett, UST Class A Operator  
Mark Payton, UST Class A Operator

joseph.leggett@us.af.mil

|                    |                               |                           |            |                                 |            |                                      |   |                                 |              |                       |                   |
|--------------------|-------------------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|--------------|-----------------------|-------------------|
| <b>Tank Code</b>   | 26                            | <b>Tank Age</b>           | 32         | <b>Tank Installed Date</b>      | 10/01/1994 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic               | <b>Piping Material</b>          | No Piping    | <b>Overfill Types</b> |                   |
| <b>Tag Number</b>  |                               | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                               | <b>Piping Construction</b>      | None         | <b>AST</b>            | No                |
| <b>Tank Status</b> | Other                         | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     |   | <b>Piping Type</b>              | Gravity Feed | <b>CP Met Types</b>   |                   |
| <b>Product</b>     | Oil/Water Separator           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 09/19/2007 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring;Deferred | <b>Primary Pipe Detection</b>   |              | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 2110                          | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |              | <b>Energy Act</b>     | No                |
|                    |                               | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      |   |                                 |              |                       |                   |
| <b>Tank Code</b>   | 3A                            | <b>Tank Age</b>           | 71         | <b>Tank Installed Date</b>      | 01/01/1955 | <b>Tank Material</b>                 | Bare Steel                                  | <b>Piping Material</b>          | No Piping    | <b>Overfill Types</b> | High Level Alarm  |
| <b>Tag Number</b>  | 1662                          | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current            | <b>Piping Construction</b>      | None         | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                                | <b>Piping Type</b>              | Gravity Feed | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Jet Fuel (Jet-A, Jet-A1, JP5) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/01/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                  | <b>Primary Pipe Detection</b>   |              | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 25000                         | <b>ATG Test Date</b>      | 09/09/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |              | <b>Energy Act</b>     | No                |

|                    |                               |                           |            |                                 |            |                                      |                                  |                                 |              |                       |                   |
|--------------------|-------------------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|----------------------------------|---------------------------------|--------------|-----------------------|-------------------|
|                    |                               | <b>Overfill Test Date</b> | 09/09/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350     |                                 |              |                       |                   |
| <b>Tank Code</b>   | 3B                            | <b>Tank Age</b>           | 71         | <b>Tank Installed Date</b>      | 01/01/1955 | <b>Tank Material</b>                 | Bare Steel                       | <b>Piping Material</b>          | No Piping    | <b>Overfill Types</b> | High Level Alarm  |
| <b>Tag Number</b>  | 1663                          | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | None         | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                     | <b>Piping Type</b>              | Gravity Feed | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Jet Fuel (Jet-A, Jet-A1, JP5) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/01/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   |              | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 25000                         | <b>ATG Test Date</b>      | 09/09/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> |              | <b>Energy Act</b>     | No                |
|                    |                               | <b>Overfill Test Date</b> | 09/09/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350     |                                 |              |                       |                   |
| <b>Tank Code</b>   | 3C                            | <b>Tank Age</b>           | 71         | <b>Tank Installed Date</b>      | 01/01/1955 | <b>Tank Material</b>                 | Bare Steel                       | <b>Piping Material</b>          | No Piping    | <b>Overfill Types</b> | High Level Alarm  |
| <b>Tag Number</b>  | 1664                          | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | None         | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                     | <b>Piping Type</b>              | Gravity Feed | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Jet Fuel (Jet-A, Jet-A1, JP5) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/01/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   |              | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 25000                         | <b>ATG Test Date</b>      | 09/09/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> |              | <b>Energy Act</b>     | No                |
|                    |                               | <b>Overfill Test Date</b> | 09/09/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350     |                                 |              |                       |                   |
| <b>Tank Code</b>   | 3D                            | <b>Tank Age</b>           | 71         | <b>Tank Installed Date</b>      | 01/01/1955 | <b>Tank Material</b>                 | Bare Steel                       | <b>Piping Material</b>          | No Piping    | <b>Overfill Types</b> | High Level Alarm  |
| <b>Tag Number</b>  | 1665                          | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | None         | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                     | <b>Piping Type</b>              | Gravity Feed | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Jet Fuel (Jet-A, Jet-A1, JP5) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/13/2023 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   |              | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 25000                         | <b>ATG Test Date</b>      | 11/30/2022 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> |              | <b>Energy Act</b>     | No                |
|                    |                               | <b>Overfill Test Date</b> | 11/30/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350     |                                 |              |                       |                   |
| <b>Tank Code</b>   | 3F                            | <b>Tank Age</b>           | 71         | <b>Tank Installed Date</b>      | 01/01/1955 | <b>Tank Material</b>                 | Bare Steel                       | <b>Piping Material</b>          | No Piping    | <b>Overfill Types</b> | High Level Alarm  |

|                    |                               |                           |            |                                 |            |                                      |                                  |                                 |              |                       |                   |
|--------------------|-------------------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|----------------------------------|---------------------------------|--------------|-----------------------|-------------------|
| <b>Tag Number</b>  | 1667                          | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | None         | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                     | <b>Piping Type</b>              | Gravity Feed | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Jet Fuel (Jet-A, Jet-A1, JP5) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/01/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   |              | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 25000                         | <b>ATG Test Date</b>      | 09/09/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> |              | <b>Energy Act</b>     | No                |
|                    |                               | <b>Overfill Test Date</b> | 09/09/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350     |                                 |              |                       |                   |
| <b>Tank Code</b>   | 3E                            | <b>Tank Age</b>           | 71         | <b>Tank Installed Date</b>      | 01/01/1955 | <b>Tank Material</b>                 | Bare Steel                       | <b>Piping Material</b>          | No Piping    | <b>Overfill Types</b> | High Level Alarm  |
| <b>Tag Number</b>  | 4783                          | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | None         | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use              | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                     | <b>Piping Type</b>              | Gravity Feed | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Jet Fuel (Jet-A, Jet-A1, JP5) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/01/2024 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   |              | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 25000                         | <b>ATG Test Date</b>      | 09/09/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> |              | <b>Energy Act</b>     | No                |
|                    |                               | <b>Overfill Test Date</b> | 09/09/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350     |                                 |              |                       |                   |

### Facility Summary in Cascade County in the City of Great Falls

**Location:** ON YOUR WAY  
3601 10th Ave S  
Great Falls, MT 59405 Cascade

System Facility ID:07-03973

**Facility Code:** 18494  
**Last Inspected On:** 12/05/2023  
**Operating Permit Renewal Date:** 03/27/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** H and R Inc 5

(406) 727-9830

inder4030@yahoo.com

**Operator Contact:** Harinder Singh;Rajinder Singh

(406) 761-4791;(406) 868-2062

hrkinc101@gmail.com;inder4030@yahoo.com

**Owner/Operator:** H and R Inc 5

(406) 727-9830

inder4030@yahoo.com

Frank Kruse, UST Class B Global Operator  
Frank Kruse, UST Class B Operator  
Harinder Singh, UST Class A Operator  
Rajinder Singh, UST Class A Operator

wfkruse79@yahoo.com  
wfkruse79@yahoo.com  
inder4030@yahoo.com  
hrkinc101@gmail.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                  |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 06/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1248             | <b>Spill Test Date</b>    | 12/05/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None             | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 12/05/2023 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 12/05/2023 | <b>Line Tightness Test Date</b> | 07/12/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 12/05/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                  |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 06/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1249             | <b>Spill Test Date</b>    | 12/05/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None             | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 12/05/2023 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 12/05/2023 | <b>Line Tightness Test Date</b> | 08/13/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 12/05/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                  |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                  |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 06/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1250             | <b>Spill Test Date</b>    | 12/18/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None             | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 12/05/2023 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 12/05/2023 | <b>Line Tightness Test Date</b> | 10/06/2020 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 12/05/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                  |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** PHILLIPS 66 GREAT FALLS TERMINAL  
1401 52nd St N  
Great Falls, MT 59405-1073 Cascade

System Facility ID:07-01845

**Facility Code:** 18413  
**Last Inspected On:** 01/21/2025  
**Operating Permit Renewal Date:** 06/09/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Phillips 66 Great Falls Terminal (406) 255-5714

**Operator Contact:** Brian Buckley;Russel Fox;Scott Cleveland

russel.fox@p66.com;scleveland@pplweb.com

**Owner/Operator:** Phillips 66 Great Falls Terminal (406) 255-5714

Brian Buckley, UST Class A Operator  
Brian Buckley, UST Class B Operator  
Russel Fox, UST Class A Operator  
Russel Fox, UST Class B Operator  
Scott Cleveland, UST Class A Operator  
Scott Parker, UST Class B Operator

russel.fox@p66.com  
russel.fox@p66.com  
scleveland@pplweb.com  
Scott.G.Parker@p66.com

|                    |                  |                           |    |                                 |            |                                      |                                    |                                 |                                  |                       |     |
|--------------------|------------------|---------------------------|----|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|----------------------------------|-----------------------|-----|
| <b>Tank Code</b>   | 22               | <b>Tank Age</b>           | 32 | <b>Tank Installed Date</b>      | 02/01/1994 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Steel - Terminal Piping          | <b>Overfill Types</b> |     |
| <b>Tag Number</b>  | 4910             | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | None                             | <b>AST</b>            | No  |
| <b>Tank Status</b> | Regulated by DOT | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                       | <b>Piping Type</b>              | Pressurized                      | <b>CP Met Types</b>   |     |
| <b>Product</b>     | Mixture          | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> | 07/24/2009 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing      | <b>Vapor Recovery</b> | No  |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 11/03/2009 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                  | <b>Energy Act</b>     | No  |
|                    |                  | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                  |                       |     |
| <b>Tank Code</b>   | S5               | <b>Tank Age</b>           | 66 | <b>Tank Installed Date</b>      | 01/01/1960 | <b>Tank Material</b>                 | Unknown                            | <b>Piping Material</b>          | Steel - Terminal Piping          | <b>Overfill Types</b> |     |
| <b>Tag Number</b>  | 704              | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                    | <b>Piping Construction</b>      | None                             | <b>AST</b>            | Yes |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> | 10/29/2024 | <b>Catastrophic L.D Type 3.0</b>     | Not Required                       | <b>Piping Type</b>              | Pressurized                      | <b>CP Met Types</b>   |     |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> | 05/29/2024 | <b>Primary Tank Leak Detection</b>   |                                    | <b>Primary Pipe Detection</b>   | Terminal Piping Annual Line Test | <b>Vapor Recovery</b> | No  |
| <b>Capacity</b>    | 2520000          | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 09/01/2021 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                  | <b>Energy Act</b>     | No  |
|                    |                  | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                  |                       |     |

|                    |                        |                           |    |                                 |            |                                      |              |                                 |                                  |                       |     |
|--------------------|------------------------|---------------------------|----|---------------------------------|------------|--------------------------------------|--------------|---------------------------------|----------------------------------|-----------------------|-----|
| <b>Tank Code</b>   | S9                     | <b>Tank Age</b>           | 66 | <b>Tank Installed Date</b>      | 01/01/1960 | <b>Tank Material</b>                 | Unknown      | <b>Piping Material</b>          | Steel - Terminal Piping          | <b>Overfill Types</b> |     |
| <b>Tag Number</b>  | 707                    | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |              | <b>Piping Construction</b>      | None                             | <b>AST</b>            | Yes |
| <b>Tank Status</b> | Currently in Use       | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required | <b>Piping Type</b>              | Pressurized                      | <b>CP Met Types</b>   |     |
| <b>Product</b>     | Diesel                 | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> | 05/29/2024 | <b>Primary Tank Leak Detection</b>   |              | <b>Primary Pipe Detection</b>   | Terminal Piping Annual Line Test | <b>Vapor Recovery</b> | No  |
| <b>Capacity</b>    | 1512000                | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 10/30/2024 | <b>Secondary Tank Leak Detection</b> |              | <b>Secondary Pipe Detection</b> |                                  | <b>Energy Act</b>     | No  |
|                    |                        | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |              |                                 |                                  |                       |     |
| <b>Tank Code</b>   | S11                    | <b>Tank Age</b>           | 66 | <b>Tank Installed Date</b>      | 01/01/1960 | <b>Tank Material</b>                 | Unknown      | <b>Piping Material</b>          | Steel - Terminal Piping          | <b>Overfill Types</b> |     |
| <b>Tag Number</b>  | 709                    | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |              | <b>Piping Construction</b>      | None                             | <b>AST</b>            | Yes |
| <b>Tank Status</b> | Currently in Use       | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required | <b>Piping Type</b>              | Pressurized                      | <b>CP Met Types</b>   |     |
| <b>Product</b>     | Kerosene               | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> | 05/29/2024 | <b>Primary Tank Leak Detection</b>   |              | <b>Primary Pipe Detection</b>   | Terminal Piping Annual Line Test | <b>Vapor Recovery</b> | No  |
| <b>Capacity</b>    | 1512000                | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 09/17/2024 | <b>Secondary Tank Leak Detection</b> |              | <b>Secondary Pipe Detection</b> |                                  | <b>Energy Act</b>     | No  |
|                    |                        | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |              |                                 |                                  |                       |     |
| <b>Tank Code</b>   | S13                    | <b>Tank Age</b>           | 66 | <b>Tank Installed Date</b>      | 01/01/1960 | <b>Tank Material</b>                 | Unknown      | <b>Piping Material</b>          | Steel - Terminal Piping          | <b>Overfill Types</b> |     |
| <b>Tag Number</b>  | 711                    | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |              | <b>Piping Construction</b>      | None                             | <b>AST</b>            | Yes |
| <b>Tank Status</b> | Currently in Use       | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required | <b>Piping Type</b>              | Pressurized                      | <b>CP Met Types</b>   |     |
| <b>Product</b>     | Diesel                 | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> | 05/29/2024 | <b>Primary Tank Leak Detection</b>   |              | <b>Primary Pipe Detection</b>   | Terminal Piping Annual Line Test | <b>Vapor Recovery</b> | No  |
| <b>Capacity</b>    | 1050000                | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 09/17/2024 | <b>Secondary Tank Leak Detection</b> |              | <b>Secondary Pipe Detection</b> |                                  | <b>Energy Act</b>     | No  |
|                    |                        | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |              |                                 |                                  |                       |     |
| <b>Tank Code</b>   | S15                    | <b>Tank Age</b>           | 66 | <b>Tank Installed Date</b>      | 01/01/1960 | <b>Tank Material</b>                 | Unknown      | <b>Piping Material</b>          | Steel - Terminal Piping          | <b>Overfill Types</b> |     |
| <b>Tag Number</b>  | 713                    | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |              | <b>Piping Construction</b>      | None                             | <b>AST</b>            | Yes |
| <b>Tank Status</b> | Temporarily Out of Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required | <b>Piping Type</b>              | Pressurized                      | <b>CP Met Types</b>   |     |
| <b>Product</b>     | Kerosene               | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> | 05/29/2024 | <b>Primary Tank Leak Detection</b>   |              | <b>Primary Pipe Detection</b>   | Terminal Piping Annual Line Test | <b>Vapor Recovery</b> | No  |
| <b>Capacity</b>    | 21000                  | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 11/03/2009 | <b>Secondary Tank Leak Detection</b> |              | <b>Secondary Pipe Detection</b> |                                  | <b>Energy Act</b>     | No  |
|                    |                        | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |              |                                 |                                  |                       |     |

|                    |                  |                           |    |                                 |            |                                      |              |                                 |                                  |                       |     |
|--------------------|------------------|---------------------------|----|---------------------------------|------------|--------------------------------------|--------------|---------------------------------|----------------------------------|-----------------------|-----|
| <b>Tank Code</b>   | S16              | <b>Tank Age</b>           | 66 | <b>Tank Installed Date</b>      | 01/01/1960 | <b>Tank Material</b>                 | Unknown      | <b>Piping Material</b>          | Steel - Terminal Piping          | <b>Overfill Types</b> |     |
| <b>Tag Number</b>  | 714              | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |              | <b>Piping Construction</b>      | None                             | <b>AST</b>            | Yes |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required | <b>Piping Type</b>              | Pressurized                      | <b>CP Met Types</b>   |     |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> | 05/29/2024 | <b>Primary Tank Leak Detection</b>   |              | <b>Primary Pipe Detection</b>   | Terminal Piping Annual Line Test | <b>Vapor Recovery</b> | No  |
| <b>Capacity</b>    | 1512000          | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> | 10/30/2024 | <b>Secondary Tank Leak Detection</b> |              | <b>Secondary Pipe Detection</b> |                                  | <b>Energy Act</b>     | No  |
|                    |                  | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |              |                                 |                                  |                       |     |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** RAINBOW SHOP  
6700 Rainbow Dam Rd  
Great Falls, MT 59404-6000 Cascade

System Facility ID:07-01189

**Facility Code:** 18379  
**Last Inspected On:** 05/19/2025  
**Operating Permit Renewal Date:** 09/30/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Eric Larson;Northwestern Energy Butte (406) 565-6871;(406) 655-2521 eric.larson@northwestern.com

**Operator Contact:** Jeremy Salle jeremy.salle@northwestern.com

**Owner/Operator:** Eric Larson (406) 565-6871 eric.larson@northwestern.com

**Owner/Operator:** Northwestern Energy Butte (406) 565-6871 eric.larson@northwestern.com

Jeremy Salle, UST Class A Operator jeremy.salle@northwestern.com

Jon Story, UST Class B Operator

Matthew Lynn, UST Class B Operator matthew.lynn@northwestern.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 08/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1674             | <b>Spill Test Date</b>    | 05/19/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                  | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   |                  |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 05/19/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 550              | <b>ATG Test Date</b>      | 05/19/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 05/19/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-300  |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 08/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 1675             | <b>Spill Test Date</b>    | 05/19/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                  | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   |                  |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 05/19/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 2000             | <b>ATG Test Date</b>      | 05/19/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 05/19/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-300  |                                 |                               |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** RENTAL CAR SERVICE BUILDING  
2700 Airport Dr  
Great Falls, MT 59404 Cascade

System Facility ID:07-12300

**Facility Code:** 18994  
**Last Inspected On:** 07/17/2025  
**Operating Permit Renewal Date:** 07/20/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls International Airport (406) 727-3404

**Operator Contact:** Christopher Upchurch (406) 799-3189 chris@flygtf.com

**Owner/Operator:** Great Falls International Airport (406) 727-3404

Christopher Upchurch, UST Class A Operator

chris@flygtf.com

Christopher Upchurch, UST Class B Operator

chris@flygtf.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 36         | <b>Tank Installed Date</b>      | 11/27/1990 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 2704             | <b>Spill Test Date</b>    | 05/27/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Not Required                  | <b>Piping Type</b>              | Safe Suction                  | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   |                               | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 05/27/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 05/27/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300           |                                 |                               |                       |                  |

## Facility Summary in Cascade County in the City of Great Falls

**Location:** SAMS CLUB 6379  
401 Northwest Byp  
Great Falls, MT 59404-4124 Cascade

System Facility ID:56-14065

**Facility Code:** 30718  
**Last Inspected On:** 12/30/2025  
**Operating Permit Renewal Date:** 04/16/2029

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Sams West Inc (785) 550-8812 marie.brouhard@aptim.com

**Operator Contact:** Cheryl Shie;Dylan Oakden;Shaiyna Chinery (406) 217-2265;(760) 669-2468 clshie.s06379.us@samsclub.com;fatalangelshai@gmail.com;rdoakde.s06379.us@samsclub.com

**Owner/Operator:** Sams West Inc (785) 550-8812 marie.brouhard@aptim.com

Cheryl Shie, UST Class A Operator  
Cheryl Shie, UST Class B Operator  
Dylan Oakden, UST Class A Operator  
Dylan Oakden, UST Class B Operator  
Johney Miller, UST Class B Global Operator  
Shaiyna Chinery, UST Class A Operator  
Shaiyna Chinery, UST Class B Global Operator

clshie.s06379.us@samsclub.com  
clshie.s06379.us@samsclub.com  
rdoakde.s06379.us@samsclub.com  
rdoakde.s06379.us@samsclub.com  
john.miller@7g-enviro.com  
fatalangelshai@gmail.com  
fatalangelshai@gmail.com

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 24         | <b>Tank Installed Date</b>      | 08/05/2002 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 4702             | <b>Spill Test Date</b>    | 02/26/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/15/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2         | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 02/26/2025 | <b>Line Tightness Test Date</b> | 02/26/2025 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 02/26/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450                |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 24         | <b>Tank Installed Date</b>      | 08/05/2002 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 4703             | <b>Spill Test Date</b>    | 04/26/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/15/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2         | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No             |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 02/26/2025 | <b>Line Tightness Test Date</b> | 02/26/2025 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 02/26/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450                |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 24         | <b>Tank Installed Date</b>      | 08/05/2002 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 4704             | <b>Spill Test Date</b>    | 02/26/2025 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/15/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2         | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 02/26/2025 | <b>Line Tightness Test Date</b> | 02/26/2025 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 04/26/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450                |                                 |                                    |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** SCHULTES 38TH STREET STORE  
3800 3rd Ave S  
Great Falls, MT 59405 Cascade

System Facility ID:07-08480

**Facility Code:** 18691  
**Last Inspected On:** 01/29/2024  
**Operating Permit Renewal Date:** 03/24/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls Convenience Store (406) 453-3450 schultes38@bresnan.net

**Operator Contact:** Rory Schulte (406) 453-3450 schultes38@bresnan.net

**Owner/Operator:** Great Falls Convenience Store (406) 453-3450 schultes38@bresnan.net

Rory Schulte, UST Class A Operator

schultes38@bresnan.net

Rory Schulte, UST Class B Global Operator

schultes38@bresnan.net

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                               |                       |               |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|-------------------------------|-----------------------|---------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 41         | <b>Tank Installed Date</b>      | 12/07/1985 | <b>Tank Material</b>                 | Cathodically Protected Steel  | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 1906             | <b>Spill Test Date</b>    | 01/22/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 10/11/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/11/2021 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 10/10/2023 | <b>Line Tightness Test Date</b> | 10/11/2023 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 01/22/2024 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-350           |                                 |                               |                       |               |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 41         | <b>Tank Installed Date</b>      | 12/07/1985 | <b>Tank Material</b>                 | Cathodically Protected Steel  | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 1907             | <b>Spill Test Date</b>    | 01/22/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No            |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 10/11/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Galvanic      |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/11/2021 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No            |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 10/10/2023 | <b>Line Tightness Test Date</b> | 10/11/2023 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No            |
|                    |                  | <b>Overfill Test Date</b> | 01/22/2024 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-350           |                                 |                               |                       |               |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 12/07/1989 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve |
| <b>Tag Number</b>  | 1908             | <b>Spill Test Date</b>    | 01/22/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No            |

|                    |                         |                           |            |                                 |            |                                      |                               |                                 |                             |                       |                |
|--------------------|-------------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|-----------------------------|-----------------------|----------------|
| <b>Tank Status</b> | <b>Currently in Use</b> | <b>MLLD Test Date</b>     | 10/11/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                 | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel                  | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 02/22/2018 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 4000                    | <b>ATG Test Date</b>      | 10/10/2023 | <b>Line Tightness Test Date</b> | 10/11/2023 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                             | <b>Energy Act</b>     | No             |
|                    |                         | <b>Overfill Test Date</b> | 01/22/2024 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-350           |                                 |                             |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** SMITHS 166 FUEL CENTER  
1601 Market Place Dr  
Great Falls, MT 59401 Cascade

System Facility ID:60-15217

**Facility Code:** 30936  
**Last Inspected On:** 01/07/2025  
**Operating Permit Renewal Date:** 04/16/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Smiths Food and Drug (801) 974-1400 roger.gough@sfdc.com

**Operator Contact:** Braxton Hill;James Dye (801) 560-0471 braxton.hill@sfdc.com;jim.dye@sfdc.com

**Owner/Operator:** Smiths Food and Drug (801) 974-1400 roger.gough@sfdc.com

Braxton Hill, UST Class A Operator  
Braxton Hill, UST Class B Operator  
James Dye, UST Class A Operator  
James Dye, UST Class B Global Operator  
Todd Dotseth, UST Class B Operator

braxton.hill@sfdc.com  
braxton.hill@sfdc.com  
jim.dye@sfdc.com  
jim.dye@sfdc.com  
petrocompliance@gmail.com

|                    |                  |                           |            |                                 |            |                                      |  |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 14         | <b>Tank Installed Date</b>      | 12/01/2012 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                    | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5395             | <b>Spill Test Date</b>    | 09/08/2025 | <b>Piping Installed Date</b>    | 10/17/2012 | <b>Tank Construction</b>             | Double-Walled                                    | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/08/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                    | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 09/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring               | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 09/25/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2                       | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 09/26/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450;Veeder Root/TLS-450 |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 14         | <b>Tank Installed Date</b>      | 12/01/2012 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                    | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5396             | <b>Spill Test Date</b>    | 09/08/2025 | <b>Piping Installed Date</b>    | 10/17/2012 | <b>Tank Construction</b>             | Double-Walled                                    | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/08/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                    | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |

|                    |                  |                           |            |                                 |            |                                      |  |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 09/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring               | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 09/25/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2                       | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 09/26/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450;Veeder Root/TLS-450 |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 14         | <b>Tank Installed Date</b>      | 12/01/2012 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                    | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5397             | <b>Spill Test Date</b>    | 09/08/2025 | <b>Piping Installed Date</b>    | 10/17/2012 | <b>Tank Construction</b>             | Double-Walled                                    | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/08/2025 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                    | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 09/25/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring               | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes                            |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 09/25/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2                       | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 09/26/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450;Veeder Root/TLS-450 |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** SUCH GROUP INTERNATIONAL INC  
2224 Vaughn Rd  
Great Falls, MT 59404-2196 Cascade

System Facility ID:07-13632

**Facility Code:** 19051  
**Last Inspected On:** 02/06/2024  
**Operating Permit Renewal Date:** 02/13/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Such Group International Inc

todds@wwpgf.com

**Operator Contact:** Todd Such

(406) 727-4114

todds@sgigf.com

**Owner/Operator:** Such Group International Inc

todds@wwpgf.com

Todd Such, UST Class A Operator

todds@sgigf.com

Todd Such, UST Class B Operator

todds@sgigf.com

|                    |                        |                           |    |                                 |            |                                      |   |                                 |                                    |                       |                  |
|--------------------|------------------------|---------------------------|----|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 01                     | <b>Tank Age</b>           | 31 | <b>Tank Installed Date</b>      | 08/01/1995 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4389                   | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Temporarily Out of Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Continuous Interstitial Monitoring                    | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline               | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.1;Automatic Tank Gauging 0.2 | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000                  | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No               |
|                    |                        | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |   |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | 02                     | <b>Tank Age</b>           | 31 | <b>Tank Installed Date</b>      | 08/01/1995 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                         | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4390                   | <b>Spill Test Date</b>    |    | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Temporarily Out of Use | <b>MLLD Test Date</b>     |    | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Continuous Interstitial Monitoring                    | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel                 | <b>PLLD Test Date</b>     |    | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.1;Automatic Tank Gauging 0.2 | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 12000                  | <b>ATG Test Date</b>      |    | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No               |
|                    |                        | <b>Overfill Test Date</b> |    |                                 |            | <b>ATG Type</b>                      |   |                                 |                                    |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** TOLAN DISTRIBUTING INC  
2201 Vaughn Rd  
Great Falls, MT 59404-2197 Cascade

System Facility ID:07-04511

**Facility Code:** 18527  
**Last Inspected On:** 08/11/2023  
**Operating Permit Renewal Date:** 09/15/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Tolan Distributing Inc

tdimt@gmx.com

**Operator Contact:**

**Owner/Operator:** Tolan Distributing Inc

tdimt@gmx.com

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 09/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4098             | <b>Spill Test Date</b>    | 06/07/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 06/07/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 06/07/2023 | <b>Line Tightness Test Date</b> | 06/07/2023 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 06/07/2023 |                                 |            | <b>ATG Type</b>                      | EMCO Electronics/EECO 1500    |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 01/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4099             | <b>Spill Test Date</b>    | 06/07/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 06/07/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 06/07/2023 | <b>Line Tightness Test Date</b> | 06/07/2023 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 06/07/2023 |                                 |            | <b>ATG Type</b>                      | EMCO Electronics/EECO 1500    |                                 |                                    |                       |                  |

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                                    |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 09/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4100             | <b>Spill Test Date</b>    | 06/07/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 06/07/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 06/07/2023 | <b>Line Tightness Test Date</b> | 06/07/2023 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 06/07/2023 |                                 |            | <b>ATG Type</b>                      | EMCO Electronics/EECO 1500    |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | 09               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 09/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4101             | <b>Spill Test Date</b>    | 06/07/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 06/07/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing        | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 06/07/2023 | <b>Line Tightness Test Date</b> | 06/07/2023 | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 06/07/2023 |                                 |            | <b>ATG Type</b>                      | EMCO Electronics/EECO 1500    |                                 |                                    |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** TOWN PUMP GREAT FALLS 6  
3715 31st St SW  
Great Falls, MT 59404-4700 Cascade

System Facility ID:56-14148

**Facility Code:** 30784  
**Last Inspected On:** 03/26/2024  
**Operating Permit Renewal Date:** 08/06/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls 6 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

**Operator Contact:** Trent Biggers

**Trentb@townpump.com**

**Owner/Operator:** Great Falls 6 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

Trent Biggers, UST Class A Operator

Trentb@townpump.com

Trent Biggers, UST Class B Global Operator

Trentb@townpump.com

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 21         | <b>Tank Installed Date</b>      | 02/25/2005 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve;Flapper Valve |
| <b>Tag Number</b>  | 4956             | <b>Spill Test Date</b>    | 01/12/2024 | <b>Piping Installed Date</b>    | 02/25/2005 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 04/19/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 04/19/2025 | <b>Line Tightness Test Date</b> | 02/29/2016 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 09/13/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS              |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 21         | <b>Tank Installed Date</b>      | 02/25/2005 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve;Flapper Valve |
| <b>Tag Number</b>  | 4957             | <b>Spill Test Date</b>    | 09/13/2023 | <b>Piping Installed Date</b>    | 02/25/2005 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 04/19/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 04/19/2025 | <b>Line Tightness Test Date</b> | 02/24/2016 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                             |

|                    |                     |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                                |
|--------------------|---------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|--------------------------------|
|                    |                     | <b>Overfill Test Date</b> | 09/13/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS              |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 03                  | <b>Tank Age</b>           | 21         | <b>Tank Installed Date</b>      | 02/25/2005 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve;Flapper Valve |
| <b>Tag Number</b>  | 4958                | <b>Spill Test Date</b>    | 09/13/2023 | <b>Piping Installed Date</b>    | 02/25/2005 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline            | <b>PLLD Test Date</b>     | 04/19/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 20000               | <b>ATG Test Date</b>      | 04/19/2025 | <b>Line Tightness Test Date</b> | 02/24/2016 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                             |
|                    |                     | <b>Overfill Test Date</b> | 09/13/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS              |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 04                  | <b>Tank Age</b>           | 21         | <b>Tank Installed Date</b>      | 02/25/2005 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve;Flapper Valve |
| <b>Tag Number</b>  | 4959                | <b>Spill Test Date</b>    | 09/13/2023 | <b>Piping Installed Date</b>    | 02/25/2005 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline            | <b>PLLD Test Date</b>     | 04/19/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 12000               | <b>ATG Test Date</b>      | 04/19/2025 | <b>Line Tightness Test Date</b> | 02/23/2016 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                             |
|                    |                     | <b>Overfill Test Date</b> | 09/13/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS              |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 05                  | <b>Tank Age</b>           | 13         | <b>Tank Installed Date</b>      | 05/01/2013 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> |                                |
| <b>Tag Number</b>  | 5420                | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    | 05/05/2013 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | None                                 | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Other               | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     |                                      | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   |                                |
| <b>Product</b>     | DEF (Not Regulated) | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Deferred                             | <b>Primary Pipe Detection</b>   | Deferred                             | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 10000               | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Deferred;Not Listed                  | <b>Energy Act</b>     | Yes                            |
|                    |                     | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      |                                      |                                 |                                      |                       |                                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** TOWN PUMP GREAT FALLS 7  
1411 10th Ave S  
Great Falls, MT 59405 Cascade

System Facility ID:60-15283

**Facility Code:** 30990  
**Last Inspected On:** 03/26/2024  
**Operating Permit Renewal Date:** 08/06/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls 7 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

**Operator Contact:** Trent Biggers;Town Pump

**Trentb@townpump.com;environmental@townpump.com**

**Owner/Operator:** Great Falls 7 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

Trent Biggers, UST Class A Operator

environmental@townpump.com

Trent Biggers, UST Class B Global Operator

environmental@townpump.com

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |   |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|---|-----------------------|----------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 01/25/2017 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | High Density Polyethylene   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 5665             | <b>Spill Test Date</b>    | 09/12/2023 | <b>Piping Installed Date</b>    | 07/01/2016 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled   | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/12/2023 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized   | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 03/26/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring   | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring                                      | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 03/26/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation                                    | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 01/15/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450         |                                 |   |                       |                |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 01/25/2017 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | High Density Polyethylene   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 5666             | <b>Spill Test Date</b>    | 01/15/2024 | <b>Piping Installed Date</b>    | 07/01/2016 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled   | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/12/2023 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized   | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 03/26/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring   | <b>Primary Pipe Detection</b>   |   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 03/26/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring;Statistical Inventory Reconciliation | <b>Energy Act</b>     | Yes            |

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|----------------|
|                    |                  | <b>Overfill Test Date</b> | 09/12/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450         |                                 |                                      |                       |                |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 01/25/2017 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | High Density Polyethylene            | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 5667             | <b>Spill Test Date</b>    | 09/12/2023 | <b>Piping Installed Date</b>    | 07/01/2016 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/12/2023 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel, Dyed     | <b>PLLD Test Date</b>     | 03/26/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring   | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 03/26/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 01/15/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450         |                                 |                                      |                       |                |
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 01/25/2017 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | High Density Polyethylene            | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 5668             | <b>Spill Test Date</b>    | 09/12/2023 | <b>Piping Installed Date</b>    | 07/01/2016 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/12/2023 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/26/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring   | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 25000            | <b>ATG Test Date</b>      | 03/26/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 01/15/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450         |                                 |                                      |                       |                |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 01/25/2017 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | High Density Polyethylene            | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 5669             | <b>Spill Test Date</b>    | 09/12/2023 | <b>Piping Installed Date</b>    | 07/01/2016 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/12/2023 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/26/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring   | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 03/26/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 01/15/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450         |                                 |                                      |                       |                |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 01/25/2017 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | High Density Polyethylene            | <b>Overfill Types</b> | Flapper Valve  |

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|----------------|
| <b>Tag Number</b>  | 5670             | <b>Spill Test Date</b>    | 01/15/2024 | <b>Piping Installed Date</b>    | 07/01/2016 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/12/2023 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/26/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring   | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 03/26/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 01/15/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450         |                                 |                                      |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** TOWN PUMP INC GREAT FALLS 1  
401 10th Ave S  
Great Falls, MT 59405-4044 Cascade

System Facility ID:07-08700

**Facility Code:** 18695  
**Last Inspected On:** 03/21/2024  
**Operating Permit Renewal Date:** 08/06/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls 1 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

**Operator Contact:** Trent Biggers

**Trentb@townpump.com**

**Owner/Operator:** Great Falls 1 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

Trent Biggers, UST Class A Operator

Trentb@townpump.com

Trent Biggers, UST Class B Global Operator

Trentb@townpump.com

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|-------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 40         | <b>Tank Installed Date</b>      | 01/01/1986 | <b>Tank Material</b>                 | Cathodically Protected Steel         | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve  |
| <b>Tag Number</b>  | 2391             | <b>Spill Test Date</b>    | 08/30/2023 | <b>Piping Installed Date</b>    | 07/12/2013 | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/21/2024 | <b>Tank/Piping CP Test Date</b> | 08/30/2023 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 03/21/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/30/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                   |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 40         | <b>Tank Installed Date</b>      | 01/01/1986 | <b>Tank Material</b>                 | Cathodically Protected Steel         | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve  |
| <b>Tag Number</b>  | 2392             | <b>Spill Test Date</b>    | 08/30/2023 | <b>Piping Installed Date</b>    | 07/12/2013 | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/21/2024 | <b>Tank/Piping CP Test Date</b> | 03/21/2024 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 03/21/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/30/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                   |

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|-------------------|
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 38         | <b>Tank Installed Date</b>      | 08/18/1988 | <b>Tank Material</b>                 | Cathodically Protected Steel         | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve  |
| <b>Tag Number</b>  | 2393             | <b>Spill Test Date</b>    | 08/30/2023 | <b>Piping Installed Date</b>    | 07/12/2013 | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/21/2024 | <b>Tank/Piping CP Test Date</b> | 03/21/2024 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 08/21/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/30/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                   |
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/01/1998 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve  |
| <b>Tag Number</b>  | 2394             | <b>Spill Test Date</b>    | 09/14/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible    |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/21/2024 | <b>Tank/Piping CP Test Date</b> | 03/16/2010 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 03/21/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/30/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                   |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 28         | <b>Tank Installed Date</b>      | 05/01/1998 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Flapper Valve     |
| <b>Tag Number</b>  | 2395             | <b>Spill Test Date</b>    | 08/30/2023 | <b>Piping Installed Date</b>    | 07/12/2013 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible    |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/21/2024 | <b>Tank/Piping CP Test Date</b> | 03/16/2010 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 03/21/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/30/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                   |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** TOWN PUMP INC GREAT FALLS 2  
1400 10th Ave S  
Great Falls, MT 59405-2624 Cascade

System Facility ID:07-08701

**Facility Code:** 18696  
**Last Inspected On:** 02/28/2024  
**Operating Permit Renewal Date:** 08/06/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls 2 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

**Operator Contact:** Trent Biggers

**Trentb@townpump.com**

**Owner/Operator:** Great Falls 2 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

Trent Biggers, UST Class A Operator

Trentb@townpump.com

Trent Biggers, UST Class B Global Operator

Trentb@townpump.com

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 11               | <b>Tank Age</b>           | 6          | <b>Tank Installed Date</b>      | 01/10/2020 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 5944             | <b>Spill Test Date</b>    | 09/14/2023 | <b>Piping Installed Date</b>    | 01/10/2020 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/14/2023 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 02/28/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring   | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | Yes            |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 02/28/2024 | <b>Line Tightness Test Date</b> | 09/14/2023 | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 09/14/2023 |                                 |            | <b>ATG Type</b>                      |                                      |                                 |                                      |                       |                |
| <b>Tank Code</b>   | 12               | <b>Tank Age</b>           | 6          | <b>Tank Installed Date</b>      | 01/10/2020 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 5945             | <b>Spill Test Date</b>    | 01/12/2024 | <b>Piping Installed Date</b>    | 01/10/2020 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/14/2023 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 02/28/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring   | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | Yes            |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 02/28/2024 | <b>Line Tightness Test Date</b> | 09/14/2023 | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 09/14/2023 |                                 |            | <b>ATG Type</b>                      |                                      |                                 |                                      |                       |                |
| <b>Tank Code</b>   | 13               | <b>Tank Age</b>           | 6          | <b>Tank Installed Date</b>      | 01/10/2020 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Flapper Valve  |

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|----------------|
| <b>Tag Number</b>  | 5946             | <b>Spill Test Date</b>    | 09/14/2023 | <b>Piping Installed Date</b>    | 01/10/2020 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 09/14/2023 | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 02/28/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring   | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 02/28/2024 | <b>Line Tightness Test Date</b> | 09/14/2023 | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 09/14/2023 |                                 |            | <b>ATG Type</b>                      |                                      |                                 |                                      |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** TOWN PUMP INC GREAT FALLS 3  
505 Northwest Byp  
Great Falls, MT 59404-4102 Cascade

System Facility ID:56-14016

**Facility Code:** 30676  
**Last Inspected On:** 03/25/2024  
**Operating Permit Renewal Date:** 08/06/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls 3 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

**Operator Contact:** Trent Biggers

**Trentb@townpump.com**

**Owner/Operator:** Great Falls 3 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

Trent Biggers, UST Class A Operator

Trentb@townpump.com

Trent Biggers, UST Class B Global Operator

Trentb@townpump.com

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 25         | <b>Tank Installed Date</b>      | 10/01/2001 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4453             | <b>Spill Test Date</b>    | 09/13/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 04/16/2025 | <b>Tank/Piping CP Test Date</b> | 11/30/2005 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 04/16/2025 | <b>Line Tightness Test Date</b> | 10/12/2006 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 09/13/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS              |                                 |                                      |                       |                  |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 25         | <b>Tank Installed Date</b>      | 10/01/2001 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4454             | <b>Spill Test Date</b>    | 09/13/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 04/16/2025 | <b>Tank/Piping CP Test Date</b> | 11/30/2005 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 04/16/2025 | <b>Line Tightness Test Date</b> | 10/12/2006 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |

|                    |                  |                           |            |                                 |            |                                      |  |                                 |                                      |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--|---------------------------------|--------------------------------------|-----------------------|------------------|
|                    |                  | <b>Overfill Test Date</b> | 09/13/2023 |                                 |            | <b>ATG Type</b>                      | /TLS-450PLUS;Veeder Root;Veeder Root/TLS-450PLUS |                                 |                                      |                       |                  |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 25         | <b>Tank Installed Date</b>      | 10/01/2001 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                    | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4455             | <b>Spill Test Date</b>    | 09/13/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                                    | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                    | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 04/16/2025 | <b>Tank/Piping CP Test Date</b> | 11/30/2005 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation             | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 5000             | <b>ATG Test Date</b>      | 04/16/2025 | <b>Line Tightness Test Date</b> | 10/12/2006 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 09/13/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS                          |                                 |                                      |                       |                  |
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 25         | <b>Tank Installed Date</b>      | 10/01/2001 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                    | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4456             | <b>Spill Test Date</b>    | 09/13/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                                    | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                    | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 04/16/2025 | <b>Tank/Piping CP Test Date</b> | 11/30/2005 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation             | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 04/16/2025 | <b>Line Tightness Test Date</b> | 10/12/2006 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 09/13/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS                          |                                 |                                      |                       |                  |
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 25         | <b>Tank Installed Date</b>      | 10/01/2001 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                    | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4457             | <b>Spill Test Date</b>    | 09/13/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                                    | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                    | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 04/16/2025 | <b>Tank/Piping CP Test Date</b> | 11/30/2005 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation             | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 5000             | <b>ATG Test Date</b>      | 04/16/2025 | <b>Line Tightness Test Date</b> | 10/12/2006 | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring               | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 09/13/2023 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS                          |                                 |                                      |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** TOWN PUMP INC GREAT FALLS 4  
700 10th Ave S  
Great Falls, MT 59405-4051 Cascade

System Facility ID:07-03217

**Facility Code:** 18470  
**Last Inspected On:** 03/27/2024  
**Operating Permit Renewal Date:** 08/06/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls 4 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

**Operator Contact:** Trent Biggers

**Trentb@townpump.com**

**Owner/Operator:** Great Falls 4 Town Pump LLC

**(406) 497-6700**

**environmental@townpump.com**

Trent Biggers, UST Class A Operator

Trentb@townpump.com

Trent Biggers, UST Class B Global Operator

Trentb@townpump.com

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 24         | <b>Tank Installed Date</b>      | 08/18/2002 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4708             | <b>Spill Test Date</b>    | 01/09/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 09/14/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                  |
| <b>Tank Code</b>   | 09               | <b>Tank Age</b>           | 24         | <b>Tank Installed Date</b>      | 08/18/2002 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4709             | <b>Spill Test Date</b>    | 09/14/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel, Dyed     | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 5000             | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 09/14/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                  |

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 31         | <b>Tank Installed Date</b>      | 08/01/1995 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4804             | <b>Spill Test Date</b>    | 12/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 2000             | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 09/14/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                  |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 31         | <b>Tank Installed Date</b>      | 08/01/1995 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4805             | <b>Spill Test Date</b>    | 09/14/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 09/14/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                  |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 31         | <b>Tank Installed Date</b>      | 08/01/1995 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Flexible Plastic                     | <b>Overfill Types</b> | Ball Float Valve |
| <b>Tag Number</b>  | 4806             | <b>Spill Test Date</b>    | 12/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 09/14/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                  |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** TOWN PUMP INC GREAT FALLS 5  
3700 31st St SW Ste 1  
Great Falls, MT 59404-4734 Cascade

System Facility ID:07-03463

**Facility Code:** 18483  
**Last Inspected On:** 03/27/2024  
**Operating Permit Renewal Date:** 08/06/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Great Falls 5 Town Pump Inc

**(406) 497-6000**

**environmental@townpump.com**

**Operator Contact:** Trent Biggers

**Trentb@townpump.com**

**Owner/Operator:** Great Falls 5 Town Pump Inc

**(406) 497-6000**

**environmental@townpump.com**

Trent Biggers, UST Class A Operator

Trentb@townpump.com

Trent Biggers, UST Class B Global Operator

Trentb@townpump.com

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|-------------------|
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 01/15/1989 | <b>Tank Material</b>                 | Steel Clad                           | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve  |
| <b>Tag Number</b>  | 2223             | <b>Spill Test Date</b>    | 12/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Galvanic          |
| <b>Product</b>     | Diesel, Dyed     | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> | 09/21/2023 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                   |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 01/15/1989 | <b>Tank Material</b>                 | Cathodically Protected Steel         | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve  |
| <b>Tag Number</b>  | 2224             | <b>Spill Test Date</b>    | 01/12/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 08/02/2021 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> | 12/12/2023 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 14000            | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                   |

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 33         | <b>Tank Installed Date</b>      | 04/01/1993 | <b>Tank Material</b>                 | Cathodically Protected Steel         | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve               |
| <b>Tag Number</b>  | 2225             | <b>Spill Test Date</b>    | 08/31/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Galvanic                       |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> | 09/21/2023 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | Yes                            |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 09               | <b>Tank Age</b>           | 33         | <b>Tank Installed Date</b>      | 04/01/1993 | <b>Tank Material</b>                 | Bare Steel                           | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve               |
| <b>Tag Number</b>  | 2226             | <b>Spill Test Date</b>    | 12/15/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Impressed Current              |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> | 12/12/2023 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 10               | <b>Tank Age</b>           | 33         | <b>Tank Installed Date</b>      | 04/01/1993 | <b>Tank Material</b>                 | Bare Steel                           | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve               |
| <b>Tag Number</b>  | 2227             | <b>Spill Test Date</b>    | 08/31/2023 | <b>Piping Installed Date</b>    | 10/20/2019 | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Galvanic                       |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> | 09/21/2023 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring   | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 11               | <b>Tank Age</b>           | 20         | <b>Tank Installed Date</b>      | 04/25/2006 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve;Flapper Valve |
| <b>Tag Number</b>  | 5080             | <b>Spill Test Date</b>    | 08/31/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |

|                    |                  |                           |            |                                 |            |                                      |                                      |                                 |                                      |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------|--------------------------------|
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> | 03/12/2010 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 30000            | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 12               | <b>Tank Age</b>           | 20         | <b>Tank Installed Date</b>      | 04/26/2006 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Ball Float Valve;Flapper Valve |
| <b>Tag Number</b>  | 5081             | <b>Spill Test Date</b>    | 08/31/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Continuous Interstitial Monitoring   | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> | 03/12/2010 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 30000            | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 13               | <b>Tank Age</b>           | 20         | <b>Tank Installed Date</b>      | 04/25/2006 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Fiberglass Reinforced Plastic        | <b>Overfill Types</b> | Flapper Valve                  |
| <b>Tag Number</b>  | 5082             | <b>Spill Test Date</b>    | 08/31/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector        | <b>Piping Type</b>              | Pressurized                          | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 03/27/2024 | <b>Tank/Piping CP Test Date</b> | 03/12/2010 | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | Statistical Inventory Reconciliation | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 30000            | <b>ATG Test Date</b>      | 03/27/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Continuous Interstitial Monitoring   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring   | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350         |                                 |                                      |                       |                                |
| <b>Tank Code</b>   | 14               | <b>Tank Age</b>           | 0          | <b>Tank Installed Date</b>      |            | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Fiberglass                           | <b>Overfill Types</b> | High Level Alarm               |
| <b>Tag Number</b>  | 5362             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    | 04/12/2012 | <b>Tank Construction</b>             | Double-Walled                        | <b>Piping Construction</b>      | Double Walled                        | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Non Regulated    | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Continuous Interstitial Monitoring   | <b>Piping Type</b>              | Not Listed                           | <b>CP Met Types</b>   |                                |

|                    |                     |                           |   |                                 |            |                                      |   |                                 |   |                       |                |
|--------------------|---------------------|---------------------------|---|---------------------------------|------------|--------------------------------------|---|---------------------------------|---|-----------------------|----------------|
| <b>Product</b>     | DEF (Not Regulated) | <b>PLLD Test Date</b>     |   | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.1                | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring;Not Listed | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 10000               | <b>ATG Test Date</b>      |   | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |   | <b>Energy Act</b>     | No             |
|                    |                     | <b>Overfill Test Date</b> |   |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |   |                       |                |
| <b>Tank Code</b>   | 15                  | <b>Tank Age</b>           | 1 | <b>Tank Installed Date</b>      | 11/25/2025 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic                              | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 6331                | <b>Spill Test Date</b>    |   | <b>Piping Installed Date</b>    | 11/25/2025 | <b>Tank Construction</b>             | Double-Walled                             | <b>Piping Construction</b>      | Double Walled                                 | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |   | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                                   | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel              | <b>PLLD Test Date</b>     |   | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring        | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring            | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 30000               | <b>ATG Test Date</b>      |   | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation      | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation          | <b>Energy Act</b>     | Yes            |
|                    |                     | <b>Overfill Test Date</b> |   |                                 |            | <b>ATG Type</b>                      |   |                                 |   |                       |                |
| <b>Tank Code</b>   | 16                  | <b>Tank Age</b>           | 1 | <b>Tank Installed Date</b>      | 11/25/2025 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Flexible Plastic                              | <b>Overfill Types</b> |                |
| <b>Tag Number</b>  | 6332                | <b>Spill Test Date</b>    |   | <b>Piping Installed Date</b>    | 11/25/2025 | <b>Tank Construction</b>             | Double-Walled                             | <b>Piping Construction</b>      | Double Walled                                 | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use    | <b>MLLD Test Date</b>     |   | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                                   | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | DEF (Not Regulated) | <b>PLLD Test Date</b>     |   | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring        | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring            | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 10000               | <b>ATG Test Date</b>      |   | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Statistical Inventory Reconciliation      | <b>Secondary Pipe Detection</b> | Statistical Inventory Reconciliation          | <b>Energy Act</b>     | Yes            |
|                    |                     | <b>Overfill Test Date</b> |   |                                 |            | <b>ATG Type</b>                      |   |                                 |   |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** WALMART SUPERCENTER #7199  
5400 10th Ave S  
Great Falls, MT 59405 Cascade

System Facility ID:60-15280

**Facility Code:** 30988  
**Last Inspected On:** 03/21/2023  
**Operating Permit Renewal Date:** 09/10/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Walmart Inc

walmartepmsupport@aptim.com

**Operator Contact:** Treavor Harpine

(406) 770-6083

treavor12321@gmail.com

**Owner/Operator:** Walmart Inc

walmartepmsupport@aptim.com

Treavor Harpine, UST Class A Operator

treavor12321@gmail.com

Treavor Harpine, UST Class B Global Operator

treavor12321@gmail.com

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 03/01/2017 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 5646             | <b>Spill Test Date</b>    | 02/05/2020 | <b>Piping Installed Date</b>    | 03/01/2017 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/05/2020 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes            |
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 02/05/2020 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> | MLLD Line Tightness Testing        | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 02/05/2020 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450       |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 03/01/2017 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 5647             | <b>Spill Test Date</b>    | 02/05/2020 | <b>Piping Installed Date</b>    | 03/01/2017 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/05/2020 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes            |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 02/05/2020 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> | MLLD Line Tightness Testing        | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 02/05/2020 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450       |                                 |                                    |                       |                |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 9          | <b>Tank Installed Date</b>      | 03/01/2017 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve  |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|----------------|
| <b>Tag Number</b>  | 5648             | <b>Spill Test Date</b>    | 02/05/2020 | <b>Piping Installed Date</b>    | 03/01/2017 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/05/2020 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 02/05/2020 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> | MLLD Line Tightness Testing        | <b>Energy Act</b>     | Yes            |
|                    |                  | <b>Overfill Test Date</b> | 02/05/2020 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450       |                                 |                                    |                       |                |

**Facility Summary in Cascade County in the City of Great Falls**

**Location:** ZIP TRIP 45  
625 1st Ave N  
Great Falls, MT 59401-2510 Cascade

System Facility ID:07-01057

**Facility Code:** 18375  
**Last Inspected On:** 03/18/2025  
**Operating Permit Renewal Date:** 03/30/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** CHS Inc Spokane Valley (509) 535-7701 jim.alford@chsinc.com

**Operator Contact:** Jim Alford;Sean Hurley (509) 535-7701;(509) 536-7418 jim.alford@chsinc.com;sean.hurley@chsinc.com

**Owner/Operator:** CHS Inc Spokane Valley (509) 535-7701 jim.alford@chsinc.com

Jim Alford, UST Class A Operator jim.alford@chsinc.com  
 Jim Alford, UST Class B Operator jim.alford@chsinc.com  
 Luci Tuttle, UST Class B Operator Lucinda.Tuttle@chsinc.com  
 Sean Hurley, UST Class A Operator sean.hurley@chsinc.com  
 Travis Weber, UST Class B Operator jim.alford@chsinc.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                    |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|-------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 44         | <b>Tank Installed Date</b>      | 04/27/1982 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm  |
| <b>Tag Number</b>  | 1610             | <b>Spill Test Date</b>    | 06/29/2022 | <b>Piping Installed Date</b>    | 03/14/2025 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 08/08/2024 | <b>Tank/Piping CP Test Date</b> | 03/18/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 08/08/2024 | <b>Line Tightness Test Date</b> | 09/20/2023 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/08/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                   |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 44         | <b>Tank Installed Date</b>      | 04/27/1982 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm  |
| <b>Tag Number</b>  | 1611             | <b>Spill Test Date</b>    | 06/29/2022 | <b>Piping Installed Date</b>    | 03/14/2025 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/08/2024 | <b>Tank/Piping CP Test Date</b> | 03/18/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 08/08/2024 | <b>Line Tightness Test Date</b> | 06/21/2021 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                                    |                       |                   |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|------------------------------------|-----------------------|-------------------|
|                    |                  | <b>Overfill Test Date</b> | 08/08/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                   |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 44         | <b>Tank Installed Date</b>      | 04/27/1982 | <b>Tank Material</b>                 | Cathodically Protected Steel              | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm  |
| <b>Tag Number</b>  | 1612             | <b>Spill Test Date</b>    | 06/29/2022 | <b>Piping Installed Date</b>    | 03/14/2025 | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Impressed Current |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 08/08/2024 | <b>Tank/Piping CP Test Date</b> | 03/18/2025 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                           | <b>Vapor Recovery</b> | No                |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>      | 08/08/2024 | <b>Line Tightness Test Date</b> | 06/16/2021 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> | Continuous Interstitial Monitoring | <b>Energy Act</b>     | No                |
|                    |                  | <b>Overfill Test Date</b> | 08/08/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                                    |                       |                   |

**Facility Summary in Cascade County in the City of Malmstrom A F B**

**Location:** MALMSTROM AFB BLDG 1480 1482  
6705 Flightline Dr  
Malmstrom A F B, MT 59402-7524 Cascade

System Facility ID:07-10733

**Facility Code:** 18844  
**Last Inspected On:** 05/18/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                                    |
|--|------------------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil        |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil        |
| Curtis Hester, UST Class A Operator            |                                    |
| Curtis Hester, UST Class B Global Operator     |                                    |
| Rodney Borger, UST Class B Global Operator     | rodney.borger.ctr@malmstrom.af.mil |
| William Smith, UST Class A Operator            | william.smith@us.af.mil            |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil            |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 30         | <b>Tank Installed Date</b>      | 08/01/1996 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Steel                              | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 4325             | <b>Spill Test Date</b>    | 05/18/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | None                               | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 03/31/2021 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |                                |
| <b>Product</b>     | Jet Fuel, JP8    | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 03/31/2021 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/02/2024 | <b>Line Tightness Test Date</b> | 11/26/2012 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/02/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Malmstrom A F B**

**Location:** MALMSTROM AFB BLDG 500  
21 77th St N  
Malmstrom A F B, MT 59402-7538 Cascade

System Facility ID:07-08954

**Facility Code:** 18720  
**Last Inspected On:** 05/18/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| David Degolier, UST Class B Operator           | david.degolier@us.af.mil    |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 26         | <b>Tank Installed Date</b>      | 11/22/2000 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 4227             | <b>Spill Test Date</b>    | 05/18/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 05/04/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/04/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450PLUS   |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Malmstrom A F B**

**Location:** MILITARY VEHICLE REFUELING SITE BLDG 448  
7832 Flightline Dr  
Malmstrom A F B, MT 59402-7525 Cascade

System Facility ID:56-14116

**Facility Code:** 30757  
**Last Inspected On:** 05/18/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Malmstrom A F B (406) 731-6167

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** Malmstrom A F B (406) 731-6167

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                            |                                 |                                    |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|----------------------------|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | S1               | <b>Tank Age</b>           | 21         | <b>Tank Installed Date</b>      | 06/15/2005 | <b>Tank Material</b>                 | Concrete                   | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4971             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    | 07/29/2020 | <b>Tank Construction</b>             |                            | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | Yes              |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |                  |
| <b>Product</b>     | Biodiesel, <=B20 | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2 | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 60000            | <b>ATG Test Date</b>      | 07/17/2025 | <b>Line Tightness Test Date</b> | 07/29/2020 | <b>Secondary Tank Leak Detection</b> |                            | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/17/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS    |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | S2               | <b>Tank Age</b>           | 21         | <b>Tank Installed Date</b>      | 08/05/2005 | <b>Tank Material</b>                 | Concrete                   | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4972             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    | 07/29/2020 | <b>Tank Construction</b>             |                            | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | Yes              |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |                  |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2 | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No               |

|                    |                  |                           |            |                                 |            |                                      |                            |                                 |                                    |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|----------------------------|---------------------------------|------------------------------------|-----------------------|------------------|
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 07/17/2025 | <b>Line Tightness Test Date</b> | 07/29/2020 | <b>Secondary Tank Leak Detection</b> |                            | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/17/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS    |                                 |                                    |                       |                  |
| <b>Tank Code</b>   | S3               | <b>Tank Age</b>           | 21         | <b>Tank Installed Date</b>      | 08/05/2005 | <b>Tank Material</b>                 | Concrete                   | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 5037             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    | 07/29/2020 | <b>Tank Construction</b>             |                            | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | Yes              |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   |                  |
| <b>Product</b>     | Gasoline, E85    | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2 | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 07/17/2025 | <b>Line Tightness Test Date</b> | 07/29/2020 | <b>Secondary Tank Leak Detection</b> |                            | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 07/17/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-450PLUS    |                                 |                                    |                       |                  |

**Facility Summary in Cascade County in the City of Malmstrom AFB**

**Location:** AAFES SHOPPING CENTER BLDG 1340  
7200 Perimeter Rd  
Malmstrom AFB, MT 59402 Cascade

System Facility ID:60-15199

**Facility Code:** 30920  
**Last Inspected On:** 05/18/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Malmstrom A F B (406) 731-6167

**Operator Contact:** Ashley Collins;Candace Ellsworth;Famh Kosoff;Fatima Quintanilla;James Nau;Malmstrom A F B;Sonya Coker (406) 454-1301;(406) 731-6167;(406) 731-7128;(406) 761-8004 ashley.collins@7g-enviro.com;candace.ellsworth@us.af.mil;cokers@aafes.com;naujm@aafes.com;quintanillafm@aafes.com

**Owner/Operator:** Malmstrom A F B (406) 731-6167

|  |                              |
|--|------------------------------|
| Ashley Collins, UST Class A Operator           | ashley.collins@7g-enviro.com |
| Ashley Collins, UST Class B Global Operator    | ashley.collins@7g-enviro.com |
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil  |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil  |
| Famh Kosoff, UST Class A Operator              |                              |
| Fatima Quintanilla, UST Class A Operator       | quintanillafm@aafes.com      |
| Fatima Quintanilla, UST Class B Operator       | quintanillafm@aafes.com      |
| James Nau, UST Class A Operator                | naujm@aafes.com              |
| James Nau, UST Class B Operator                | naujm@aafes.com              |
| Ken Chorpenning, UST Class B Global Operator   | chorpenningk@aafes.com       |
| Sonya Coker, UST Class A Operator              | cokers@aafes.com             |
| Sonya Coker, UST Class B Global Operator       | cokers@aafes.com             |
| Sonya Coker, UST Class B Operator              | cokers@aafes.com             |

|                    |                  |                        |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>        | 15         | <b>Tank Installed Date</b>      | 09/01/2011 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5329             | <b>Spill Test Date</b> | 05/18/2024 | <b>Piping Installed Date</b>    | 08/31/2011 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>  |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>  | 05/28/2024 | <b>Tank/Piping CP Test Date</b> | 06/11/2012 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 15000            | <b>ATG Test Date</b>   | 05/28/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |

|                    |                  |                           |            |                                 |            |                                      |  |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--|---------------------------------|------------------------------------|-----------------------|--------------------------------|
|                    |                  | <b>Overfill Test Date</b> | 05/28/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450PLUS;Veeder Root/TLS-450PLUS |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 15         | <b>Tank Installed Date</b>      | 09/01/2011 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic                            | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5330             | <b>Spill Test Date</b>    | 05/18/2024 | <b>Piping Installed Date</b>    | 08/31/2011 | <b>Tank Construction</b>             | Double-Walled  | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector                            | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 05/28/2024 | <b>Tank/Piping CP Test Date</b> | 06/11/2012 | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring                       | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 20000            | <b>ATG Test Date</b>      | 05/28/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2                               | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 05/28/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450PLUS;Veeder Root/TLS-450PLUS |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Monarch**

**Location:** COUGAR CANYON LODGE and ESCAPE  
5012 US Hwy 89 S  
Monarch, MT 59463 Cascade

System Facility ID:07-01874

**Facility Code:** 18415  
**Last Inspected On:** 09/04/2025  
**Operating Permit Renewal Date:** 09/04/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

---

**Owner Operator Contact:** Mark Properties LLC (406) 236-5922 heatmechanical@gmail.com

---

**Operator Contact:** Richard Hatanpaa (406) 236-5922 cougarcanyonlodge@gmail.com

---

**Owner/Operator:** Mark Properties LLC (406) 236-5922 heatmechanical@gmail.com

Richard Hatanpaa, UST Class A Operator cougarcanyonlodge@gmail.com

Richard Hatanpaa, UST Class B Operator cougarcanyonlodge@gmail.com

|                    |                        |                           |            |                                 |            |                                      |                                      |                                 |                               |                       |                |
|--------------------|------------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|--------------------------------------|---------------------------------|-------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 01                     | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 09/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic        | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 2979                   | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                                      | <b>Piping Construction</b>      | Single Walled                 | <b>AST</b>            | No             |
| <b>Tank Status</b> | Temporarily Out of Use | <b>MLLD Test Date</b>     | 05/16/2019 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector        | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline               | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Statistical Inventory Reconciliation | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 2000                   | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 05/16/2019 | <b>Secondary Tank Leak Detection</b> |                                      | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No             |
|                    |                        | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      |                                      |                                 |                               |                       |                |

**Facility Summary in Cascade County in the City of Monarch**

**Location:** MALMSTROM AFB A 5  
US Hwy 89  
Monarch, MT 59463 Cascade

System Facility ID:07-08979

**Facility Code:** 18740  
**Last Inspected On:** 06/14/2024  
**Operating Permit Renewal Date:** 09/25/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 06/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 110              | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/03/2022 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/03/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Monarch**

**Location:** MALMSTROM AFB A 6  
US Hwy 89  
Monarch, MT 59463 Cascade

System Facility ID:07-08980

**Facility Code:** 18741  
**Last Inspected On:** 06/14/2024  
**Operating Permit Renewal Date:** 09/25/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 06/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 111              | <b>Spill Test Date</b>    | 07/17/2020 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/03/2022 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/03/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Monarch**

**Location:** MALMSTROM AFB A 7  
US Hwy 89  
Monarch, MT 59463 Cascade

System Facility ID:07-08981

**Facility Code:** 18742  
**Last Inspected On:** 06/14/2024  
**Operating Permit Renewal Date:** 10/07/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 06/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 112              | <b>Spill Test Date</b>    | 05/05/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/05/2023 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/05/2023 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Monarch**

**Location:** MALMSTROM AFB A 8  
US Hwy 89  
Monarch, MT 59463 Cascade

System Facility ID:07-08982

**Facility Code:** 18743  
**Last Inspected On:** 06/14/2024  
**Operating Permit Renewal Date:** 09/25/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 06/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 113              | <b>Spill Test Date</b>    | 07/17/2020 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/03/2022 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/03/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Simms**

**Location:** CURTISS SERVICE CENTER  
12742 MT Hwy 200  
Simms, MT 59477 Cascade

System Facility ID:07-01612

**Facility Code:** 18399  
**Last Inspected On:** 05/16/2023  
**Operating Permit Renewal Date:** 07/30/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Robert Curtiss;Robert D Curtiss (406) 264-5640 bobnsheree@live.com

**Operator Contact:** Robert D Curtiss (406) 264-5640 bobnsheree@live.com

**Owner/Operator:** Robert D Curtiss

Robert D Curtiss, UST Class A Operator  
Robert D Curtiss, UST Class B Operator

bobnsheree@live.com  
bobnsheree@live.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|----------------|
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 11/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 4124             | <b>Spill Test Date</b>    | 08/31/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 05/16/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 05/16/2023 | <b>Line Tightness Test Date</b> | 05/16/2023 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 11/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 4125             | <b>Spill Test Date</b>    | 08/31/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 05/16/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 05/16/2023 | <b>Line Tightness Test Date</b> | 05/16/2023 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 11/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve  |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|----------------|
| <b>Tag Number</b>  | 4126             | <b>Spill Test Date</b>    | 08/31/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 05/16/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/16/2023 | <b>Line Tightness Test Date</b> | 05/16/2023 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                |
| <b>Tank Code</b>   | 09               | <b>Tank Age</b>           | 27         | <b>Tank Installed Date</b>      | 11/01/1999 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | Flapper Valve  |
| <b>Tag Number</b>  | 4127             | <b>Spill Test Date</b>    | 08/31/2022 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 05/16/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Mechanical Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | MLLD Line Tightness Testing   | <b>Vapor Recovery</b> | No             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/16/2023 | <b>Line Tightness Test Date</b> | 05/16/2023 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No             |
|                    |                  | <b>Overfill Test Date</b> | 08/31/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                |

**Facility Summary in Cascade County in the City of Simms**

**Location:** MALMSTROM AFB G 1  
MT Hwy 200  
Simms, MT 59477 Cascade

System Facility ID:25-09041

**Facility Code:** 23811  
**Last Inspected On:** 05/16/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

---

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

---

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

---

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                                   |
|--|-----------------------------------|
| Aaron Hill, UST Class B Operator               | aaron.hill@malmstrom.af.mil       |
| Allen Brooks, UST Class B Operator             | allen.brooks@malmstrom.af.mil     |
| Bethany Kent, UST Class B Operator             | bethany.kent@malmstrom.af.mil     |
| Brian Day, UST Class B Operator                | brian.day@malmstrom.af.mil        |
| Brian McVay, UST Class B Operator              |                                   |
| Brian Rayner, UST Class B Operator             | brian.rayner@malmstrom.af.mil     |
| Cameron Smith, UST Class B Operator            | cameron.smith@malmstrom.af.mil    |
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil       |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil       |
| Chris Ploof, UST Class B Operator              | chris.ploof@malmstrom.af.mil      |
| Curtis Hester, UST Class A Operator            |                                   |
| Curtis Hester, UST Class B Global Operator     |                                   |
| Damon McCarty, UST Class B Operator            | damon.mccarty@malmstrom.af.mil    |
| David Cosner, UST Class B Operator             | david.cosner@malmstrom.af.mil     |
| David Degolier, UST Class B Operator           | david.degolier@us.af.mil          |
| Dustin Hemingway, UST Class B Operator         | dustin.hemingway@malmstrom.af.mil |
| Glen Beck, UST Class B Operator                | glen.beck@malmstrom.af.mil        |
| Hudson English, UST Class B Operator           | hudson.english@malmstrom.af.mil   |
| Issac Price, UST Class B Operator              | Issac.Price@malmstrom.af.mil      |
| James Knudsen, UST Class B Operator            | james.knudsen@malmstrom.af.mil    |
| James Wooderchak, UST Class B Operator         | jwooderchak@yahoo.com             |
| Jason Vike, UST Class B Operator               | jason.vike@malmstrom.af.mil       |
| Jeff Laird, UST Class B Operator               | jeffrey.laird@malmstrom.af.mil    |
| Jeff Nelson, UST Class B Operator              | jeffrey.nelson@malmstrom.af.mil   |
| Jimmy Sonefelt, UST Class B Operator           | jimmy.sonefelt@malmstrom.af.mil   |
| John Corbett, UST Class B Operator             | john.corbett.2@us.af.mil          |

Jonathan Buesch, UST Class B Operator  
 Kieth McIlwain, UST Class B Operator  
 Kyle Topp, UST Class B Operator  
 Michael Murieen, UST Class B Operator  
 Michael Stokes, UST Class B Operator  
 Patrick Ellis, UST Class B Operator  
 Patrick Noppenberg, UST Class B Operator  
 Paul Floyd, UST Class B Global Operator  
 Paul Floyd, UST Class B Operator  
 Paul Ziemba, UST Class B Operator  
 Ricardo Andrillon, UST Class B Operator  
 Ronald Miller, UST Class B Operator  
 Ryan Cox, UST Class B Operator  
 Ryan Kofoed, UST Class B Operator  
 Shane Hofstad, UST Class B Operator  
 Shawn Ogrady, UST Class B Operator  
 William Hoffmeister, UST Class B Operator  
 William Smith, UST Class A Operator  
 William Smith, UST Class B Global Operator

jonathan.buesch@malmstrom.af.mil  
 keith.mcilwain@malmstrom.af.mil  
 kyle.topp@us.af.mil  
 michael.murieen@malmstrom.af.mil  
 michael.stokes@malmstrom.af.mil  
 patrick.ellis@malmstrom.af.mil  
 patrick.noppenberg@malmstrom.af.mil  
 paul.floyd@malmstrom.af.mil  
 paul.floyd@malmstrom.af.mil  
 paul.ziemba@malmstrom.af.mil  
 ricardo.andrillon@malmstrom.af.mil  
 ronald.miller@malmstrom.af.mil  
 ryan.cox@malmstrom.af.mil  
 ryan.kofoed@malmstrom.af.mil  
 shane.hofstad@malmstrom.af.mil  
 shawn.ograde@malmstrom.af.mil  
 william.hoffmeister@malmstrom.af.mil  
 william.smith@us.af.mil  
 william.smith@us.af.mil

|                    |                  |                           |            |                                 |            |                                      |                                  |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|----------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 64         | <b>Tank Installed Date</b>      | 06/02/1962 | <b>Tank Material</b>                 | Cathodically Protected Steel     | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 250              | <b>Spill Test Date</b>    | 05/16/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Lined Interior/Impressed Current | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                      | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Impressed Current              |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> | 05/11/2021 | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 12/10/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 12/10/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450PLUS |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Simms**

**Location:** MALMSTROM AFB G 11  
 MT Hwy 200  
 Simms, MT 59477 Cascade

System Facility ID:25-09051

**Facility Code:** 23817  
**Last Inspected On:** 04/18/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 37         | <b>Tank Installed Date</b>      | 05/21/1989 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 256              | <b>Spill Test Date</b>    | 04/04/2024 | <b>Piping Installed Date</b>    | 08/18/2020 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/04/2024 | <b>Line Tightness Test Date</b> | 08/20/2020 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/04/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Simms**

**Location:** MALMSTROM AFB G 2  
 MT Hwy 200  
 Simms, MT 59477 Cascade

System Facility ID:07-09042

**Facility Code:** 18747  
**Last Inspected On:** 04/18/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

Candace Ellsworth, UST Class A Operator  
 Candace Ellsworth, UST Class B Global Operator  
 Curtis Hester, UST Class A Operator  
 Curtis Hester, UST Class B Global Operator  
 William Smith, UST Class A Operator  
 William Smith, UST Class B Global Operator

candace.ellsworth@us.af.mil  
 candace.ellsworth@us.af.mil  
  
 william.smith@us.af.mil  
 william.smith@us.af.mil

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 06/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 117              | <b>Spill Test Date</b>    | 04/18/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/18/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/18/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Simms**

**Location:** MALMSTROM AFB G 6  
Road 287  
Simms, MT 59477 Cascade

System Facility ID:25-09046

**Facility Code:** 23812  
**Last Inspected On:** 04/17/2024  
**Operating Permit Renewal Date:** 09/23/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

Candace Ellsworth, UST Class A Operator  
Candace Ellsworth, UST Class B Global Operator  
Curtis Hester, UST Class A Operator  
Curtis Hester, UST Class B Global Operator  
William Smith, UST Class A Operator  
William Smith, UST Class B Global Operator

candace.ellsworth@us.af.mil  
candace.ellsworth@us.af.mil  
  
william.smith@us.af.mil  
william.smith@us.af.mil

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 251              | <b>Spill Test Date</b>    | 04/17/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/17/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/17/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Simms**

**Location:** MALMSTROM AFB G 7  
 MT Hwy 200  
 Simms, MT 59477 Cascade

System Facility ID:25-09047

**Facility Code:** 23813  
**Last Inspected On:** 04/17/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 4271             | <b>Spill Test Date</b>    | 05/24/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/24/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/24/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Simms**

**Location:** MALMSTROM AFB G 8  
 MT Hwy 200  
 Simms, MT 59477 Cascade

System Facility ID:25-09048

**Facility Code:** 23814  
**Last Inspected On:** 04/17/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 253              | <b>Spill Test Date</b>    | 04/17/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/17/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/17/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Simms**

**Location:** MALMSTROM AFB H 7  
 MT Hwy 200  
 Simms, MT 59477 Cascade

System Facility ID:07-09058

**Facility Code:** 18754  
**Last Inspected On:** 04/04/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 09/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 124              | <b>Spill Test Date</b>    | 04/04/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/04/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/04/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Simms**

**Location:** MALMSTROM AFB H 8  
 MT Hwy 21  
 Simms, MT 59477 Cascade

System Facility ID:25-09059

**Facility Code:** 23818  
**Last Inspected On:** 04/04/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 09/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 257              | <b>Spill Test Date</b>    | 04/04/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/04/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/04/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Stockett**

**Location:** MALMSTROM AFB A 9  
Road 227  
Stockett, MT 59480 Cascade

System Facility ID:07-08983

**Facility Code:** 18744  
**Last Inspected On:** 06/13/2024  
**Operating Permit Renewal Date:** 09/25/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 114              | <b>Spill Test Date</b>    | 07/17/2020 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 05/04/2022 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 05/04/2022 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Stockett**

**Location:** MALMSTROM AFB I 2  
Road 226  
Stockett, MT 59480 Cascade

System Facility ID:07-09064

**Facility Code:** 18756  
**Last Inspected On:** 04/22/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 10/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 126              | <b>Spill Test Date</b>    | 04/22/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> | 04/22/2024 | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/22/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/22/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Sun River**

**Location:** MALMSTROM AFB H 4  
 US Hwy 89  
 Sun River, MT 59483 Cascade

System Facility ID:07-09055

**Facility Code:** 18751  
**Last Inspected On:** 04/03/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 09/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 121              | <b>Spill Test Date</b>    | 04/03/2024 | <b>Piping Installed Date</b>    | 04/20/2015 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/03/2024 | <b>Line Tightness Test Date</b> | 04/17/2015 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/03/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Sun River**

**Location:** MALMSTROM AFB H 5  
 US Hwy 89  
 Sun River, MT 59483 Cascade

System Facility ID:07-09056

**Facility Code:** 18752  
**Last Inspected On:** 04/04/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 09/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 122              | <b>Spill Test Date</b>    | 04/04/2024 | <b>Piping Installed Date</b>    | 05/18/2015 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/04/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/04/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

## Facility Summary in Cascade County in the City of Ulm

**Location:** MALMSTROM AFB I 11  
I-15  
Ulm, MT 59485 Cascade

System Facility ID:07-09073

**Facility Code:** 18765  
**Last Inspected On:** 04/22/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ

(406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith

(406) 731-6239;(406) 731-7128

candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ

(406) 731-6188

Candace Ellsworth, UST Class A Operator  
Candace Ellsworth, UST Class B Global Operator  
Curtis Hester, UST Class A Operator  
Curtis Hester, UST Class B Global Operator  
William Smith, UST Class A Operator  
William Smith, UST Class B Global Operator

candace.ellsworth@us.af.mil  
candace.ellsworth@us.af.mil  
  
william.smith@us.af.mil  
william.smith@us.af.mil

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 10/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 134              | <b>Spill Test Date</b>    | 04/19/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/19/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/19/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Ulm**

**Location:** MALMSTROM AFB I 7  
I-15  
Ulm, MT 59485 Cascade

System Facility ID:07-09069

**Facility Code:** 18761  
**Last Inspected On:** 04/19/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 34         | <b>Tank Installed Date</b>      | 05/01/1992 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 131              | <b>Spill Test Date</b>    | 04/19/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/19/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/19/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Ulm**

**Location:** MOUNTAIN VIEW CO OP  
2 Millegan Rd  
Ulm, MT 59485 Cascade

System Facility ID:56-13797

**Facility Code:** 30484  
**Last Inspected On:** 10/09/2023  
**Operating Permit Renewal Date:** 11/14/2026

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** Mountain View Coop Black Eagle

ddouglas@mountainviewcoop.com

**Operator Contact:** Charles Niswanger;David Douglas;Robin Niswanger

(406) 866-2030

ddouglas@mountainviewcoop.com

**Owner/Operator:** Mountain View Coop Black Eagle

ddouglas@mountainviewcoop.com

Charles Niswanger, UST Class A Operator  
Charles Niswanger, UST Class B Operator  
David Douglas, UST Class A Operator  
Jasmin Nguyen, UST Class B Global Operator  
Jasmin Nguyen, UST Class B Operator  
John Malley, UST Class B Operator  
Paul Obrien, UST Class B Operator  
Robin Niswanger, UST Class A Operator  
Scott Bartlett, UST Class B Operator

ddouglas@mountainviewcoop.com  
jasmin\_nguyen5@hotmail.com  
jasmin\_nguyen5@hotmail.com  
jmalley@mountainviewcoop.com  
pobrien@moutainviewcoop.com  
sbartlett@mountianveiwcoop.com

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 10/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4428             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/27/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 04/26/2023 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 02/27/2023 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 10/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4429             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/27/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |

|                    |                  |                           |            |                                 |            |                                      |   |                                 |                               |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|---|---------------------------------|-------------------------------|-----------------------|------------------|
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 04/26/2023 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 02/27/2023 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 10/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic             | <b>Piping Material</b>          | Fiberglass Reinforced Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 4430             | <b>Spill Test Date</b>    |            | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |   | <b>Piping Construction</b>      | None                          | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     | 02/27/2023 | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector             | <b>Piping Type</b>              | Pressurized                   | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 04/26/2023 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2                | <b>Primary Pipe Detection</b>   | ELLD 0.2                      | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      |            | <b>Line Tightness Test Date</b> | 02/27/2023 | <b>Secondary Tank Leak Detection</b> |   | <b>Secondary Pipe Detection</b> |                               | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> |            |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350/Gilbarco EMC |                                 |                               |                       |                  |

### Facility Summary in Cascade County in the City of Vaughn

**Location:** GAS N SHOP 3  
133 US Highway 89  
Vaughn, MT 59487 Cascade

System Facility ID:07-05008

**Facility Code:** 18552  
**Last Inspected On:** 06/24/2025  
**Operating Permit Renewal Date:** 06/30/2028

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

---

**Owner Operator Contact:** Gas N Shop Inc (406) 660-9884 gasnshop133@gmail.com

---

**Operator Contact:** Gurinderbir Muhar (408) 660-9884 gasnshop133@gmail.com

---

**Owner/Operator:** Gas N Shop Inc (406) 660-9884 gasnshop133@gmail.com

Gurinderbir Muhar, UST Class A Operator gasnshop133@gmail.com  
Gurinderbir Muhar, UST Class B Global Operator gasnshop133@gmail.com  
Sandeep Muhar, UST Class B Operator gasnshop133@gmail.com

|                    |                  |                           |            |                                 |            |                                      |                                  |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|----------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 05               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 04/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic    | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 2208             | <b>Spill Test Date</b>    | 08/29/2023 | <b>Piping Installed Date</b>    | 08/22/2023 | <b>Tank Construction</b>             |                                  | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector    | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     | 11/05/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 10000            | <b>ATG Test Date</b>      | 11/05/2024 | <b>Line Tightness Test Date</b> | 04/23/2022 | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 06/03/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450PLUS |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 06               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 04/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic    | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 2209             | <b>Spill Test Date</b>    | 08/29/2023 | <b>Piping Installed Date</b>    | 08/22/2023 | <b>Tank Construction</b>             |                                  | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector    | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 11/05/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2       | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes                            |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 11/05/2024 | <b>Line Tightness Test Date</b> | 04/23/2022 | <b>Secondary Tank Leak Detection</b> |                                  | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | No                             |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
|                    |                  | <b>Overfill Test Date</b> | 06/03/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450PLUS   |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 07               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 04/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 2210             | <b>Spill Test Date</b>    | 08/29/2023 | <b>Piping Installed Date</b>    | 08/22/2023 | <b>Tank Construction</b>             |                                    | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel, Dyed     | <b>PLLD Test Date</b>     | 03/01/2025 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2         | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 11/05/2024 | <b>Line Tightness Test Date</b> | 04/22/2022 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 06/03/2025 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-450PLUS   |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 08               | <b>Tank Age</b>           | 3          | <b>Tank Installed Date</b>      | 08/22/2023 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 6169             | <b>Spill Test Date</b>    | 08/29/2023 | <b>Piping Installed Date</b>    | 08/22/2023 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 11/05/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes                            |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 11/05/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 06/03/2025 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |                                |
| <b>Tank Code</b>   | 09               | <b>Tank Age</b>           | 3          | <b>Tank Installed Date</b>      | 08/22/2023 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 6170             | <b>Spill Test Date</b>    | 08/29/2023 | <b>Piping Installed Date</b>    | 08/22/2023 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector      | <b>Piping Type</b>              | Pressurized                        | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     | 11/05/2024 | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | Yes                            |
| <b>Capacity</b>    | 8000             | <b>ATG Test Date</b>      | 11/05/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> | ELLD 0.2                           | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 06/03/2025 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Vaughn**

**Location:** MALMSTROM AFB H 3  
I-15  
Vaughn, MT 59487 Cascade

System Facility ID:50-09054

**Facility Code:** 28887  
**Last Inspected On:** 04/03/2024  
**Operating Permit Renewal Date:** 09/23/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 09/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 313              | <b>Spill Test Date</b>    | 04/03/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/03/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/03/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Vaughn**

**Location:** MALMSTROM AFB I 10  
I-15  
Vaughn, MT 59487 Cascade

System Facility ID:07-09072

**Facility Code:** 18764  
**Last Inspected On:** 04/22/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 08/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Fiberglass Reinforced Plastic      | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 133              | <b>Spill Test Date</b>    | 04/22/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/22/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/22/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Vaughn**

**Location:** MALMSTROM AFB J 10  
I-15  
Vaughn, MT 59487 Cascade

System Facility ID:50-09083

**Facility Code:** 28893  
**Last Inspected On:** 04/16/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 08/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 319              | <b>Spill Test Date</b>    | 04/16/2024 | <b>Piping Installed Date</b>    | 06/02/2015 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/16/2024 | <b>Line Tightness Test Date</b> | 05/29/2015 | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/16/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Vaughn**

**Location:** MALMSTROM AFB J 8  
I-15  
Vaughn, MT 59487 Cascade

System Facility ID:07-09081

**Facility Code:** 18766  
**Last Inspected On:** 04/15/2024  
**Operating Permit Renewal Date:** 09/22/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 35         | <b>Tank Installed Date</b>      | 08/01/1991 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 135              | <b>Spill Test Date</b>    | 04/15/2024 | <b>Piping Installed Date</b>    | 08/11/2018 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/15/2024 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                                    | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | No                             |
|                    |                  | <b>Overfill Test Date</b> | 04/15/2024 |                                 |            | <b>ATG Type</b>                      | Gilbarco-Veeder Root/TLS-350       |                                 |                                    |                       |                                |

**Facility Summary in Cascade County in the City of Vaughn**

**Location:** MALMSTROM AFB J 9  
I-15  
Vaughn, MT 59487 Cascade

System Facility ID:07-09082

**Facility Code:** 18767  
**Last Inspected On:** 04/15/2024  
**Operating Permit Renewal Date:** 06/17/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** 341 CES CEANQ (406) 731-6188

**Operator Contact:** Candace Ellsworth;Curtis Hester;William Smith (406) 731-6239;(406) 731-7128 candace.ellsworth@us.af.mil;william.smith@us.af.mil

**Owner/Operator:** 341 CES CEANQ (406) 731-6188

|  |                             |
|--|-----------------------------|
| Candace Ellsworth, UST Class A Operator        | candace.ellsworth@us.af.mil |
| Candace Ellsworth, UST Class B Global Operator | candace.ellsworth@us.af.mil |
| Curtis Hester, UST Class A Operator            |                             |
| Curtis Hester, UST Class B Global Operator     |                             |
| William Smith, UST Class A Operator            | william.smith@us.af.mil     |
| William Smith, UST Class B Global Operator     | william.smith@us.af.mil     |

|                    |                  |                           |            |                                 |            |                                      |                                    |                                 |                                    |                       |                                |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------|--------------------------------|
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 6          | <b>Tank Installed Date</b>      | 05/20/2020 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic      | <b>Piping Material</b>          | Flexible Plastic                   | <b>Overfill Types</b> | Flapper Valve;High Level Alarm |
| <b>Tag Number</b>  | 5925             | <b>Spill Test Date</b>    | 04/15/2024 | <b>Piping Installed Date</b>    | 08/28/2018 | <b>Tank Construction</b>             | Double-Walled                      | <b>Piping Construction</b>      | Double Walled                      | <b>AST</b>            | No                             |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Auto Dialer                        | <b>Piping Type</b>              | U.S. Suction                       | <b>CP Met Types</b>   | Non-corrodible                 |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Continuous Interstitial Monitoring | <b>Primary Pipe Detection</b>   | Continuous Interstitial Monitoring | <b>Vapor Recovery</b> | No                             |
| <b>Capacity</b>    | 4000             | <b>ATG Test Date</b>      | 04/15/2024 | <b>Line Tightness Test Date</b> | 06/04/2020 | <b>Secondary Tank Leak Detection</b> | Automatic Tank Gauging 0.2         | <b>Secondary Pipe Detection</b> |                                    | <b>Energy Act</b>     | Yes                            |
|                    |                  | <b>Overfill Test Date</b> | 04/15/2024 |                                 |            | <b>ATG Type</b>                      |                                    |                                 |                                    |                       |                                |

## Facility Summary in Cascade County in the City of Vaughn

**Location:** MIGHTY MO FUEL CO LLC  
99 US Hwy 89  
Vaughn, MT 59487 Cascade

System Facility ID:56-13783

**Facility Code:** 30471  
**Last Inspected On:** 11/20/2023  
**Operating Permit Renewal Date:** 04/09/2027

**Note: Inspection is due 90 days before the Operating Permit Renewal Date.**

**Owner Operator Contact:** William Dean;Mighty Mo Fuel Co LLC

**(406) 965-9014;(406) 868-4952**

**bill@scheerswholesale.com;bill@scheerswholesale.com**

**Operator Contact:**

**Owner/Operator:** William Dean,Mighty Mo Fuel Co LLC

**(406) 965-9014**

**bill@scheerswholesale.com**

Jenifer Colden, UST Class B Operator

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                  |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------|-----------------------|------------------|
| <b>Tank Code</b>   | 01               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 06/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 3444             | <b>Spill Test Date</b>    | 11/17/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 10/01/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 10/01/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300           |                                 |                  |                       |                  |
| <b>Tank Code</b>   | 02               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 06/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 3445             | <b>Spill Test Date</b>    | 02/01/2024 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel           | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 12000            | <b>ATG Test Date</b>      | 10/01/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 10/01/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300           |                                 |                  |                       |                  |
| <b>Tank Code</b>   | 03               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 06/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 3446             | <b>Spill Test Date</b>    | 11/17/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No               |

|                    |                  |                           |            |                                 |            |                                      |                               |                                 |                  |                       |                  |
|--------------------|------------------|---------------------------|------------|---------------------------------|------------|--------------------------------------|-------------------------------|---------------------------------|------------------|-----------------------|------------------|
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Gasoline         | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 10/01/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 10/01/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300           |                                 |                  |                       |                  |
| <b>Tank Code</b>   | 04               | <b>Tank Age</b>           | 29         | <b>Tank Installed Date</b>      | 06/01/1997 | <b>Tank Material</b>                 | Fiberglass Reinforced Plastic | <b>Piping Material</b>          | Flexible Plastic | <b>Overfill Types</b> | High Level Alarm |
| <b>Tag Number</b>  | 3447             | <b>Spill Test Date</b>    | 11/17/2023 | <b>Piping Installed Date</b>    |            | <b>Tank Construction</b>             |                               | <b>Piping Construction</b>      | Double Walled    | <b>AST</b>            | No               |
| <b>Tank Status</b> | Currently in Use | <b>MLLD Test Date</b>     |            | <b>Sump Tightness Test Date</b> |            | <b>Catastrophic L.D Type 3.0</b>     | Electronic Line Leak Detector | <b>Piping Type</b>              | Pressurized      | <b>CP Met Types</b>   | Non-corrodible   |
| <b>Product</b>     | Diesel, Dyed     | <b>PLLD Test Date</b>     |            | <b>Tank/Piping CP Test Date</b> |            | <b>Primary Tank Leak Detection</b>   | Automatic Tank Gauging 0.2    | <b>Primary Pipe Detection</b>   | ELLD 0.2         | <b>Vapor Recovery</b> | No               |
| <b>Capacity</b>    | 6000             | <b>ATG Test Date</b>      | 10/01/2025 | <b>Line Tightness Test Date</b> |            | <b>Secondary Tank Leak Detection</b> |                               | <b>Secondary Pipe Detection</b> |                  | <b>Energy Act</b>     | No               |
|                    |                  | <b>Overfill Test Date</b> | 10/01/2025 |                                 |            | <b>ATG Type</b>                      | Veeder Root/TLS-300           |                                 |                  |                       |                  |