

Facility Summary in Gallatin County in the City of Belgrade

Location: BELGRADE CARD LOCK
163 Thunder Rd
Belgrade, MT 59714-8939 Gallatin

Legacy ID:56-14162

Facility ID: 30793
Last Inspected On: 10/08/2020
Operating Permit Renewal Date: 03/16/2024

Owner Operator Contact: Story Distributing Co Bozeman

Operator Contact: Calvin Wilson;Jason Shanley

Owner/Operator: Story Distributing Co Bozeman

Caleb Jensen, UST Class B Operator
Calvin Wilson, UST Class A Operator
Calvin Wilson, UST Class B Global Operator
Jason Shanley, UST Class A Operator
Jason Shanley, UST Class B Global Operator
Kelly Shutes, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	16	09/05/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
4999	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.2	No
12,000		11/29/2017	Gilbarco/EMC Basic		No
02	16	09/05/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5000	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
20,000		12/05/2017	Gilbarco/EMC Basic		No

03	16	09/05/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5001	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
12,000		12/05/2017	Gilbarco/EMC Basic		No
04	16	09/05/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5002	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
8,000		12/01/2017	Gilbarco/EMC Basic		No
05	16	09/16/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5003	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
15,000		12/01/2017	Gilbarco/EMC Basic		No
06	16	09/05/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5004	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
6,000		12/01/2017	Gilbarco/EMC Basic		No
07	16	09/05/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5063	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible

Diesel		Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
20,000	12/19/2017	Gilbarco/EMC Basic		No

Facility Summary in Gallatin County in the City of Belgrade

Location: CENTRAL COPTERS
395 Jetway Dr
Belgrade, MT 59714 Gallatin

Legacy ID:60-15232

Facility ID: 30949
Last Inspected On: 07/12/2019
Operating Permit Renewal Date: 08/24/2022

Owner Operator Contact: Central Copters **4065869185**

Operator Contact: Brian Geary;Mark Duffy **4065869185**

Owner/Operator: Central Copters

Brian Geary, UST Class A Operator
Brian Geary, UST Class B Operator
Mark Duffy, UST Class A Operator
Mark Duffy, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	5	03/01/2016	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
5547	No	10/21/2015	Double-Walled	Double Walled	Yes
Currently in Use		10/14/2015	Auto Dialer;Mechanical Line Leak Detector	Pressurized	Non-corrodible
Jet Fuel (Jet-A, Jet-A1, JP5)			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring	No
10,000			Gilbarco-Veeder Root/TLS-300;Veeder Root/TLS-300		Yes

Facility Summary in Gallatin County in the City of Belgrade

Location: FLYING J INC BELGRADE
6505 Jackrabbit Ln
Belgrade, MT 59714-8990 Gallatin

Legacy ID:16-05753

Facility ID: 21368
Last Inspected On: 10/12/2020
Operating Permit Renewal Date: 12/17/2023

Owner Operator Contact: A and H Investments LLC;Damon Borden;Alsaker Corp **5095341502**
Spokane

Operator Contact: Randell Goff **4065391156**

Owner/Operator: A and H Investments LLC

Randell Goff, UST Class A Operator

Randell Goff, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	45	04/26/1976	Bare Steel	Flexible Plastic	High Level Alarm
3793	No			None	Yes
Currently in Use		08/31/2011	Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		09/28/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
28,000		09/28/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
02	45	04/26/1976	Bare Steel	Flexible Plastic	High Level Alarm
3794	No			Double Walled	Yes
Currently in Use		08/31/2011	Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		09/28/2017	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
28,000		08/01/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
03	45	04/26/1976	Bare Steel	Fiberglass Reinforced Plastic	Flapper Valve;High Level Alarm
3795	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		09/28/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		09/28/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
05	45	04/01/1976	Bare Steel	Fiberglass Reinforced Plastic	Flapper Valve;High Level Alarm
3796	No			None	Yes

Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Diesel	09/28/2017		Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000	09/28/2017		Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
04	45	04/26/1976	Bare Steel	Fiberglass Reinforced Plastic	High Level Alarm
3797	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel	09/28/2017		Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
28,000	07/11/2017		Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Belgrade

Location: GALLATIN FIELD AIRPORT
633 Gallatin Field Rd
Belgrade, MT 59714 Gallatin

Legacy ID:60-15152

Facility ID: 30893
Last Inspected On: 04/25/2019
Operating Permit Renewal Date: 07/03/2022

Owner Operator Contact: Story Distributing Co Bozeman

Operator Contact: Calvin Wilson; Gary Scales; Jason Shanley

Owner/Operator: Story Distributing Co Bozeman

Calvin Wilson, UST Class A Operator
Calvin Wilson, UST Class B Global Operator
Gary Scales, UST Class A Operator
Gary Scales, UST Class B Global Operator
Jason Shanley, UST Class A Operator
Jason Shanley, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	11	04/13/2010	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5236	No	12/26/2012	Double-Walled	Double Walled	Yes

Currently in Use	04/08/2010	Mechanical Line Leak Detector	Not Listed	Non-corrodible
Gasoline		Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
12,000	05/13/2016	Gilbarco-Veeder Root/TLS- 300;Veeder Root/TLS-300		Yes

Facility Summary in Gallatin County in the City of Belgrade

Location: GALLATIN FIELD MAINTENANCE SHOP
311 Wings Way
Belgrade, MT 59714 Gallatin

Legacy ID:16-12952

Facility ID: 21806
Last Inspected On: 04/18/2019
Operating Permit Renewal Date: 07/22/2022

Owner Operator Contact: Gallatin Field Airport

Operator Contact: Calvin Wilson;Gary Scales;Jason Shanley

Owner/Operator: Gallatin Field Airport

- Caleb Jensen, UST Class B Operator
- Calvin Wilson, UST Class A Operator
- Calvin Wilson, UST Class B Global Operator
- Gary Scales, UST Class A Operator
- Gary Scales, UST Class B Global Operator
- Jason Shanley, UST Class A Operator
- Jason Shanley, UST Class B Operator
- Kelly Shutes, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
S1	29	11/01/1992	Bare Steel	Fiberglass Reinforced Plastic	
2032	Yes			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	
Diesel			Deferred	MLLD Line Tightness Testing	No
4,000		06/15/2016			No

Facility Summary in Gallatin County in the City of Belgrade

Location: Holiday Station #506
 402 Belgrade BLVD
 Belgrade, MT 59714 Gallatin

Legacy ID:60-15351

Facility ID: 32437
Last Inspected On: 05/05/2021
Operating Permit Renewal Date: 08/01/2024

Owner Operator Contact:

Operator Contact: Veronica Rivera

Owner/Operator: Rocky Mountain Oil LLC

Todd White, UST Class B Operator
 Veronica Rivera, UST Class A Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	0		Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
6016	No		Double-Walled	Double Walled	No
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	Yes
20,000					Yes
2	0		Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
6017	No		Double-Walled	Double Walled	No
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	Yes
12,000					Yes
3	0		Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
6018	No		Double-Walled	Double Walled	No
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible

Gasoline		Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	Yes
8,000				Yes
4	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
6019	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
12,000				Yes

Facility Summary in Gallatin County in the City of Belgrade

Location: QWEST COMMUNICATIONS
95 N Broadway
Belgrade, MT 59714-3702 Gallatin

Legacy ID:56-13996

Facility ID: 30657
Last Inspected On: 09/22/2020
Operating Permit Renewal Date: 03/14/2024

Owner Operator Contact:

Operator Contact: Kevin Robison;Stephanie Miller;Thomas Pitts	2063467532;5016808141;8015983020
--	---

Owner/Operator: Qwest Corporation/Century Link

- Kevin Robison, UST Class A Operator
- Kevin Robison, UST Class B Global Operator
- Stephanie Miller, UST Class A Operator
- Stephanie Miller, UST Class B Global Operator
- Thomas Pitts, UST Class A Operator
- Thomas Pitts, UST Class B Global Operator
- Thomas Pitts, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	20	11/01/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
4266	No		Double-Walled	Double Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	3-Year Line Tightness Test	No
1,000		12/01/2017	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of Belgrade

Location: ROCKY MOUNTAIN SUPPLY INC BELGRADE
350 Jackrabbit Ln
Belgrade, MT 59714-3035 Gallatin

Legacy ID:16-12101

Facility ID: 21757
Last Inspected On: 02/15/2021
Operating Permit Renewal Date: 02/26/2024

Owner Operator Contact: Brad Gjermo;Rocky Mountain Supply Inc;Rocky Mountain Supply Inc **4063884009**

Operator Contact: Jason Rorabaugh	4063884008
--	-------------------

Owner/Operator: Rocky Mountain Supply Inc

Bill Balliet, UST Class B Operator
 Jason Rorabaugh, UST Class A Operator
 Jason Rorabaugh, UST Class B Operator
 Jeremy Huckleberry, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	31	09/20/1990	Cathodically Protected Steel	Flexible Plastic	Flapper Valve;High Level Alarm
1189	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		12/13/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
12,000		10/31/2017	Gilbarco-Veeder Root/TLS-450		No
02	31	09/20/1990	Cathodically Protected Steel	Flexible Plastic	Flapper Valve;High Level Alarm
1190	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		12/13/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
20,000		05/17/2011	Gilbarco-Veeder Root/TLS-450		No
03	31	09/20/1990	Cathodically Protected Steel	Flexible Plastic	Flapper Valve;High Level Alarm
1191	No			Double Walled	Yes
Currently in Use		02/05/2008	Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		12/13/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
12,000		10/31/2017	Gilbarco-Veeder Root/TLS-450		No
04	31	09/20/1990	Cathodically Protected Steel	Flexible Plastic	Flapper Valve;High Level Alarm

1192	No			Double Walled	Yes
Currently in Use		02/05/2008	Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		12/13/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
20,000		11/01/2017	Gilbarco-Veeder Root/TLS-450		No
05	18	10/24/2003	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve; High Level Alarm
4867	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		12/13/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
8,000		11/01/2017	Gilbarco-Veeder Root/TLS-450		No
06	2	04/01/2019	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm; Positive Shutoff
5896	No		Double-Walled	Double Walled	Yes
Currently in Use		04/01/2019	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2; Continuous Interstitial Monitoring	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	Yes
6,000			Gilbarco-Veeder Root/TLS-450; Veeder Root/TLS-450		Yes
07	2	04/01/2019	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm; Positive Shutoff
5897	No		Double-Walled	Double Walled	Yes
Currently in Use		04/01/2019	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2; Continuous Interstitial Monitoring	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
6,000			Gilbarco-Veeder Root/TLS-450; Veeder Root/TLS-450		Yes
08	2	04/01/2019	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm; Positive Shutoff
5898	No		Double-Walled	Single Walled	Yes
Currently in Use		04/01/2019	Electronic Line Leak Detector	Pressurized	

DEF (Not Regulated)	Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.2;ELLD Line Tightness Testing;Not Listed	No
6,000	Veeder Root/TLS-450		No

Facility Summary in Gallatin County in the City of Belgrade

Location: TOWN PUMP INC BELGRADE
206 W Jefferson Ave
Belgrade, MT 59714-4406 Gallatin

Legacy ID:16-13625

Facility ID: 21840
Last Inspected On: 06/21/2021
Operating Permit Renewal Date: 10/27/2024

Owner Operator Contact:

Operator Contact: Trent Biggers

Owner/Operator: Belgrade 1 Town Pump LLC

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	26	05/01/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2454	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
10,000		06/30/2015	Gilbarco-Veeder Root/TLS-350		No
02	26	05/01/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2455	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes

10,000		06/30/2015	Gilbarco-Veeder Root/TLS-350		No
03	26	05/01/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2456	No		Double-Walled	Double Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Safe Suction	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
10,000			Gilbarco-Veeder Root/TLS-350		No
05	26	05/01/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2458	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
12,000		06/30/2015	Gilbarco-Veeder Root/TLS-350		No
04	26	05/01/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
4371	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
12,000		06/30/2015	Gilbarco-Veeder Root/TLS-350		No

Facility Summary in Gallatin County in the City of Belgrade

Location: TOWN PUMP INC BELGRADE 2
691 Jackrabbit Ln
Belgrade, MT 59714-3034 Gallatin

Legacy ID:60-15008

Facility ID: 30798
Last Inspected On: 01/06/2021
Operating Permit Renewal Date: 05/31/2024

Owner Operator Contact:

Operator Contact: Trent Biggers

Owner/Operator: Belgrade 2 Town Pump LLC

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	16	09/20/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve;Positive Shutoff
5019	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
25,000			Gilbarco-Veeder Root/TLS-350		No
02	16	09/20/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5020	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
8,000			Gilbarco-Veeder Root/TLS-350		No
03	16	09/20/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5021	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
10,000			Gilbarco-Veeder Root/TLS-350		No

04	16	09/20/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve;Flapper Valve
5022	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
15,000			Gilbarco-Veeder Root/TLS-350		No
05	16	09/20/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5023	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
15,000			Gilbarco-Veeder Root/TLS-350		No

Facility Summary in Gallatin County in the City of Belgrade

Location: TOWN PUMP INC BELGRADE 3
305 E Main St
Belgrade, MT 59714-3850 Gallatin

Legacy ID:16-07788

Facility ID: 21453
Last Inspected On: 01/05/2021
Operating Permit Renewal Date: 05/31/2024

Owner Operator Contact:

Operator Contact: Trent Biggers

Owner/Operator: Belgrade 3 Town Pump LLC

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

07	16	08/29/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
----	----	------------	-------------------------------	------------------	------------------

5016	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
10,000		09/11/2005	Gilbarco-Veeder Root/TLS-350		Yes
08	16	08/29/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5017	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
8,000		09/11/2005	Gilbarco-Veeder Root/TLS-350		Yes
09	16	08/29/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5026	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
20,000		09/11/2005	Gilbarco-Veeder Root/TLS-350		Yes

Facility Summary in Gallatin County in the City of Belgrade

Location: TOWN PUMP INC BELGRADE 4
561 Business Hub Dr
Belgrade, MT 59714 Gallatin

Legacy ID:60-15245

Facility ID: 30962
Last Inspected On: 09/11/2020
Operating Permit Renewal Date: 01/22/2024

Owner Operator Contact:

Operator Contact: Charles Armstrong;Trent Biggers

4064976947

Owner/Operator: Belgrade 4 Town Pump LLC

Charles Armstrong, UST Class A Operator
Charles Armstrong, UST Class B Global Operator
Trent Biggers, UST Class A Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	7	04/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
5484	No	06/03/2014	Double-Walled	Double Walled	Yes
Currently in Use		03/27/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
30,000			Gilbarco-Veeder Root/TLS-350		Yes
02	7	04/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
5485	No	06/03/2014	Double-Walled	Double Walled	Yes
Currently in Use		03/27/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
30,000			Gilbarco-Veeder Root/TLS-350		Yes
03	7	04/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
5486	No	06/03/2014	Double-Walled	Double Walled	Yes
Currently in Use		03/27/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
30,000			Gilbarco-Veeder Root/TLS-350		Yes
04	7	04/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff

5487	No	06/03/2014	Double-Walled	Double Walled	Yes
Currently in Use		03/27/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
30,000			Gilbarco-Veeder Root/TLS-350		Yes
05	7	04/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
5488	No	06/03/2014	Double-Walled	Double Walled	No
Currently in Use		03/27/2014	Electronic Line Leak Detector	Pressurized	
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
20,000			Gilbarco-Veeder Root/TLS-350		Yes
06	7	04/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
5489	No	06/03/2014	Double-Walled	Double Walled	No
Currently in Use		03/27/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
10,000			Gilbarco-Veeder Root/TLS-350		Yes
07	7	04/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
5490	No	06/03/2014	Double-Walled	Double Walled	No
Currently in Use		03/27/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
20,000			Gilbarco-Veeder Root/TLS-350		Yes

Facility Summary in Gallatin County in the City of Belgrade

Location: YELLOWSTONE JET CENTER LLC
 456 Wings Way
 Belgrade, MT 59714-8544 Gallatin

Legacy ID:16-04440

Facility ID: 21287
Last Inspected On: 06/22/2021
Operating Permit Renewal Date: 08/04/2024

Owner Operator Contact: Kent Foster;Yellowstone Jet Center LLC

4063883814;4063884152

Operator Contact: Al Sandvold;Michael Russell

4063883821

Owner/Operator: Signature Flight Support

Al Sandvold, UST Class A Operator
 Michael Russell, UST Class A Operator
 Robert Lemon, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	44	04/11/1977	Cathodically Protected Steel	Steel	High Level Alarm
2036	No			None	Yes
Currently in Use			Not Required	Safe Suction	Impressed Current
Aviation Gas		07/28/2016	Automatic Tank Gauging 0.2	Deferred	No
12,000			Veeder Root/TLS-450		No
02	44	04/11/1977	Cathodically Protected Steel	Steel	High Level Alarm
2037	No			None	Yes
Currently in Use			Not Required	Safe Suction	Impressed Current
Jet Fuel (Jet-A, Jet-A1, JP5)		07/28/2016	Automatic Tank Gauging 0.2	Deferred	No
12,000			Veeder Root/TLS-450		No
03	44	04/11/1977	Cathodically Protected Steel	Steel	High Level Alarm
2038	No		Lined Interior/Impressed Current	None	Yes
Currently in Use			Not Required	Safe Suction	Impressed Current

Jet Fuel (Jet-A, Jet-A1, JP5)		07/28/2016	Automatic Tank Gauging 0.2	Deferred	No
12,000			Veeder Root/TLS-450		No
04	46	04/12/1975	Cathodically Protected Steel	Steel	High Level Alarm
2039	No		Lined Interior/Impressed Current	None	Yes
Currently in Use			Not Required	Safe Suction	Impressed Current
Jet Fuel (Jet-A, Jet-A1, JP5)		07/28/2016	Automatic Tank Gauging 0.2	Deferred	No
12,000			Veeder Root/TLS-450		No
05	46	04/12/1975	Cathodically Protected Steel	Steel	High Level Alarm
2040	No		Lined Interior/Impressed Current	None	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Jet Fuel (Jet-A, Jet-A1, JP5)		07/28/2016	Automatic Tank Gauging 0.2	Deferred	No
12,000			Veeder Root/TLS-450		No
06	46	04/12/1975	Cathodically Protected Steel	Steel	High Level Alarm
2041	No			None	Yes
Currently in Use			Not Required	Safe Suction	Impressed Current
Jet Fuel (Jet-A, Jet-A1, JP5)		07/28/2016	Automatic Tank Gauging 0.2	Deferred	No
12,000			Veeder Root/TLS-450		No
07	46	04/12/1975	Bare Steel	Steel	High Level Alarm
2042	No			None	Yes
Currently in Use			Not Required	Safe Suction	Impressed Current
Jet Fuel (Jet-A, Jet-A1, JP5)		07/28/2016	Automatic Tank Gauging 0.2	Deferred	No
12,000			Veeder Root/TLS-450		No

Facility Summary in Gallatin County in the City of Big Sky

Location: BIG SKY CONOCO
 91 Lone Mountain Trl
 Big Sky, MT 59716 Gallatin

Legacy ID:16-03801

Facility ID: 21263
Last Inspected On: 07/08/2019
Operating Permit Renewal Date: 10/24/2022

Owner Operator Contact: Nevermore Inc

Operator Contact: Renae Schumacher;Steve Schumacher

4065811357;4069954275

Owner/Operator: Nevermore Inc

Renae Schumacher, UST Class A Operator
 Steve Schumacher, UST Class A Operator
 Steve Schumacher, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
06	24	05/01/1997	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3155	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		07/05/2016	Automatic Tank Gauging 0.2	ELLD 0.2	No
12,000			Veeder Root/TLS-300		No
07	24	05/01/1997	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3156	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		07/05/2016	Automatic Tank Gauging 0.2	ELLD 0.2	No
12,000			Veeder Root/TLS-300		No
S8	24	05/01/1997	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3157	No			Double Walled	Yes
Temporarily Out of Use			Not Required	U.S. Suction	Galvanic

Diesel		09/10/2013	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring	No
1,000			Veeder Root/TLS-300		No
09	20	06/01/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Positive Shutoff
4488	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		07/05/2016	Automatic Tank Gauging 0.2	ELLD 0.2	No
2,500			Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of Big Sky

Location: TOM GERRARD
2300 N Fork Rd
Big Sky, MT 59716 Gallatin

Legacy ID:16-13672

Facility ID: 21844
Last Inspected On: 08/08/2019
Operating Permit Renewal Date: 12/06/2022

Owner Operator Contact: William Gerrard

Operator Contact: Jay Reader

Owner/Operator: William Tom Gerrard

Dennis Franks, UST Class B Global Operator
Jay Reader, UST Class A Operator
Jay Reader, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
02	23	10/01/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
3726	No		Double-Walled	Double Walled	Yes
Currently in Use			Not Required	Safe Suction	Non-corrodible
Gasoline			Continuous Interstitial Monitoring	Deferred	No
1,000			Gilbarco-Veeder Root/TLS-300		No
01	26	09/01/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
3936	No	10/12/2016	Double-Walled	Double Walled	Yes
Currently in Use			Auto Dialer;Mechanical Line Leak Detector	Pressurized	
Diesel			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring	No
1,000			Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of Big Sky

Location: WATERMARK HOME
341 Andesite Ridge Rd
Big Sky, MT 59716 Gallatin

Legacy ID:60-15032

Facility ID: 30815
Last Inspected On: 12/16/2019
Operating Permit Renewal Date: 01/11/2023

Owner Operator Contact: Watermark Services

4062091400

Operator Contact: Edd Gryder

Owner/Operator: Watermark Services

Edd Gryder, UST Class A Operator
Edd Gryder, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	15	10/24/2006	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5133	No	09/28/2016	Double-Walled	Double Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Non-corrodible
Diesel			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	3-Year Line Tightness Test;Continuous Interstitial Monitoring	No
3,000			Gilbarco-Veeder Root/TLS- 300;Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of Bozeman

Location: BLUE BASKET # 4
1035 Reeves Rd
Bozeman, MT 59718-7731 Gallatin

Legacy ID:16-13115

Facility ID: 21812
Last Inspected On: 01/30/2019
Operating Permit Renewal Date: 06/30/2022

Owner Operator Contact: Blue Basket Markets Billings

4062520166

Operator Contact: Brit Miller

4062520166

Owner/Operator: Blue Basket Markets Billings

Brit Miller, UST Class A Operator
Carrie Hodges, UST Class B Operator
Lori Anderson, UST Class B Operator
Susie Breen, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
-----------	-----	-----------	----------------------------	-----------------	----------------

Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	28	04/01/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
456	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		01/18/2016	Automatic Tank Gauging 0.2	ELLD 0.1;ELLD 0.2	No
10,000			Gilbarco/EMC Basic		No
02	28	04/01/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
457	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		01/18/2016	Automatic Tank Gauging 0.2	ELLD 0.1;ELLD 0.2	No
10,000			Gilbarco/EMC Basic		No
03	28	04/01/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
458	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		01/18/2016	Automatic Tank Gauging 0.2	ELLD 0.1;ELLD 0.2	No
10,000			Gilbarco/EMC Basic		No

Facility Summary in Gallatin County in the City of Bozeman

Location: BOZEMAN DEACONESS HOSPITAL
915 Highland Blvd
Bozeman, MT 59715-6902 Gallatin

Legacy ID:16-09771

Facility ID: 21534
Last Inspected On: 01/21/2021
Operating Permit Renewal Date: 04/05/2023

Owner Operator Contact: Bozeman Deaconess Hospital

4064141091

Operator Contact: Jason Cocke;William Buhl

4065951488

Owner/Operator: Bozeman Deaconess Hospital

Jason Cocke, UST Class A Operator
 Jason Cocke, UST Class B Global Operator
 Jason Cocke, UST Class B Operator
 Michael Dawson, UST Class B Operator
 William Buhl, UST Class A Operator
 William Buhl, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
S3	17	07/15/2004	Concrete	Flexible Plastic	High Level Alarm;Positive Shutoff
4940	Yes	10/21/2016		Double Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	
Diesel			Deferred	Continuous Interstitial Monitoring	No
8,000					No
04	0		Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve;High Level Alarm
5932	No		Double-Walled	Double Walled	No
Currently in Use			Auto Dialer	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
22,000					Yes
05	0		Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve;High Level Alarm
5933	No		Double-Walled	Double Walled	No
Currently in Use			Auto Dialer	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No

8,000

Yes

Facility Summary in Gallatin County in the City of Bozeman

Location: BOZEMAN KARDLOCK
300 E Griffin Dr
Bozeman, MT 59715 Gallatin

Legacy ID:16-08191

Facility ID: 21485
Last Inspected On: 12/02/2019
Operating Permit Renewal Date: 01/15/2023

Owner Operator Contact: Story Distributing Co Bozeman

Operator Contact: Calvin Wilson

Owner/Operator: Story Distributing Co Bozeman

Calvin Wilson, UST Class A Operator
Calvin Wilson, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	43	05/02/1978	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3864	No		Lined Interior/Impressed Current	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/28/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.2	No
12,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
02	43	05/02/1978	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3865	No		Lined Interior/Impressed Current	Double Walled	Yes
Currently in Use		12/22/2010	Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/28/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.2	No
8,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
03	43	05/02/1978	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3866	No		Lined Interior/Impressed Current	Double Walled	Yes

Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		11/28/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
8,000		11/16/2010	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
04	35	01/01/1986	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3867	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		11/28/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
05	35	01/01/1986	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3868	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		11/28/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Bozeman

Location: BRIDGER BOWL INC
15795 Bridger Canyon Rd
Bozeman, MT 59715-8282 Gallatin

Legacy ID:16-01793

Facility ID: 21177
Last Inspected On: 07/28/2021
Operating Permit Renewal Date: 10/01/2024

Owner Operator Contact: Bridger Bowl Inc

4065872111

Operator Contact: Daniel Doehring; Robert Allen

4065872111

Owner/Operator: Bridger Bowl Inc

Daniel Doehring, UST Class A Operator
Daniel Doehring, UST Class B Operator
Robert Allen, UST Class A Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery

Capacity	Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act	
08	23	10/30/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
492	No		Double-Walled	Double Walled	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		08/11/2015	Manual Interstitial Monitoring	Continuous Interstitial Monitoring;Deferred	No
2,000					No
09	23	10/30/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
493	No		Double-Walled	Double Walled	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		08/11/2015	Manual Interstitial Monitoring	Continuous Interstitial Monitoring;Deferred	No
1,000					No

Facility Summary in Gallatin County in the City of Bozeman

Location: CASEYS #5
4135 Valley Commons Dr
Bozeman, MT 59718-6427 Gallatin

Legacy ID:16-13775

Facility ID: 21847
Last Inspected On: 10/24/2019
Operating Permit Renewal Date: 02/19/2023

Owner Operator Contact:

Operator Contact: Calvin Wilson

Owner/Operator: Story Distributing Co Bozeman

- Calvin Wilson, UST Class A Operator
- Calvin Wilson, UST Class B Global Operator
- Damian Lewis, UST Class B Global Operator
- David Lingenfelter, UST Class B Operator
- Kelly Shutes, UST Class B Global Operator
- Kelsey Grubb, UST Class B Operator
- Lisa Anderson, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery

Capacity	Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act	
01	23	03/01/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3407	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
12,000	08/07/2013		Gilbarco/EMC Basic		No
02	23	03/01/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve; Flapper Valve
3408	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
12,000	08/07/2013		Gilbarco/EMC Basic		No
03	23	03/01/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve; Flapper Valve
3409	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
12,000	08/07/2013		Gilbarco/EMC Basic		No

Facility Summary in Gallatin County in the City of Bozeman

Location: CASEYS CORNER #1
81855 Gallatin Rd
Bozeman, MT 59718-8110 Gallatin

Legacy ID:

Facility ID: 21409
Last Inspected On: 06/26/2019
Operating Permit Renewal Date: 07/22/2022

Owner Operator Contact: Superpumper Inc

Operator Contact: Jamison Paulsen

4065879715

Owner/Operator: Superpumper Inc

Jamison Paulsen, UST Class A Operator
Jamison Paulsen, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
-----------	-----	-----------	----------------------------	-----------------	----------------

Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
04	30	04/10/1991	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2018	No	09/13/2017		Double Walled	Yes
Currently in Use		11/22/2017	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		05/02/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
10,000			Veeder Root/TLS-450		No
05	30	04/10/1991	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2019	No	09/13/2017		Double Walled	Yes
Currently in Use		11/22/2017	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		05/02/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
10,000			Veeder Root/TLS-450		No
06	30	04/10/1991	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2020	No	09/13/2017		Double Walled	Yes
Currently in Use		11/22/2017	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		05/02/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
10,000			Veeder Root/TLS-450		No
07	25	05/01/1996	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2021	No	09/13/2017		Double Walled	Yes
Currently in Use		11/22/2017	Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		05/02/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
2,000			Veeder Root/TLS-450		No

08	25	05/01/1996	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2022	No	09/13/2017		Double Walled	Yes
Currently in Use		11/22/2017	Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		05/02/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
6,000			Veeder Root/TLS-450		No
09	25	05/01/1996	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2023	No	09/13/2017		Double Walled	Yes
Currently in Use		11/22/2017	Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		05/02/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
8,000			Veeder Root/TLS-450		No
10	25	05/01/1996	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2024	No			Double Walled	Yes
Currently in Use		10/02/2009	Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		05/02/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
12,000		11/09/2016	Gilbarco-Veeder Root/TLS-450		No

Facility Summary in Gallatin County in the City of Bozeman

Location: Caseys Corner #2
1211 E Main St
Bozeman, MT 59715 Gallatin

Legacy ID:16-08188

Facility ID: 21482
Last Inspected On: 10/25/2019
Operating Permit Renewal Date: 12/31/2022

Owner Operator Contact: Superpumper Inc

Operator Contact: Tracy Miller

4062192207

Owner/Operator: Superpumper Inc

Tracy Miller, UST Class A Operator
Tracy Miller, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected

Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
06	23	04/01/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2030	No	05/17/2018		Double Walled	Yes
Currently in Use		07/31/2018	Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		10/25/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
8,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
07	23	04/01/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2031	No	05/17/2018		Double Walled	Yes
Currently in Use		07/31/2018	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/25/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
12,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
04	23	04/01/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
4576	No	05/17/2018		Double Walled	Yes
Currently in Use		07/31/2018	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/25/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
8,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
05	23	04/01/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
4577	No	05/17/2018		Double Walled	Yes
Currently in Use		07/31/2018	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/25/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
4,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Bozeman

Location: CASEYS CORNER #3
 1420 N 7th Ave
 Bozeman, MT 59715 Gallatin

Legacy ID:16-08190

Facility ID: 21484
Last Inspected On: 10/25/2019
Operating Permit Renewal Date: 12/31/2022

Owner Operator Contact: Donna Madson;Story Distributing Co
 Bozeman;Superpumper Inc

Operator Contact: Bridgett Rivas

4064640214

Owner/Operator: Superpumper Inc

Bridgett Rivas, UST Class A Operator
 Bridgett Rivas, UST Class B Global Operator
 Bridgett Rivas, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
06	23	12/01/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3687	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/25/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
10,000		07/26/2016	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
07	23	12/01/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
3688	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/25/2016	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
14,000		10/16/2016	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
08	16	12/28/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5054	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible

Diesel	10/07/2010	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
8,000	10/15/2016	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Bozeman

Location: COLLEGE EXXON SERVICE STATION
723 S 8th Ave
Bozeman, MT 59715-4414 Gallatin

Legacy ID:16-00472

Facility ID: 21108
Last Inspected On: 06/03/2021
Operating Permit Renewal Date: 08/20/2024

Owner Operator Contact: College Chevron of Bozeman Inc;Harold Sappington;College Exxon Service

4065874453

Operator Contact: David Lapinski

Owner/Operator: College Chevron of Bozeman Inc

David Lapinski, UST Class A Operator
David Lapinski, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
06	23	04/01/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
694	No	08/16/2018		Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		08/17/2018	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
6,000			Veeder Root/TLS-300		No
07	23	04/01/1998	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
695	No	08/16/2018		Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		08/17/2018	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
4,000			Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of Bozeman

Location: COSTCO WHOLESALE GASOLINE BOZEMAN
2505 Catron St
Bozeman, MT 59718 Gallatin

Legacy ID:60-15075

Facility ID: 30846
Last Inspected On: 08/22/2019
Operating Permit Renewal Date: 08/22/2022

Owner Operator Contact:

Operator Contact: Charlie Brown;Devin Stewart;Herbert Burnell;Pamela Williams **4065798985**

Owner/Operator: Costco Wholesale

Charlie Brown, UST Class A Operator
Charlie Brown, UST Class B Operator
Devin Stewart, UST Class A Operator
Devin Stewart, UST Class B Global Operator
Herbert Burnell, UST Class A Operator
Herbert Burnell, UST Class B Operator
Pamela Williams, UST Class A Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	14	10/24/2007	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
5130	No		Double-Walled	Double Walled	Yes
Currently in Use		08/23/2007	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.2	No
30,000			Gilbarco-Veeder Root/TLS-350		Yes
02	14	10/24/2007	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
5131	No		Double-Walled	Double Walled	Yes
Currently in Use		08/23/2007	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.2	No

30,000			Gilbarco-Veeder Root/TLS-350		Yes
03	14	10/24/2007	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
5132	No		Double-Walled	Double Walled	Yes
Currently in Use		08/23/2007	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2;Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.2	No
30,000			Gilbarco-Veeder Root/TLS-350		Yes
04	10	03/25/2011	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
5282	No		Double-Walled	Double Walled	Yes
Currently in Use		10/27/2010	Mechanical Line Leak Detector	Pressurized	Non-corrodible
Hazardous Substance			Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
1,500		11/17/2015			Yes

Facility Summary in Gallatin County in the City of Bozeman

Location: EXXONMOBIL BOZEMAN PRODUCTS TERMINAL
220 W Griffin Dr
Bozeman, MT 59715-2254 Gallatin

Legacy ID:16-08730

Facility ID: 21508
Last Inspected On: 09/24/2021
Operating Permit Renewal Date: 05/27/2022

Owner Operator Contact: Exxon Mobil Corporation Bozeman

8326257781

Operator Contact: Bry Joaillier Allen;Christopher Martin;Clinton
Robbins;James Vokral;Janie Lee;Jason Martin;Michael
Bailey;Michael James;Robert Ochsenbein

**4062236901;4065866927;4066575404;4357647049;8326247774;8326
247876**

Owner/Operator: Exxon Mobil Corporation Bozeman

- Bry Joaillier Allen, UST Class A Operator
- Bry Joaillier Allen, UST Class B Global Operator
- Christopher Martin, UST Class A Operator
- Christopher Martin, UST Class B Operator
- Clinton Robbins, UST Class A Operator
- Clinton Robbins, UST Class B Global Operator
- James Vokral, UST Class A Operator
- James Vokral, UST Class B Global Operator
- Janie Lee, UST Class A Operator
- Janie Lee, UST Class B Global Operator

M Martin, UST Class A Operator
M Martin, UST Class B Global Operator
Michael Bailey, UST Class A Operator
Michael Bailey, UST Class B Global Operator
Michael James, UST Class A Operator
Michael James, UST Class B Global Operator
Robert Ochsenbein, UST Class A Operator
Robert Ochsenbein, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
S1	67	06/01/1954	Bare Steel	Steel - Terminal Piping	
2805	Yes			None	Yes
Currently in Use			Not Required	Pressurized	
Gasoline		12/05/2015	Deferred	Terminal Piping Annual Line Test	No
630,000		10/06/2015			No
S5	67	06/01/1954	Bare Steel	Steel - Terminal Piping	
2809	Yes			None	Yes
Currently in Use			Not Required	Pressurized	
Gasoline		12/05/2015	Deferred	Terminal Piping Annual Line Test	No
420,000		10/06/2015			No
S7	67	06/01/1954	Bare Steel	Steel - Terminal Piping	
2811	Yes			None	Yes
Currently in Use			Not Required	Pressurized	
Diesel		12/05/2015	Deferred	Terminal Piping Annual Line Test	No

630,000		10/06/2015			No
S9	67	06/01/1954	Bare Steel	Steel - Terminal Piping	
2813	Yes			None	Yes
Currently in Use			Not Required	Pressurized	
Diesel		12/05/2015	Deferred	Terminal Piping Annual Line Test	No
420,000		10/06/2015			No
S11	67	06/01/1954	Bare Steel	Steel	
2815	Yes			None	Yes
Currently in Use			Not Required	Pressurized	
Other		12/05/2015	Deferred	Terminal Piping Annual Line Test	No
420,000		10/06/2015			No
S22	67	01/01/1954	Bare Steel	Steel	
2817	Yes			None	Yes
Currently in Use			Not Required	Pressurized	
Diesel		12/05/2015	Deferred	Terminal Piping Annual Line Test	No
110		10/06/2015			No
S24	67	01/01/1954	Bare Steel	Steel	
2819	Yes			None	Yes
Currently in Use			Not Required	Pressurized	
Gasoline		12/05/2015	Deferred	Terminal Piping Annual Line Test	No
110		10/06/2015			No
S36	30	04/01/1991	Bare Steel	Steel	
2824	Yes	12/15/2016		Secondary Containment Chase	Yes

Currently in Use		12/29/2016	Continuous Interstitial Monitoring	Pressurized	
Hazardous Substance			Deferred	Continuous Interstitial Monitoring	No
10,000					No
S37	34	09/01/1987	Bare Steel	Steel	
2825	Yes	12/15/2016		Secondary Containment Chase	Yes
Currently in Use		12/29/2016	Continuous Interstitial Monitoring	Pressurized	
Hazardous Substance			Deferred	Continuous Interstitial Monitoring	No
3,000					No
S40	27	05/01/1994	Bare Steel	Steel	
2828	Yes	12/15/2016		Secondary Containment Chase	Yes
Currently in Use		12/29/2016	Continuous Interstitial Monitoring	Pressurized	
Hazardous Substance			Deferred	Continuous Interstitial Monitoring	No
1,000					No
21	33	06/01/1988	Fiberglass Reinforced Plastic	Steel	High Level Alarm
3702	No		Double-Walled	None	Yes
Currently in Use			Not Required	Gravity Feed	
Gasoline		12/05/2015	Continuous Interstitial Monitoring	Terminal Piping Annual Line Test	No
2,000		10/06/2015			No
S3	67	06/01/1954	Bare Steel	Steel - Terminal Piping	
4851	Yes			None	Yes
Currently in Use			Not Required	Pressurized	
Gasoline		12/05/2015	Deferred	Terminal Piping Annual Line Test	No
1,260,000		10/06/2015			No

Facility Summary in Gallatin County in the City of Bozeman

Location: GRANTREE CONOCO
 1417 N 7th Ave
 Bozeman, MT 59715-2513 Gallatin

Legacy ID:16-01254

Facility ID: 21148
Last Inspected On: 10/24/2019
Operating Permit Renewal Date: 12/24/2022

Owner Operator Contact: Grantree Conoco

4065875261

Operator Contact: Missy Tallman

4065870651

Owner/Operator: Grantree Conoco

Missy Tallman, UST Class A Operator
 Missy Tallman, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
05	26	09/01/1995	Fiberglass Reinforced Plastic	Flexible Plastic	
3299	No	04/05/2016		Double Walled	Yes
Currently in Use		04/14/2016	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
12,000		04/14/2016	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
06	26	09/01/1995	Fiberglass Reinforced Plastic	Flexible Plastic	
3300	No	04/05/2016		Double Walled	Yes
Currently in Use		04/14/2016	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
12,000		04/14/2016	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
07	26	09/01/1995	Fiberglass Reinforced Plastic	Flexible Plastic	
3301	No	04/05/2016		Double Walled	Yes
Currently in Use		04/14/2016	Electronic Line Leak Detector	Pressurized	Non-corrodible

Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
8,000		04/14/2016	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
08	26	09/01/1995	Fiberglass Reinforced Plastic	Flexible Plastic	
3302	No	04/05/2016		Double Walled	Yes
Currently in Use		04/14/2016	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
4,000		04/14/2016	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Bozeman

Location: HOLIDAY STATIONSTORE 305
1951 Durston Rd
Bozeman, MT 59718-2738 Gallatin

Legacy ID:56-13937

Facility ID: 30607
Last Inspected On: 06/27/2019
Operating Permit Renewal Date: 12/20/2022

Owner Operator Contact:

Operator Contact: Chuck Nyberg; Patrick Patnaude; Stephen Reckinger; Valeria Jeffries; Veronica Rivera

9528308028; 9528308721; 9528308722

Owner/Operator: Rocky Mountain Oil Co Inc

- Brad Lee, UST Class B Global Operator
- Chuck Nyberg, UST Class A Operator
- Jeff Reed, UST Class B Global Operator
- Patrick Patnaude, UST Class A Operator
- Stephen Reckinger, UST Class A Operator
- Steve Ulery, UST Class B Operator
- Valeria Jeffries, UST Class A Operator
- Veronica Rivera, UST Class A Operator
- Veronica Rivera, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

01	22	06/01/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
----	----	------------	-------------------------------	------------------	------------------

4047	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline		10/02/2007	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	Yes
8,000		05/14/2010	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
02	22	06/01/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4048	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline		10/02/2007	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	Yes
8,000		05/14/2010	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
05	22	06/01/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4051	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		10/02/2007	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
8,000		05/14/2010	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
03	22	06/01/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4566	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline		10/02/2007	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	Yes
8,000		05/14/2010	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
04	22	06/01/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4567	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline		10/02/2007	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	Yes

8,000

05/14/2010

Gilbarco-Veeder Root/TLS-350/Gilbarco EMC

No

Facility Summary in Gallatin County in the City of Bozeman

Location: KAGY KORNER INC
1809 S Tracy Ave
Bozeman, MT 59715-5736 Gallatin

Legacy ID:16-09672

Facility ID: 21532
Last Inspected On: 03/09/2020
Operating Permit Renewal Date: 07/15/2023

Owner Operator Contact: Kagy Korner Store Inc

4065861079

Operator Contact: Amber Wilkinson;Rhett Tschache

4065703470

Owner/Operator: Kagy Korner Store Inc

Amber Wilkinson, UST Class A Operator
Amber Wilkinson, UST Class B Operator
Rhett Tschache, UST Class A Operator
Rhett Tschache, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	34	11/15/1987	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
1462	No	06/22/2017	Double-Walled	Double Walled	Yes
Currently in Use		06/29/2017	Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		03/13/2017	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.2	No
10,000		03/13/2017	Gilbarco-Veeder Root/TLS-300		No
02	34	11/15/1987	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
1463	No	06/22/2017	Double-Walled	Double Walled	Yes
Currently in Use		06/29/2017	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		03/13/2017	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.2	No
10,000		03/13/2017	Gilbarco-Veeder Root/TLS-300		No

03	34	11/15/1987	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
1464	No	06/22/2017	Double-Walled	Double Walled	Yes
Currently in Use		06/29/2017	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		03/13/2017	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
10,000		03/13/2017	Gilbarco-Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of Bozeman

Location: LOAF 'N JUG #728
717 W College St
Bozeman, MT 59715 Gallatin

Legacy ID:16-05778

Facility ID: 21369
Last Inspected On: 08/15/2019
Operating Permit Renewal Date: 09/13/2022

Owner Operator Contact: Elena Lau;Mini Mart Inc dba Loaf N Jug - Remittance;Mini Mart Inc dba Loaf 'N Jug Pueblo **5139641568**

Operator Contact: John Sumowski;Randal Liebnow;Theodore Bezel;Mini Mart Inc dba Loaf 'N Jug Pueblo **5139641568**

Owner/Operator: Mini Mart Inc dba Loaf 'N Jug Pueblo

- David Cordova, UST Class B Global Operator
- David Cordova, UST Class B Operator
- Hiede Richardson, UST Class B Global Operator
- Jennifer Coleman, UST Class B Global Operator
- John Sumowski, UST Class A Operator
- Randal Liebnow, UST Class A Operator
- Randal Liebnow, UST Class B Global Operator
- Scott Huether, UST Class B Global Operator
- Stevie Ulstad, UST Class B Operator
- Theodore Bezel, UST Class A Operator
- Theodore Bezel, UST Class B Global Operator
- Theodore Bezel, UST Class B Operator
- Timothy Osterman, UST Class B Global Operator
- Timothy Osterman, UST Class B Operator
- Toni Mullen, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

01	40	04/25/1981	Bare Steel	Flexible Plastic	Flapper Valve
3641	No	12/11/2014		Double Walled	Yes
Currently in Use		12/26/2014	Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		05/22/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
6,000		12/18/2014	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
02	40	04/25/1981	Bare Steel	Flexible Plastic	Flapper Valve
3642	No	12/11/2014		Double Walled	Yes
Currently in Use		12/26/2014	Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		05/22/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
4,000		12/18/2014	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
03	40	04/25/1981	Bare Steel	Flexible Plastic	Flapper Valve
3643	No	12/11/2014		Double Walled	Yes
Currently in Use		12/26/2014	Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		05/22/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
6,000		12/18/2014	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Bozeman

Location: LOAF 'N JUG #729
1910 W Main St
Bozeman, MT 59718-3906 Gallatin

Legacy ID:16-03913

Facility ID: 21271
Last Inspected On: 01/13/2019
Operating Permit Renewal Date: 06/14/2022

Owner Operator Contact: Elena Lau; Mini Mart Inc dba Loaf N Jug - Remittance; Elena Lau; Mini Mart Inc dba Loaf N Jug Hutchinson; Mini Mart Inc dba Loaf 'N Jug Pueblo

5139641568

Operator Contact: John Sumowski; Randal Liebnow; Theodore Bezel; Mini Mart Inc dba Loaf 'N Jug Pueblo

5139641568

Owner/Operator: Mini Mart Inc dba Loaf 'N Jug Pueblo

Hiede Richardson, UST Class B Global Operator
Jennifer Coleman, UST Class B Global Operator
Jody Hale, UST Class B Operator
John Sumowski, UST Class A Operator

Randal Liebnow, UST Class A Operator
 Randal Liebnow, UST Class B Global Operator
 Scott Huether, UST Class B Global Operator
 Scott Huether, UST Class B Operator
 Stevie Ulstad, UST Class B Operator
 Theodore Bezel, UST Class A Operator
 Theodore Bezel, UST Class B Global Operator
 Theodore Bezel, UST Class B Operator
 Timothy Osterman, UST Class B Global Operator
 Timothy Osterman, UST Class B Operator
 Toni Mullen, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
13	36	11/01/1985	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
1639	No	05/07/2018		Double Walled	Yes
Currently in Use		05/03/2018	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		03/18/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
14	36	11/01/1985	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
1640	No	05/07/2018		Double Walled	Yes
Currently in Use		05/03/2018	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		03/18/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
31	36	11/01/1985	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
1641	No	05/07/2018		Double Walled	Yes

Currently in Use		05/03/2018	Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		03/18/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
32	36	11/01/1985	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
1642	No	05/07/2018		Double Walled	Yes
Currently in Use		05/03/2018	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		03/18/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Bozeman

Location: PHILLIPS 66 BOZEMAN TERMINAL
318 W Griffin Dr
Bozeman, MT 59715 Gallatin

Legacy ID:16-01844

Facility ID: 21181
Last Inspected On: 10/08/2020
Operating Permit Renewal Date: 10/31/2023

Owner Operator Contact:

Operator Contact: Chase Keith; Joshua Brown

4062239892; 4068556044

Owner/Operator: Phillips 66 Pipeline LLC

Chase Keith, UST Class A Operator
Chase Keith, UST Class B Global Operator
Joshua Brown, UST Class A Operator
Joshua Brown, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
23	21	01/01/2000	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
4698	No	06/24/2014	Double-Walled	Double Walled	Yes
Currently in Use			Not Required	Gravity Feed	
Mixture		05/04/2017	Continuous Interstitial Monitoring	3-Year Line Tightness Test	No

1,500		06/13/2017	Other/Other		No
S6	66	01/01/1955	Unknown	Steel - Terminal Piping	
715	Yes			None	Yes
Currently in Use			Not Required	Pressurized	
Gasoline		05/04/2017	Deferred	3-Year Line Tightness Test	No
840,000		06/06/2017			No
S10	66	01/01/1955	Unknown	Steel - Terminal Piping	
716	Yes			None	Yes
Currently in Use		07/02/2013	Not Required	Pressurized	
Diesel		05/04/2017	Deferred	3-Year Line Tightness Test	No
840,000		06/06/2017			No
S8	66	01/01/1955	Unknown	Steel - Terminal Piping	
717	Yes			None	Yes
Currently in Use		07/02/2013	Not Required	Pressurized	
Gasoline		05/04/2017	Deferred	3-Year Line Tightness Test	No
840,000		06/06/2017			No
S12	66	01/01/1955	Unknown	Steel - Terminal Piping	
720	Yes			None	Yes
Currently in Use		07/02/2013	Not Required	Pressurized	
Diesel		05/04/2017	Deferred	3-Year Line Tightness Test	No
840,000		06/08/2017			No
S14	55	01/01/1966	Unknown	Steel - Terminal Piping	
722	Yes			None	Yes

Temporarily Out of Use	04/10/2015	Not Required	Pressurized	
Mixture	05/23/2014	Deferred	MLLD Line Tightness Testing	No
1,680,000	05/13/2011			No

Facility Summary in Gallatin County in the City of Bozeman

Location: RESSLER MOTOR COMPANY
8474 Huffine Ln
Bozeman, MT 59718-9421 Gallatin

Legacy ID:60-15102

Facility ID: 30861
Last Inspected On: 05/05/2021
Operating Permit Renewal Date: 08/18/2024

Owner Operator Contact: Ressler Motors Company

4065875501

Operator Contact: Chad Karch;Tracy Mullins

5092172694

Owner/Operator: Ressler Motors Company

- Chad Karch, UST Class A Operator
- Chad Karch, UST Class B Operator
- Tracy Mullins, UST Class A Operator
- Tracy Mullins, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
S1	13	07/08/2008	Unknown	Flexible Plastic	
5178	Yes	07/09/2018		Double Walled	Yes
Currently in Use		03/10/2008	Auto Dialer	Pressurized	
Oil, Waste			Deferred	Continuous Interstitial Monitoring	No
1,100					Yes
S2	13	07/08/2008	Unknown	Flexible Plastic	
5179	Yes	07/09/2018		Double Walled	Yes
Currently in Use		03/10/2008	Auto Dialer	Pressurized	
Oil, Waste			Deferred	Continuous Interstitial Monitoring	No

Facility Summary in Gallatin County in the City of Bozeman

Location: SAFEWAY FUEL 2999
1801 W Main St
Bozeman, MT 59715-4015 Gallatin

Legacy ID:16-05474

Facility ID: 21348
Last Inspected On: 09/27/2019
Operating Permit Renewal Date: 12/10/2022

Owner Operator Contact: Albertsons Inc Boise;N/A ZZZ - TBL_OWN :
110;Bozeman Exxon **2084217561;4065862457**

Operator Contact: Jesse Wees **2084127561**

Owner/Operator: Albertsons Inc Boise

Jesse Wees, UST Class A Operator
Kenneth Matheys, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
05	2	06/05/2019	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve;High Level Alarm
5870	No		Double-Walled	Double Walled	No
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.2	No
20,000					No
06	2	06/05/2019	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve;High Level Alarm
5871	No		Double-Walled	Double Walled	No
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Continuous Interstitial Monitoring	Continuous Interstitial Monitoring;ELLD 0.2	No
8,000					No
07	2	06/05/2019	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve;High Level Alarm

5872	No		Double-Walled	Double Walled	No
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Continuous Interstitial Monitoring	Continuous Interstitial Monitoring; ELLD 0.2	No
15,000					No
08	2	06/05/2019	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve; High Level Alarm
5873	No		Double-Walled	Double Walled	No
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Continuous Interstitial Monitoring	Continuous Interstitial Monitoring; ELLD 0.2	No
8,000					No

Facility Summary in Gallatin County in the City of Bozeman

Location: SIME CONSTRUCTION
190 Ramshorn Dr
Bozeman, MT 59718 Gallatin

Legacy ID:56-13960

Facility ID: 30627
Last Inspected On: 04/18/2019
Operating Permit Renewal Date: 06/29/2022

Owner Operator Contact: Sime Construction

Operator Contact: Shawn Sime

Owner/Operator: Sime Construction

Matthew Wilmeth, UST Class B Global Operator
Shawn Sime, UST Class A Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	21	01/01/2000	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
4487	No	05/15/2013	Double-Walled	Double Walled	Yes
Currently in Use			Not Required	U.S. Suction	Galvanic
Oil, Waste		02/25/2013	Continuous Interstitial Monitoring	Continuous Interstitial Monitoring	No
2,000			Pneumercator/Other		No

Facility Summary in Gallatin County in the City of Bozeman

Location: SMITHS #170 FUEL CENTER
1735 W Oak St
Bozeman, MT 59715 Gallatin

Legacy ID:60-15234

Facility ID: 30951
Last Inspected On: 05/21/2020
Operating Permit Renewal Date: 06/16/2023

Owner Operator Contact:

Operator Contact: David Harris;Gary Dotseth;James Dye;Ronnie Houtekamer;Todd Dotseth

4064527649;4067882338;8015600471;8019741206;8019772012

Owner/Operator: Smiths Food and Drug

David Harris, UST Class A Operator
David Harris, UST Class B Global Operator
Gary Dotseth, UST Class A Operator
Gary Dotseth, UST Class B Global Operator
James Dye, UST Class A Operator

Ronnie Houtekamer, UST Class A Operator
 Ronnie Houtekamer, UST Class B Global Operator
 Todd Dotseth, UST Class A Operator
 Todd Dotseth, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	8	11/01/2013	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
5443	No		Double-Walled	Double Walled	Yes
Currently in Use		11/04/2013	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Continuous Interstitial Monitoring	Continuous Interstitial Monitoring; ELLD 0.2	No
20,000			Gilbarco-Veeder Root/TLS-450		Yes
02	8	11/01/2013	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
5444	No		Double-Walled	Double Walled	Yes
Currently in Use		11/04/2013	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Continuous Interstitial Monitoring	Continuous Interstitial Monitoring; ELLD 0.2	No
10,000			Gilbarco-Veeder Root/TLS-450		Yes
03	8	11/01/2013	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
5445	No		Double-Walled	Double Walled	Yes
Currently in Use		11/04/2013	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Continuous Interstitial Monitoring	Continuous Interstitial Monitoring; ELLD 0.2	No
8,000			Gilbarco-Veeder Root/TLS-450		Yes

Facility Summary in Gallatin County in the City of Bozeman

Location: THRIFTWAY SUPER STOP 10
 919 W College St
 Bozeman, MT 59715-5062 Gallatin

Legacy ID:16-03432

Facility ID: 21243
Last Inspected On: 05/17/2019
Operating Permit Renewal Date: 06/12/2022

Owner Operator Contact: Sutey Oil Co Inc

4064942305

Operator Contact: Bryan Kelsey;Louis Sutey

4064915808

Owner/Operator: Sutey Oil Co Inc

Bryan Kelsey, UST Class A Operator
 Bryan Kelsey, UST Class B Operator
 Dan Franti, UST Class B Operator
 Dave Stine, UST Class B Operator
 Louis Sutey, UST Class A Operator
 Louis Sutey, UST Class B Global Operator
 Robert Dalton, UST Class B Operator
 Ryan Foreman, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
02	38	07/01/1983	Bare Steel	Steel	Flapper Valve
4434	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/01/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
01	38	07/01/1983	Bare Steel	Steel	Flapper Valve
812	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/01/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

03	38	07/01/1983	Bare Steel	Steel	Flapper Valve
814	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/01/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		04/10/2018	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Bozeman

Location: THRIFTWAY SUPER STOP 11
621 W Main St
Bozeman, MT 59715-3468 Gallatin

Legacy ID:16-03800

Facility ID: 21262
Last Inspected On: 05/17/2019
Operating Permit Renewal Date: 06/12/2022

Owner Operator Contact: David Rutledge;David Rutledge Distributing Co
Billings;Sutey Oil Co Inc **4064942305**

Operator Contact: Bryan Kelsey;Louis Sutey **4064915808**

Owner/Operator: Sutey Oil Co Inc

- Bryan Kelsey, UST Class A Operator
- Bryan Kelsey, UST Class B Operator
- Dave Stine, UST Class B Operator
- Louis Sutey, UST Class A Operator
- Louis Sutey, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
06	31	05/01/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
815	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		04/19/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		04/19/2016	Gilbarco-Veeder Root/EMC Basic		No
07	31	05/01/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve

816	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		04/19/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
8,000		04/19/2016	Gilbarco-Veeder Root/EMC Basic		No
08	31	05/01/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
817	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		04/19/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
8,000		04/19/2016	Gilbarco-Veeder Root/EMC Basic		No

Facility Summary in Gallatin County in the City of Bozeman

Location: THRIFTWAY SUPER STOP 8
8192 Huffine Ln
Bozeman, MT 59718-9420 Gallatin

Legacy ID:16-05064

Facility ID: 21319
Last Inspected On: 03/18/2019
Operating Permit Renewal Date: 05/06/2022

Owner Operator Contact: Linda Sutey;Sutey Oil Co Inc;Sutey Oil Co Inc **4064942305;4064942305;4064942305**

Operator Contact: Bryan Kelsey;Louis Sutey **4064915808**

Owner/Operator: Sutey Oil Co Inc

- Bryan Kelsey, UST Class A Operator
- Bryan Kelsey, UST Class B Operator
- Dave Stine, UST Class B Operator
- Deza Pitt, UST Class B Operator
- Louis Sutey, UST Class A Operator
- Louis Sutey, UST Class B Global Operator
- Michael Beck, UST Class B Operator
- Viki Clayton, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
05	23	08/01/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve

2053	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
15,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
06	23	08/01/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2054	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
15,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
07	23	08/01/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2055	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
6,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Bozeman

Location: TOWN PUMP BOZEMAN 6
2525 N 19th Ave
Bozeman, MT 59715 Gallatin

Legacy ID:60-15339

Facility ID: 32386
Last Inspected On: 03/17/2021
Operating Permit Renewal Date: 06/20/2024

Owner Operator Contact: Billings Holdings LLC

Operator Contact: Trent Biggers

Owner/Operator: Billings Holdings LLC

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types

Product	Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity	Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve;High Level Alarm
5938	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
30,000				Yes
02	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve;High Level Alarm
5939	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
15,000				Yes
03	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve;High Level Alarm
5940	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
15,000				Yes
04	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve;High Level Alarm
5941	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible

Gasoline		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
7,000				Yes
05	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve;High Level Alarm
5942	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
7,000				Yes
06	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve;High Level Alarm
5943	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel, Dyed		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
7,000				Yes

Facility Summary in Gallatin County in the City of Bozeman

Location: TOWN PUMP BOZEMAN 7
1871 Baxter Ln
Bozeman, MT 59715 Gallatin

Legacy ID:60-15205

Facility ID: 30925
Last Inspected On: 08/04/2021
Operating Permit Renewal Date: 08/09/2024

Owner Operator Contact:

Operator Contact: Trent Biggers

Owner/Operator: Bozeman 7 Town Pump LLC

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types

Product	Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery	
Capacity	Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act	
02	9	12/01/2012	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5348	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
20,000			Gilbarco-Veeder Root/TLS-350		Yes
03	9	12/01/2012	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5349	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
15,000			Gilbarco-Veeder Root/TLS-350		Yes
04	9	12/01/2012	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5350	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
6,000			Gilbarco-Veeder Root/TLS-350		Yes
05	9	12/01/2012	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5351	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible

Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
15,000			Gilbarco-Veeder Root/TLS-350		Yes
06	9	12/01/2012	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5352	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
6,000			Gilbarco-Veeder Root/TLS-350		Yes

Facility Summary in Gallatin County in the City of Bozeman

Location: TOWN PUMP INC BOZEMAN 1
803 E Main St
Bozeman, MT 59715-3842 Gallatin

Legacy ID:16-08674

Facility ID: 21505
Last Inspected On: 04/23/2021
Operating Permit Renewal Date: 08/25/2024

Owner Operator Contact: Don Edmisten;Town Pump

4064976948

Operator Contact: Trent Biggers

Owner/Operator: Bozeman 1 Town Pump LLC

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
09	6	04/01/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5520	No	03/03/2015	Double-Walled	Double Walled	Yes
Currently in Use		10/24/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible

Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
20,000			Gilbarco-Veeder Root/TLS-350		Yes
10	6	04/01/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5521	No	03/03/2015	Double-Walled	Double Walled	Yes
Currently in Use		10/24/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
10,000			Gilbarco-Veeder Root/TLS-350		Yes
11	6	04/01/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5522	No	03/03/2015	Double-Walled	Double Walled	Yes
Currently in Use		10/24/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
10,000			Gilbarco-Veeder Root/TLS-350		Yes
12	6	04/01/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5523	No	03/03/2015	Double-Walled	Double Walled	Yes
Currently in Use		10/24/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
6,000			Gilbarco-Veeder Root/TLS-350		Yes
13	6	04/01/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5524	No	03/03/2015	Double-Walled	Double Walled	Yes
Currently in Use		10/24/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible

Diesel	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
6,000	Gilbarco-Veeder Root/TLS-350		Yes

Facility Summary in Gallatin County in the City of Bozeman

Location: TOWN PUMP INC BOZEMAN 2
2607 W Main St
Bozeman, MT 59718-3942 Gallatin

Legacy ID:16-08675

Facility ID: 21506
Last Inspected On: 01/06/2021
Operating Permit Renewal Date: 05/31/2024

Owner Operator Contact: Don Edmisten;Bozeman Town Pump Inc PTRCB 1334 **4064976948**

Operator Contact: Trent Biggers

Owner/Operator: Bozeman 2 Town Pump LLC

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
01	37	04/11/1984	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
2441	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		02/01/2018	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Statistical Inventory Reconciliation	No
10,000			Gilbarco-Veeder Root/TLS-350		No
02	37	04/11/1984	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
2442	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		02/01/2018	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Statistical Inventory Reconciliation	No

10,000			Gilbarco-Veeder Root/TLS-350		No
03	37	04/11/1984	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
2443	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		02/01/2018	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Statistical Inventory Reconciliation	No
10,000			Gilbarco-Veeder Root/TLS-350		No
04	32	04/01/1989	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2444	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline		02/01/2018	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Statistical Inventory Reconciliation	No
12,000			Gilbarco-Veeder Root/TLS-350		No

Facility Summary in Gallatin County in the City of Bozeman

Location: TOWN PUMP INC BOZEMAN 5
29001 Norris Rd
Bozeman, MT 59718-8161 Gallatin

Legacy ID:60-15119

Facility ID: 30866
Last Inspected On: 04/27/2021
Operating Permit Renewal Date: 05/07/2024

Owner Operator Contact: Town Pump

Operator Contact: Trent Biggers

Owner/Operator: Bozeman 5 Town Pump LLC

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

01	13	12/08/2008	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve;Flapper Valve
----	----	------------	-------------------------------	-------------------------------	--------------------------------

5191	No		Double-Walled	Double Walled	Yes
Currently in Use		06/25/2008	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
14,000			Gilbarco-Veeder Root/TLS-350		No
02	13	12/08/2008	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve;Flapper Valve
5192	No		Double-Walled	Double Walled	Yes
Currently in Use		06/25/2008	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
6,000			Gilbarco-Veeder Root/TLS-350		No
03	13	12/08/2008	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve;Flapper Valve
5193	No		Double-Walled	Double Walled	Yes
Currently in Use		06/25/2008	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
14,000			Gilbarco-Veeder Root/TLS-350		No
04	13	12/08/2008	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve;Flapper Valve
5194	No		Double-Walled	Double Walled	Yes
Currently in Use		06/25/2008	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
6,000			Gilbarco-Veeder Root/TLS-350		No
05	13	12/08/2008	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve;Flapper Valve

5195	No		Double-Walled	Double Walled	Yes
Currently in Use		06/25/2008	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
20,000			Gilbarco-Veeder Root/TLS-350		No
06	4	06/06/2017	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5736	No	05/15/2017	Double-Walled	Double Walled	Yes
Currently in Use		06/09/2017	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
6,000			Gilbarco-Veeder Root/TLS-350		Yes

Facility Summary in Gallatin County in the City of Bozeman

Location: TOWN PUMP INC. (BOZEMAN #10)
77 East Valley Center Road
Bozeman, MT 59715 Gallatin

Legacy ID:60-15346

Facility ID: 32426
Last Inspected On: 04/13/2021
Operating Permit Renewal Date: 06/26/2024

Owner Operator Contact:

Operator Contact: Trent Biggers

Owner/Operator: Town Pump Inc Northwest Missoula

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	0		Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5985	No		Double-Walled	Double Walled	No

Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline, E10		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
30,000				Yes
02	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5986	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
7,000				Yes
03	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5987	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
15,000				Yes
04	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5988	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel, Dyed		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
7,000				Yes
05	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5989	No	Double-Walled	Double Walled	No

Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
7,000				Yes
06	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5990	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
20,000				Yes
07	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5991	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
7,000				Yes
08	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5992	No	Double-Walled	Double Walled	No
Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
15,000				Yes
09	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5993	No	Double-Walled	Double Walled	No

Currently in Use		Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel, Dyed		Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
7,000				Yes
10	0	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5994	No		Double Walled	No
Currently in Use			Pressurized	
DEF (Not Regulated)		Statistical Inventory Reconciliation	Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
7,000				No

Facility Summary in Gallatin County in the City of Bozeman

Location: TOWN PUMP INC. (BOZEMAN #8)
5200 S Cottonwood Rd
Bozeman, MT 59718 Gallatin

Legacy ID:60-15244

Facility ID: 30961
Last Inspected On: 11/04/2020
Operating Permit Renewal Date: 03/05/2024

Owner Operator Contact:

Operator Contact: Trent Biggers

Owner/Operator: Bozeman 8 Town Pump LLC

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	7	08/01/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5479	No	09/15/2014	Double-Walled	Double Walled	Yes
Currently in Use		06/28/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible

Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
20,000			Gilbarco-Veeder Root/TLS-350		Yes
02	7	08/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5480	No	09/15/2014	Double-Walled	Double Walled	Yes
Currently in Use		06/28/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
15,000			Gilbarco-Veeder Root/TLS-350		Yes
03	7	08/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5481	No	09/15/2014	Double-Walled	Double Walled	Yes
Currently in Use		06/28/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
6,000			Gilbarco-Veeder Root/TLS-350		Yes
04	7	08/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5482	No	09/15/2014	Double-Walled	Double Walled	Yes
Currently in Use		06/28/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
15,000			Gilbarco-Veeder Root/TLS-350		Yes
05	7	08/14/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5483	No	09/15/2014	Double-Walled	Double Walled	Yes
Currently in Use		06/28/2014	Electronic Line Leak Detector	Pressurized	Non-corrodible

Diesel	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
6,000	Gilbarco-Veeder Root/TLS-350		Yes

Facility Summary in Gallatin County in the City of Bozeman

Location: WILLIAMS PUMP and PAK INC
2020 N 7th Ave
Bozeman, MT 59715-2516 Gallatin

Legacy ID:16-00758

Facility ID: 21119
Last Inspected On: 09/17/2020
Operating Permit Renewal Date: 11/06/2023

Owner Operator Contact: Williams Pump and Pak Inc

4065870485

Operator Contact: Alan Williams

Owner/Operator: Williams Pump and Pak Inc

Alan Williams, UST Class A Operator

Alan Williams, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
04	24	06/01/1997	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2275	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		08/03/2017	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.2	No
8,000			Veeder Root/TLS-350		No
05	24	06/01/1997	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
2276	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		08/03/2017	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.2	No
12,000			Veeder Root/TLS-350		No

Facility Summary in Gallatin County in the City of Bozeman

Location: Zeke's Little Store Inc
621 Bridger Dr
Bozeman, MT 59715-2205 Gallatin

Legacy ID:16-10193

Facility ID: 21568
Last Inspected On: 04/09/2020
Operating Permit Renewal Date: 07/31/2023

Owner Operator Contact: Zeke's Little Store, Inc

4065390576

Operator Contact: David Huntley;Panda Harston;Stacy Huntley;William Harston

4065798371;4065876280

Owner/Operator: Zeke's Little Store, Inc

David Huntley, UST Class A Operator
David Huntley, UST Class B Operator
Panda Harston, UST Class A Operator
Panda Harston, UST Class B Operator
Stacy Huntley, UST Class A Operator
Stacy Huntley, UST Class B Operator
William P Harston, UST Class A Operator
William P Harston, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	31	01/05/1990	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
3067	No			None	Yes
Currently in Use			Not Required	Safe Suction	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Not Listed	No
6,000			Veeder Root/TLS-300		No
02	31	01/05/1990	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
3068	No			None	Yes
Currently in Use			Not Required	Safe Suction	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Not Listed	No

6,000			Veeder Root/TLS-300		No
03	31	01/05/1990	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
4542	No			None	Yes
Currently in Use			Not Required	Safe Suction	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Not Listed	No
6,000			Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of Bozeman

Location: ZIP TRIP 46
1210 E Main St
Bozeman, MT 59715 Gallatin

Legacy ID:16-06596

Facility ID: 21399
Last Inspected On: 02/18/2019
Operating Permit Renewal Date: 05/26/2022

Owner Operator Contact: Harry Huntsinger;The Store Inc;Jim Alford;CHS Inc - Spokane **4066332359;5095367418**

Operator Contact: Ian Johnstone;Jim Alford;Nicholas Merritt **4066330023;5095367418**

Owner/Operator: CHS Inc Spokane Valley

- Darcy Ziegler, UST Class B Operator
- Ian Johnstone, UST Class A Operator
- Ian Johnstone, UST Class B Global Operator
- Jim Alford, UST Class A Operator
- Jim Alford, UST Class B Global Operator
- Nicholas Merritt, UST Class A Operator
- Nicholas Merritt, UST Class B Global Operator
- Nicholas Merritt, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	36	04/03/1985	Bare Steel	Fiberglass Reinforced Plastic	Flapper Valve
2105	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current

Gasoline		03/22/2016	Automatic Tank Gauging 0.2	ELLD 0.2	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
02	36	04/03/1985	Bare Steel	Fiberglass Reinforced Plastic	Flapper Valve
2106	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		03/22/2016	Automatic Tank Gauging 0.2	ELLD 0.2	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
03	36	04/03/1985	Bare Steel	Fiberglass Reinforced Plastic	Flapper Valve
2107	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		03/22/2016	Automatic Tank Gauging 0.2	ELLD 0.2	No
8,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Gallatin Gateway

Location: CASEYS #6
47650 Gallatin Rd
Gallatin Gateway, MT 59730 Gallatin

Legacy ID:16-06923

Facility ID: 21410
Last Inspected On: 05/28/2020
Operating Permit Renewal Date: 09/10/2023

Owner Operator Contact: Donna Madson;Story Distributing Co Bozeman;Story Distributing Co Bozeman

Operator Contact: Calvin Wilson;Damian Lewis

Owner/Operator: Story Distributing Co Bozeman

- Amber Wiatt, UST Class B Operator
- Barbara Pozega, UST Class B Operator
- Calvin Wilson, UST Class A Operator
- Calvin Wilson, UST Class B Global Operator
- Cheryl Caton, UST Class B Operator
- Damian Lewis, UST Class A Operator
- Damian Lewis, UST Class B Operator
- Kelly Shutes, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
-----------	-----	-----------	----------------------------	-----------------	----------------

Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	36	09/01/1985	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
4556	No	11/15/2016		Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		03/22/2017	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
10,000			Veeder Root/TLS-300		No
02	36	09/01/1985	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
4557	No	11/15/2016		Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		03/22/2017	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
10,000			Veeder Root/TLS-300		No
03	36	09/01/1985	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
4558	No	11/15/2016		Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		03/22/2017	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
10,000			Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of Gallatin Gateway

Location: CASEYS #9
76250 Gallatin Rd
Gallatin Gateway, MT 59730 Gallatin

Legacy ID:16-09998

Facility ID: 21546
Last Inspected On: 09/23/2020
Operating Permit Renewal Date: 02/20/2024

Owner Operator Contact: Story Distributing Co Bozeman

Operator Contact: Calvin Wilson; Jason Shanley

Owner/Operator: Story Distributing Co Bozeman

Calvin Wilson, UST Class A Operator
 Calvin Wilson, UST Class B Global Operator
 Jason Shanley, UST Class A Operator
 Jason Shanley, UST Class B Operator
 Kelley Phipps, UST Class B Operator
 Kristy Saul, UST Class B Operator
 Mari Cordova, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
05	28	11/19/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
4492	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		11/19/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		03/07/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
06	28	11/19/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
4493	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		11/19/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
6,000		03/07/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
07	28	11/19/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
4494	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		11/19/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
4,000		03/07/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

08	28	11/19/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
4495	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		11/19/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
8,000		03/07/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
09	28	11/19/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
4496	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		11/19/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
4,000		03/07/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Manhattan

Location: DANHOF CHEVROLET INC
6605 Amsterdam Rd
Manhattan, MT 59741-8315 Gallatin

Legacy ID:16-01367

Facility ID: 21153
Last Inspected On: 04/12/2021
Operating Permit Renewal Date: 04/16/2024

Owner Operator Contact: Danhof Chevrolet Inc **4062827231**

Operator Contact: Jason Rorabaugh;Rocky Mountain Supply Inc Belgrade **4063884008**

Owner/Operator: Danhof Chevrolet Inc

Dennis Franks, UST Class B Global Operator
Jason Rorabaugh, UST Class A Operator
Jason Rorabaugh, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

09	35	06/13/1986	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
800	No			Double Walled	Yes

Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		04/14/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
8,000		08/10/2017	Veeder Root/TLS-300		No
10	35	06/13/1986	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
801	No			Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		04/14/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
8,000		08/10/2017	Veeder Root/TLS-300		No
11	35	06/13/1986	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
802	No			Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		04/14/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
8,000		08/10/2017	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of Manhattan

Location: HARLOWS SCHOOL BUS SVC
1085 Yadon Rd
Manhattan, MT 59741 Gallatin

Legacy ID:56-13969

Facility ID: 30631
Last Inspected On: 02/10/2020
Operating Permit Renewal Date:

Owner Operator Contact:

Operator Contact:

Owner/Operator: HJJ Properties LLC

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	22	12/30/1999	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
4142	No			None	Yes
Temporarily Out of Use			Not Required	Safe Suction	Galvanic
Diesel		03/31/2017	Automatic Tank Gauging 0.1;Automatic Tank Gauging 0.2	Not Listed	No
1,000					No
02	22	12/30/1999	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
4143	No			None	Yes
Temporarily Out of Use			Not Required	Safe Suction	Galvanic
Diesel		03/31/2017	Automatic Tank Gauging 0.1;Automatic Tank Gauging 0.2	Not Listed	No
500					No

Facility Summary in Gallatin County in the City of Manhattan

Location: SCHUTTER SEED FARM, INC
3627 Wooden Shoe Rd
Manhattan, MT 59741-8108 Gallatin

Legacy ID:16-10184

Facility ID: 21567
Last Inspected On: 03/11/2021
Operating Permit Renewal Date: 03/26/2024

Owner Operator Contact:

Operator Contact: Sid Schutter

4062846478

Owner/Operator: Sid Schutter Farm Inc

Sid Schutter, UST Class A Operator

Sid Schutter, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
07	27	01/01/1994	Cathodically Protected Steel	Steel	Flapper Valve
1909	No			Double Walled	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		12/21/2017	Automatic Tank Gauging 0.2	Deferred	No
2,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
08	27	01/01/1994	Cathodically Protected Steel	Steel	Flapper Valve
1910	No			Double Walled	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		12/21/2017	Automatic Tank Gauging 0.2	Deferred	No
10,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Manhattan

Location: THRIFTWAY SUPER STOP 12 (ME and JAN'S MINI MART III)
404 S Broadway St
Manhattan, MT 59741 Gallatin

Legacy ID:16-03431

Facility ID: 21242
Last Inspected On: 04/04/2019
Operating Permit Renewal Date: 06/12/2022

Owner Operator Contact: David Rutledge;David Rutledge Distributing Co Billings;Sutey Oil Co Inc

4064942305

Operator Contact: Bryan Kelsey;Louis Sutey

4064915808

Owner/Operator: Sutey Oil Co Inc

Bryan Kelsey, UST Class A Operator

Bryan Kelsey, UST Class B Operator
 Dave Stine, UST Class B Operator
 Dottie Nichols, UST Class B Operator
 Kelly Lewis, UST Class B Operator
 Louis Sutey, UST Class A Operator
 Louis Sutey, UST Class B Global Operator
 Melissa Damuth, UST Class B Operator
 Tanya West, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
07	14	12/04/2007	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
5124	No			Double Walled	Yes
Currently in Use		04/09/2007	Electronic Line Leak Detector	Pressurized	
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
15,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		Yes
04	24	05/01/1997	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
809	No			Double Walled	Yes
Currently in Use		04/09/2007	Electronic Line Leak Detector	Pressurized	
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
12,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
05	24	05/01/1997	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
810	No			Double Walled	Yes
Currently in Use		04/09/2007	Electronic Line Leak Detector	Pressurized	
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No

8,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
06	24	05/01/1997	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve
811	No			Double Walled	Yes
Currently in Use		04/09/2007	Electronic Line Leak Detector	Pressurized	
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
5,000			Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of Three Forks

Location: THRIFTWAY CONOCO 15
5 S Main St
Three Forks, MT 59752 Gallatin

Legacy ID:16-00987

Facility ID: 21128
Last Inspected On: 02/19/2019
Operating Permit Renewal Date: 06/12/2022

Owner Operator Contact: Linda Sutey;Sutey Oil Co Inc;Phyllis Norman;Normco Inc;Sutey Oil Co Inc **4062853710;4064942305;4064942305;4064942305**

Operator Contact: Bryan Kelsey;Louis Sutey **4064915808**

Owner/Operator: David Sutey

Owner/Operator: Sutey Oil Co Inc

- Bryan Kelsey, UST Class A Operator
- Bryan Kelsey, UST Class B Operator
- Dave Stine, UST Class B Operator
- Gayle Ross, UST Class B Operator
- Louis Sutey, UST Class A Operator
- Louis Sutey, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
07	27	04/01/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
520	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic

Gasoline		04/20/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
12,000		04/10/2018	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
08	27	04/01/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
521	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		04/20/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
3,000		04/10/2018	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
09	27	04/01/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
522	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		04/20/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
3,000		04/10/2018	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
10	27	04/01/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
523	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		04/20/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
4,000		04/10/2018	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
11	27	04/01/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
524	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		04/20/2016	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
4,000		04/10/2018	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
12	27	04/01/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve

525	No		None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized
Diesel	04/20/2016		Automatic Tank Gauging 0.2	MLLD Line Tightness Testing
4,000	04/10/2018		Gilbarco-Veeder Root/TLS-350/Gilbarco EMC	No
13	27	04/01/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic
526	No		None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized
Diesel	04/20/2016		Automatic Tank Gauging 0.2	MLLD Line Tightness Testing
4,000	04/10/2018		Gilbarco-Veeder Root/TLS-350/Gilbarco EMC	No

Facility Summary in Gallatin County in the City of Three Forks

Location: TOWN PUMP INC THREE FORKS
10800 US Hwy 287
Three Forks, MT 59752 Gallatin

Legacy ID:16-08721

Facility ID: 21507
Last Inspected On: 08/12/2021
Operating Permit Renewal Date: 01/28/2023

Owner Operator Contact: Kevin Kenneally;Major Brands Dist Imports Inc

4067829121

Operator Contact:

Owner/Operator: Three Forks 1 Town Pump LLC

Don Edmisten, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
08	41	04/14/1980	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
2450	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel	08/17/2018		Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No

10,000			Gilbarco-Veeder Root/TLS-450		No
11	32	01/01/1989	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2452	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		07/08/2014	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
12,000			Gilbarco-Veeder Root/TLS-450		No
03	47	04/14/1974	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
4543	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		08/17/2018	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
8,000			Gilbarco-Veeder Root/TLS-450		No
05	47	04/14/1974	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
4544	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		08/17/2018	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
12,000			Gilbarco-Veeder Root/TLS-450		No
06	41	04/14/1980	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve;Positive Shutoff
4545	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		08/17/2018	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No

12,000			Gilbarco-Veeder Root/TLS-450		No
07	41	04/14/1980	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
4546	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		08/17/2018	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
12,000			Gilbarco-Veeder Root/TLS-450		No
04	47	04/14/1974	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
4681	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		08/17/2018	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
12,000			Gilbarco-Veeder Root/TLS-450		No
12	32	01/01/1989	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve;Positive Shutoff
4882	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		07/08/2014	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
12,000			Gilbarco-Veeder Root/TLS-450		No
10	32	01/01/1989	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve;Positive Shutoff
4886	No			Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		07/08/2014	Approved Remote Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No

12,000			Gilbarco-Veeder Root/TLS-450		No
13	16	02/02/2005	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
4931	No		Double-Walled	Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel		07/08/2014	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Approved Remote Monitoring;Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	No
30,000			Gilbarco-Veeder Root/TLS-450		No
09	0		Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve
5924	No		Double-Walled	Double Walled	No
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Continuous Interstitial Monitoring;Statistical Inventory Reconciliation	Yes
8,000					Yes

Facility Summary in Gallatin County in the City of Three Forks

Location: WHEAT MONTANA FARMS INC
10778 US Hwy 287
Three Forks, MT 59752-9518 Gallatin

Legacy ID:56-14009

Facility ID: 30669
Last Inspected On: 06/17/2019
Operating Permit Renewal Date: 07/07/2022

Owner Operator Contact: Wheat Montana Bakery Inc

Operator Contact: Jared DeBoe;Peter Carlson

4065824573

Owner/Operator: Wheat Montana Bakery Inc

Jared DeBoe, UST Class A Operator
Jared DeBoe, UST Class B Global Operator
Peter Carlson, UST Class A Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

01	20	06/01/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4384	No	04/21/2016		Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
12,000			Gilbarco-Veeder Root/TLS-350		No
02	20	06/01/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4385	No	04/21/2016		Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
12,000			Gilbarco/TLS-350		No
03	20	06/01/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4386	No	04/21/2016		Double Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.2	No
5,000			Gilbarco-Veeder Root/TLS-350		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: CORNER CENEX
136 N Canyon St
West Yellowstone, MT 59758 Gallatin

Legacy ID: 16-00055

Facility ID: 21097
Last Inspected On: 05/04/2020
Operating Permit Renewal Date: 09/05/2023

Owner Operator Contact: Larry Whitman; Whitmans Conoco Inc Mesa

Operator Contact: Brad Schmier; Timothy Heideman

4066467112

Owner/Operator: Brad Schmier

Owner/Operator: Jerrys Enterprises Inc

Brad Schmier, UST Class A Operator
Brad Schmier, UST Class B Operator
Timothy Heideman, UST Class A Operator
Timothy Heideman, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
10	30	10/01/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
2263	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		05/15/2017	Automatic Tank Gauging 0.2	ELLD 0.2	No
10,000		05/16/2017	Gilbarco/EMC Basic		No
11	30	10/01/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
2264	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		05/15/2017	Automatic Tank Gauging 0.2	ELLD 0.2	No
10,000		05/16/2017	Gilbarco/EMC Basic		No
12	30	10/01/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
2265	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		05/15/2017	Automatic Tank Gauging 0.2	ELLD 0.2	No
6,000		05/16/2017	Gilbarco/EMC Basic		No
13	30	10/01/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
2266	No			None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		05/15/2017	Automatic Tank Gauging 0.2	ELLD 0.2	No

4,000

05/16/2017

Gilbarco/EMC Basic

No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: DELAWARE NORTH PARKS SERVICES AT
YELLOWSTONE LLC
251 Echo Canyon Rd
West Yellowstone, MT 59758 Gallatin

Legacy ID:16-06367

Facility ID: 21389
Last Inspected On: 06/14/2019
Operating Permit Renewal Date: 10/01/2022

Owner Operator Contact:

Operator Contact: Fatouros Fatouros DO NOT USE;Jason
Fatouros;Justin Cook;Ron Wilkes

4062200463;4065867593;4065995991

Owner/Operator: Delaware North Companies Inc

- Alexandra Chipouras, UST Class B Operator
- Fatouros Fatouros DO NOT USE, UST Class A Operator
- Fatouros Fatouros DO NOT USE, UST Class B Global Operator
- Jason Fatouros, UST Class A Operator
- Jason Fatouros, UST Class B Global Operator
- Jason Fatouros, UST Class B Operator
- Justin Cook, UST Class A Operator
- Justin Cook, UST Class B Operator
- Ron Wilkes, UST Class A Operator
- Ron Wilkes, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
05	28	06/01/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
1277	No		Double-Walled	Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		06/09/2016	Manual Interstitial Monitoring	MLLD Line Tightness Testing	No
6,000		10/14/2015			No
06	28	06/01/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve

1278	No	Double-Walled	Double Walled	Yes
Currently in Use		Mechanical Line Leak Detector	Pressurized	Impressed Current
Diesel	06/09/2016	Manual Interstitial Monitoring	MLLD Line Tightness Testing	No
2,000	10/14/2015			No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: DNC PARKS AND RESORTS AT YELLOWSTONE
 ADVENTURES
 415 Yellowstone Ave
 West Yellowstone, MT 59758 Gallatin

Legacy ID:16-11619

Facility ID: 21712
Last Inspected On: 05/17/2021
Operating Permit Renewal Date: 10/19/2024

Owner Operator Contact:

Operator Contact: David Singleton;Erik Dawkins;Holly Loomans;Jason Fatouros;Ron Wilkes **4062200463;4065488440;4065995991**

Owner/Operator: Delaware North Companies Inc

- Alexandra Chipouras, UST Class B Operator
- David Singleton, UST Class A Operator
- David Singleton, UST Class B Global Operator
- Erik Dawkins, UST Class A Operator
- Erik Dawkins, UST Class B Global Operator
- Erik Dawkins, UST Class B Operator
- Holly Loomans, UST Class A Operator
- Holly Loomans, UST Class B Operator
- Jason Fatouros, UST Class A Operator
- Jason Fatouros, UST Class B Global Operator
- Justin Cook, UST Class B Global Operator
- Justin Cook, UST Class B Operator
- Ron Wilkes, UST Class A Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
02	28	10/01/1993	Cathodically Protected Steel	Steel	Flapper Valve
2350	No			None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		10/02/2018	Automatic Tank Gauging 0.2	Deferred	No
4,000			Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: DNC PARKS and RESORTS OF WEST
 YELLOWSTONE
 315 Yellowstone Ave
 West Yellowstone, MT 59758-9527 Gallatin

Legacy ID:16-13528

Facility ID: 21831
Last Inspected On: 05/17/2021
Operating Permit Renewal Date: 05/17/2024

Owner Operator Contact:

Operator Contact: David Singleton;Erik Dawkins;Fatouros Fatouros DO NOT USE;Holly Loomans;Jason Fatouros;Justin Cook;Ron Wilkes **4062200463;4065488440;4065867593;4065995991**

Owner/Operator: Delaware North Companies Inc

Alexandra Chipouras, UST Class B Operator
 David Singleton, UST Class A Operator
 David Singleton, UST Class B Global Operator
 Erik Dawkins, UST Class A Operator
 Erik Dawkins, UST Class B Global Operator
 Fatouros Fatouros DO NOT USE, UST Class A Operator
 Fatouros Fatouros DO NOT USE, UST Class B Global Operator
 Holly Loomans, UST Class A Operator
 Holly Loomans, UST Class B Operator
 Jason Fatouros, UST Class A Operator
 Jason Fatouros, UST Class B Global Operator
 Justin Cook, UST Class A Operator
 Justin Cook, UST Class B Operator
 Ron Wilkes, UST Class A Operator
 Ron Wilkes, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	27	09/10/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
2306	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		06/13/2018	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
4,000		06/13/2018	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: Eagle Chevron
17 Canyon St
West Yellowstone, MT 59758 Gallatin

Legacy ID:16-08571

Facility ID: 21496
Last Inspected On: 05/06/2020
Operating Permit Renewal Date: 10/08/2023

Owner Operator Contact:

Operator Contact: Eva Eagle;Moshe Korleicar

Owner/Operator: Moshe Korleicar

Doreena Ford, UST Class B Operator
Eva Eagle, UST Class A Operator
Lee Sloan, UST Class B Operator
Moshe Korleicar, UST Class A Operator
Moshe Korleicar, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
07	22	06/01/1999	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve
4018	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	
Gasoline		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		10/12/2016	Veeder Root/TLS-300		No
08	22	06/01/1999	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve
4019	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	
Gasoline		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		10/12/2016	Veeder Root/TLS-300		No
05	31	10/05/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve

844	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		10/12/2016	Veeder Root/TLS-300		No
06	31	10/05/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
845	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
4,000		10/12/2016	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: EAGLE STORE UST
3 Canyon St
West Yellowstone, MT 59758-9515 Gallatin

Legacy ID:16-08570

Facility ID: 21495
Last Inspected On: 05/06/2020
Operating Permit Renewal Date: 10/08/2023

Owner Operator Contact: Eagle Company Inc

4066469300

Operator Contact: Moshe Korleicar

Owner/Operator: Eagle Company Inc

Owner/Operator: Joe Eagle

Doreena Ford, UST Class B Operator
Moshe Korleicar, UST Class A Operator
Moshe Korleicar, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
06	32	04/28/1989	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
3986	No			None	Yes

Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
8,000		10/12/2016	Veeder Root/TLS-300		No
07	32	04/28/1989	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
3987	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
8,000		10/12/2016	Veeder Root/TLS-300		No
08	24	10/20/1997	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve
843	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
4,000		10/12/2016	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: ECONO MART
307 Firehole Ave
West Yellowstone, MT 59758-9516 Gallatin

Legacy ID:16-10356

Facility ID: 21581
Last Inspected On: 10/06/2020
Operating Permit Renewal Date: 03/03/2024

Owner Operator Contact: Firehole Holdings LLC;Merrick Young;Firehole Holdings LLC

4066467887

Operator Contact: Merrick Young

Owner/Operator: Econo Clyde G Seely

Owner/Operator: Firehole Holdings LLC

Merrick Young, UST Class A Operator
Merrick Young, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery

Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
06	20	10/01/2001	Steel Clad	Flexible Plastic	Flapper Valve
4438	No		Double-Walled	Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
2,000		10/10/2017	Veeder Root/TLS-300		No
01	46	02/11/1975	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
847	No		Lined Interior/Impressed Current	Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		10/13/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
10,000		10/10/2017	Veeder Root/TLS-300		No
02	46	02/11/1975	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
848	No		Lined Interior/Impressed Current	Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		10/13/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
10,000		10/10/2017	Veeder Root/TLS-300		No
04	46	02/11/1975	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
850	No		Lined Interior/Impressed Current	Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		10/13/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
2,000		10/10/2017	Veeder Root/TLS-300		No

05	46	02/11/1975	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
851	No		Lined Interior/Impressed Current	None	Yes
Currently in Use		05/16/2013	Mechanical Line Leak Detector	Pressurized	Impressed Current
Diesel		10/13/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
5,000		10/10/2017	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: KIRKWOOD RANCH MOTEL TRAILER PARK
35 Kirkwood Creek Rd
West Yellowstone, MT 59758-9770 Gallatin

Legacy ID:16-10793

Facility ID: 21623
Last Inspected On: 04/24/2020
Operating Permit Renewal Date: 05/25/2023

Owner Operator Contact: E I Holdings LLC

8019166605

Operator Contact: Chris Swenson;Kyle Burden

4064901927

Owner/Operator: E I Holdings LLC

Chris Swenson, UST Class A Operator
Chris Swenson, UST Class B Global Operator
Kyle Burden, UST Class A Operator
Kyle Burden, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
05	21	08/01/2000	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
4237	No	05/16/2017		Double Walled	Yes
Currently in Use			Continuous Interstitial Monitoring;Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		05/16/2017	Automatic Tank Gauging 0.1	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
6,000		05/16/2017	Veeder Root/TLS-300		No

06	21	08/01/2000	Cathodically Protected Steel	Flexible Plastic	Flapper Valve
4580	No	05/16/2017		Double Walled	Yes
Currently in Use			Continuous Interstitial Monitoring;Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		05/16/2017	Automatic Tank Gauging 0.1	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
2,000		05/16/2017	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: LIONSHEAD RESORT
1545 Targhee Pass Hwy
West Yellowstone, MT 59758-9626 Gallatin

Legacy ID:16-12923

Facility ID: 21802
Last Inspected On: 05/18/2021
Operating Permit Renewal Date:

Owner Operator Contact: Yellowstone Rental Properties LLC Billings **4066467606**

Operator Contact:

Owner/Operator: Yellowstone Rental Properties LLC Billings

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
02	29	11/01/1992	Cathodically Protected Steel	Steel	Flapper Valve
3391	No			None	Yes
Temporarily Out of Use			Not Required	Safe Suction	Galvanic
Gasoline		05/08/2018	Vapor Monitoring	Deferred	No
10,000					No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: MDOT DUCK CREEK (WEST YELLOWSTONE)
8060 Gallatin Rd
West Yellowstone, MT 59758 Gallatin

Legacy ID:16-04057

Facility ID: 21275
Last Inspected On: 10/07/2020
Operating Permit Renewal Date: 03/25/2024

Owner Operator Contact:

Operator Contact: Jeff Gleason;Joe Radonich;Mike Murolo;Walt Kerttula

Owner/Operator: MDOT Helena

Greg Johnson, UST Class B Global Operator
Jacob Holthues, UST Class B Operator
Jeff Gleason, UST Class A Operator
Joe Radonich, UST Class A Operator
Joe Radonich, UST Class B Global Operator
Ken Whitaker, UST Class B Global Operator
Mike Murolo, UST Class A Operator
Walt Kerttula, UST Class A Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
06	29	07/01/1992	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
4323	No		Double-Walled	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		10/11/2017	Continuous Interstitial Monitoring	Deferred	No
2,000			Gilbarco-Veeder Root/ILS-350		No
07	29	07/01/1992	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
4324	No		Double-Walled	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		10/11/2017	Continuous Interstitial Monitoring	Deferred	No
6,000			Gilbarco-Veeder Root/ILS-350		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: RIVERSIDE STATION
 215 N Canyon St
 West Yellowstone, MT 59758 Gallatin

Legacy ID:16-04500

Facility ID: 21290
Last Inspected On: 05/04/2020
Operating Permit Renewal Date: 08/02/2023

Owner Operator Contact:

Operator Contact: Brad Schmier

Owner/Operator: Jerrys Enterprises Inc

Brad Schmier, UST Class A Operator
 Brad Schmier, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
05	22	01/01/1999	Steel Clad	Flexible Plastic	Flapper Valve
3684	No		Double-Walled	Double Walled	Yes
Currently in Use		09/12/2013	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
12,000		04/25/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
06	22	01/01/1999	Steel Clad	Flexible Plastic	Flapper Valve
3685	No		Double-Walled	Double Walled	Yes
Currently in Use		09/12/2013	Electronic Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;ELLD 0.1;ELLD 0.2	No
8,000		04/21/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
07	22	01/01/1999	Steel Clad	Flexible Plastic	Flapper Valve
3686	No		Double-Walled	Double Walled	Yes
Currently in Use		09/12/2013	Electronic Line Leak Detector	Pressurized	Non-corrodible

Diesel		Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring; ELLD 0.1; ELLD 0.2	No
4,000	04/19/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: SUPER SAVE CONOCO
138 Firehole Ln
West Yellowstone, MT 59758-9609 Gallatin

Legacy ID: 16-04501

Facility ID: 21291
Last Inspected On: 05/05/2020
Operating Permit Renewal Date: 08/02/2023

Owner Operator Contact: Jerrys Enterprises Inc

Operator Contact: Brad Schmier

Owner/Operator: Jerrys Enterprises Inc

Brad Schmier, UST Class A Operator
Brad Schmier, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
05	32	12/11/1989	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
1414	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		10/10/2016	Veeder Root/TLS-300		No
07	32	12/11/1989	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
1416	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
6,000		10/10/2016	Veeder Root/TLS-300		No
08	27	06/01/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve

1417	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
6,000		10/10/2016	Veeder Root/TLS-300		No
06	32	12/11/1989	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve
4302	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		05/15/2017	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		10/10/2016	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: THREE BEAR LODGE INC
217 Yellowstone Ave
West Yellowstone, MT 59758 Gallatin

Legacy ID:16-10357

Facility ID: 21582
Last Inspected On: 05/05/2020
Operating Permit Renewal Date: 07/03/2023

Owner Operator Contact: Clyde Seely;Clyde Seely;Three Bear Lodge Inc

Operator Contact: Merrick Young

Owner/Operator: Clyde Seely

Merrick Young, UST Class A Operator
Merrick Young, UST Class B Global Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
02	28	10/01/1993	Cathodically Protected Steel	Steel	Flapper Valve
2114	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		05/12/2014	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
6,000		10/11/2016	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: TRAVELERS SERVICE CENTER
26 Electric St
West Yellowstone, MT 59758 Gallatin

Legacy ID:16-09852

Facility ID: 21535
Last Inspected On: 05/05/2020
Operating Permit Renewal Date: 08/06/2023

Owner Operator Contact: Loomis Enterprises Inc

4066467773

Operator Contact: Bradley Loomis

4066467773

Owner/Operator: Loomis Enterprises Inc

Bradley Loomis, UST Class A Operator
Bradley Loomis, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected

Status	Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types	
Product	Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery	
Capacity	Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act	
04	23	04/21/1998	Steel Clad	Flexible Plastic	Flapper Valve
1555	No		Double-Walled	Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
10,000		10/13/2016	Veeder Root/TLS-300		No
05	23	04/21/1998	Steel Clad	Flexible Plastic	Flapper Valve
1556	No		Double-Walled	Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
10,000		10/13/2016	Veeder Root/TLS-300		No
06	23	04/21/1998	Steel Clad	Flexible Plastic	Flapper Valve
1557	No		Double-Walled	Double Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitoring;MLLD Line Tightness Testing	No
6,000		10/13/2016	Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: TWO TOP SNOWMOBILE RENTAL
645 Gibbon Ave
West Yellowstone, MT 59758 Gallatin

Legacy ID:16-04445

Facility ID: 21289
Last Inspected On: 01/12/2021
Operating Permit Renewal Date: 02/27/2024

Owner Operator Contact:

Operator Contact: Jennie Allen

Owner/Operator: DNC Parks & Resorts Yellowstone Adventures Inc.

Jennie Allen, UST Class A Operator

Jennie Allen, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	29	09/01/1992	Cathodically Protected Steel	Steel	Flapper Valve
1598	No			None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		10/10/2017	Automatic Tank Gauging 0.2	Not Listed	No
4,000			Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: WEST ENTRANCE BLDG 458
W Entrance Bldg 458
West Yellowstone, MT 59758 Gallatin

Legacy ID:16-08870

Facility ID: 21515
Last Inspected On: 05/24/2019
Operating Permit Renewal Date: 09/13/2022

Owner Operator Contact: National Park Service Mammoth

3073442333

Operator Contact: Claude Long;Harry Laney

3073442333;4065819206

Owner/Operator: National Park Service Mammoth

Claude Long, UST Class A Operator

Harry Laney, UST Class A Operator

Harry Laney, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
01	33	08/24/1988	Cathodically Protected Steel	Steel	Flapper Valve

1739	No		Double-Walled	PVC	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		05/19/2016	Continuous Interstitial Monitoring	Deferred	No
4,000			OPW / EMCO/Other		No
02	33	08/24/1988	Cathodically Protected Steel	Steel	Flapper Valve
1740	No		Double-Walled	PVC	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		05/19/2016	Continuous Interstitial Monitoring	Deferred	No
4,000			OPW / EMCO/Other		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: WESTGATE STATION
 11 Yellowstone Ave
 West Yellowstone, MT 59758-9510 Gallatin

Legacy ID:16-03734

Facility ID: 21256
Last Inspected On: 10/07/2020
Operating Permit Renewal Date: 01/14/2024

Owner Operator Contact: Kerry Parker;Yellowstone Parkers Inc;Westgate Station 4066467651
 West Yellowstone

Operator Contact: Cole Parker 4066467651

Owner/Operator: Westgate Station West Yellowstone

Cole Parker, UST Class A Operator
 Cole Parker, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
09	23	10/01/1998	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
3108	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No

10,000		10/08/2014	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
10	23	10/01/1998	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
3109	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
10,000		10/10/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
11	23	10/01/1998	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
3110	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Non-corrodible
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
6,000		10/10/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No
12	23	10/01/1998	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
3111	No			None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Non-corrodible
Diesel			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	No
5,000		10/10/2017	Gilbarco-Veeder Root/TLS-350/Gilbarco EMC		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: YELLOWSTONE ARCTIC YAMAHA ELECTRIC ST
208 Electric St
West Yellowstone, MT 59758 Gallatin

Legacy ID:16-10358

Facility ID: 21583
Last Inspected On: 07/30/2021
Operating Permit Renewal Date: 10/14/2024

Owner Operator Contact:

Operator Contact: Merrick Young

Owner/Operator: Firehole Holdings LLC

Merrick Young, UST Class A Operator
Merrick Young, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
02	29	09/01/1992	Cathodically Protected Steel	Steel	Flapper Valve;High Level Alarm
2305	No			None	Yes
Currently in Use			Not Required	Safe Suction	Impressed Current
Gasoline		10/13/2015	Automatic Tank Gauging 0.2	Deferred	No
6,000			Veeder Root/TLS-300		No

Facility Summary in Gallatin County in the City of West Yellowstone

Location: YELLOWSTONE HOLIDAY RESORT
16990 Hebgen Lake Rd
West Yellowstone, MT 59758 Gallatin

Legacy ID:16-11066

Facility ID: 21649
Last Inspected On: 10/18/2018
Operating Permit Renewal Date: 03/09/2022

Owner Operator Contact: Grayling Partners LC;Roy Summers

2083565539

Operator Contact: Bradley Campbell;Todd Barta

4065392394;4065701364

Owner/Operator: Grayling Partners LC

Bradley Campbell, UST Class A Operator
James Hynes, UST Class B Operator
Todd Barta, UST Class A Operator
Vickie Barta, UST Class B Operator

Tank Code	Age	Installed	Tank Material Construction	Piping Material	Overfill Types
-----------	-----	-----------	----------------------------	-----------------	----------------

Tag #	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Piping Installed Date	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
S6	22	10/01/1999	Concrete	Fiberglass	
4132	Yes	10/18/2018		Double Walled	Yes
Currently in Use		05/03/2013	Continuous Interstitial Monitoring	Pressurized	
Gasoline			Deferred	Continuous Interstitial Monitoring	No
1,500					No