



WATER PROTECTION BUREAU

Agency Use

Authorization No.:

Date Rec'd
Amount Rec'd
Check No.
Rec'd By

FORM NOI-580 2017

Notice of Intent (NOI) Domestic Sewage Treatment Lagoons - Batch Dischargers MTG580000

The NOI form is to be completed by the owner or operator of a domestic sewage treatment lagoon that is eligible for coverage under the Montana Department of Environmental Quality's General Permit for Domestic Sewage Treatment Lagoons - Batch Dischargers. Please read the attached instructions before completing this form. You must print or type legibly; forms that are not legible, not complete, or unsigned will be returned. You must maintain a copy of the completed NOI form for your records.

Section A - NOI Status (check one)

- Checkboxes for New, Renewal, Modification, Resubmitted with corresponding permit number fields.

Section B - Facility Information (See instruction sheet):

Facility Name
Facility Location
City, State, Zip
County
Facility: Latitude Longitude OR
Township Range Section ; 1/4 1/4 1/4
Facility contact person (name, title)

- Is the facility located on Indian Lands?
Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country?

Section C - Applicant (Owner/Operator) Information *(see instructions)*

Applicant (Owner/Operator) Name *(see instructions)* _____

Mailing Address _____

City, State, and Zip Code _____

Applicant contact person *(name, title)* _____ Employer: _____

Phone Number (_____) _____ E-mail *(optional)* _____

Applicant is: *(Check all that apply - see definitions)* Owner Operator

Status of Applicant *(Check one)* Federal State Public Private Other *(specify)* _____

1. Existing or Pending Permits, Certifications, or Approvals None

MPDES _____ RCRA _____

Clean Air Act _____ Other *(specify)* _____

404 Permit (dredge & fill) _____ Other *(specify)* _____

2. Standard Industrial Classification (SIC) Codes

SIC Code	Description	SIC Code	Description
1		2	

(Provide the four-digit SIC code(s) and description(s) which best reflects the industry activity for the owner/operator).

3. Map

Attach a **topographic or aerial map** of the area extending to at least one mile beyond property boundaries. The map must show the outline of the facility and the location of each of its existing and proposed intake and discharge structures and monitoring locations (outfalls). Include all springs, rivers, and other surface water bodies within the one mile zone on the map, or provide an additional map. Indicate type(s) of maps supplied:

Topographic map Aerial map Other map: _____

Section D – Outfall Location(s) and Receiving Water

Outfall No.	Latitude	Longitude	Receiving Water ⁽¹⁾ <i>(Initial and First Named)</i>

Footnote:

(1) Identify the initial state surface water that your facility discharges to as well as the first named state surface water, if different (i.e., “unnamed ditch to Full Creek”).

1. Effluent monitoring location:

i. describe monitoring location *(note if none)* (e.g.. effluent control device, outfall): _____

ii. latitude/longitude *(or note same as Outfall)*: _____ / _____

iii. indicate if above location for: effluent flow monitoring, effluent sampling, both

iv. if there is a second effluent monitoring location, provide the above information for it, below:

Section E - Domestic Sewage Treatment Lagoon Collection System & Influent Information

1. Collection System Information. Provide information on municipalities and areas served by the facility.

Type of collection system (Separate vs. Combined Sanitary Sewer) and percent contribution (by miles) of each:

- Separate sanitary sewer _____% of total contribution
- Combined storm and sanitary sewer _____% of total contribution

Collection System Name	Population Served	Type of Collection System	Ownership

Total population served by facility: _____ Year of data: _____

2. Non-Domestic (Industrial) Users:

a. Provide information on any non-domestic user (i.e. indirect discharger) to the facility:

Name	Industry Type	Estimated Process Flow (non-domestic) (gpd)

3. Infiltration/Inflow (I/I) Status Update (for facilities with an average daily design flow > 0.1 mgd):

a. Estimate the average number of gallons per day (gpd) that flow into the treatment works from inflow and/or infiltration

Annually: _____ gpd I/I estimate

b. Date of most recent I/I evaluation: _____ Date I/I summary report submitted to DEQ: _____

Comments:

4. Influent Monitoring:

Describe influent sampling location (e.g. manhole, lift station, etc.): _____

Indicate whether location is for: influent flow monitoring influent sampling both

5. Lagoon Flow Data

a. Design Flow (Influent flow rate facility was designed to handle)

Current Average Daily Design Flow _____ million gallons per day (mgd)

Historic Average Daily Design Flow (c. 1993): _____ mgd. Specify year of data: _____

b. Actual Flow (Recent discharge flow rates):

Annual Flow Monitoring Data Last three rolling years (specify Mo/Yr)	Two years ago _____ to _____	One year ago _____ to _____	This year _____ to _____
1. Annual average daily flow rate (mgd)			
2. Maximum daily flow rate (mgd)			
3. Total number of months with discharge			

Section F – Treatment and Discharge Methods

1. Description of Treatment

a. Facultative vs. Aerated Lagoons (*check the one that applies and complete relevant information*)

Facultative system

Number of facultative cells _____

Designed retention time for system: _____ days

Actual retention time for system: _____ days

Aerated or partially mixed system

Number of aerated cells _____

Number of partially mixed cells _____

Number of facultative or acquiescent cells _____

Year Installed: _____ If applicable, date plan & specification approved: _____

Year Last Modified: _____ If applicable, date plan & specification approved: _____

b. Disinfection (*check the one(s) that apply*)

None

Ultraviolet (UV) disinfection

Chlorination. If chlorination, is dechlorination employed prior to discharge? _____

Other: _____

2. Discharge Method

a. Method of lagoon discharge to surface waters (*check the one that applies*):

Batch discharge (includes periodic, controlled, and intermittent). Provide the following information:

1. Number of discrete batch discharges per year: _____

2. Average duration of each discharge (days): _____

3. Average flow rate for each discharge (mgd) _____

Non-discharging. Date of last discharge: _____

b. Additional wastewater disposal methods (*check each that apply*):

Surface impoundment. If applicable, date plan & specification approved: _____

Location: _____ Annual ave. daily volume (mgd) _____ Estim days/year: _____

Land application. If applicable, date plan & specification approved: _____

Location: _____ Annual ave. daily volume (mgd) _____ Estim days/year: _____

Transport to another treatment works

Transporter: _____ Annual ave. daily volume (mgd) _____ Estim days/year: _____

Underground percolation/well injection. If applicable, date plan & specification approved: _____

Location: _____ Annual ave. daily volume (mgd) _____ Estim days/year: _____

Section G - Effluent Monitoring Information:

All data must be based on 40 CFR 136 methods and be no more than 4.5 years old.

Pollutant ⁽¹⁾	Maximum	Long Term Average	Units	No. of Analyses
1. Total Suspended Solids (TSS)				
2. Biochemical Oxygen Demand (BOD ₅)				
Carbonaceous BOD ₅ (CBOD ₅)* *optional – only if permittee requests ⁽²⁾				
3. pH	<u>Max:</u>	<u>Min:</u>	s.u.	
4. Temperature (winter)				
5. Temperature (summer)				
6. <i>E. Coli</i> bacteria ⁽³⁾			#/100 mL	
7. Dissolved Oxygen ⁽⁴⁾	<u>Min:</u>			
8. Oil and Grease				
9. Total Residual Chlorine (TRC) ⁽⁴⁾				
10. Ammonia				
11. Total Kjeldahl Nitrogen (TKN) ^(4,5)				
12. Nitrate+ Nitrite (NO ₃ +NO ₂)				
13. Total Nitrogen (TN) ^(4,5)				
14. Total Phosphorus (TP) ^(4,5)				
15. Total Dissolved Solids (TDS) ⁽⁴⁾				
16. Other:				

Footnote:

- (1) Data for each parameter required unless otherwise noted.
- (2) As allowed under 40 CFR 133.102(a)(4), DEQ may substitute CBOD₅ for BOD₅ upon request of applicant.
- (3) Reporting *Escherichia coli* (*E. coli*) bacteria as #/100 milliliters (mL) includes either most probable number (mpn) per 100 mL or colony-forming units (cfu) per 100 mL. Report the geometric mean rather than the long-term average.
- (4) Provide requested data only if available.
- (5) Provide nutrient data taken in the applicable summer period (typically July 1 – September 30th) if discharge has occurred in that timeframe.

CBOD₅ - Are you requesting to substitute CBOD₅ in lieu of BOD₅?

- No, please maintain BOD₅ as the appropriate parameter for limits and compliance monitoring
- Yes, please replace BOD₅ with CBOD₅ as the appropriate parameter for limits and compliance monitoring

Section H - Demonstration of Eligibility for Less Stringent Technology-based Effluent Limits

A facility is required to demonstrate eligibility for treatment equivalent to secondary (TES) for either 5-day biochemical oxygen demand (BOD₅) or Total Suspended Solids (TSS) or alternate state requirements (ASR) for TSS. Otherwise the facility will be subject to the default - National Secondary Standards (NSS). Provide information to support your request for less stringent limits and select the appropriate TSS and BOD₅ standards that applies to your facility.

Step One: Provide information to support eligibility for less stringent TBELs:

Indicate whether you are requesting TES or ASR for one or both parameters. If so, provide the 95th percentile of the monthly and weekly average concentrations for the applicable parameter (TSS and/or BOD₅) for the past 2 to 4.5 years.

Parameter	Units	Requesting Less Stringent TBELs?	95 th Percentile Monthly Average	95 th Percentile Weekly Average	Date Range (Mo/Yr to Mo/Yr)
TSS	mg/L	Y N			
BOD ₅	mg/L	Y N			
	% removal	--	5 th percentile:	NA	

Certification that proper operation and maintenance was conducted – provide narrative overview below.

Proper Operation & Maintenance: Provide justification (attach sheet(s) as necessary) for meeting TES or ASR, above. Examples include following O&M Manuals, active involvement in managing lagoon, and conducting optimization or other assessment.

Step Two: Select the appropriate TSS Category for Batch Dischargers (Check one):

- (A) TSS - National Secondary Standards (NSS)**
Limits = 30 mg/L monthly average and 45 mg/L weekly average – default, no demonstration needed (i.e. NSS is required unless the applicable conditions are met for TES or ASR).
- (B) TSS - Treatment Equivalent to Secondary (TES)**
Limits = 45 mg/L monthly average and 65 mg/L weekly average – applies if the 95th percentile TSS effluent quality for the previous 2 to 4.5 years’ is 30 - 45 mg/L monthly average and/or 45 - 65 mg/L weekly average; the facility has demonstrated proper operation & maintenance; and has ≥ 65% BOD₅ removal.
- (C) TSS - Alternate State Requirements (ASR)**
Limits = 100 mg/L monthly average and 135 mg/L weekly average – applies if the 95th percentile TSS effluent quality for the previous 2 to 4.5 years’ is > 45 mg/L monthly average and/or > 65 mg/L weekly average; the facility has demonstrated having proper operation & maintenance; and treats to or better than 45 mg/L BOD₅.

Step Three: Select the appropriate BOD₅ Category for Batch Dischargers (Check one):

- (1) BOD₅ National Secondary Standards (NSS)**
Limits = 30 mg/L monthly average, 45 mg/L weekly average, and 85% removal – default, no demonstration needed (i.e. NSS is required unless the applicable conditions are met for TES).
- (2) BOD₅ - Treatment Equivalent to Secondary (TES)**
Limits = 45 mg/L monthly average, 65 mg/L weekly average, and ≥ 65% removal – applies if the 95th percentile BOD₅ effluent quality for the previous 2 to 4.5 years’ is > 30 mg/L monthly average and/or > 45 mg/L weekly average and facility has demonstrated proper operation & maintenance.

Section I - Sage Grouse Habitat

Visit the Montana Sage Grouse Habitat Conservation Program (Program) website (*see instructions for link*) and determine if the domestic lagoon facility is located in designated sage grouse habitat (core, general, and/or connectivity) but outside of incorporated cities and towns.

- Yes: Submit application to the Program and attach a copy of the application and resulting consulting letter.
- No: Project is not located in a designated habitat. No further effort is needed.

Section J - CERTIFICATION FOR ALL OWNER/OPERATORS

Applicant Information: This form must be completed, signed, and certified as follows:

- For a corporation, by a principal officer of at least the level of vice president;
- For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
- For a municipality, state, federal, or other public facility, by either a principal executive officer or ranking elected official.

All Applicants Must Complete the Following Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information; including the possibility of fine and imprisonment for knowing violations. [75-5-633, MCA]

A. Name (Type or Print)

B. Title (Type or Print)

C. Phone No.

D. Signature

E. Date Signed

Section K – Authorized Representative:

In order for future reports, including Discharge Monitoring Reports (DMRs), to be signed by anyone other than the signatory for this NOI, a duly authorized individual(s) or position(s) must be identified. If one is not designated then all reports must be signed by the signatory until such designation is made in writing [ARM 17.30.1323(2)]. (*Check the appropriate box(es)*):

- I designate the Facility Contact listed in Section B as a duly authorized individual
- I designate the Applicant Contact listed in Section C as a duly authorized individual
- I designate the following other duly authorized representative for this permit (*complete information below*):

Name and Title, or Position Title: _____

Company Name (if different than the applicant): _____

Mailing Address: _____

City, State, and Zip Code: _____

Phone Number: () _____ Email Address: _____

***** Or *****

- No duly authorized representative for this permit is designated at this time.